



The bidi *Package*

Documentation for *version 17.3*

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://github.com/persian-tex/bidi/issues>

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2015 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bid* Package

Bidirectional typesetting in plain T_EX and L^AT_EX, using XeT_EX engine

Documentation for [version 17.3](#)

Vafa Khalighi
persian-tex@tug.org

June 17, 2015

Contents

I	L^AT_EX Manual	4		
1	Basics	4		
1.1	Loading The Package	4	1.18	LTRitems and RTLitems Envi- ronments
1.2	bid's Symbol	5	1.19	LTRbibitems and RTLbib- items Environments
1.3	Commands for Version number, and Date of The Package . . .	6	1.20	\setLTRbibitems, \setRTLbibitems, and \setdefaultbibitems commands
1.4	Turning TeX--XeT features on and off	6	1.21	Typesetting margin par
1.5	Options of The Package	6	1.22	Typesetting of Headers and Footers
1.6	Paragraph Switching Commands	7	1.23	Tabular Typesetting
1.7	Paragraph Switching Environ- ments	8	1.24	Equation Numbers
1.8	Typesetting Short LTR and RTL Texts	8	2	Support For Various Packages and Classes
1.9	Footnotes	9	2.1	Color
1.9.1	Footnote Rule	10	2.2	The dblfnote package
1.10	Two Column Typesetting	10	2.3	Hyperref
1.11	RTL cases	11	2.4	The listings package
1.12	Typesetting Logos	11	2.5	flowfram Package
1.13	Separation Mark	11	2.6	Multicolumn Typesetting
1.14	\raggedright, \raggedleft commands, flushleft and flushright Environments . . .	12	3	Extra bid Packages and Classes
1.15	Primitive-like commands	12	3.1	bid-longtable package
1.16	Something To know about \hbox	12	3.2	biditufte bundle
1.17	\bidillap and \bidirlap Commands	13	3.3	Typesetting T _E X and L ^A T _E X Codes
			3.4	Typesetting Poems
			3.5	Typesetting Resumé

3.6	Print Two Pages On A Single Page	20	7.7	amsthm-xetex-bidi.def	35
3.7	Producing Presentations	21	7.8	array-xetex-bidi.def	35
4	Some Useful Internal Macros and Programming Tips	21	7.9	article-xetex-bidi.def	36
4.1	Equating Conditionals	21	7.10	artikel1-xetex-bidi.def	40
4.2	RTL Conditional	21	7.11	artikel2-xetex-bidi.def	45
4.3	Main RTL Conditional	21	7.12	artikel3-xetex-bidi.def	50
4.4	Latin Conditional	21	7.13	arydshln-xetex-bidi.def	55
4.5	Tags Internal Macro	22	7.14	bidi.sty	58
4.6	Definition File Loaded Internal Macro	22	7.15	bidi.tex	61
4.7	Tabular Conditional	22	7.16	bidi2in1.sty	62
4.8	Footnote Conditional	22	7.17	bidicode.sty	63
4.9	Direction Ensuring Macros	22	7.18	bidiftnextra.sty	66
4.10	Reset Direction Macro	23	7.19	bidi-longtable.sty	69
II	Plain T_EX Manual	23	7.20	bidimoderncv.cls	71
5	Basics	23	7.21	biditools.sty	76
5.1	Loading The Package	23	7.22	bidituftefloat.sty	97
5.2	Commands for Version number, and Date of The Package	23	7.23	bidituftesidenote.sty	109
5.3	Turning TeX--XeT features on and off	24	7.24	bidituftetoc.sty	120
5.4	Paragraph Switching Commands	24	7.25	bidituftegeneralstructure.sty	123
5.5	Paragraph Switching Environments	24	7.26	bidituftehyperref.sty	125
5.6	Typesetting Short LTR and RTL Texts	25	7.27	bidituftetitle.sty	126
5.7	Primitive-like commands	26	7.28	bidituft-handout.cls	129
5.8	Something To know about \hbox	26	7.29	bidituft-book.cls	129
5.9	Typesetting Logos	26	7.30	bidipoem.sty	131
6	Some Useful Internal Macros and Programming Tips	26	7.31	boek3-xetex-bidi.def	138
6.1	RTL Conditional	27	7.32	boek-xetex-bidi.def	141
6.2	Main RTL Conditional	27	7.33	bookest-xetex-bidi.def	145
6.3	Direction Ensuring Macros	27	7.34	book-xetex-bidi.def	146
6.4	Reset Direction Macro	27	7.35	breqn-xetex-bidi.def	150
7	bidi implementation	27	7.36	cals-xetex-bidi.def	151
7.1	amsart-xetex-bidi.def	27	7.37	caption-xetex-bidi.def	152
7.2	adjmulticol-xetex-bidi.def	30	7.38	caption3-xetex-bidi.def	152
7.3	algorithm2e-xetex-bidi.def	31	7.39	colortbl-xetex-bidi.def	152
7.4	amsbook-xetex-bidi.def	32	7.40	color-xetex-bidi.def	153
7.5	amsmath-xetex-bidi.def	34	7.41	combine-xetex-bidi.def	154
7.6	amstext-xetex-bidi.def	34	7.42	crop-xetex-bidi.def	154
			7.43	cutwin-xetex-bidi.def	156
			7.44	cuted-xetex-bidi.def	157
			7.45	cvthemebidicasual.sty	165
			7.46	cvthemebidiclassic.sty	167
			7.47	dblfnote-xetex-bidi.def	169
			7.48	draftwatermark-xetex-bidi.def	172
			7.49	eso-pic-xetex-bidi.def	172
			7.50	empheq-xetex-bidi.def	173
			7.51	extarticle-xetex-bidi.def	176
			7.52	extbook-xetex-bidi.def	180
			7.53	extletter-xetex-bidi.def	183
			7.54	extrafootnotefeatures-xetex-bidi.def	184
			7.55	extreport-xetex-bidi.def	220



7.56	fancybox-xetex-bidi.def	224
7.57	fancyhdr-xetex-bidi.def	224
7.58	fix2col-xetex-bidi.def	225
7.59	fleqn-xetex-bidi.def	226
7.60	float-xetex-bidi.def	227
7.61	floatrow-xetex-bidi.def	227
7.62	flowfram-xetex-bidi.def	227
7.63	footnote-xetex-bidi.def	230
7.64	framed-xetex-bidi.def	237
7.65	ftnright-xetex-bidi.def	240
7.66	graphicx-xetex-bidi.def	241
7.67	geometry-xetex-bidi.def	244
7.68	hvfloa-xetex-bidi.def	244
7.69	hyperref-xetex-bidi.def	250
7.70	leqno-xetex-bidi.def	260
7.71	letter-xetex-bidi.def	260
7.72	lettrine-xetex-bidi.def	260
7.73	listings-xetex-bidi.def	263
7.74	loadingorder-xetex-bidi.def	264
7.75	longtable-xetex-bidi.def	269
7.76	mdframed-xetex-bidi.def	271
7.77	memoir-xetex-bidi.def	272
7.78	midfloat-xetex-bidi.def	276
7.79	minitoc-xetex-bidi.def	280
7.80	multicol-xetex-bidi.def	280
7.81	multienum-xetex-bidi.def	283
7.82	natbib-xetex-bidi.def	284
7.83	newfloat-xetex-bidi.def	285
7.84	ntheorem-xetex-bidi.def	286
7.85	ntheorem-hyper-xetex-bidi.def	286
7.86	pdfpages-xetex-bidi.def	287
7.87	pgf-xetex-bidi.def	288
7.88	picinpar-xetex-bidi.def	288
7.89	plain-xetex-bidi.def	291
7.90	pstricks-xetex-bidi.def	292
7.91	quotchap-xetex-bidi.def	293
7.92	ragged2e-xetex-bidi.def	293
7.93	rapport1-xetex-bidi.def	295
7.94	rapport3-xetex-bidi.def	300
7.95	refrep-xetex-bidi.def	306
7.96	report-xetex-bidi.def	309
7.97	rotating-xetex-bidi.def	313
7.98	scrartcl-xetex-bidi.def	316
7.99	scrbook-xetex-bidi.def	325
7.100	scrlettr-xetex-bidi.def	336
7.101	scrreprt-xetex-bidi.def	338
7.102	sidecap-xetex-bidi.def	348
7.103	stabular-xetex-bidi.def	348
7.104	subfigure-xetex-bidi.def	349
7.105	tabls-xetex-bidi.def	349
7.106	tabularx-xetex-bidi.def	350
7.107	tabulary-xetex-bidi.def	351
7.108	tc-xetex-bidi.def	352
7.109	tikz-xetex-bidi.def	352
7.110	titlesec-xetex-bidi.def	353
7.111	titletoc-xetex-bidi.def	354
7.112	tocbibind-xetex-bidi.def	355
7.113	tocloft-xetex-bidi.def	356
7.114	tocstyle-xetex-bidi.def	363
7.115	todonotes-xetex-bidi.def	368
7.116	wrapfig-xetex-bidi.def	370
7.117	xcolor-xetex-bidi.def	372
7.118	latex-xetex-bidi.def	374
7.119	xltxtra-xetex-bidi.def	390
8	Index	390
9	Change History	521



Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain \TeX and \LaTeX , using the \XeTeX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input \TeX document, and then run `xelatex` on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
*****
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2015 Vafa Khalighi
*
* 2015/06/17, v17.3
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/persian-tex/bidi/issues
*
* Support: persian-tex@tug.org
*****
```

Part I

\LaTeX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;



```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in [subsection 1.5](#).
When loading the package, it is important to know that:

- ❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.
- ❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting. If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
1 \documentclass{minimal}
2 \usepackage{bidi}
3 \usepackage{graphicx}
4 \begin{document}
5 This is just a test.
6 \end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
...

1.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes T_EX but lion does not symbolizes bidi. **Simorgh**¹ (shown on the first page of this documentation) symbolizes bidi.

¹Simorgh is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see <http://en.wikipedia.org/wiki/Simurgh>



1.3 Commands for Version number, and Date of The Package

`\bidiversion` `\bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
5 \end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn` `\TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentially equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in [subsection 5.4](#)), `\RTLdblcol` (explained in [subsection 1.10](#)) and `\autofootnoterule` (explained in [subsubsection 1.9.1](#)).

It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.

There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:



```

\normalfootnotes
\twocolumnfootnotes \threecolumnfootnotes \fourcolumnfootnotes
\fivecolumnfootnotes \sixcolumnfootnotes \sevendcolumnfootnotes
\eightcolumnfootnotes \nincolumnfootnotes \tencolumnfootnotes
\RTLcolumnfootnotes \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes \setRTLparagraphfootnotes

```

☞ `\normalfootnotes` typesets footnotes in Standard \LaTeX format.

☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.

☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.

☞ `\paragraphfootnotes` typesets footnotes in paragraph format.

☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This command is active by default.

☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects. Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```

\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR

```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%

```




```

5 Anyone who reads Old and Middle English literary texts will be
6 familiar with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8
9 \setLTR% Notice the blank line before \setLTR
10 Anyone who reads Old and Middle English literary texts will be
11 familiar with the mid-brown volumes of the EETS, with the symbol
12 of Alfred's jewel embossed on the front cover.
13 \end{document}

```

1.7 Paragraph Switching Environments

```

\begin{LTR}  <text>  \end{LTR}
\begin{RTL}  <text>  \end{RTL}

```

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{RTL}
5 Anyone who reads Old and Middle English literary texts will be familiar
6 with the mid-brown volumes of the EETS, with the symbol
7 of Alfred's jewel embossed on the front cover.
8 \begin{LTR}
9 Anyone who reads Old and Middle English literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 And we are still typesetting RTL.
14 \end{RTL}
15 \end{document}

```

1.8 Typesetting Short LTR and RTL Texts

```

\LRE{<text>}  \LR{<text>}
\RLE{<text>}  \RL{<text>}

```

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.



```

1 \begin{document}
2 \begin{RTL}
3 Anyone who reads Old and Middle English \LRE{Short LTR text} literary
4 texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \begin{LTR}
8 Anyone who reads Old and Middle English \RLE{Short RTL text} literary
9 texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \end{LTR}
13 \end{RTL}
14 \end{document}

```

1.9 Footnotes

```

\footnote [num] {<text>} \LTRfootnote [num] {<text>} \RTLfootnote [num] {<text>}
\setfootnoteRL \setfootnoteLR \unsetfootnoteRL
\thanks{<text>} \LTRthanks{<text>} \RTLthanks{<text>}

```

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.



```
\footnotetext [num] {\text} \LTRfootnotetext [num] {\text}
\RTLfootnotetext [num] {\text}
```

- ☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule \rightfootnoterule \leftfootnoterule
\LRfootnoterule \textwidthfootnoterule \SplitFootnoteRule
\debugfootnotedirection
```

- ☞ `\autofootnoterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).
- ☞ `\rightfootnoterule` will put footnote rule on the right-hand side.
- ☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.
- ☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.
- ☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.
- ☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.



Also please note that in `twocolumn` documents, the width of the `\footnoterule` will be equal to `\columnwidth` no matter which footnote-rule commands you use; indeed, in `twocolumn` documents only `\textwidthfootnoterule` is active and other footnote-rule commands will not be effective.

1.11 RTL cases

`\RTLcases` command was previously known as `\rcases` command but since there was a clash with `mathtools` package (`mathtools` defines `rcases` environment), we had to rename `\rcases` command to `\RTLcases` command.

```
\RTLcases{\text{\langle brach1\rangle}\cr\text{\langle brach2\rangle}\cr\text{\langle brach3\rangle}...}
\text{\langle main\rangle}
```

`\RTLcases` is defined in `bidi` for typesetting RTL cases. `\text` is defined in `amsmath` package, so this means that you need to load `amsmath` package too.

```
1 \documentclass{article}
2 \usepackage{amsmath}
3 \usepackage{bidi}
4 \begin{document}
5 \setRTL
6 \[ \RTLcases{\text{men}\cr\text{women}}
7 \text{Humans Beings}
8 \]
9 \end{document}
```

1.12 Typesetting Logos

```
\XeTeX \XeLaTeX
```

`bidi` defines \XeTeX and \XeLaTeX logos and in addition, it makes sure that logos, \TeX , \LaTeX , $\text{\LaTeX}_{2\epsilon}$ are typeset LTR.

1.13 Separation Mark

```
\SepMark{\langle mark\rangle} \@SepMark
```

Generally in Standard \LaTeX , dot is used for separation between section numbers, equation numbers any anything else which needs to be separated. You can use `\SepMark` to use any other mark as the separation mark instead a dot.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \begin{document}
5 \section{First}
6 \subsection{Second}
7 \subsubsection{Third}
8 \end{document}
```



If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load `amsmath` package and use `\numberwithin` macro to do this or do the ordinary way, but instead dot write `\@SepMark`. Using dot instead `\@SepMark` will certainly make trouble.

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \SepMark{-}
4 \makeatletter
5 \renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
6 \makeatother
7 \begin{document}
8 \section{First}
9 \begin{equation}
10 x^2+y^2=z^2
11 \end{equation}
12 \end{document}

```

1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments

`\raggedright` command and `flushleft` environment put the text on the left hand side and `\raggedleft` command and `flushright` environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

1.16 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:



```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \hbox{This is a Test}
6 \end{document}

```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \setRTL
4 \begin{document}
5 \leavevmode\hbox{This is a Test}
6 \end{document}

```

1.17 `\bidillap` and `\bidirlap` Commands

In RTL mode, `\llap` and `\rlap` do opposite things. Since these two macros are used in a lot of classes and packages, instead of modifying these two macros, we have created two new macros `\bidillap` and `\bidirlap` which give logical results.

1.18 `LTRitems` and `RTLitems` Environments

If you typeset an `itemize`, or an `enumerate`, or a `description` environment where all `\items` are one directional, you have no problem at all as shown below:

```

1 \documentclass{article}
2 \begin{document}
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol of Alfred's
5 \begin{enumerate}
6 \item Anyone who reads Old and Middle English literary texts will be
7 familiar with the mid-brown volumes of the EETS, with the symbol of
8 Alfred's
9 \item Anyone who reads Old and Middle English literary texts will be
10 familiar with the mid-brown volumes of the EETS, with the symbol of
11 Alfred's
12 \end{enumerate}
13 \end{document}

```

However if the above example becomes bidirectional, as shown below:

```

1 \documentclass{article}
2 \usepackage{bidi}

```



```

3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \setRTL
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{enumerate}
15 \end{document}

```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```

\begin{RTLitems}
  \item <text>
  ...
\end{RTLitems}

```

By using the RTLitems environment, the previous example will look like the following:

```

1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 Anyone who reads Old and Middle English literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol of Alfred's
6 \begin{enumerate}
7 \item Anyone who reads Old and Middle English literary texts will be
8 familiar with the mid-brown volumes of the EETS, with the symbol of
9 Alfred's
10 \begin{RTLitems}
11 \item Anyone who reads Old and Middle English literary texts will be
12 familiar with the mid-brown volumes of the EETS, with the symbol of
13 Alfred's
14 \end{RTLitems}
15 \end{enumerate}
16 \end{document}

```

Similarly, LTRitems environment is defined which has the following syntax:

```

\begin{LTRitems}
  \item <text>
  ...
\end{LTRitems}

```



1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

- ☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.
- ☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands

<code>\setLTRbibitems</code> <code>\setRTLbibitems</code> <code>\setdefaultbibitems</code>
--

- ☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.
- ☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.
- ☞ `\setdefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setdefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this senario as shown below:

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \begin{thebibliography}{99}
5 \bibitem This is the first bibitem which is LTR.
6 \begin{RTLbibitems}
7 \bibitem This is the second bibitem which is RTL.
8 \end{RTLbibitems}
9 \end{thebibliography}
10 \end{document}
```



1.21 Typesetting margin par

By default, in RTL mode, `\marginpar` appears on LHS and its content is typeset RTL and in LTR mode, `\marginpar` appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar \setLTRmarginpar \setdefaultmarginpar  
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}  
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}
```

- ☞ `\setRTLmarginpar` always makes `\marginpar` to appear on LHS and the content of `\marginpar` is typeset RTL (this is independent of the current mode).
- ☞ `\setLTRmarginpar` always makes `\marginpar` to appear on RHS and the content of `\marginpar` is typeset LTR (this is independent of the current mode).
- ☞ `\setdefaultmarginpar` gives the default behaviour of `\marginpar` as described above.
- ☞ `\LTRmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always LTR.
- ☞ `\RTLmarginpar` typesets `⟨left-text⟩` and `⟨right-text⟩` always RTL.
- ☞ in RTL mode, places of `⟨left-text⟩` and `⟨right-text⟩` swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The bidi package supports `amsmath`, `amstext`, `amsthm`, `array`, `arydshln`, `breqn`, `cals`, `caption`, `color`, `colortbl`, `crop`, `cuted`, `cutwin`, `dblfnote`, `draftwatermark`, `empheq`, `fancyhdr`, `fancybox`, `fix2col`, `float`, `floatrow`, `flowfram`, `framed`, `ftnright`, `geometry`, `graphicx`, `hvfloa`, `hyperref`, `lettrine`, `listings`, `mdframed`, `midfloat`, `minitoc`, `multicol`, `multienum`, `newfloat`, `pdfpages`, `pstricks`, `quotchap`, `pinyin`, `ragged2e`, `rotating`, `sidecap`, `stabular`,



subfig, subfigure, supertabular, xtab, tabs, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltextra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr, standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents. We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package. Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command. For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

<code>\RTLdfnmakecol</code>	<code>\LTRdfnmakecol</code>
-----------------------------	-----------------------------

☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.

☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.

☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.



2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the `bidi` package adds a key to the `listings` package, namely `captiondirection`. This key can have the following values:

☞ `textdirection` follows the direction of the text (default).

☞ `RTL` sets the direction of the caption to RTL.

☞ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use `flowfram` package for your bidirectional documents. Please note that `flowfram` package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of `bidi` package, it was recommended that you need to use `fmultico` package instead the original `multicol` package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy `fmultico` package any more. Simply load the original `multicol` package before loading `bidi`. `bidi` now supports `multicol` package and you can typeset bidirectional multi columns. When using `multicol` package, the following two additional commands are provided:

`\RTLmulticolcolumns` `\LTRmulticolcolumns`

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns. In addition, you also can use `vwcol` package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes



3.1 bidi-longtable package

For typesetting RTL tables with longtable package, an experimental package, bidi-longtable package, is provided. bidi-longtable package should be loaded after longtable package.

3.2 biditufte bundle

A modified version of tufte-latex, biditufte bundle, mainly for RTL typesetting, is provided. If you never used biditufte bundle or tufte-latex package and you want to use biditufte bundle, then you need to look at tufte-latex package's manual and examples. In addition, for using biditufte bundle, you need to know the following notes:

- ☞ You need to use biditufte-book class instead tufte-book class and biditufte-handout class instead tufte-handout class.
- ☞ biditufte bundle provides the following extra commands:

`\LTRsidenote \RTLsidenote \LTRmarginnote \RTLmarginnote`

- ☞ biditufte-book and biditufte-handout classes provide two extra options; RTLgeometry (active when loading either of classes) and LTRgeometry.
- ☞ biditufte bundle unlike tufts-latex package, only provides justified lines.
- ☞ Some features of tufte-latex that does not make any sense in RTL, do not exist in biditufte bundle (no need for soul, letterspace and macrotype packages).
- ☞ If you want to configure biditufte-book class for your own needs, then you can create a file with the name biditufte-book.cfg and put your \LaTeX macros in that file; similarly, if you want to configure biditufte-handout class for your own needs, then you can create a file with the name biditufte-handout.cfg and put your \LaTeX macros in that file.

3.3 Typesetting \TeX and \LaTeX Codes

The \LaTeX codes in this manual are typeset using the bidicode package. In standard \LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsubsection` and any other section-like commands, `\caption` and tabular environment.

bidi package provides bidiftnextra package that solves the issue of footnote in standard \LaTeX . bidiftnextra package should be loaded after bidi package.



3.4 Typesetting Poems

The bidi package provides bidipoem package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type `\\` and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.

When using bidipoem package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying “Unjustified poem. Rerun XeLaTeX to get poem right”.

When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use `Kashida`.

If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{\langle length \rangle}
```

```
\begin{traditionalpoem}  
  \langle verse1 \rangle & \langle verse2 \rangle \\  
  \langle verse3 \rangle & \langle verse4 \rangle \\  
  ...  
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}  
  \langle verse1 \rangle & \langle verse2 \rangle  
  \langle verse3 \rangle & \langle verse4 \rangle  
  ...  
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The bidi package provides `bidimoderncv`² class for typesetting resumé. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the `doc` folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

bidi package provides `bidi2in1` package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape ‘container’ page.

²This class is the modified version of `moderncv` class.



3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

`\eqnewif{<\newconditional1>}{<\newconditional2>}`

In standard \LaTeX , `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- ☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.



4.5 Tags Internal Macro

```
\@iftagsloaded{<tags name>}{<do thing(s) if the tag is loaded>}  
{<do thing(s) if the tag is not loaded>}
```

As you can see, the syntax of \@iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument <tags name>, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

```
\@ifdefinitionfileloaded{<definition file name>}  
{<do thing(s) if the definition file is loaded>}  
{<do thing(s) if the definition file is not loaded>}
```

As you can see, the syntax of \@ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument <definition file name>, the extension def should not be given.

4.7 Tabular Conditional

```
\if@RTLtab
```

If the tabular is typeset RTL, \if@RTLtab is true and if the tabular is typeset LTR, \if@RTLtab is false.

4.8 Footnote Conditional

```
\if@RTL@footnote
```

When footnotes are typeset RTL, \if@RTL@footnote is true and when footnotes are typeset LTR, \if@RTL@footnote is false.

4.9 Direction Ensuring Macros

```
\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}  
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}
```

☞ \@ensure@RTL and \@ensure@RL internals make sure that <text> is always typeset RTL, independent on the current mode.

☞ \@ensure@LTR and \@ensure@LR internals make sure that <text> is always typeset LTR, independent on the current mode.



- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

```
\save@dir \saved@@dir \reset@dir
```

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II

Plain T_EX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

```
\input bidi
```

When loading the package, it is important to know that: `bidi` should be the last package that you load, because otherwise you are certainly going to overwrite `bidi`'s definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

```
\bidiversion \bididate
```

- ☞ `\bidiversion` gives the current version of the package.
- ☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```



5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTeX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TeX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TeX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TeX. Two commands are provided for this purpose:

`\TeXXeTOn \TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

`\setLTR \setLR \unsetRL \unsetRTL
\setRTL \setRL \unsetLTR`

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \input bidi
2 \setRTL%
3 Anyone who reads Old and Middle English literary texts will be
4 familiar with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6
7 \setLTR% Notice the blank line before \setLTR
8 Anyone who reads Old and Middle English literary texts will be
9 familiar with the mid-brown volumes of the EETS, with the symbol
10 of Alfred's jewel embossed on the front cover.
11 \end
```

5.5 Paragraph Switching Environments

`\LTR <text> \endLTR
\RTL <text> \endRTL`

☞ With LTR environment, you can typeset LTR paragraphs.



☞ With RTL environment, you can typeset RTL paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English literary texts will be familiar
4 with the mid-brown volumes of the EETS, with the symbol
5 of Alfred's jewel embossed on the front cover.
6 \LTR
7 Anyone who reads Old and Middle English literary texts will be familiar
8 with the mid-brown volumes of the EETS, with the symbol
9 of Alfred's jewel embossed on the front cover.
10 \endLTR
11 And we are still typesetting right to left.
12 \endRTL
13 \end
```

5.6 Typesetting Short LTR and RTL Texts

<code>\LRE{<text>}</code>	<code>\LR{<text>}</code>
<code>\RLE{<text>}</code>	<code>\RL{<text>}</code>

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
1 \input bidi
2 \RTL
3 Anyone who reads Old and Middle English \LRE{Short left to right text}
4 literary texts will be familiar
5 with the mid-brown volumes of the EETS, with the symbol
6 of Alfred's jewel embossed on the front cover.
7 \LTR
8 Anyone who reads Old and Middle English \RLE{Short right to left text}
9 literary texts will be familiar
10 with the mid-brown volumes of the EETS, with the symbol
11 of Alfred's jewel embossed on the front cover.
12 \endLTR
13 \endRTL
14 \end
```



5.7 Primitive-like commands

`\hboxR` `\hboxL` `\vboxR` `\vboxL`

- ☞ The syntax of `\hboxR` is exactly the same as the syntax of `\hbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\hboxL` is exactly the same as the syntax of `\hbox`, but its contents is always typeset LTR.
- ☞ The syntax of `\vboxR` is exactly the same as the syntax of `\vbox`, but its contents is always typeset RTL.
- ☞ The syntax of `\vboxL` is exactly the same as the syntax of `\vbox`, but its contents is always typeset LTR.

5.8 Something To know about `\hbox`

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
1 \input bidi
2 \setRTL
3 \hbox{This is a Test}
4 \end
```

You see that even you have used `\setRTL`, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when \TeX starts, it is in the vertical mode so if you need to have that `\hbox` appear RTL, then write `\leavevmode` before `\hbox`:

```
1 \input bidi
2 \setRTL
3 \leavevmode\hbox{This is a Test}
4 \end
```

5.9 Typesetting Logos

`\XeTeX`

`bidi` defines Xe \TeX logo and in addition, it makes sure that the logo, \TeX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.



6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{<text>} \@ensure@RL{<text>} \@ensure@LTR{<text>}
\@ensure@LR{<text>} \@ensure@dir{<text>} \@ensure@maindir{<text>}`

- ☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that `<text>` is always typeset RTL, independent on the current mode.
- ☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that `<text>` is always typeset LTR, independent on the current mode.
- ☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put `<text>` inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir \saved@@dir \reset@dir`

- ☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.
- ☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2013/04/26 v0.8 bidi adaptations for amsart class for XeTeX]
2 \def\tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
```



```

7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\rightright\else\leftskip\fi#3\relax \advance\if@RTL\rightright\else\leftskip\fi#3\relax
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesubsection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsubsection\@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \hbox to \columnwidth
28 {\beginR \vbox{\kern-.4\p@
29 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}\hfil\endR}}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \normalfont\footnotesize
38 \interlinepenalty\interfootnotelinepenalty
39 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
40 \floatingpenalty\@MM \hsize\columnwidth
41 \@parboxrestore \parindent\normalparindent \sloppy
42 \protected@edef\@currentlabel{%
43 \csname p@footnote\endcsname\@thefnmark}%
44 \@makefnmark{%
45 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
46
47 \long\def\@RTLfootnotetext#1{%
48 \insert\footins{%
49 \@RTLtrue%
50 \normalfont\footnotesize
51 \interlinepenalty\interfootnotelinepenalty
52 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
53 \floatingpenalty\@MM \hsize\columnwidth
54 \@parboxrestore \parindent\normalparindent \sloppy
55 \protected@edef\@currentlabel{%
56 \csname p@footnote\endcsname\@thefnmark}%

```



```

57 \makefnintext{%
58 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
59
60
61
62 \long\def\@LTRfootnotetext#1{%
63 \insert\footins{%
64 \RTLfalse%
65 \normalfont\footnotesize
66 \interlinepenalty\interfootnotelinepenalty
67 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
68 \floatingpenalty\@MM \hsize\columnwidth
69 \@parboxrestore \parindent\normalparindent \sloppy
70 \protected@edef\@currentlabel{%
71 \csname p@footnote\endcsname\@thefnmark}%
72 \makefnintext{%
73 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
74
75
76 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
77 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
78 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
79
80 \renewenvironment{thebibliography}[1]{%
81 \@bibtitlestyle
82 \normalfont\bibliofont\labelsep .5em\relax
83 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
84 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
85 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
86 \leftmargin\labelwidth \advance\leftmargin\labelsep
87 \usecounter{enumiv}}%
88 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
89 \sfcode\`.\@m
90 }{
91 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
92 \endlist
93 }
94 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
95 \columnseprule\z@ \columnsep 35\p@
96 \@indextitlestyle
97 \thispagestyle{plain}%
98 \let\item\@idxitem
99 \parindent\z@ \parskip\z@\@plus.3\p@\relax
100 \ifRTL\raggedleft\else\raggedright\fi
101 \hyphenpenalty\@M
102 \footnotesize}
103 \def\@idxitem{\par\hangindent \ifRTL-\fi2em}
104 \def\@subitem{\par\hangindent \ifRTL-\fi2em\hspace*{1em}}
105 \def\@subsubitem{\par\hangindent \ifRTL-\fi3em\hspace*{2em}}
106 \def\maketitle{\par

```



```

107 \@topnum\z@ % this prevents figures from falling at the top of page 1
108 \@setcopyright
109 \thispagestyle{firstpage}% this sets first page specifications
110 \uppercasenonmath\shorttitle
111 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
112 \else \andify\shortauthors
113 \fi
114 \@maketitle@hook
115 \begingroup
116 \@maketitle
117 \toks@{\xp{\shortauthors}\@temptokena\@xp{\shorttitle}}%
118 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
119 \edef\@tempa{%
120   \@nx\markboth{\the\toks4
121     \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
122 \@tempa
123 \endgroup
124 \c@footnote\z@
125 \clearatopmattertags
126 }

```

7.2 adjmulticol-xetex-bidi.def

```

127 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pack
128 \def\adjmulticols#1#2#3{\col@number#1\relax
129   \def\@tempa{#2}%
130   \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
131   \def\@tempa{#3}%
132   \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
133   \ifnum\col@number<\@ne
134     \PackageWarning{adjmulticol}%
135       {Using `~\number\col@number'
136         columns doesn't seem a good idea.^^J
137         I therefore use one columns instead}%
138     \col@number\@ne\fi
139   \ifnum\col@number>10
140     \PackageError{adjmulticol}%
141       {Too many columns}%
142     {Current implementation doesn't
143       support more than 10 columns.%
144       \MessageBreak
145       I therefore use 10 columns instead}%
146     \col@number10 \fi
147   \ifx\@footnotetext\mult@footnotetext\else
148     \let\orig@footnotetext\@footnotetext
149     \let\@footnotetext\mult@footnotetext
150   \fi
151   \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
152     \let\orig@LTRfootnotetext\@LTRfootnotetext
153     \let\@LTRfootnotetext\mult@LTRfootnotetext

```



```

154 \fi
155 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
156 \let\orig@RTLfootnotetext\@RTLfootnotetext
157 \let\@RTLfootnotetext\mult@RTLfootnotetext
158 \fi
159 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]{}
160 \let\adjmc@page@sofar@orig=\page@sofar

```

7.3 algorithm2e-xetex-bidi.def

```

161 \ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pack
162 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
163 \else%
164 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
165 \fi%
166
167 \def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algorithmbox}}
168 \def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algorithmbox}\par}%
169 \def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algorithmbox}}
170 \def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algorithmbox}\par}%
171 \renewcommand{\@algocf@start}{%
172 \algorithmskip%
173 \begin{bidi@lrbox}{\algocf@algorithmbox}%
174 \setlength{\algowidth}{\hsize}%
175 \vbox\bgroup% save all the algo in a box
176 \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
177 \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
178 % initialization
179 \addtolength{\hsize}{-1.5\algomargin}%
180 \let\@mathsemicolon=\; \def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
181 \raggedright\AlFnt}%
182 \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
183 \algorithmskip%
184 % \let\@emathdisplay=\] \def\]{\algocf@endline\@emathdisplay\nl}%
185 }%
186 \renewcommand{\@algocf@finish}{%
187 \algorithmskip%
188 \egroup%end of vtop which contain all the text
189 \hfill\egroup%end of hbox which contains [margin][vtop]
190 \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
191 %
192 \egroup%end of main vbox
193 \end{bidi@lrbox}%
194 \algocf@makethealgo% print the algo
195 \algorithmskip%
196 % restore dimension and macros
197 \setlength{\hsize}{\algowidth}%
198 \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
199 \let\;=\@mathsemicolon%
200 \let\]=\@emathdisplay%

```



201 }%

7.4 amsbook-xetex-bidi.def

```

202 \ProvidesFile{amsbook-xetex-bidi.def}[2013/04/26 v0.9 bidi adaptations for amsbook class for XeT
203 \def\@tocline#1#2#3#4#5#6#7{\relax
204   \ifnum #1>\c@tocdepth % then omit
205   \else
206     \par \addpenalty\@secpenalty\addvspace{#2}%
207     \begingroup \hyphenpenalty\@M
208     \@ifempty{#4}{%
209       \@tempdima\csname r@tocindent\number#1\endcsname\relax
210     }{%
211       \@tempdima#4\relax
212     }%
213     \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\lef
214     \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
215     #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
216     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
217     \nobreak
218     \endgroup
219   \fi}
220 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
221 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
222 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
223 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
224 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
225   \columnseprule\z@ \columnsep 35pt
226   \@indextitlestyle
227   \thispagestyle{plain}%
228   \let\item\@idxitem
229   \parindent\z@ \parskip\z@\@plus.3pt\relax
230   \if@RTL\raggedleft\else\raggedright\fi
231   \hyphenpenalty\@M
232   \footnotesize}
233 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
234 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
235 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
236 \def\right@footnoterule{%
237   \hbox to \columnwidth
238   {\beginR \vbox{\kern-.4pt
239     \hrule\@width 5pc\kern11pt\kern-\footnotesep}\hfil\endR}}
240 \def\left@footnoterule{\kern-.4pt
241   \hrule\@width 5pc\kern11pt\kern-\footnotesep}
242
243 \long\def\@footnotetext#1{%
244   \insert\footins{%
245     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
246     \normalfont\footnotesize
247     \interlinepenalty\interfootnotelinepenalty

```



```

248 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
249 \floatingpenalty\@MM \hsize\columnwidth
250 \@parboxrestore \parindent\normalparindent \sloppy
251 \protected@edef\@currentlabel{%
252   \csname p@footnote\endcsname\@thefnmark}%
253 \@makefnintext{%
254   \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
255
256 \long\def\@RTLfootnotetext#1{%
257   \insert\footins{%
258     \@RTLtrue%
259     \normalfont\footnotesize
260     \interlinepenalty\interfootnotelinepenalty
261     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
262     \floatingpenalty\@MM \hsize\columnwidth
263     \@parboxrestore \parindent\normalparindent \sloppy
264     \protected@edef\@currentlabel{%
265       \csname p@footnote\endcsname\@thefnmark}%
266     \@makefnintext{%
267       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
268
269
270 \long\def\@LTRfootnotetext#1{%
271   \insert\footins{%
272     \@RTLfalse%
273     \normalfont\footnotesize
274     \interlinepenalty\interfootnotelinepenalty
275     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
276     \floatingpenalty\@MM \hsize\columnwidth
277     \@parboxrestore \parindent\normalparindent \sloppy
278     \protected@edef\@currentlabel{%
279       \csname p@footnote\endcsname\@thefnmark}%
280     \@makefnintext{%
281       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
282
283
284
285 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
286 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
287 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
288
289 \renewenvironment{thebibliography}[1]{%
290   \@bibtittlestyle
291   \normalfont\bibliofont\labelsep .5em\relax
292   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
293   \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
294   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
295     \leftmargin\labelwidth \advance\leftmargin\labelsep
296     \usecounter{enumiv}}}%
297   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty

```



```

298 \sfcode`\.=\@m
299 }{%
300 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
301 \endlist
302 }
303 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
304 \begingroup
305 \fontsize{\@xivpt}{18}\bfseries\centering
306 \ifnum\c@secnumdepth>\m@ne
307 \leavevmode \hskip-\if@RTL\righskip\else\leftskip\fi
308 \rlap{\vbox to\z@{\vss
309 \centerline{\normalsize\mdseries
310 \uppercase\exp{\chaptername}\enspace\thechapter}
311 \vskip 3pc}}\hskip\if@RTL\righskip\else\leftskip\fi\fi
312 #1\par \endgroup
313 \skip@34p@ \advance\skip@-\normalbaselineskip
314 \vskip\skip@ }
315 \def\maketitle{\par
316 \@topnum\z@ % this prevents figures from falling at the top of page 1
317 \begingroup
318 \@maketitle
319 \endgroup
320 \c@footnote\z@
321 \def\do##1{\let##1\relax}%
322 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
323 \do\author \do\@xauthor \do\address \do\@xaddress
324 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
325 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
326 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
327 }

```

7.5 amsmath-xetex-bidi.def

```

328 \ProvidesFile{amsmath-xetex-bidi.def}[2014/09/04 v0.9 bidi adaptations for amsmath package for X
329 \let\veqno=\eqno
330 \iftagsleft@ \let\veqno=\leqno \fi
331 \renewcommand{\numberwithin}[3][\arabic]{%
332 \ifundefined{c@#2}{\@nocounterr{#2}}{%
333 \ifundefined{c@#3}{\@nocnterr{#3}}{%
334 \addtoreset{#2}{#3}%
335 \exp\xdef\csname the#2\endcsname{%
336 \exp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
337 }
338 \def\tagform#1{\maketag@@{\if@Latin\else\beginR\fi(\ignorespaces#1\unskip\@italiccorr)\if@

```

7.6 amstext-xetex-bidi.def

```

339 \ProvidesFile{amstext-xetex-bidi.def}[2013/04/04 v0.1 bidi adaptations for amstext package for X
340 \def\textdef#1#2#3{\hbox{%
341 \everymath{#1}%
342 \let\fontsize#2\selectfont

```



```
343 \if@Latin\else\beginR\fi#3\if@Latin\else\endR\fi}}}
```

7.7 amsthm-xetex-bidi.def

```
344 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeTeX]
345 \def\@thmcountersep{\@SepMark}
```

7.8 array-xetex-bidi.def

```
346 \ProvidesFile{array-xetex-bidi.def}[2010/08/01 v0.2b bidi adaptations for array package for XeTeX]
347 \def\@testpach{\@chclass
348 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
349 \ifnum \@lastchclass=7 5 \else
350 \ifnum \@lastchclass=8 \tw@ \else
351 \ifnum \@lastchclass=9 \thr@@
352 \else \z@
353 \ifnum \@lastchclass = 10 \else
354 \edef\@nextchar{\expandafter\string\@nextchar}%
355 \@chnum
356 \if \@nextchar c\z@ \else
357 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
358 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
359 \z@ \@chclass
360 \if \@nextchar |\@ne \else
361 \if \@nextchar !6 \else
362 \if \@nextchar @7 \else
363 \if \@nextchar <8 \else
364 \if \@nextchar >9 \else
365 10
366 \@chnum
367 \if \@nextchar m\thr@@\else
368 \if \@nextchar p4 \else
369 \if \@nextchar b5 \else
370 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
371 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
372 \def\@tabular{\if@RTL\@RTLtabtrue\fi%
373 \leavevmode
374 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\beginR
375 \let\d@llarend\endR
376 \@tabarray}
377 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
378 \expandafter\let\csname endtabular*\endcsname=\endtabular
379 \def\@array[#1]#2{%
380 \@tempdima \ht \strutbox
381 \advance \@tempdima by\extrarowheight
382 \setbox \@arstrutbox \hbox{\vrule
383 \@height \arraystretch \@tempdima
384 \@depth \arraystretch \dp \strutbox
385 \@width \z@}%
386 \beginR
387 \mkpream{#2}%
```



```

388 \xdef\@preamble{\noexpand \ialign \@halignto
389             \bgroup \@arstrut \@preamble
390             \tabskip \z@ \cr}%
391 \endgroup
392 \@arrayleft
393 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
394 \bgroup
395 \let \@sharp ##\let \protect \relax
396 \lineskip \z@
397 \baselineskip \z@
398 \m@th
399 \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup
400 \def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
401 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamble
402 \def\array{\col@sep\arraycolsep
403 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}%
404 \@RTLtabfalse\@tabarray}

```

7.9 article-xetex-bidi.def

```

405 \ProvidesFile{article-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for standard article class]
406 \if@titlepage
407 \renewcommand\maketitle{\begin{titlepage}%
408 \let\footnotesize\small
409 \let\right@footnoterule\relax
410 \let\left@footnoterule\relax
411 \let\textwidth\footnoterule\relax
412 \let \footnote \thanks
413 \let \LTRfootnote \LTRthanks
414 \let \RTLfootnote \RTLthanks
415 \null\vfil
416 \vskip 60\p@
417 \begin{center}%
418 {\LARGE \@title \par}%
419 \vskip 3em%
420 {\large
421 \lineskip .75em%
422 \begin{tabular}[t]{c}%
423 \@author
424 \end{tabular}\par}%
425 \vskip 1.5em%
426 {\large \@date \par}% % Set date in \large size.
427 \end{center}\par
428 \@thanks
429 \vfil\null
430 \end{titlepage}%
431 \setcounter{footnote}{0}%
432 \global\let\thanks\relax
433 \global\let\LTRthanks\relax
434 \global\let\RTLthanks\relax

```



```

435 \global\let\maketitle\relax
436 \global\let\@thanks\@empty
437 \global\let\@author\@empty
438 \global\let\@date\@empty
439 \global\let\@title\@empty
440 \global\let\title\relax
441 \global\let\author\relax
442 \global\let\date\relax
443 \global\let\and\relax
444 }
445 \else
446 \renewcommand\maketitle{\par
447 \begingroup
448 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
449 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
450 \long\def\@makefntext##1{\parindent 1em\noindent
451 \hspace{1.8em}%
452 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
453 \if@twocolumn
454 \ifnum \col@number=\@ne
455 \@maketitle
456 \else
457 \twocolumn[\@maketitle]%
458 \fi
459 \else
460 \newpage
461 \global\@topnum\z@ % Prevents figures from going at top of page.
462 \@maketitle
463 \fi
464 \thispagestyle{plain}\@thanks
465 \endgroup
466 \setcounter{footnote}{0}%
467 \global\let\thanks\relax
468 \global\let\LTRthanks\relax
469 \global\let\RTLthanks\relax
470 \global\let\maketitle\relax
471 \global\let\@maketitle\relax
472 \global\let\@thanks\@empty
473 \global\let\@author\@empty
474 \global\let\@date\@empty
475 \global\let\@title\@empty
476 \global\let\title\relax
477 \global\let\author\relax
478 \global\let\date\relax
479 \global\let\and\relax
480 }
481 \def\@maketitle{%
482 \newpage
483 \null
484 \vskip 2em%

```



```

485 \begin{center}%
486 \let \footnote \thanks
487 \let \LTRfootnote \LTRthanks
488 \let \RTLfootnote \RTLthanks
489 {\LARGE \@title \par}%
490 \vskip 1.5em%
491 {\large
492 \lineskip .5em%
493 \begin{tabular}[t]{c}%
494 \@author
495 \end{tabular}\par}%
496 \vskip 1em%
497 {\large \@date}%
498 \end{center}%
499 \par
500 \vskip 1.5em}
501 \fi
502 \renewcommand*\l@part[2]{%
503 \ifnum \c@tocdepth >-2\relax
504 \addpenalty\@secpenalty
505 \addvspace{2.25em \@plus\p@}%
506 \setlength\@tempdima{3em}%
507 \begingroup
508 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
509 \parfillskip -\@pnumwidth
510 {\leavevmode
511 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
512 \nobreak
513 \if@compatibility
514 \global\@nobreaktrue
515 \everypar{\global\@nobreakfalse\everypar{}}%
516 \fi
517 \endgroup
518 \fi}
519 \renewcommand*\l@section[2]{%
520 \ifnum \c@tocdepth >\z@
521 \addpenalty\@secpenalty
522 \addvspace{1.0em \@plus\p@}%
523 \setlength\@tempdima{1.5em}%
524 \begingroup
525 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
526 \parfillskip -\@pnumwidth
527 \leavevmode \bfseries
528 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
529 \hskip -\if@RTL\rightskip\else\leftskip\fi
530 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
531 \endgroup
532 \fi}
533 \renewcommand\left@footnoterule{%
534 \kern-3\p@

```



```

535 \hrule\@width.4\columnwidth
536 \kern2.6\p@}
537 \renewcommand\right@footnoterule{%
538 \hbox to \columnwidth
539 {\beginR \vbox{%
540 \kern-3\p@
541 \hrule\@width.4\columnwidth
542 \kern2.6\p@}\hfil\endR}}
543 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
544 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
545 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
546 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
547 \def\@part[#1]#2{%
548 \ifnum \c@secnumdepth >\m@ne
549 \refstepcounter{part}%
550 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
551 \else
552 \addcontentsline{toc}{part}{#1}%
553 \fi
554 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
555 \interlinepenalty \M
556 \normalfont
557 \ifnum \c@secnumdepth >\m@ne
558 \Large\bfseries \partname\nobreakspace\thepart
559 \par\nobreak
560 \fi
561 \huge \bfseries #2%
562 \markboth{}{}\par}%
563 \nobreak
564 \vskip 3ex
565 \@afterheading}
566 \renewenvironment{thebibliography}[1]
567 {\section*{\refname}%
568 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
569 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
570 \list{\@biblabel{\@arabic\c@enumiv}}%
571 {\settowidth\labelwidth{\@biblabel{#1}}%
572 \leftmargin\labelwidth
573 \advance\leftmargin\labelsep
574 \@openbib@code
575 \usecounter{enumiv}%
576 \let\p@enumiv\@empty
577 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
578 \sloppy
579 \clubpenalty4000
580 \@clubpenalty \clubpenalty
581 \widowpenalty4000%
582 \sfcode`\.\@m}
583 {\def\@noitemerr
584 {\@latex@warning{Empty `thebibliography' environment}}}%

```




```

585     \endlist}
586 \renewenvironment{theindex}
587     {\if@twocolumn
588       \@restonecolfalse
589       \else
590       \@restonecoltrue
591       \fi
592       \columnseprule \z@
593       \columnsep 35\p@
594       \twocolumn[\section*{\indexname}]%
595       \@mkboth{\MakeUppercase\indexname}%
596               {\MakeUppercase\indexname}%
597       \thispagestyle{plain}\parindent\z@
598       \parskip\z@ \@plus .3\p@\relax
599       \let\item\@idxitem}
600     {\if@restonecol\onecolumn\else\clearpage\fi}

```

7.10 artikel1-xetex-bidi.def

```

601 \ProvidesFile{artikel1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel1 class for X
602 \renewenvironment{theindex}{%
603   \if@twocolumn
604     \@restonecolfalse
605   \else
606     \@restonecoltrue
607   \fi
608   \columnseprule \z@
609   \columnsep 35\p@
610   \twocolumn[\section*{\indexname}]%
611   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
612   \thispagestyle{plain}\parindent\z@
613   \parskip\z@ \@plus .3\p@\relax
614   \let\item\@idxitem
615 }{%
616   \if@restonecol\onecolumn\else\clearpage\fi}
617 \renewcommand*{\head@style}{%
618   \interlinepenalty \@M
619   \hyphenpenalty=\@M \exhyphenpenalty=\@M
620   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
621 \if@titlepage
622   \renewenvironment{abstract}{%
623     \titlepage
624     \null\vfil
625     \section*{\SectFont\abstractname}
626     \noindent\ignorespaces}
627   {\par\vfil\null\endtitlepage}
628 \else
629   \renewenvironment{abstract}{%
630     \if@twocolumn
631       \section*{\abstractname}%

```



```

632     \else
633         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
634         \section*{\small\SectFont\abstractname}%
635         \noindent\ignorespaces
636     \fi}
637     {\if@twocolumn\else\par\egroup\fi}
638 \fi
639 \renewcommand*\@regtocline[3]{%
640     \ifnum #1>\c@tocdepth
641     \else
642         \vskip\z@ \@plus.2\p@
643         {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
644         \if@RTL\rightskip\else\leftskip\fi\unitindent
645         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
646         \parfillskip\z@
647         \@tempdima\unitindent
648         \parindent\z@
649         \leavevmode
650         \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
651         \hskip 1em \nobreak{\slshape #3}\par
652     }%
653 \fi}
654 \if@oldtoc
655 \renewcommand*\l@part[2]{%
656     \ifnum \c@tocdepth >-2\relax
657         \addpenalty\@secpenalty
658         \addvspace{2.25em \@plus\p@}%
659         \begingroup
660             \setlength\@tempdima{3em}%
661             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
662             \parfillskip -\@pnumwidth
663             {\leavevmode
664                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
665                 \nobreak
666                 \if@compatibility
667                 \global\@nobreaktrue
668                 \everypar{\global\@nobreakfalse\everypar{}}%
669             \fi
670         \endgroup
671     \fi}
672 \else
673 \renewcommand*\l@part{%
674     \ifnum \c@tocdepth >-2\relax
675         \addpenalty\@secpenalty
676         \addvspace{2.25em \@plus \p@}%
677         \@regtocline{0}%
678     \fi}
679 \fi
680 \if@oldtoc
681 \renewcommand*\l@section[2]{%

```



```

682 \addpenalty\@secpenalty
683 \addvspace{1.0em \@plus\p@}%
684 \setlength\@tempdima{1.5em}%
685 \beginingroup
686 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
687 \parfillskip -\@pnumwidth
688 \leavevmode \bfseries
689 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
690 \hskip -\if@RTL\rightskip\else\leftskip\fi
691 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
692 \endgroup}
693 \else
694 \renewcommand*\l@section{\@regtocline{1}}
695 \fi
696 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
697 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
698 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
699 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
700 \renewenvironment{thebibliography}[1]
701 {
702   \section*\@refname}%
703   \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
704   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
705   \list{\@biblabel{\@arabic\c@enumiv}}%
706     {\settowidth\labelwidth{\@biblabel{#1}}%
707       \leftmargin\labelwidth
708       \advance\leftmargin\labelsep
709       \openbib@code
710       \usecounter{enumiv}%
711       \let\p@enumiv\@empty
712       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
713   \sloppy\clubpenalty4000\widowpenalty4000%
714   \sfcode`\.\@m}
715   {\def\@noitemerr
716     {\@latex@warning{Empty `thebibliography' environment}}%
717   \endlist}
718 \renewcommand*\left@footnoterule{%
719   \kern-3\p@
720   \kern.5\baselineskip
721   \hrule\@width\unitindent
722   \kern.4\baselineskip
723 }
724 \renewcommand*\right@footnoterule{%
725   \hbox to \columnwidth
726   {\beginR \vbox{%
727     \kern-3\p@
728     \kern.5\baselineskip
729     \hrule\@width\unitindent
730     \kern.4\baselineskip}\hfil\endR}
731 }
732 \if@titlepage

```



```

732 \renewcommand*\TitleFont{\rmfamily}
733 \renewcommand*\maketitle{%
734   \begin{titlepage}%
735     \let\footnotesize\small
736     \let\right@footnoterule\relax
737     \let\left@footnoterule\relax
738     \let\textwidth@footnoterule\relax
739     \let \footnote \thanks
740     \long\def\@makefntext##1{\parindent\z@
741       \def\labelitemi{\textendash}\@revlabeltrue
742       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
743     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
744     \if@compatibility\setcounter{page}{0}\fi
745     \null\vfil
746     \vskip 60\p@
747     \begin{center}%
748       \TitleFont
749       {\LARGE \def\\{\penalty -\@M}
750         \if@allcaps
751           \expandafter\uc@nothanks\@title\thanks\relax
752         \else
753           \@title
754         \fi\par}%
755       \vskip 3em%
756       {\large
757         \lineskip .75em \parindent\z@
758         \begin{tabular}[t]{c}%
759           \if@allcaps
760             \expandafter\uc@authornothanks\@author\and\relax
761           \else
762             \@author
763           \fi
764         \end{tabular}\par}%
765       \vskip 1.5em%
766       {\large
767         \if@allcaps
768           \uppercase\expandafter{\@date}%
769         \else
770           \@date
771         \fi\par}%
772       \end{center}\par
773       \@thanks
774       \vfil\null
775     \end{titlepage}%
776     \setcounter{footnote}{0}%
777     \global\let\thanks\relax
778     \global\let\maketitle\relax
779     \global\let\@thanks\@empty
780     \global\let\@author\@empty
781     \global\let\@title\@empty

```



```

782 \global\let\@date\@empty
783 \global\let\title\relax
784 \global\let\author\relax
785 \global\let\date\relax
786 \global\let\and\relax
787 }
788 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
789 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
790 \futurelet\@tempa\uc@ax}
791 \def\uc@ax{%
792 \ifx\@tempa\relax
793 \else
794 \\\andname \\\expandafter\uc@authornothanks
795 \fi}
796 \def\uc@tx{\ifx\@tempa\relax
797 \else \expandafter\uc@ty \fi}
798 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
799 \else
800 \renewcommand*\maketitle{\par
801 \begingroup
802 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
803 \def\@makefnmark{\rlap{%
804 \@textsuperscript{\normalfont\@thefnmark}}}%
805 \long\def\@makefntext{\@xmakefntext{%
806 \@textsuperscript{\normalfont\@thefnmark}}}%
807 \if@twocolumn
808 \ifnum \col@number=\@ne
809 \@maketitle
810 \else
811 \twocolumn[\@maketitle]%
812 \fi
813 \else
814 \newpage
815 \global\@topnum\z@
816 \@maketitle
817 \fi
818 \thispagestyle{plain}\@thanks
819 \endgroup
820 \setcounter{footnote}{0}%
821 \global\let\thanks\relax
822 \global\let\maketitle\relax
823 \global\let\@maketitle\relax
824 \global\let\@thanks\@empty
825 \global\let\@author\@empty
826 \global\let\@title\@empty
827 \global\let\@date\@empty
828 \global\let\title\relax
829 \global\let\author\relax
830 \global\let\date\relax
831 \global\let\and\relax

```



```

832 }
833 \def\@maketitle{%
834   \newpage
835   \null
836   \vskip 2em%
837   \begin{center}%
838     \let \footnote \thanks
839     {\LARGE \TitleFont \@title \par}%
840     \vskip 1.5em%
841     {\large \TitleFont
842       \lineskip .5em%
843       \begin{tabular}[t]{c}%
844         \@author
845         \end{tabular}\par}%
846     \vskip 1em%
847     {\large \TitleFont \@date}%
848   \end{center}%
849   \par
850   \vskip 1.5em}
851 \fi

```

7.11 artikel2-xetex-bidi.def

```

852 \ProvidesFile{artikel2-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for artikel2 class for X
853 \renewenvironment{theindex}{%
854   \if@twocolumn
855     \@restonecolfalse
856   \else
857     \@restonecoltrue
858   \fi
859   \columnseprule \z@
860   \columnsep 35\p@
861   \twocolumn[\section*{\indexname}]%
862   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
863   \thispagestyle{plain}\parindent\z@
864   \parskip\z@ \@plus .3\p@\relax
865   \let\item\@idxitem
866 }{%
867   \if@restonecol\onecolumn\else\clearpage\fi}
868 \renewcommand*{\@regtocline}[3]{%
869   \ifnum #1>\c@tocdepth
870     \else
871       \vskip\z@ \@plus.2\p@
872       {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
873         \if@RTL\righskip\else\leftskip\fi\unitindent
874         \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
875         \parfillskip\z@
876         \@tempdima\unitindent
877         \advance\@tempdima by \othermargin
878         \parindent\z@

```



```

879     \leavevmode
880     \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
881     \hskip 1em \nobreak{\slshape #3}\par
882 }%
883 \fi}
884 \if@oldtoc
885 \renewcommand*\l@section[2]{%
886     \addpenalty\@secpenalty
887     \addvspace{1.0em \@plus\p0}%
888     \setlength\@tempdima{1.5em}%
889     \begingroup
890     \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
891     \parfillskip -\@pnumwidth
892     \leavevmode \bfseries
893     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
894     \hskip -\if@RTL\righskip\else\leftskip\fi
895     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
896     \endgroup}
897 \else
898 \renewcommand*\l@section{\@regtocline{1}}
899 \fi
900 \if@oldtoc
901 \renewcommand*\l@part[2]{%
902     \ifnum \c@tocdepth >-2\relax
903         \addpenalty\@secpenalty
904         \addvspace{2.25em \@plus\p0}%
905         \begingroup
906             \setlength\@tempdima{3em}%
907             \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
908             \parfillskip -\@pnumwidth
909             {\leavevmode
910                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
911                 \nobreak
912                 \if@compatibility
913                 \global\@nobreaktrue
914                 \everypar{\global\@nobreakfalse\everypar{}}%
915             \fi
916         \endgroup
917     \fi}
918 \else
919 \renewcommand*\l@part{%
920     \ifnum \c@tocdepth >-2\relax
921         \addpenalty\@secpenalty
922         \addvspace{2.25em \@plus \p0}%
923         \@regtocline{0}%
924     \fi}
925 \fi
926 \renewcommand*\head@style{%
927     \interlinepenalty \@M
928     \hyphenpenalty=\@M \exhyphenpenalty=\@M

```



```

929 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
930 \if@titlepage
931 \renewenvironment{abstract}{%
932 \titlepage
933 \null\vfil
934 \section*{\SectFont\abstractname}%
935 \noindent\ignorespaces}
936 {\par\vfil\null\endtitlepage}
937 \else
938 \renewenvironment{abstract}{%
939 \if@twocolumn
940 \section*{\abstractname}%
941 \else
942 \section*{\hskip\unitindent\small\SectFont\abstractname}%
943 \list{}{\setlength\listparindent{\unitindent}%
944 \setlength\parindent {\z@}%
945 \setlength\leftmargin {\unitindent}%
946 \setlength\rightmargin {\unitindent}%
947 \setlength\parsep {\z@}}%
948 \item[]%
949 \fi}
950 {\if@twocolumn\else\par\endlist\fi}
951 \fi
952 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
953 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
954 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
955 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
956 \renewcommand*\left@footnoterule{%
957 \kern-3\p@
958 \hrule\@width 3\unitindent
959 \kern 2.6\p@
960 }
961 \renewcommand*\right@footnoterule{%
962 \hbox to \columnwidth
963 {\beginR \vbox{%
964 \kern-3\p@
965 \hrule\@width 3\unitindent
966 \kern 2.6\p@}\hfil\endR}
967 }
968 \renewenvironment{thebibliography}[1]
969 {\section*{\refname}%
970 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
971 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
972 \list{\@biblabel{\@arabic\c@enumiv}}%
973 {\settowidth\labelwidth{\@biblabel{#1}}%
974 \leftmargin\labelwidth
975 \advance\leftmargin\labelsep
976 \@openbib@code
977 \usecounter{enumiv}%
978 \let\p@enumiv\@empty

```




```

979         \renewcommand*\theenumiv{\@arabic\c@enumiv}}}%
980         \sloppy\clubpenalty4000\widowpenalty4000%
981         \sfcode`\.\@m}
982     {\def\@noitemerr
983      {\@latex@warning{Empty `thebibliography' environment}}}%
984     \endlist}
985 \if@titlepage
986 \renewcommand*\TitleFont{\rmfamily}
987 \renewcommand*\maketitle{%
988   \begin{titlepage}%
989     \let\footnotesize\small
990     \let\right@footnoterule\relax
991     \let\left@footnoterule\relax
992     \let\textwidth@footnoterule\relax
993     \let \footnote \thanks
994     \long\def\@makefnmark{\parindent\z@
995       \def\labelitemi{\textendash}\@revlabeltrue
996       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
997     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998     \if@compatibility\setcounter{page}{0}\fi
999     \null\vfil
1000     \vskip 60\p@
1001     \begin{center}%
1002       \TitleFont
1003       {\LARGE \def\\{\penalty -\@M}
1004         \if@allcaps
1005           \expandafter\uc@nothanks\@title\thanks\relax
1006         \else
1007           \@title
1008         \fi\par}%
1009       \vskip 3em%
1010       {\large
1011         \lineskip .75em \parindent\z@
1012         \begin{tabular}[t]{c}%
1013           \if@allcaps
1014             \expandafter\uc@authornothanks\@author\and\relax
1015           \else
1016             \@author
1017           \fi
1018         \end{tabular}\par}%
1019       \vskip 1.5em%
1020       {\large
1021         \if@allcaps
1022           \uppercase\expandafter{\@date}%
1023         \else
1024           \@date
1025         \fi\par}%
1026       \end{center}\par
1027     \@thanks
1028     \vfil\null

```



```

1029 \end{titlepage}%
1030 \setcounter{footnote}{0}%
1031 \global\let\thanks\relax
1032 \global\let\maketitle\relax
1033 \global\let\@thanks\@empty
1034 \global\let\@author\@empty
1035 \global\let\@title\@empty
1036 \global\let\@date\@empty
1037 \global\let\title\relax
1038 \global\let\author\relax
1039 \global\let\date\relax
1040 \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044 \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046 \ifx\@tempa\relax
1047 \else
1048 \\\andname \\\expandafter\uc@authornothanks
1049 \fi}
1050 \def\uc@tx{\ifx\@tempa\relax
1051 \else \expandafter\uc@ty \fi}
1052 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1053 \else
1054 \renewcommand*\maketitle{\par
1055 \begingroup
1056 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1057 \long\def\@makefnstext##1{\parindent\z@
1058 \def\labelitemi{\textendash}%
1059 \leavevmode\hb@xt@.5\unitindent{%
1060 \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1061 \if@twocolumn
1062 \ifnum \col@number=\@ne
1063 \@maketitle
1064 \else
1065 \twocolumn[\@maketitle]%
1066 \fi
1067 \else
1068 \newpage
1069 \global\@topnum\z@
1070 \@maketitle
1071 \fi
1072 \thispagestyle{plain}\@thanks
1073 \endgroup
1074 \setcounter{footnote}{0}%
1075 \global\let\thanks\relax
1076 \global\let\maketitle\relax
1077 \global\let\@maketitle\relax
1078 \global\let\@thanks\@empty

```



```

1079 \global\let\@author\@empty
1080 \global\let\@title\@empty
1081 \global\let\@date\@empty
1082 \global\let\title\relax
1083 \global\let\author\relax
1084 \global\let\date\relax
1085 \global\let\and\relax
1086 }
1087 \def\@maketitle{%
1088 \newpage
1089 \null
1090 \vskip 2em%
1091 \begin{center}%
1092 \let \footnote \thanks
1093 {\LARGE \TitleFont \@title \par}%
1094 \vskip 1.5em%
1095 {\large \TitleFont
1096 \lineskip .5em%
1097 \begin{tabular}[t]{c}%
1098 \@author
1099 \end{tabular}\par}%
1100 \vskip 1em%
1101 {\large \TitleFont \@date}%
1102 \end{center}%
1103 \par
1104 \vskip 1.5em}
1105 \fi

```

7.12 artikel3-xetex-bidi.def

```

1106 \ProvidesFile{artikel3-xetex-bidi.def}[2011/08/26 v0.3 bidi adaptations for artikel3 class for X
1107 \renewenvironment{theindex}{%
1108 \if@twocolumn
1109 \@restonecolfalse
1110 \else
1111 \@restonecoltrue
1112 \fi
1113 \columnseprule \z@
1114 \columnsep 35\p@
1115 \twocolumn[\section*{\indexname}]%
1116 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1117 \thispagestyle{plain}\parindent\z@
1118 \parskip\z@ \@plus .3\p@\relax
1119 \let\item\@idxitem
1120 }{%
1121 \if@restonecol\onecolumn\else\clearpage\fi}
1122 \renewcommand*{\head@style}{%
1123 \interlinepenalty \@M
1124 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1125 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```



```

1126 \renewcommand*\@regtocline[3]{%
1127   \ifnum #1>\c@tocdepth
1128   \else
1129     \vskip\z@ \@plus.2\p@
1130     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1131      \if@RTL\righskip\else\leftskip\fi\unitindent
1132      \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
1133      \parfillskip\z@
1134      \@tempdima\unitindent
1135      \parindent\z@
1136      \leavevmode
1137      \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
1138      \hskip 1em \nobreak{\slshape #3}\par
1139    }%
1140   \fi}
1141 \if@oldtoc
1142 \renewcommand*\l@part[2]{%
1143   \ifnum \c@tocdepth >-2\relax
1144     \addpenalty\@secpenalty
1145     \addvspace{2.25em \@plus\p@}%
1146     \begingroup
1147       \setlength\@tempdima{3em}%
1148       \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
1149       \parfillskip -\@pnumwidth
1150       {\leavevmode
1151        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1152        \nobreak
1153        \if@compatibility
1154          \global\@nobreaktrue
1155          \everypar{\global\@nobreakfalse\everypar{}}%
1156        \fi
1157      \endgroup
1158   \fi}
1159 \else
1160 \renewcommand*\l@part{%
1161   \ifnum \c@tocdepth >-2\relax
1162     \addpenalty\@secpenalty
1163     \addvspace{2.25em \@plus \p@}%
1164     \@regtocline{0}%
1165   \fi}
1166 \fi
1167
1168 \if@oldtoc
1169 \renewcommand*\l@section[2]{%
1170   \addpenalty\@secpenalty
1171   \addvspace{1.0em \@plus\p@}%
1172   \setlength\@tempdima{1.5em}%
1173   \begingroup
1174   \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
1175   \parfillskip -\@pnumwidth

```



```

1176 \leavevmode \bfseries
1177 \advance\if@RTL\righskip\else\leftskip\fi@tempdima
1178 \hskip -\if@RTL\righskip\else\leftskip\fi
1179 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1180 \endgroup}
1181 \else
1182 \renewcommand*\l@section{\@regtocline{1}}
1183 \fi
1184 \if@titlepage
1185 \renewenvironment{abstract}{%
1186 \titlepage
1187 \null\vfil
1188 \section*{\SectFont\abstractname}%
1189 \noindent\ignorespaces}
1190 {\par\vfil\null\endtitlepage}
1191 \else
1192 \renewenvironment{abstract}{%
1193 \if@twocolumn
1194 \section*{\abstractname}%
1195 \else
1196 \bgroup\if@RTL\leftskip\else\righskip\fi=\unitindent
1197 \section*{\small\SectFont\abstractname}%
1198 \noindent\ignorespaces
1199 \fi}
1200 {\if@twocolumn\else\par\egroup\fi}
1201 \fi
1202 \renewcommand*\left@footnoterule{%
1203 \kern-3\p@
1204 \kern.5\baselineskip
1205 \hrule\@width\unitindent
1206 \kern.4\baselineskip
1207 }
1208 \renewcommand*\right@footnoterule{%
1209 \hbox to \columnwidth
1210 {\beginR \vbox{%
1211 \kern-3\p@
1212 \kern.5\baselineskip
1213 \hrule\@width\unitindent
1214 \kern.4\baselineskip}\hfil\endR}
1215 }
1216 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1217 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1218 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1219 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1220 \renewenvironment{thebibliography}[1]
1221 {\section*{\refname}%
1222 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1223 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1224 \list{\@biblabel{\@arabic\c@enumiv}}%
1225 {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

1226         \leftmargin\labelwidth
1227         \advance\leftmargin\labelsep
1228         \@openbib@code
1229         \usecounter{enumiv}%
1230         \let\p@enumiv\@empty
1231         \renewcommand*{\theenumiv}{\@arabic\c@enumiv}}}%
1232     \sloppy\clubpenalty4000\widowpenalty4000%
1233     \sfcode`.\@m}
1234     {\def\@noitemerr
1235      {\@latex@warning{Empty `thebibliography' environment}}}%
1236     \endlist}
1237 \if@titlepage
1238 \renewcommand*{\TitleFont{\rmfamily}
1239 \renewcommand*{\maketitle{%
1240   \begin{titlepage}%
1241     \let\footnotesize\small
1242     \let\right@footnoterule\relax
1243     \let\left@footnoterule\relax
1244     \let\textwidth@footnoterule\relax
1245     \let \footnote \thanks
1246     \long\def\@makefnmark##1{\parindent\z@
1247       \def\labelitemi{\textendash}\@revlabeltrue
1248       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1249     \renewcommand*{\thefootnote}{\@fnsymbol\c@footnote}%
1250     \if@compatibility\setcounter{page}{0}\fi
1251     \null\vfil
1252     \vskip 60\p@
1253     \begin{center}%
1254       \TitleFont
1255       {\LARGE \def\\{\penalty -\@M}
1256         \if@allcaps
1257           \expandafter\uc@nothanks\@title\thanks\relax
1258         \else
1259           \@title
1260         \fi\par}%
1261       \vskip 3em%
1262       {\large
1263         \lineskip .75em \parindent\z@
1264         \begin{tabular}[t]{c}%
1265           \if@allcaps
1266             \expandafter\uc@authornothanks\@author\and\relax
1267           \else
1268             \@author
1269           \fi
1270         \end{tabular}\par}%
1271       \vskip 1.5em%
1272       {\large
1273         \if@allcaps
1274           \uppercase\expandafter{\@date}%
1275         \else

```



```

1276         \@date
1277         \fi\par}%
1278     \end{center}\par
1279     \@thanks
1280     \vfil\null
1281 \end{titlepage}%
1282 \setcounter{footnote}{0}%
1283 \global\let\thanks\relax
1284 \global\let\maketitle\relax
1285 \global\let\@thanks\@empty
1286 \global\let\@author\@empty
1287 \global\let\@title\@empty
1288 \global\let\@date\@empty
1289 \global\let\title\relax
1290 \global\let\author\relax
1291 \global\let\date\relax
1292 \global\let\and\relax
1293 }
1294 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1295 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1296     \futurelet\@tempa\uc@ax}
1297 \def\uc@ax{%
1298     \ifx\@tempa\relax
1299     \else
1300         \\\andname \\\expandafter\uc@authornothanks
1301     \fi}
1302 \def\uc@tx{\ifx\@tempa\relax
1303     \else \expandafter\uc@ty \fi}
1304 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1305 \else
1306 \renewcommand*\maketitle{\par
1307     \begingroup
1308         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1309         \def\@makefnmark{\rlap{%
1310             \@textsuperscript{\normalfont\@thefnmark}}}%
1311         \long\def\@makefntext{\@xmakefntext{%
1312             \@textsuperscript{\normalfont\@thefnmark}}}%
1313         \if@twocolumn
1314             \ifnum \col@number=\@one
1315                 \@maketitle
1316             \else
1317                 \twocolumn[\@maketitle]%
1318             \fi
1319         \else
1320             \newpage
1321             \global\@topnum\z@
1322             \@maketitle
1323         \fi
1324         \thispagestyle{plain}\@thanks
1325     \endgroup

```



```

1326 \setcounter{footnote}{0}%
1327 \global\let\thanks\relax
1328 \global\let\maketitle\relax
1329 \global\let\@maketitle\relax
1330 \global\let\@thanks\@empty
1331 \global\let\@author\@empty
1332 \global\let\@title\@empty
1333 \global\let\@date\@empty
1334 \global\let\title\relax
1335 \global\let\author\relax
1336 \global\let\date\relax
1337 \global\let\and\relax
1338 }
1339 \def\@maketitle{%
1340 \newpage
1341 \null
1342 \vskip 2em%
1343 \if@titlecentered
1344 \begin{center}%
1345 \let \footnote \thanks
1346 {\LARGE \TitleFont \@title \par}%
1347 \vskip 1.5em%
1348 {\large \TitleFont
1349 \lineskip .5em%
1350 \begin{tabular}[t]{c}%
1351 \@author
1352 \end{tabular}\par}%
1353 \vskip 1em%
1354 {\large \TitleFont \@date}%
1355 \end{center}%
1356 \else
1357 {\LARGE \TitleFont \headstyle \@title \par} \vskip 1.5em
1358 {\large \TitleFont \lineskip .5em \tabcolsep\z@
1359 \def\and{%% \begin{tabular} has already started
1360 \end{tabular}\hskip 1em plus .17fil
1361 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular} will
1362 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
1363 \vskip 1em {\large \TitleFont \@date}
1364 \fi
1365 \par
1366 \vskip 1.5em}
1367 \fi

```

7.13 arydshln-xetex-bidi.def

```

1368 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package for
1369 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1370 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
1371 \expandafter\let\csname endtabular*\endcsname\endtabular
1372 \let\adl@array\@array

```




```

1373 \def\@array{\adl@everyvbox\everyvbox
1374     \everyvbox{\adl@arrayinit \the\adl@everyvbox\everyvbox\adl@everyvbox}%
1375     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1376     \let\adl@noalign\noalign
1377     \adl@array}
1378 \ifadl@usingarypkg
1379 \def\@testpach{\@chclass
1380 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1381 \ifnum \@lastchclass=7 5 \else
1382 \ifnum \@lastchclass=8 \tw@ \else
1383 \ifnum \@lastchclass=9 \thr@@
1384 \else \z@
1385 \ifnum \@lastchclass = 10 \else
1386 \edef\@nextchar{\expandafter\string\@nextchar}%
1387 \@chnum
1388 \if \@nextchar c\z@ \else
1389 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1390 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1391 \z@ \@chclass
1392 \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1393 \if \@nextchar : \@ne \let\@arrayrule\adl@arraydashrule \else
1394 \if \@nextchar ; \@ne \let\@arrayrule\adl@argarraydashrule \else
1395 \if \@nextchar !6 \else
1396 \if \@nextchar @7 \else
1397 \if \@nextchar <8 \else
1398 \if \@nextchar >9 \else
1399 10
1400 \@chnum
1401 \if \@nextchar m\thr@@\else
1402 \if \@nextchar p4 \else
1403 \if \@nextchar b5 \else
1404 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1405 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1406
1407 \def\@classz{\@classx
1408     \@tempcnta \count@
1409     \prepnext@tok
1410     \@addtopreamble{\ifcase \@chnum
1411         \hfil
1412         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1413         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1414         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1415         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1416         \adl@endmbox\or
1417         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1418         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1419         \fi}\prepnext@tok}
1420 \def\adl@classstart{4}
1421 \def\adl@class@iiiorvii{7}
1422

```



```

1423 \else
1424 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1425     \ifnum \@lastchclass=\thr@@ 5\relax \else
1426         \z@ \if #1c\@chnum \z@ \else
1427             \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1428             \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1429             \@chclass
1430             \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
1431             \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
1432             \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
1433             \if #1\@tw@ \else
1434             \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1435         \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1436
1437 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1438     \or \or \@addamp \or
1439     \@acolampacol \or \@firststampfalse \@acol \fi
1440 \edef\@preamble{\@preamble
1441     \ifcase \@chnum
1442         \hfil\adl@putlrc{\$ \relax \@sharp$}\hfil
1443         \or \adl@putlrc{\$ \relax \@sharp$}\hfil
1444         \or \hfil\adl@putlrc{\$ \relax \@sharp$}\fi}}
1445 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1446     \or \or \@addamp \or
1447     \@acolampacol \or \@firststampfalse \@acol \fi
1448 \edef\@preamble{\@preamble
1449     \ifcase \@chnum
1450         \hfil\adl@putlrc{\@sharp\unskip}\hfil
1451         \or \adl@putlrc{\@sharp\unskip}\hfil
1452         \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1453 \def\adl@class@start{6}
1454 \def\adl@class@iiiorvii{3}
1455 \fi
1456 \@ifpackageloaded{colortbl}{%
1457 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1458 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1459     \let\@endpbox\adl@org@endpbox}
1460 \let\adl@CT@setup\CT@setup
1461 \def\CT@setup{\adl@CT@setup
1462     \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1463     \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1464     \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1465 \let\adl@act@CT@setup\CT@setup
1466 \def\@classz{\@classx
1467     \@tempcnta\count@ \prepnext@tok
1468     \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1469     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1470     \expandafter\adl@extract@drsc
1471     \the\toks\@tempcnta\doublerulesepcolor!\@nil
1472     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil

```



```

1473 \addtopreamble{\if@RTL\beginL\fi%
1474 \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1475 \ifcase \@chnum
1476 \hskip\stretch{.5}\kern\z@
1477 \d@llarbegin
1478 \insert@column
1479 \d@llarend\hskip\stretch{.5}%
1480 \or \d@llarbegin \insert@column \d@llarend \hfill
1481 \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1482 \or $\vcenter
1483 \startpbox{\@nextchar}\insert@column \endpbox $%
1484 \or \vtop \startpbox{\@nextchar}\insert@column \endpbox
1485 \or \vbox \startpbox{\@nextchar}\insert@column \endpbox
1486 \fi
1487 \if@RTL\endR\fi\egroup\egroup
1488 \begingroup
1489 \CT@setup
1490 \CT@column@color
1491 \CT@row@color
1492 \CT@cell@color
1493 \CT@do@color
1494 \endgroup
1495 \@tempdima\ht\z@
1496 \advance\@tempdima\minrowclearance
1497 \vrule\@height\@tempdima\@width\z@
1498 \unhbox\z@\if@RTL\endL\fi}%
1499 \prepnext@tok}
1500 \let\adl@act@classz\@classz
1501 \let\adl@org@classz\@classz
1502 }{}

```

7.14 bidi.sty

```

1503 \NeedsTeXFormat{LaTeX2e}
1504 \def\bididate{2015/06/17}
1505 \def\bidiversion{v17.3}
1506 \ProvidesPackage{bidi}[\bididate\space \bidiversion\space
1507 Bidirectional typesetting in plain TeX and LaTeX]
1508 \edef\@bidi@info{*****~J%
1509 * ~J%
1510 * bidi package (Bidirectional typesetting in~J%
1511 * plain TeX and LaTeX, using XeTeX engine)~J%
1512 * ~J%
1513 * Description: A convenient interface for~J%
1514 * typesetting bidirectional texts in plain TeX~J%
1515 * and LaTeX. The package includes adaptations~J%
1516 * for use with many other commonly-used packages.~J%
1517 * ~J%
1518 * Copyright (c) 2009--2015 Vafa Khalighi~J%
1519 * ~J%

```



```

1520 * \bididate, \bidiversion^^J%
1521 * ^^J%
1522 * License: LaTeX Project Public License, version^^J%
1523 * 1.3c or higher (your choice)^^J%
1524 * ^^J%
1525 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1526 * ^^J%
1527 * Issue tracker: https://github.com/persian-tex/bidi/issues^^J%
1528 * ^^J%
1529 * Support: persian-tex@tug.org^^J%
1530 *****}
1531 \typeout{\@bidi@info}
1532 \edef\bidi@everyjob{\the\everyjob}
1533 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1534 \RequirePackage{iftex}
1535 \RequireXeTeX
1536 \RequirePackage{biditools}
1537 \RequirePackage{zref-abspage}
1538 \RequirePackage{auxhook}
1539 \RequirePackage{ltxcmds}
1540 \RequirePackage{xkeyval}
1541 \eqnewif{\if@RTLmain}{\if@rlmain}
1542 \eqnewif{\if@RTL}{\if@rl}
1543 \newif\if@Latin
1544 \eqnewif{\if@RTLtab}{\if@tab@rl}
1545 \newif\if@RTLMarginpar
1546 \newif\if@LTRmarginpar
1547 \newif\if@LTRbibitems
1548 \newif\if@RTLbibitems
1549 \newif\if@extrafootnotefeatures
1550 \newif\if@parafootRTL
1551 \newif\if@RTLcolumnfootnotes
1552 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1553 \newif\if@bidi@list@minipage@parbox
1554 \newif\if@bidi@list@minipage@parbox@not@nob
1555 \@RTLmainfalse
1556 \AtBeginDocument{%
1557   \if@RTLmain\else
1558     \if@RTL\@RTLmaintrue%
1559     \else\@RTLmainfalse%
1560     \fi%
1561   \fi%
1562 }
1563 \let\n@xt=\
1564 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1565 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1566 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1567 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1568 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1569   \errmessage{Missing left brace has been substituted}\fi \bgroup}

```



```

1570 \input{latex-xetex-bidi.def}
1571 \input{loadingorder-xetex-bidi.def}
1572 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1573   \ifcase\bidi@tempb\relax
1574     \@RTLtrue
1575   \or
1576     \@RTLfalse
1577   \fi}
1578 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1579   \ifcase\bidi@tempb\relax
1580     \@RTLtrue
1581   \or
1582     \@RTLfalse
1583   \fi}
1584 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,
1585   \ifcase\bidi@tempb\relax
1586     \autofootnoterule
1587   \or
1588     \leftfootnoterule
1589   \or
1590     \rightfootnoterule
1591   \or
1592     \SplitFootnoteRule
1593   \or
1594     \textwidthfootnoterule
1595   \fi}
1596 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorigh
1597   \ifcase\bidi@tempb\relax
1598     \@RTL@footnotetrue
1599   \or
1600     \@RTL@footnotefalse
1601   \fi}
1602 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1603   \ifcase\bidi@tempb\relax
1604     \footdir@debugtrue
1605   \or
1606     \footdir@debugfalse
1607   \fi}
1608 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1609   \ifcase\bidi@tempb\relax
1610     \@extrafootnotefeaturestrue
1611   \or
1612     \@extrafootnotefeaturesfalse
1613   \fi}
1614
1615 \ProcessOptionsX
1616
1617 \if@extrafootnotefeatures
1618   \input{extrafootnotefeatures-xetex-bidi.def}
1619 \fi

```



7.15 bidi.tex

```
1620 \def\bididate{2015/06/17}
1621 \def\bidiversion{v0.2}
1622 \catcode\@=11
1623 \let \protect \relax
1624 \newlinechar``^^J
1625 \edef\@bidi@info{*****^^J%
1626 * ^^J%
1627 * bidi package (Bidirectional typesetting in^^J%
1628 * plain TeX and LaTeX, using XeTeX engine)^^J%
1629 * ^^J%
1630 * Description: A convenient interface for^^J%
1631 * typesetting bidirectional texts in plain TeX^^J%
1632 * and LaTeX. The package includes adaptations^^J%
1633 * for use with many other commonly-used packages.^^J%
1634 * ^^J%
1635 * Copyright (c) 2009--2015 Vafa Khalighi^^J%
1636 * ^^J%
1637 * \bididate, \bidiversion^^J%
1638 * ^^J%
1639 * License: LaTeX Project Public License, version^^J%
1640 * 1.3c or higher (your choice)^^J%
1641 * ^^J%
1642 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1643 * ^^J%
1644 * Issue tracker: https://github.com/persian-tex/bidi/issues^^J%
1645 * ^^J%
1646 * Support: persian-tex@tug.org^^J%
1647 *****}
1648 \message{\@bidi@info}
1649 \edef\bidi@everyjob{\the\everyjob}
1650 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1651 \input iftex.sty
1652 \RequireXeTeX
1653 \newif\if@RTLmain
1654 \newif\if@RTL
1655 \newif\if@sntdir
1656 \newif\if@RTL@footnote
1657 \@RTLmainfalse
1658 \def\setRTLmain{%
1659   \if@RTLmain\else
1660     \if@RTL\@RTLmaintrue%
1661     \else\@RTLmainfalse%
1662     \fi%
1663   \fi%
1664 }
1665 \let\n@xt=
1666 \protected\def\LRE{\protect\pLRE}%
1667 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
```



```

1668 \protected\def\RLE{\protect\pRLE}
1669 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1670 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1671   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1672 \input plain-xetex-bidi.def
1673 \catcode\@=12

```

7.16 bidi2in1.sty

```

1674 \NeedsTeXFormat{LaTeX2e}
1675 \ProvidesPackage{bidi2in1}
1676 \pagestyle{plain}
1677 \newcount\evenpage
1678 \newcount\oddpage
1679 \twocolumn
1680 \def\@oddfoot{\evenpage=\thepage%
1681 \multiply\evenpage by 2%
1682 \oddpage=\the\evenpage%
1683 \advance\oddpage by -1%
1684 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
1685 \def\@evenfoot{\evenpage=\thepage%
1686 \multiply\evenpage by 2%
1687 \oddpage=\the\evenpage%
1688 \advance\oddpage by -1%
1689 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
1690 \textwidth 9.49in
1691 \textheight 6.7in
1692 \columnsep 0.9in
1693 \columnseprule 0.125pt
1694 \headheight 0cm
1695 \topmargin 0in
1696 \marginparwidth 0in
1697 \marginparsep 0in
1698 \hoffset 0.05in % Corrected
1699 \voffset -0.5in %top margin space is 1.0in by default
1700 \oddsidemargin 0in
1701 \evensidemargin 0in
1702 \headsep 0cm
1703 \topskip 0cm
1704 \parskip 0.15in %
1705 \headsep 0pt
1706 \special{papersize=11.69in,8.26in}
1707 \renewcommand\maketitle{\par
1708 \begingroup
1709 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1710 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1711 \long\def\@makefntext##1{\parindent 1em\noindent
1712 \hb@xt@1.8em{%
1713 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1714 \@maketitle

```



```

1715 \@thanks
1716 \endgroup
1717 \setcounter{footnote}{0}%
1718 \global\let\thanks\relax
1719 \global\let\maketitle\relax
1720 \global\let\@maketitle\relax
1721 \global\let\@thanks\@empty
1722 \global\let\@author\@empty
1723 \global\let\@date\@empty
1724 \global\let\@title\@empty
1725 \global\let\title\relax
1726 \global\let\author\relax
1727 \global\let\date\relax
1728 \global\let\and\relax
1729 }

```

7.17 `bidicode.sty`

```

1730 \NeedsTeXFormat{LaTeX2e}
1731 \ProvidesPackage{bidicode}
1732 \RequirePackage{xcolor}
1733 \RequirePackage{showexpl}
1734 \definecolor{hellgelb}{rgb}{1,1,0.85}
1735 \definecolor{colKeys}{rgb}{0,0,1}
1736 \definecolor{colIdentifier}{rgb}{0,0,0}
1737 \definecolor{colComments}{rgb}{1,0,0}
1738 \definecolor{colString}{rgb}{0,0.5,0}
1739 \lstset{
1740     language=[LaTeX]TEX,
1741     float=rbp,
1742     basicstyle=\ttfamily\small,
1743     identifierstyle=\color{colIdentifier},
1744     keywordstyle=\color{colKeys},
1745     stringstyle=\color{colString},
1746     commentstyle=\color{colComments},
1747     columns=flexible,
1748     tabsize=4,
1749     gobble =1,
1750     extendedchars=true,
1751     showspaces=false,
1752     showstringspaces=false,
1753     numbers=left,
1754     numbersep=0.9em,
1755     numberstyle=\tiny, %
1756     frame=single,
1757     captionpos=b,
1758     xleftmargin=1em,
1759     breaklines=true,
1760     breakautoindent=false,
1761     breakindent=0pt,

```




```

1762     escapeinside=**,
1763     pos=r,
1764     explpreset={%
1765         xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
1766     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
1767 }
1768 \newcommand\HLON{%
1769     \gdef\lst@alloverstyle##1{%
1770         \fboxrule=0pt
1771         \fboxsep=0pt
1772         \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
1773     }}
1774 \newcommand\HLOFF{%
1775     \xdef\lst@alloverstyle##1{##1}%
1776 }
1777 \newcommand\Larg [1]{\normalfont\itshape#1\!/}
1778 \newcommand\Larga[1]{\${\langle$\Larg{#1}$\rangle$}
1779 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
1780 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
1781 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
1782 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}}begin\lcb#1\rcb}
1783 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}}end\lcb#1\rcb}
1784
1785 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
1786 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`{}}
1787 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`}}
1788 \DeclareRobustCommand\lsb{\normalfont\ttfamily[}
1789 \DeclareRobustCommand\rsb{\normalfont\ttfamily]}
1790 \DeclareRobustCommand\lrb{\normalfont\ttfamily(}
1791 \DeclareRobustCommand\rrb{\normalfont\ttfamily)}
1792
1793 \def\Lcs#1{\nxLcs{#1}}
1794 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
1795 \def\nxLcs#1{\texttt{\symbol{92}#1}}
1796
1797 \def\Coordx#1{$x_{#1}$}
1798 \def\Coordy#1{$y_{#1}$}
1799 \def\Coordz#1{$z_{#1}$}
1800 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
1801 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
1802 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
1803 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
1804 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
1805 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
1806 \def\coordin{(\Coordx{n},\kern 1pt\Coordy{n})}
1807 \def\coordiia#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
1808 \def\coordx#1{($x_{#1}$)}
1809 \def\coordy#1{($y_{#1}$)}
1810 \def\coordz#1{($z_{#1}$)}
1811 \def\cAny{(\Coordx{},\kern 1pt\Coordy{}}

```



```

1812 \def\ciiiiAny{(\Coordx{ },\kern 1pt\Coordy{ },\kern 1pt\Coordz{ })}
1813
1814 \newsavebox{\boxdef}
1815 \newenvironment{BDef}
1816   {\begin{lrbox}\boxdef
1817     \def\arraystretch{1.0}
1818     \begin{tabular}{@{}l@{}l@{}l@{}}
1819   }
1820   {\end{tabular}\end{lrbox}}
1821
1822   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
1823   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1824 }
1825
1826 \newenvironment{BDef*}
1827   {\begin{lrbox}\boxdef
1828     \def\arraystretch{1.0}
1829     \begin{tabular}{@{}l@{}l@{}l@{}}
1830   }
1831   {\end{tabular}\end{lrbox}}
1832   {\begin{BCmd*}\fbbox{\usebox\boxdef}\end{BCmd*}}
1833   \aftergroup\@afterindentfalse\aftergroup\@afterheading
1834 }
1835 \newenvironment{BCmd}{
1836   \@beginparpenalty-\@lowpenalty
1837   \topsep\BDefaboveskip
1838   \fbboxsep3pt
1839   \flushleft}
1840 {\@endparpenalty\@M
1841   \@topsepadd\BDefbelowskip
1842   \endflushleft}
1843
1844 \newenvironment{BCmd*}{
1845   \@beginparpenalty\@M
1846   \topsep\BDefinlineskip
1847   \fbboxsep3pt
1848   \flushleft}
1849 {\@endparpenalty5000
1850   \endflushleft}
1851
1852 \newskip\BDefaboveskip
1853 \newskip\BDefbelowskip
1854 \newskip\BDefinlineskip
1855 \setlength\BDefaboveskip{10pt plus 4pt}
1856 \setlength\BDefbelowskip{6pt}
1857 \setlength\BDefinlineskip{6pt}
1858
1859 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
1860 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
1861 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}

```



```

1862 \def\OptArg@iii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

7.18 bidiftnxtra.sty

```

1863 \NeedsTeXFormat{LaTeX2e}
1864 \ProvidesPackage{bidiftnxtra}
1865 \newtoks\bidip@ftn
1866 \let\FN@sffootnote\footnote
1867 \let\FN@sffootnote@L\footnote
1868 \let\FN@sffootnote@R\footnote
1869 \def\footnote{\ifx\protect\@typeset@protect
1870   \expandafter\FN@sffootnote
1871   \else
1872     \expandafter\FN@sffootnote@opt
1873   \fi
1874 }
1875 \def\footnote@L{\ifx\protect\@typeset@protect
1876   \expandafter\FN@sffootnote@L
1877   \else
1878     \expandafter\FN@sffootnote@opt
1879   \fi
1880 }
1881 \def\footnote@R{\ifx\protect\@typeset@protect
1882   \expandafter\FN@sffootnote@R
1883   \else
1884     \expandafter\FN@sffootnote@opt
1885   \fi
1886 }
1887 \edef\FN@sffootnote@opt{\noexpand\protect
1888   \expandafter\noexpand\csname FN@sffootnote@opt \endcsname}
1889 \expandafter\def\csname FN@sffootnote@opt \endcsname{%
1890   \ifnextchar[%]
1891     \FN@sffootnote@twobracket
1892     \@gobble
1893   }
1894 \def\FN@sffootnote@twobracket[#1]#2{}
1895 \let\FN@sffootnotemark\footnotemark
1896 \def\footnotemark{\ifx\protect\@typeset@protect
1897   \expandafter\FN@sffootnotemark
1898   \else
1899     \expandafter\FN@sffootnotemark@optonly
1900   \fi
1901 }
1902 \edef\FN@sffootnotemark@optonly{\noexpand\protect
1903   \expandafter\noexpand\csname FN@sffootnotemark@optonly \endcsname}
1904 \expandafter\def\csname FN@sffootnotemark@optonly \endcsname{%
1905   \ifnextchar[%]
1906     \FN@sffootnotemark@bracket
1907     {}%
1908 }

```



```

1909 \def\FN@sf@gobble@bracket[#1]{%
1910 \def\@tabular{\if@RTL\global\@RTLtabtrue\fi
1911 \leavevmode \hbox \bgroup
1912 \let\@footnotetext\@bidi@p@ftntext
1913 \let\@LTRfootnotetext\@bidi@p@LTRftntext
1914 \let\@RTLfootnotetext\@bidi@p@RTLftntext
1915 \let\@xfootnotenext\@bidi@p@xftntext
1916 \let\@xfootnote\@bidi@p@xfootnote
1917 \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
1918 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
1919 \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
1920 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
1921 \if@RTLtab\beginR \fi
1922 $\let\@acol\@tabacol
1923 \let\@classz\@tabclassz
1924 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
1925 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
1926 \egroup $\if@RTLtab\endR\fi\egroup
1927 \ifx\@capytype\@undefined
1928 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi%
1929 \global\@RTLtabfalse}
1930 \long\def\@bidi@p@ftntext#1{%
1931 \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
1932 \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
1933 \long\def\@bidi@p@LTRftntext#1{%
1934 \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1935 \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
1936 \long\def\@bidi@p@RTLftntext#1{%
1937 \edef\@tempyii{\the\@bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
1938 \global\@bidi@p@ftn\expandafter{\@tempyii{#1}}}%
1939
1940
1941 \long\def\@bidi@p@xftntext[#1]#2{%
1942 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\footnotetext[#1]{#2}}}
1943
1944 \long\def\@bidi@p@xLTRftntext[#1]#2{%
1945 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
1946
1947 \long\def\@bidi@p@xRTLftntext[#1]#2{%
1948 \global\@bidi@p@ftn\expandafter{\the\@bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
1949
1950
1951 \def\@bidi@p@xfootnote[#1]{%
1952 \begingroup
1953 \csname c@\@mpfn\endcsname #1\relax
1954 \unrestored@protected@xdef\@thefnmark{\thempfn}%
1955 \endgroup
1956 \@footnotemark\@bidi@p@xftntext[#1]}
1957
1958

```



```

1959 \def\bidi@p@xLTRfootnote[#1]{%
1960   \begingroup
1961     \csname c@\mpfn\endcsname #1\relax
1962     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1963   \endgroup
1964   \@footnotemark\bidi@p@xLTRftntext[#1]}
1965
1966
1967 \def\bidi@p@xRTLfootnote[#1]{%
1968   \begingroup
1969     \csname c@\mpfn\endcsname #1\relax
1970     \unrestored@protected@xdef\@thefnmark{\thempfn}%
1971   \endgroup
1972   \@footnotemark\bidi@p@xRTLftntext[#1]}
1973
1974 \def\@xfloat #1[#2]{%
1975   \@nodocument
1976   \def \@captype {#1}%
1977   \def \@fps {#2}%
1978   \@onelevel@sanitize \@fps
1979   \def \reserved@b {!}%
1980   \ifx \reserved@b \@fps
1981     \@fpsadddefault
1982   \else
1983     \ifx \@fps \@empty
1984       \@fpsadddefault
1985     \fi
1986   \fi
1987   \ifhmode
1988     \@bsphack
1989     \@floatpenalty -\@Mii
1990   \else
1991     \@floatpenalty-\@Miii
1992   \fi
1993   \ifinner
1994     \@parmoderr\@floatpenalty\z@
1995   \else
1996     \@next\@currbox\@freelist
1997     {%
1998       \@tempcnta \sixt@@n
1999       \expandafter \@tfor \expandafter \reserved@a
2000       \expandafter :\expandafter =\@fps
2001       \do
2002       {%
2003         \if \reserved@a h%
2004           \ifodd \@tempcnta
2005             \else
2006               \advance \@tempcnta \@ne
2007             \fi
2008           \fi

```



```

2009         \if \reserved@a t%
2010             \setfpsbit \tw@
2011         \fi
2012         \if \reserved@a b%
2013             \setfpsbit 4%
2014         \fi
2015         \if \reserved@a p%
2016             \setfpsbit 8%
2017         \fi
2018         \if \reserved@a !%
2019             \ifnum \@tempcnta>15
2020                 \advance\@tempcnta -\sixt@@n\relax
2021             \fi
2022         \fi
2023     }%
2024     \@tempcntb \csname ftype@\@capttype \endcsname
2025     \multiply \@tempcntb \@xxxii
2026     \advance \@tempcnta \@tempcntb
2027     \global \count\@currbox \@tempcnta
2028     }%
2029     \@fltovf
2030 \fi
2031 \global \setbox\@currbox
2032     \color@vbox
2033     \normalcolor
2034     \vbox \bgroup
2035     \let\@footnotetext\@bidi@p@fnttext
2036     \let\@LTRfootnotetext\@bidi@p@LTRfnttext
2037     \let\@RTLfootnotetext\@bidi@p@RTLfnttext
2038     \let\@xfootnotenext\@bidi@p@xftntext
2039     \let\@xfootnote\@bidi@p@xfootnote
2040     \let\@xLTRfootnotenext\@bidi@p@xLTRfnttext
2041     \let\@xLTRfootnote\@bidi@p@xLTRfootnote
2042     \let\@xRTLfootnotenext\@bidi@p@xRTLfnttext
2043     \let\@xRTLfootnote\@bidi@p@xRTLfootnote
2044     \hsize\columnwidth
2045     \@parboxrestore
2046     \@floatboxreset
2047 }
2048 \def \@endfloatbox{%
2049     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
2050     \@minipagefalse
2051     \outer@nobreak
2052     \egroup                %% end of vbox
2053     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
2054     \color@endbox
2055 }

```

7.19 bidi-longtable.sty



```

2056 \ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine (ex
2057 \def\longtable{\if@RTL@RTLtabtrue\fi%
2058   \par
2059   \ifx\multicols\@undefined
2060   \else
2061     \ifnum\col@number>\@ne
2062     \@twocolumntrue
2063     \fi
2064   \fi
2065   \if@twocolumn
2066     \LT@err{longtable not in 1-column mode}\@ehc
2067   \fi
2068   \begingroup
2069   \@ifnextchar[\LT@array{\LT@array[x]}]
2070 \def\endlongtable{%
2071   \crr
2072   \noalign{%
2073     \let\LT@entry\LT@entry@chop
2074     \xdef\LT@save@row{\LT@save@row}}%
2075   \LT@echunk
2076   \LT@start
2077   \unvbox\z@
2078   \LT@get@widths
2079   \if@files
2080     {\let\LT@entry\LT@entry@write\immediate\write\@auxout{%
2081       \gdef\expandafter\@noexpand
2082       \csname LT@romannumeral\c@LT@tables\endcsname
2083       {\LT@save@row}}}%
2084   \fi
2085   \ifx\LT@save@row\LT@save@row
2086   \else
2087     \LT@warn{Column \@width s have changed\MessageBreak
2088       in table \thetable}%
2089   \LT@final@warn
2090   \fi
2091   \endgraf\penalty -\LT@end@pen
2092   \endgroup
2093   \global\@mparbottom\z@
2094   \pagegoal\vsiz
2095   \endgraf\penalty\z@\addvspace\LTpost
2096   \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
2097 \def\LT@output{%
2098   \ifnum\outputpenalty <-\@Mi
2099     \ifnum\outputpenalty > -\LT@end@pen
2100       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
2101     \else
2102       \setbox\z@\vbox{\unvbox\@cclv}%
2103       \ifdim \ht\LT@lastfoot>\ht\LT@foot
2104         \dimen@pagegoal
2105         \advance\dimen@-\ht\LT@lastfoot

```



```

2106         \ifdim\dimen@<\ht\z@
2107             \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
2108             \@makecol
2109             \@outputpage
2110             \setbox\z@\vbox{\box\LT@head}%
2111         \fi
2112     \fi
2113     \global\@colroom\@colht
2114     \global\vsizel\@colht
2115     \vbox
2116     {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastf
2117     \fi
2118     \else
2119     \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RTLta
2120     \@makecol
2121     \@outputpage
2122     \global\vsizel\@colroom
2123     \copy\LT@head\nobreak
2124     \fi}

```

7.20 bidimoderncv.cls

```

2125 \NeedsTeXFormat{LaTeX2e}
2126 \ProvidesClass{bidimoderncv}
2127 \newif\if@DEBUG\@DEBUGfalse
2128 \DeclareOption{a4paper}{
2129     \setlength\paperheight{297mm}
2130     \setlength\paperwidth{210mm}}
2131 \DeclareOption{a5paper}{
2132     \setlength\paperheight{210mm}
2133     \setlength\paperwidth{148mm}}
2134 \DeclareOption{b5paper}{
2135     \setlength\paperheight{250mm}
2136     \setlength\paperwidth{176mm}}
2137 \DeclareOption{letterpaper}{
2138     \setlength\paperheight{11in}
2139     \setlength\paperwidth{8.5in}}
2140 \DeclareOption{legalpaper}{
2141     \setlength\paperheight{14in}
2142     \setlength\paperwidth{8.5in}}
2143 \DeclareOption{executivepaper}{
2144     \setlength\paperheight{10.5in}
2145     \setlength\paperwidth{7.25in}}
2146 \DeclareOption{landscape}{
2147     \setlength\@tempdima{\paperheight}
2148     \setlength\paperheight{\paperwidth}
2149     \setlength\paperwidth{\@tempdima}}
2150 \newcommand\@ptsize{}
2151 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2152 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}

```




```

2153 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2154 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2155 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2156 \newif\if@colour\@colourtrue
2157 \DeclareOption{nocolour}{\@colourfalse}
2158 \ExecuteOptions{a4paper,11pt,colour,final}
2159 \ProcessOptions\relax
2160 \input{size1\@ptsize.clo}
2161 \RequirePackage{color}
2162 \RequirePackage{graphicx}
2163 \RequirePackage{ifthen}
2164 \RequirePackage{marvosym}
2165 \addtolength{\oddsidemargin}{-54pt}
2166 \addtolength{\textwidth}{109pt}
2167 \addtolength{\topmargin}{-70pt}
2168 \addtolength{\textheight}{122pt}
2169 \addtolength{\marginparsep}{-5pt}
2170 \addtolength{\marginparwidth}{-10pt}
2171 \RequirePackage{url}
2172 \RequirePackage{hyperref}
2173 \hypersetup{%
2174   breaklinks,
2175   baseurl      = http://,%
2176   pdfborder    = 0 0 0,%
2177   pdfpagemode  = UseNone,%
2178   pdfstartpage = 1}
2179 \AtEndOfClass{%
2180   \AtBeginDocument{%
2181     \hypersetup{%
2182       pdfauthor      = \@firstname~\@familyname,%
2183       pdftitle       = \@title,%
2184       pdfsubject     = \@firstname~\@familyname,%
2185       pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
2186 \urlstyle{tt}
2187 \RequirePackage{fancyhdr}
2188 \fancypagestyle{plain}{%
2189   \renewcommand{\headrulewidth}{0pt}
2190   \renewcommand{\footrulewidth}{0pt}
2191   \fancyhf{}}
2192 \pagestyle{plain}
2193 \setlength\lineskip{1\p@}
2194 \setlength\normallineskip{1\p@}
2195 \renewcommand\baselinestretch{}
2196 \setlength{\parindent}{0pt}
2197 \setlength{\parskip}{0pt}
2198 \setlength\columnsep{10\p@}
2199 \setlength\columnseprule{0\p@}
2200 \pagestyle{empty}
2201 \pagenumbering{arabic}
2202 \raggedbottom

```



```

2203 \onecolumn
2204 \providecommand*\listitemsymbol{\textbullet}
2205 \providecommand*\addresssymbol{}
2206 \providecommand*\mobilesymbol{\Mobilefone}
2207 \providecommand*\phonesymbol{\Telefon}
2208 \providecommand*\faxsymbol{\FAX}
2209 \providecommand*\emailsymbol{\Letter}
2210 \definecolor{firstnamecolor}{rgb}{0,0,0}
2211 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2212 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
2213 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2214 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2215 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2216 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2217 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2218 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2219 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2220 \providecommand*\firstnamefont{}
2221 \providecommand*\familynamefont{}
2222 \providecommand*\titlefont{}
2223 \providecommand*\addressfont{}
2224 \providecommand*\quoteft{}
2225 \providecommand*\sectionfont{}
2226 \providecommand*\subsectionfont{}
2227 \providecommand*\hintfont{\small}
2228 \providecommand*\firstnamestyle}[1]{\{\@firstnamefont\@firstnamecolour#1}}
2229 \providecommand*\familynamestyle}[1]{\{\@familynamefont\@familynamecolour#1}}
2230 \providecommand*\titlestyle}[1]{\{\@titlefont\@titlecolour#1}}
2231 \providecommand*\addresstyle}[1]{\{\@addressfont\@addresscolour#1}}
2232 \providecommand*\quotestyle}[1]{\{\@quoteft\@quotecolour#1}}
2233 \providecommand*\sectionstyle}[1]{\{\@sectionfont\@sectiontitlecolour#1}}
2234 \providecommand*\subsectionstyle}[1]{\{\@subsectionfont\@subsectioncolour#1}}
2235 \providecommand*\hintstyle}[1]{\{\@hintfont\@hintcolour#1}}
2236 \newcommand*\cvtheme}[2][]{
2237   \def\@cvtheme{#2}
2238   \def\@cvthemeoptions{#1}
2239   \cvtheme{bidi-casual}
2240   \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\cvtheme}}
2241   \newcommand*\resumename}[1]{\def\@resumename{#1}}
2242   \newcommand*\firstname}[1]{\def\@firstname{#1}}
2243   \newcommand*\familyname}[1]{\def\@familyname{#1}}
2244   \renewcommand*\title}[1]{\def\@title{#1}}
2245   \newcommand*\address}[1]{\def\@address{#1}}
2246   \newcommand*\mobile}[1]{\def\@mobile{#1}}
2247   \newcommand*\phone}[1]{\def\@phone{#1}}
2248   \renewcommand*\fax}[1]{\def\@fax{#1}}
2249   \newcommand*\email}[1]{\def\@email{#1}}
2250   \newcommand*\extrainfo}[1]{\def\@extrainfo{#1}}
2251   \def\@photowidth{0pt}
2252   \newcommand*\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}

```



```

2253 \newcommand*{\quote}[1]{\def\@quote{#1}}
2254 \newlength{\quotewidth}
2255 \newlength{\hintscolumnwidth}
2256 \newlength{\separatorcolumnwidth}
2257 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2258 \newlength{\maincolumnwidth}
2259 \newlength{\doubleitemmaincolumnwidth}
2260 \newlength{\listitemsymbolwidth}
2261 \settowidth{\listitemsymbolwidth}{\listitemsymbol{~}}
2262 \newlength{\listitemmaincolumnwidth}
2263 \newlength{\listdoubleitemmaincolumnwidth}
2264 \newcommand*{\recomputethemelengths}{}
2265 \newcommand*{\recomputelengths}{%
2266 \setlength{\quotewidth}{0.65\textwidth}%
2267 \setlength{\maincolumnwidth}{\textwidth}%
2268 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2269 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2270 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2271 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2272 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2273 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2274 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2275 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2276 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2277 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2278 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2279 \renewcommand{\headwidth}{\textwidth}%
2280 \recomputethemelengths}
2281 \setlength{\hintscolumnwidth}{0.15\textwidth}
2282 \recomputelengths
2283 \title{}
2284 \renewcommand*{\maketitle}{}
2285 \newcommand*{\section}[1]{%
2286 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2287 \phantomsection}%
2288 \addcontentsline{toc}{part}{#1}%
2289 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangleco
2290 \hspace{\separatorcolumnwidth}%
2291 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\[\[1ex]}
2292 \newcommand*{\subsection}[1]{%
2293 \cvline[0.45em]{}{\subsectionstyle{#1}}}
2294 \newcommand*{\cvline}[3][.25em]{%
2295 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
2296 \bidi@raggedleft\hintfont{#2} \&{#3}%
2297 \end{tabular}}\[\[1]}
2298 \newcommand*{\cvdoubleitem}[4]{%
2299 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2300 \hfill%
2301 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\se
2302 \newcommand*{\cvlistitem}[2][\listitemsymbol]{}%

```



```

2303 \cvline[0pt]{\#1~\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}
2304 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{\%
2305 \cvline[0pt]{\#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}%
2306 \hfill%
2307 \ifthenelse{\equal{\#3}{}}{
2308 }{
2309 \#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}
2310 \newcommand*{\cventry}[6]{\%
2311 \cvline{\#1}{\%
2312 {\bfseries\#2}\%
2313 \ifx\#3\else{, {\slshape\#3}}\fi%
2314 \ifx\#4\else{, \#4}\fi%
2315 \ifx\#5\else{, \#5}\fi%
2316 .\%
2317 \ifx\#6\else{\newline}\begin{minipage}[t]{\linewidth}\small\#6\end{minipage}}\fi
2318 }
2319 \newcommand*{\cvlanguage}[3]{\%
2320 \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}}\hfill\begin{m
2321 \newcommand*{\cvcomputer}[4]{\%
2322 \cdoubleitem{\#1}{\small\#2}{\small\#3}{\small\#4}}
2323 \newcommand*{\link}[2][\%
2324 \ifthenelse{\equal{\#1}{}}{
2325 {\href{\#2}{\#2}}
2326 {\href{\#2}{\#1}}}
2327 \newcommand*{\httplink}[2][\%
2328 \ifthenelse{\equal{\#1}{}}{
2329 {\href{http://\#2}{\#2}}
2330 {\href{http://\#2}{\#1}}}
2331 \newcommand*{\emailink}[2][\%
2332 \ifthenelse{\equal{\#1}{}}{
2333 {\href{mailto:\#2}{\#2}}
2334 {\href{mailto:\#2}{\#1}}}
2335 \newif\if@displaypagenumbers\@displaypagenumberstrue
2336 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2337 \AtBeginDocument{\%
2338 \if@displaypagenumbers%
2339 \@ifundefined{r@lastpage}{\%
2340 \ifthenelse{\pageref{lastpage} > 1}{\%
2341 \fancypagestyle{plain}{\%
2342 \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pageref
2343 \pagestyle{plain}}}{\%
2344 \AtEndDocument{\label{lastpage}}%
2345 \fi}
2346 \newlength{\bibindent}
2347 \setlength{\bibindent}{1.5em}
2348 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2349 \newenvironment{thebibliography}[1]{\%
2350 {\%
2351 \section{\refname}%
2352 \small%

```



```

2353 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
2354 \begin{list}{\bibliographyitemlabel}%
2355     {%
2356         \setlength{\topsep}{0pt}%
2357         \setlength{\labelwidth}{\hintscolumnwidth}%
2358         \setlength{\labelsep}{\separatorcolumnwidth}%
2359         \leftmargin\labelwidth%
2360         \advance\leftmargin\labelsep%
2361         \@openbib@code%
2362         \usecounter{enumiv}%
2363         \let\p@enumiv\@empty%
2364         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2365         \sloppy\clubpenalty4000\widowpenalty4000%
2366     }%
2367     {%
2368         \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2369         \end{list}%
2370     }
2371 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2372 \let\@openbib@code\@empty

```

7.21 biditools.sty

```

2373 \NeedsTeXFormat{LaTeX2e}
2374 \ProvidesPackage{biditools}[2015/02/16 v0.4 Programming tools for bidi package]
2375 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\relax
2376     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2377     \ifx\@tempa\@tempb \global\let#2#1%
2378     \else
2379         \edef\@tempb{\meaning#2}%
2380         \ifx\@tempa\@tempb
2381             \else
2382                 \@latex@error{Unable to properly define \string#2; primitive
2383                 \noexpand#1no longer primitive}\@eha
2384             \fi
2385         \fi
2386     \endgroup}
2387 \def\@tagsextension{clo}
2388 \def\@definitionfileextension{def}
2389 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2390 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2391 \def\eqnewif#1#2{%
2392     \count@\escapechar \escapechar\m@ne
2393     \let#1\iffalse
2394     \let#2\iffalse
2395     \eq@if#1#2\iftrue
2396     \eq@if#1#2\iffalse
2397     \escapechar\count@}
2398 \def\eq@if#1#2#3{%
2399     \expandafter\def\c@name\expandafter\@gobbletwo\string#1%

```



```

2400             \expandafter\@gobbletwo\string#3\endcsname
2401             {\let#1#3%
2402             \let#2#3}%
2403 \expandafter\def\csname\expandafter\@gobbletwo\string#2%
2404             \expandafter\@gobbletwo\string#3\endcsname
2405             {\let#2#3%
2406             \let#1#3}}
2407 \newcommand*{\if@bidi@csdef}[1]{%
2408 \ifcsname#1\endcsname
2409 \expandafter\@firstoftwo
2410 \else
2411 \expandafter\@secondoftwo
2412 \fi}
2413 \newcommand*{\if@bidi@csundef}[1]{%
2414 \ifcsname#1\endcsname
2415 \expandafter\ifx\csname#1\endcsname\relax
2416 \expandafter\expandafter
2417 \expandafter\@firstoftwo
2418 \else
2419 \expandafter\expandafter
2420 \expandafter\@secondoftwo
2421 \fi
2422 \else
2423 \expandafter\@firstoftwo
2424 \fi}
2425 \newcommand{\if@bidi@def}[1]{%
2426 \ifdefined#1%
2427 \expandafter\@firstoftwo
2428 \else
2429 \expandafter\@secondoftwo
2430 \fi}
2431 \newcommand{\if@bidi@undef}[1]{%
2432 \ifdefined#1%
2433 \ifx#1\relax
2434 \expandafter\expandafter
2435 \expandafter\@firstoftwo
2436 \else
2437 \expandafter\expandafter
2438 \expandafter\@secondoftwo
2439 \fi
2440 \else
2441 \expandafter\@firstoftwo
2442 \fi}
2443 \newcommand{\if@bidi@blank}[1]{% from url.sty
2444 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2445 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2446 \newcommand{\bidi@notblank}[1]{%
2447 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2448 \newcommand{\if@bidi@defmacro}{%
2449 \long\edef\if@bidi@defmacro#1{%

```



```

2450 \noexpand\expandafter\noexpand\bid@ifdefmacro
2451 \noexpand\meaning#1\detokenize{macro}:\&}
2452 \edef\bid@ifdefmacro{%
2453 \def\noexpand\bid@ifdefmacro##1\detokenize{macro}:\&#2&}
2454 \bid@ifdefmacro{\bid@notblank{#2}}
2455 \newcommand*{\if@bid@csmacro}[1]{%
2456 \if@bid@csdef{#1}
2457 {\expandafter\if@bid@defmacro\csname#1\endcsname}
2458 {\@secondoftwo}}
2459 \newcommand{\if@bid@defprimitive}[1]{%
2460 \ifprimitive#1%
2461 \expandafter\@firstoftwo
2462 \else
2463 \expandafter\@secondoftwo
2464 \fi}
2465 \newcommand{\if@bid@csprimitive}[1]{%
2466 \begingroup\expandafter\expandafter\expandafter\endgroup%
2467 \expandafter\ifprimitive\csname#1\endcsname%
2468 \expandafter\@firstoftwo
2469 \else
2470 \expandafter\@secondoftwo
2471 \fi}
2472 \newcommand*{\bid@csdefcs}[2]{%
2473 \expandafter\@ifdefinable \csname#1\endcsname{%
2474 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
2475 \newcommand*{\bid@csletcs}[2]{%
2476 \expandafter\@ifdefinable \csname#1\endcsname{%
2477 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
2478 \newcommand*{\bid@cslet}[2]{%
2479 \expandafter\@ifdefinable \csname#1\endcsname{%
2480 \expandafter\let\csname#1\endcsname#2}}
2481 \newcommand{\bid@namelongdef}[1]{%
2482 \long\expandafter\def\csname #1\endcsname}
2483 \def\bid@ensure@newcommand{\@star@or@long\bid@ensure@new@command}
2484 \def\bid@ensure@new@command#1{%
2485 \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2486 \expandafter\if@bid@csundef\@gtempa
2487 {\new@command#1}{\relax%
2488 \let\@ifdefinable\@rc@ifdefinable%
2489 \new@command#1}}
2490 \def\bid@ensure@newlength#1{\if@bid@undef#1{\newskip#1}{}}
2491
2492 \protected\def\bid@error{\PackageError{bid}}
2493 \protected\def\bid@warning{\PackageWarning{bid}}
2494 \protected\def\bid@info{\PackageInfo{bid}}
2495
2496 \newcommand*{\bid@newrobustcmd}{}
2497 \protected\def\bid@newrobustcmd{\@star@or@long\bid@new@command}
2498
2499 \def\bid@new@command#1{\@testopt{\bid@newcommand#1}0}

```



```

2500
2501 \def\bidinewcommand#1[#2]{%
2502   \@ifnextchar[%]
2503     {\bidixargdef#1[#2]}
2504     {\ifx\l@ngrel@x\relax
2505       \let\l@ngrel@x\protected
2506       \else
2507         \protected\def\l@ngrel@x{\protected\long}%
2508       \fi
2509       \@argdef#1[#2]}}
2510
2511 \long\def\bidixargdef#1[#2][#3]#4{%
2512   \@ifdefinable#1{%
2513     \expandafter\protected
2514     \expandafter\def
2515     \expandafter#1%
2516     \expandafter{%
2517       \expandafter\@testopt
2518       \csname\string#1\endcsname{#3}}}%
2519   \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}
2520
2521 \bidinewrobustcmd*{\bidirenewrobustcmd}{\@star@or@long\bidirenew@command}
2522
2523 \def\bidirenew@command#1{%
2524   \if@bidi@undef{#1}
2525     {\bidi@error{\string#1 undefined}\@ehc}
2526     {}%
2527   \let\@ifdefinable\@rc@ifdefinable
2528   \bidinew@command#1}
2529
2530
2531
2532 \bidinewrobustcmd*{\bidiproviderobustcmd}{\@star@or@long\bidiprovide@command}
2533
2534 \def\bidiprovide@command#1{%
2535   \if@bidi@undef{#1}
2536     {\def\reserved@a{\bidinew@command#1}}
2537     {\def\reserved@a{\bidirenew@command\reserved@a}}%
2538   \reserved@a}
2539
2540 \newcommand*{\bidi@csuse}[1]{%
2541   \ifcsname#1\endcsname
2542     \csname#1\expandafter\endcsname
2543   \fi}
2544
2545 \newcommand{\bidi@expandonce}[1]{%
2546   \unexpanded\expandafter{#1}}
2547
2548 \def\bidiprotected{%
2549   \let\@protect\protect

```




```

2550 \let\protect\@unexpandable@protect
2551 \afterassignment\restore@protect}
2552
2553 \bidi@newrobustcmd{\bidi@appto}[2]{%
2554 \if@bidi@undef{#1}
2555 {\edef#1{\unexpanded{#2}}}
2556 {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2557 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2558 \if@bidi@undef{#1}
2559 {\edef#1{#2}}
2560 {\edef#1{\bidi@expandonce#1#2}}}}
2561 \bidi@newrobustcmd{\bidi@gappto}[2]{%
2562 \if@bidi@undef{#1}
2563 {\xdef#1{\unexpanded{#2}}}
2564 {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2565 \bidi@newrobustcmd{\bidi@xappto}[2]{%
2566 \if@bidi@undef{#1}
2567 {\xdef#1{#2}}
2568 {\xdef#1{\bidi@expandonce#1#2}}}}
2569
2570 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
2571 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
2572
2573
2574
2575 \bidi@newrobustcmd{\bidi@preto}[2]{%
2576 \if@bidi@undef{#1}
2577 {\edef#1{\unexpanded{#2}}}
2578 {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2579 \bidi@newrobustcmd{\bidi@epreto}[2]{%
2580 \if@bidi@undef{#1}
2581 {\edef#1{#2}}
2582 {\edef#1{#2\bidi@expandonce#1}}}
2583 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
2584 \if@bidi@undef{#1}
2585 {\xdef#1{\unexpanded{#2}}}
2586 {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
2587 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
2588 \if@bidi@undef{#1}
2589 {\xdef#1{#2}}
2590 {\xdef#1{#2\bidi@expandonce#1}}}
2591
2592 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
2593 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
2594
2595
2596
2597 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
2598 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
2599 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}

```



```

2600 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
2601 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
2602 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
2603
2604
2605
2606 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
2607 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
2608 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
2609 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
2610 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
2611 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
2612
2613
2614
2615 \bidi@newrobustcmd{\if@bidi@patchable}{%
2616   \bidi@dbg@trce\if@bidi@patchable
2617   \begingroup
2618   \@makeother\#%
2619   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
2620
2621 \long\def\bidi@ifpatchable#1#2{%
2622   \endgroup
2623   \bidi@dbg@init#1%
2624   \if@bidi@undef{#1}
2625     {\bidi@dbg@fail{def}\@secondoftwo}
2626     {\bidi@dbg@info{def}%
2627       \if@bidi@defmacro{#1}
2628         {\bidi@dbg@info{mac}%
2629           \bidi@ifscanable{#1}
2630             {\bidi@ifhashcheck{#2}
2631               {\bidi@dbg@info{tok}%
2632                 \bidi@ifpattern#1{#2}
2633                 {\bidi@dbg@info{pat}%
2634                   \bidi@dbg@info{pos}\@firstoftwo}
2635                   {\bidi@dbg@fail{pat}\@secondoftwo}}
2636                 {\bidi@dbg@fail{hsh}\@secondoftwo}}
2637                 {\bidi@dbg@fail{tok}\@secondoftwo}}
2638                 {\bidi@dbg@fail{mac}\@secondoftwo}}}
2639
2640 \long\def\bidi@ifpatchable@i#1{%
2641   \endgroup
2642   \bidi@dbg@init#1%
2643   \if@bidi@undef{#1}
2644     {\bidi@dbg@fail{def}\@secondoftwo}
2645     {\bidi@dbg@info{def}%
2646       \if@bidi@defmacro{#1}
2647         {\bidi@dbg@info{mac}%
2648           \if@bidi@defparam{#1}
2649             {\bidi@dbg@info{prm}%

```



```

2650         \bidi@ifscanable{#1}
2651         {\bidi@dbg@info{tok}%
2652          \bidi@dbg@info{pos}\@firstoftwo}
2653          {\bidi@dbg@fail{tok}\@secondoftwo}}
2654     {\bidi@dbg@info{prl}%
2655      \if@bidi@defprotected{#1}
2656      {\bidi@dbg@info{pro}}
2657      }%
2658      \bidi@dbg@info{pos}\@firstoftwo}}
2659     {\bidi@dbg@fail{mac}\@secondoftwo}}
2660
2661 \bidi@newrobustcmd*{\bidi@patchcmd}{%
2662  \bidi@dbg@trce\bidi@patchcmd
2663  \begingroup
2664  \@makeother\#%
2665  \bidi@@patchcmd}
2666
2667 \newcommand{\bidi@@patchcmd}[4][#####1]{%
2668  \bidi@ifpatchable#2{#3}
2669  {\bidi@dbg@succ{ret}%
2670   \begingroup
2671   \edef\bidi@resrvda{%
2672    \def\noexpand\bidi@resrvda#####1\detokenize{macro:}####2->####3&{%
2673     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
2674    \def\noexpand\bidi@resrvdb#####1\detokenize{#3}####2&{%
2675     #####1\detokenize{#4}####2}%
2676    \edef\noexpand\bidi@resrvda{%
2677     \noexpand\bidi@resrvda\meaning#2&}}%
2678    \bidi@resrvda
2679    \bidi@patchcmd@scantoks\bidi@resrvda
2680    \let#2\bidi@resrvda
2681    \bidi@undef\bidi@resrvda
2682    \@firstoftwo}
2683  {\@secondoftwo}}
2684
2685 \def\bidi@patchcmd@scantoks#1{%
2686  \edef\bidi@resrvda{\endgroup
2687   \unexpanded{\makeatletter\scantokens}{#1}%
2688   \catcode\number`\@=\the\catcode`\@ \relax}%
2689  \bidi@resrvda}
2690
2691 \newcommand\bidi@isloaded[2][]{
2692  \expandafter\ifx\csname if@bidi@#2loaded@ \endcsname \relax
2693  \expandafter\newif\csname if@bidi@#2loaded@ \endcsname
2694  \fi
2695  \@ifpackageloaded{#2}
2696  {\csname @bidi@#2loaded@true \endcsname #1}
2697  {\csname @bidi@#2loaded@false \endcsname}}
2698
2699 \protected\def\bidi@ifscanable#1{%

```



```

2700 \begingroup
2701 \edef\bidi@resrvda{%
2702   \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2703     ####1\def\string\bidi@resrvda####2{####3}}%
2704   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
2705 \bidi@resrvda
2706 \makeatletter
2707 \scantokens\expandafter{\bidi@resrvda}%
2708 \expandafter\endgroup\ifx#1\bidi@resrvda
2709   \expandafter\@firstoftwo
2710 \else
2711   \expandafter\@secondoftwo
2712 \fi}
2713
2714
2715 \protected\long\def\bidi@ifhashcheck#1{%
2716   \begingroup
2717   \edef\bidi@resrvda{\detokenize{#1}}%
2718   \expandafter\endgroup
2719   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
2720
2721 \edef\bidi@ifhashcheck@i#1&{%
2722   \noexpand\expandafter
2723   \noexpand\bidi@ifhashcheck@ii
2724   \noexpand\strip@prefix#1\string#\string#&}
2725
2726 \edef\bidi@ifhashcheck@ii{%
2727   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
2728 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
2729
2730
2731 \protected\long\def\bidi@ifpattern#1#2{%
2732   \begingroup
2733   \edef\bidi@resrvda{%
2734     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
2735       \endgroup\noexpand\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
2736     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
2737       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
2738     \noexpand\bidi@resrvda}
2739   \bidi@resrvda\@secondoftwo\@firstoftwo}
2740
2741
2742 \newcommand{\if@bidi@defparam}{ }
2743 \long\edef\if@bidi@defparam#1{%
2744   \noexpand\expandafter\noexpand\bidi@ifdefparam
2745   \noexpand\meaning#1\detokenize{macro}:>}&}
2746 \edef\bidi@ifdefparam{%
2747   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
2748 \bidi@ifdefparam{\bidi@notblank{#2}}
2749

```



```

2750
2751 \newcommand{\if@bidi@defprotected}{%
2752 \long\edef\if@bidi@defprotected#1{%
2753 \noexpand\expandafter\noexpand\bidi@ifdefprotected
2754 \noexpand\meaning#1\string\protected&}
2755 \edef\bidi@ifdefprotected{%
2756 \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
2757 \bidi@ifdefprotected{\bidi@notblank{#2}}
2758
2759
2760 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
2761
2762 \let\bidi@dbg@trce\@gobble
2763 \let\bidi@dbg@init\@gobble
2764 \let\bidi@dbg@info\@gobble
2765 \let\bidi@dbg@succ\@gobble
2766 \let\bidi@dbg@fail\@gobble
2767
2768
2769
2770 \bidi@newrobustcmd*\bidi@apptocmd{%
2771 \bidi@dbg@trce\bidi@apptocmd
2772 \begingroup
2773 \@makeother\#%
2774 \bidi@hooktocmd\bidi@append}
2775
2776
2777
2778 \bidi@newrobustcmd*\bidi@pretocmd{%
2779 \bidi@dbg@trce\bidi@pretocmd
2780 \begingroup
2781 \@makeother\#%
2782 \bidi@hooktocmd\bidi@prepend}
2783
2784 \long\def\bidi@hooktocmd#1#2#3{%
2785 \endgroup
2786 \bidi@dbg@init#2%
2787 \if@bidi@undef{#2}
2788 {\bidi@dbg@fail{def}\@secondoftwo}
2789 {\bidi@dbg@info{def}%
2790 \if@bidi@defmacro{#2}
2791 {\bidi@dbg@info{mac}%
2792 \if@bidi@defparam{#2}
2793 {\bidi@dbg@info{prm}%
2794 \bidi@ifscanable{#2}
2795 {\bidi@ifhashcheck{#3}
2796 {\bidi@dbg@info{tok}%
2797 \bidi@dbg@succ{ret}%
2798 \bidi@hooktocmd#1#2{#3}%
2799 \@firstoftwo}

```



```

2800         {\bidi@dbg@fail{hsh}\@secondoftwo}}
2801         {\bidi@dbg@fail{tok}\@secondoftwo}}
2802         {\bidi@dbg@info{prl}%
2803         \if@bidi@defprotected{#2}
2804         {\bidi@dbg@info{pro}%
2805         \bidi@dbg@succ{red}%
2806         \protected}
2807         {\bidi@dbg@succ{red}}}%
2808         \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
2809         \@firstoftwo}}
2810     {\bidi@dbg@fail{mac}\@secondoftwo}}
2811
2812 \long\def\bidi@hooktocmd@i#1#2#3{%
2813     \begingroup
2814     \edef\bidi@resrvda{%
2815         \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
2816             ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}%
2817         \edef\noexpand\bidi@resrvda{%
2818             \noexpand\bidi@resrvda\meaning#2&}}%
2819     \bidi@resrvda
2820     \bidi@patchcmd@scantoks\bidi@resrvda
2821     \let#2\bidi@resrvda
2822     \bidi@undef\bidi@resrvda}
2823
2824 \long\def\bidi@append#1#2{#1#2}
2825 \long\def\bidi@prepend#1#2{#2#1}
2826
2827 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
2828 \newcommand*{\bidi@endpreamblehook}{}
2829
2830 \bidi@preto\document{%
2831     \endgroup
2832     \let\bidi@AtEndPreamble\@firstofone
2833     \bidi@endpreamblehook
2834     \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
2835     \bidi@undef\bidi@endpreamblehook
2836     \begingroup}
2837
2838 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
2839 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
2840
2841 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
2842 \newcommand*{\bidi@afterendpreamblehook}{}
2843
2844 \bidi@appto\document{%
2845     \let\bidi@AfterEndPreamble\@firstofone
2846     \bidi@afterendpreamblehook
2847     \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
2848     \bidi@undef\bidi@afterendpreamblehook
2849     \ignorespaces}

```



```

2850
2851 \AtEndDocument{\let\bid@AfterEndPreamble\@gobble}
2852
2853 \bid@newrobustcmd*{\bid@AfterEndDocument}{\bid@gappto\bid@afterenddocumenthook}
2854 \newcommand*{\bid@afterenddocumenthook}{%
2855
2856 \bid@patchcmd\enddocument
2857   {\deadcycles}
2858   {\let\bid@AfterEndDocument\@firstofone
2859     \bid@afterenddocumenthook
2860     \deadcycles}
2861   {}
2862   {\let\bid@@end\@end
2863     \def\@end{%
2864       \let\bid@AfterEndDocument\@firstofone
2865       \bid@afterenddocumenthook
2866       \bid@@end}}
2867
2868 \bid@newrobustcmd{\bid@AtBeginEnvironment}[1]{%
2869   \bid@csgappto{\bid@begin@#1@hook}}
2870
2871 \bid@patchcmd\begin
2872   {\csname #1\endcsname}
2873   {\bid@csuse{\bid@begin@#1@hook}%
2874     \csname #1\endcsname}
2875   {}
2876   {\bid@warning{%
2877     Patching '\string\begin' failed!\MessageBreak
2878     '\string\bid@AtBeginEnvironment' will not work\@gobble}}
2879
2880
2881
2882 \bid@newrobustcmd{\bid@AtEndEnvironment}[1]{%
2883   \bid@csgappto{\bid@end@#1@hook}}
2884
2885 \bid@patchcmd\end
2886   {\csname end#1\endcsname}
2887   {\bid@csuse{\bid@end@#1@hook}%
2888     \csname end#1\endcsname}
2889   {}
2890   {\bid@warning{%
2891     Patching '\string\end' failed!\MessageBreak
2892     '\string\bid@AtEndEnvironment' will not work\@gobble}}
2893
2894
2895
2896 \bid@newrobustcmd{\bid@BeforeBeginEnvironment}[1]{%
2897   \bid@csgappto{\bid@beforebegin@#1@hook}}
2898
2899 \bid@pretocmd\begin

```



```

2900 {\bidi@csuse{@bidi@beforebegin@#1@hook}}
2901 {}
2902 {\bidi@warning{%
2903     Patching '\string\begin' failed!\MessageBreak
2904     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}
2905
2906
2907
2908 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
2909     \bidi@csgappto{@bidi@afterend@#1@hook}}
2910
2911 \bidi@patchcmd\end
2912     {\if@ignore}
2913     {\bidi@csuse{@bidi@afterend@#1@hook}%
2914     \if@ignore}
2915     {}
2916     {\bidi@warning{%
2917         Patching '\string\end' failed!\MessageBreak
2918         '\string\bidi@AfterEndEnvironment' will not work\@gobble}}
2919
2920 \CheckCommand{\InputIfFileExists}[2]{%
2921     \IfFileExists{#1}%
2922     {#2\@addtofilelist{#1}\@@input \@filef@und}}
2923
2924 \renewcommand{\InputIfFileExists}[2]{%
2925     \begingroup\expandafter\expandafter\expandafter\endgroup
2926     \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
2927     \expandafter\@secondoftwo
2928     \else
2929     \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
2930     \expandafter\@firstoftwo
2931     \fi
2932     {%
2933     \expandafter\InputIfFileExists\expandafter{\csname
2934     #1-@bidi@alias\endcsname}{#2}%
2935     }%
2936     {\IfFileExists{#1}{%
2937         \bidi@load@hook{before}{#1}%
2938         #2\@addtofilelist{#1}%
2939         \@@input \@filef@und
2940         \bidi@load@hook{after}{#1}%
2941     }}%
2942 }
2943
2944 \newcommand*{\bidi@loadwithoptions}{}
2945 \newcommand*{\bidi@loadwithoptions}{}
2946 \let\bidi@loadwithoptions\@loadwithoptions
2947
2948 \renewcommand*{\@loadwithoptions}[3]{%
2949     \begingroup\expandafter\expandafter\expandafter\endgroup

```




```

2950 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
2951 \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
2952 \else
2953 \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
2954 \def\bidi@loadwithoptions{%
2955 \loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
2956 }%
2957 \fi
2958 \bidi@loadwithoptions
2959 }
2960
2961 \newcommand*{\bidi@onefilewithoptions}{%
2962 \let\bidi@onefilewithoptions@onefilewithoptions
2963 \def\bidi@onefilewithoptions#1[#2][#3]#4{%
2964 \begin{group}\expandafter\expandafter\expandafter\endgroup
2965 \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
2966 \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
2967 \else
2968 \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
2969 \edef\bidi@onefilewithoptions{%
2970 \noexpand\bidi@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
2971 \fi
2972 \bidi@onefilewithoptions[#{#2}][#{#3}]{#4}%
2973 \bidi@load@hook{lateafter}{#1.#4}%
2974 }
2975
2976 \newcommand*{\bidi@ReplaceInput}[2]{%
2977 \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
2978 }
2979
2980 \newcommand*{\bidi@UnReplaceInput}[1]{%
2981 \ifcsname #1-@bidi@alias\endcsname
2982 \expandafter\let\csname #1-@bidi@alias\endcsname\relax
2983 \fi
2984 }
2985
2986 \newcommand*{\@bidi@replacefilewithext}[3]{%
2987 \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
2988 }
2989 \newcommand*{\bidi@ReplacePackage}[2]{%
2990 \@bidi@replacefilewithext{#1}{#2}\@pkgextension
2991 }
2992 \newcommand*{\bidi@ReplaceClass}[2]{%
2993 \@bidi@replacefilewithext{#1}{#2}\@clsextension
2994 }
2995 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
2996 \ifcsname #1.#2-@bidi@aliasname\endcsname
2997 \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
2998 \fi
2999 }

```



```

3000 \newcommand*{\bidi@UnReplacePackage}[1]{%
3001   \@bidi@unreplacefilewithext{#1}\@pkgextension
3002 }
3003 \newcommand*{\bidi@UnReplaceClass}[1]{%
3004   \@bidi@unreplacefilewithext{#1}\@clsextension
3005 }
3006 \newcommand*{\bidi@replacefile@msg}[2]{%
3007   \PackageInfo{biditytools}{inputing `#1' instead of `#2'}%
3008 }
3009
3010 \newcommand*{\bidi@load@hook}[2]{%
3011   \@ifundefined{#2-@#1}{\@nameuse{#2-@#1}}{
3012     \nameuse{#2-@#1}%
3013     \expandafter\let\csname #2-@#1\endcsname=\relax}}
3014 \newcommand*{\bidi@set@load@hook}[2]{%
3015   \@ifundefined{#2-@#1}{\@namedef{#2-@#1}}{}}%
3016   \expandafter\g@addto@macro\csname #2-@#1\endcsname}
3017 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
3018 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
3019 \newcommand*{\bidi@BeforeClass}[1]{%
3020   \bidi@set@load@hook{before}{#1.\@clsextension}}
3021 \newcommand*{\bidi@AfterClass}{%
3022   \@ifstar {\@s@bidi@AfterClass}{%
3023     \@ifnextchar +{\@bidi@AfterClass}%
3024     \@ifnextchar !{\@@@bidi@AfterClass\bidi@AfterClass
3025       }%
3026   }%
3027 }
3028
3029 \newcommand*{\@@@bidi@AfterClass}[2]{%
3030   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3031     \aftergroup\@s@bidi@AfterClass
3032   \else
3033     \aftergroup\bidi@AfterAtEndOfClass
3034   \fi
3035   \endgroup{#2}%
3036 }
3037
3038 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3039   \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
3040 \newcommand*{\@@@bidi@AfterClass}[2]{%
3041   \begingroup
3042     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
3043       \aftergroup\@s@bidi@AfterClass
3044     \else
3045       \aftergroup\bidi@AfterClass
3046     \fi
3047   \endgroup{#2}%
3048 }
3049

```



```

3050 \newcommand*{\@bidi@AfterClass}[1]{%
3051   \bidi@set@load@hook{after}{#1.\@clsextension}}
3052 \newcommand*{\@s@bidi@AfterClass}[1]{%
3053   \begingroup
3054     \ifclassloaded{#1}{%
3055       \aftergroup\@secondoftwo
3056     }{%
3057       \aftergroup\@bidi@AfterClass
3058     }%
3059   \endgroup
3060   {#1}%
3061 }
3062
3063
3064 \newcommand*{\bidi@BeforePackage}[1]{%
3065   \bidi@set@load@hook{before}{#1.\@pkgextension}}
3066 \newcommand*{\bidi@AfterPackage}{%
3067   \@ifstar {\@s@bidi@AfterPackage}{%
3068     \@ifnextchar +\@bidi@AfterPackage{%
3069       \@ifnextchar !\@@bidi@AfterPackage\@bidi@AfterPackage
3070     }%
3071   }%
3072 }
3073 \newcommand*{\@@bidi@AfterPackage}[2]{%
3074   \begingroup\ifx\cename #2.\@pkgextension-h@k\endcename\relax
3075   \aftergroup\@s@bidi@AfterPackage
3076   \else
3077     \aftergroup\bidi@AfterAtEndOfPackage
3078   \fi
3079   \endgroup{#2}%
3080 }
3081 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
3082   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
3083 \newcommand*{\@@bidi@AfterPackage}[2]{%
3084   \begingroup
3085     \expandafter\ifx\cename #2.\@pkgextension-h@k\endcename\relax
3086     \aftergroup\@s@bidi@AfterPackage
3087     \else
3088       \aftergroup\@bidi@AfterPackage
3089     \fi
3090   \endgroup{#2}%
3091 }
3092 \newcommand*{\@bidi@AfterPackage}[1]{%
3093   \bidi@set@load@hook{after}{#1.\@pkgextension}}
3094 \newcommand*{\@s@bidi@AfterPackage}[1]{%
3095   \begingroup
3096     \ifpackageloaded{#1}{%
3097       \aftergroup\@secondoftwo
3098     }{%
3099       \aftergroup\@bidi@AfterPackage

```



```

3100 }%
3101 \endgroup
3102 {#1}%
3103 }
3104
3105 \newcommand*{\bidi@excludedpackages}{}
3106 \let\bidi@excludedpackages\@empty
3107 \newcommand*{\bidi@saved@RequirePackage}{}
3108 \newcommand*{\bidi@PreventPackageFromLoading}{%
3109   \ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
3110   {\@bidi@PreventPackageFromLoading\PackageWarning}%
3111 }
3112 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
3113   \ifnextchar [%]
3114     {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}%
3115 }
3116 \newcommand*{\@bidi@PreventPackageFromLoading}{%
3117
3118 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
3119   \edef\reserved@b{\zap@space#3 \@empty}%
3120   \ifx \reserved@b\@empty
3121     #1{biditools}{%
3122       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
3123       argument ignored%
3124     }%
3125   \else
3126     \ifx\bidi@excludedpackages\@empty
3127       \let\bidi@saved@RequirePackage\RequirePackage
3128       \let\RequirePackage\bidi@RequirePackage
3129       \def\reserved@a##1##{%
3130         \@latex@error
3131         {\noexpand \usepackage before \string\documentclass}%
3132         {\noexpand \usepackage may only appear in the document
3133          preamble, i.e.,\MessageBreak
3134          between \noexpand\documentclass and
3135          \string\begin{document}.}%
3136         \@gobble}%
3137       \ifx\reserved@a\usepackage\else
3138         \ifx\usepackage\bidi@saved@RequirePackage\else
3139           \PackageWarning{biditools}{%
3140             Maybe serious problem: unexpected definition of\MessageBreak
3141             \string\usepackage
3142           }%
3143         \fi
3144         \let\usepackage\RequirePackage
3145       \fi
3146     \fi
3147   \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
3148   \reserved@b\do {%
3149     \ifx\reserved@a\@empty

```



```

3150     #1{biditools}{%
3151     empty package argument for
3152     \string\bid@PreventPackageFromLoading\MessageBreak
3153     ignored%
3154     }%
3155 \else
3156 \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
3157     #1{biditools}{%
3158     package `\'reserved@a' already loaded.\MessageBreak
3159     Cannot prevent it from being loaded%
3160     }%
3161     }{%
3162     \edef\bid@excludedpackages{\bid@excludedpackages,%
3163     \reserved@a}%
3164     \if\relax\detokenize{#2}\relax\else
3165     \@ifundefined{\bid@exclude@package@\reserved@a @do}{%
3166     \@namedef{\bid@exclude@package@\reserved@a @do}{}%
3167     }{}%
3168     \expandafter\def
3169     \csname \bid@exclude@package@\reserved@a
3170     @do\expandafter\expandafter\expandafter\endcsname
3171     \expandafter\expandafter\expandafter{%
3172     \csname \bid@exclude@package@\reserved@a @do\endcsname
3173     #2%
3174     }%
3175     \fi
3176     }%
3177 \fi
3178 }%
3179 \ifx\bid@excludedpackages\@empty
3180 \bid@ResetPreventPackageFromLoading
3181 \fi
3182 \fi
3183 }
3184
3185 \@onlypreamble\bid@PreventPackageFromLoading
3186 \newcommand*{\bid@ResetPreventPackageFromLoading}{%
3187 \let\bid@excludedpackages\@empty
3188 \ifx\RequirePackage\bid@RequirePackage
3189 \ifx\usepackage\RequirePackage
3190 \let\usepackage\bid@saved@RequirePackage
3191 \fi
3192 \let\RequirePackage\bid@saved@RequirePackage
3193 \fi
3194 }
3195 \@onlypreamble\bid@ResetPreventPackageFromLoading
3196 \newcommand*{\bid@StorePreventPackageFromLoading}[1]{%
3197 \let#1\bid@excludedpackages
3198 }
3199 \@onlypreamble\bid@StorePreventPackageFromLoading

```



```

3200 \newcommand*{\@bidi@UnPreventPackageFromLoading}{%
3201   \@ifstar {\@tempswatrue \@bidi@UnPreventPackageFromLoading}%
3202             {\@tempswafalse \@bidi@UnPreventPackageFromLoading}%
3203 }
3204
3205 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
3206   \edef\reserved@b{\zap@space#1 \@empty}%
3207   \if@tempswa
3208     \@for\reserved@a:=\reserved@b\do {%
3209       \ifx\reserved@a\@empty \else
3210         \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
3211           \expandafter\let
3212           \csname bidi@exclude@package@\reserved@a @do\endcsname
3213           \undefined
3214         \fi
3215       \fi
3216     }%
3217   \fi
3218   \ifcsname bidi@excludedpackages\endcsname
3219     \let\reserved@a\bidi@excludedpackages
3220     \let\bidi@excludedpackages\@empty
3221     \expandafter\@for\expandafter\reserved@c
3222     \expandafter:\expandafter=\reserved@a
3223     \do{%
3224       \ifx\reserved@c\@empty\else
3225         \@expandtwoargs\in@{\,\reserved@c,}{\,\reserved@b,}%
3226         \ifin@
3227           \else
3228             \edef\bidi@excludedpackages{%
3229               \bidi@excludedpackages,\reserved@c
3230             }%
3231           \fi
3232         \fi
3233       }%
3234     \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
3235   \fi
3236 }
3237
3238
3239 \newcommand*{\@bidi@RequirePackage}[2][ ]{%
3240   \let\reserved@c\@empty
3241   \let\reserved@d\@empty
3242   \edef\reserved@b{\zap@space#2 \@empty}%
3243   \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
3244   \do {%
3245     \begingroup
3246     \@tempswatrue
3247     \@for\reserved@a:=\bidi@excludedpackages\do {%
3248       \ifx\reserved@a\reserved@b
3249         \@tempswafalse

```



```

3250     \fi
3251   }%
3252   \if@tempwa
3253     \xdef\reserved@c{\reserved@c,\reserved@b}%
3254   \else
3255     \ifx\reserved@b\@empty\else
3256       \PackageInfo{bidiutils}{Excluding package `reserved@b' MessageBreak
3257         from loading}%
3258       \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
3259         }{%
3260           \expandafter\g@addto@macro\expandafter\reserved@d
3261           \csname bidi@exclude@package@\reserved@b @do\endcsname
3262         }%
3263     \fi
3264   \fi
3265 \endgroup
3266 }%
3267 \ifx\reserved@c\@empty
3268   \let\reserved@a\bidi@gobbleopt
3269 \else
3270   \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
3271     \expandafter\@gobble\reserved@c\@empty}}%
3272 \fi
3273 \expandafter\reserved@d
3274 \reserved@a
3275 }
3276
3277 \newcommand{\bidi@gobbleopt}[1][{}]{%
3278 \AtEndDocument{%
3279   \let\bidi@saved@checkend=\@checkend
3280   \renewcommand*{\@checkend}[1]{%
3281     \def\reserved@a{#1}\def\reserved@b{document}%
3282     \bidi@saved@checkend{#1}%
3283     \ifx\reserved@a\reserved@b
3284       \let\bidi@saved@clearpage=\clearpage
3285       \renewcommand*{\clearpage}{\bidi@saved@clearpage
3286         \bidi@hook@bcma
3287         \bidi@restore@newpage
3288         \let\clearpage=\bidi@saved@clearpage}%
3289     \fi%
3290     \let\bidi@saved@dofilelist\@dofilelist
3291     \def\@dofilelist{%
3292       \bidi@hook@acma
3293       \let\@dofilelist\bidi@saved@dofilelist
3294       \bidi@saved@dofilelist
3295     }%
3296   }%
3297 }
3298
3299

```



```

3300 \newcommand*{\bidi@saved@checkend}{%
3301 \newcommand*{\bidi@saved@dofilelist}{%
3302 \newcommand*{\bidi@redefine@newpage}{%
3303   \let\bidi@saved@newpage\newpage
3304   \def\bidi@restore@newpage{%
3305     \renewcommand*{\newpage}{%
3306       \PackageWarningNoLine{%
3307         biditools%
3308       }{%
3309         \string\newpage\space at main aux file!\MessageBreak
3310         You have output material at the main aux file.\MessageBreak
3311         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
3312         are processed before the output from aux file%
3313       }%
3314       \let\newpage\bidi@saved@newpage
3315       \newpage
3316     }%
3317   }%
3318   \renewcommand*{\newpage}{%
3319     \PackageError{%
3320       biditools%
3321     }{%
3322       \string\newpage\space at \string\bidi@BeforeClosingMainAux
3323     }{%
3324       You should never use \string\newpage\space or
3325       \string\clear(double)page or other output material at the\MessageBreak
3326       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
3327       If you'll continue, the \string\newpage\space will be ignored to
3328       avoid corruption of\MessageBreak
3329       every prior use of \string\bidi@BeforeClosingMainAux.
3330     }%
3331   }%
3332 }
3333
3334 \newcommand*{\bidi@restore@newpage}{%
3335 \newcommand*{\bidi@hook@bcma}{%
3336 \newcommand*{\bidi@hook@acma}{%
3337 \newcommand*{\bidi@BeforeClosingMainAux}{%
3338   \ifx\bidi@hook@bcma\@empty
3339     \gdef\bidi@hook@bcma{%
3340       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
3341       \let\protected@write\bidi@protected@immediate@write
3342       \bidi@redefine@newpage
3343     }%
3344   \fi
3345   \g@addto@macro\bidi@hook@bcma%
3346 }
3347
3348 \newcommand*{\bidi@AfterReadingMainAux}{%
3349   \ifx\bidi@hook@acma\@empty

```




```

3350 \gdef\bidhook@acma{%
3351 \renewcommand*{\bid@AfterReadingMainAux}[1]{###1}%
3352 \let\protected@write\bid@protected@immediate@write
3353 }%
3354 \fi
3355 \g@addto@macro\bidhook@acma%
3356 }
3357
3358 \long\def\bid@protected@immediate@write#1#2#3{%
3359 \begingroup
3360 #2%
3361 \let\protect\@unexpandable@protect
3362 \edef\reserved@a{\immediate\write#1{#3}}%
3363 \reserved@a
3364 \endgroup
3365 \if@nobreak\ifvmode\nobreak\fi\fi
3366 }
3367
3368 \def\bid@patch@counter{0}%
3369 \if@bid@csundef{numexpr}{%
3370 \def\bid@patch@stepcounter{%
3371 \begingroup
3372 \count@\bid@patch@counter\relax
3373 \advance\count@\@ne\relax
3374 \edef\x{\endgroup
3375 \noexpand\def\noexpand\bid@patch@counter{\the\count@}%
3376 }%
3377 \x
3378 }%
3379 }{%
3380 \def\bid@patch@stepcounter{%
3381 \edef\bid@patch@counter{%
3382 \the\numexpr\bid@patch@counter+\@ne\relax
3383 }%
3384 }%
3385 }
3386 \def\bid@patch@list{}
3387 \def\bid@patch@Add{%
3388 \bid@appto\bid@patch@list
3389 }
3390 \def\bid@patch@AfterPackage#1{%
3391 \@ifpackageloaded{#1}{%
3392 \@firstofone
3393 }{%
3394 \bid@patch@AfterPackage{#1}%
3395 }%
3396 }
3397 \def\bid@patch@AfterPackage#1{%
3398 \edef\bid@patch@temp{#1}%
3399 \bid@patch@stepcounter

```



```

3400 \expandafter\bidipatch@@AfterPackage
3401 \csname bidipatch@\bidipatch@counter\expandafter\endcsname{%
3402   \bidipatch@temp
3403 }%
3404 }
3405 \def\bidipatch@@AfterPackage#1#2#3{%
3406   \begingroup
3407     \toks@{#3}%
3408     \xdef\bidipatch@gtemp{%
3409       \noexpand\@ifpackageloaded{#2}{%
3410         \noexpand\let\noexpand#1\noexpand\relax
3411         \the\toks@
3412       }{}%
3413     }%
3414   \endgroup
3415   \let#1\bidipatch@gtemp
3416   \bidipatch@Add#1%
3417   \bidipatch@try{\bidipatch@AfterPackage}{#2}#1%
3418 }
3419
3420 \def\bidipatch@try#1#2#3{%
3421   \if@bidicsundef{#1}{}%
3422   \csname #1\endcsname{#2}{#3}%
3423 }%
3424 }
3425
3426 \AtBeginDocument{\bidipatch@list}
3427
3428 \bidipatch@AtEndPreamble{\bidipatch@list}%
3429
3430 \bidipatch@AfterEndPreamble{%
3431   \let\bidipatch@OrgIfPackageLoaded\@ifpackageloaded
3432   \let\bidipatch@OrgIfPackageLater\@ifpackagelater
3433   \let\bidipatch@OrgIfClassLoaded\@ifclassloaded
3434   \let\bidipatch@OrgIfClassLater\@ifclasslater
3435   \bidipatch@list
3436   \let\@ifpackageloaded\bidipatch@OrgIfPackageLoaded
3437   \let\@ifpackagelater\bidipatch@OrgIfPackageLater
3438   \let\@ifclassloaded\bidipatch@OrgIfClassLoaded
3439   \let\@ifclasslater\bidipatch@OrgIfClassLater
3440 }%

```

7.22 bdituftefloat.sty

```

3441 \NeedsTeXFormat{LaTeX2e}
3442 \ProvidesPackage{bidituftefloat}[2011/06/14 v0.1
3443   bidi implementation of tufte float]
3444 \RequirePackage{xifthen}
3445 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
3446 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}

```



```

3447 \newcommand{\biditytfloatDebugInfoNL}[1]{\ifthenelse{\boolean{@biditytfloat@debug}}{\bidi
3448 \newcommand{\biditytfloatInfoNL}[1]{\PackageInfo{\@biditytfloat@pkgname}{#1\@gobble}}
3449 \newboolean{@biditytfloat@RTLgeometry}
3450 \setboolean{@biditytfloat@RTLgeometry}{true}
3451 \DeclareOption{RTLgeometry}{\setboolean{@biditytfloat@RTLgeometry}{true}}
3452 \DeclareOption{LTRgeometry}{\setboolean{@biditytfloat@RTLgeometry}{false}}
3453 \newboolean{@biditytfloat@a4paper}
3454 \DeclareOption{a4paper}{\setboolean{@biditytfloat@a4paper}{true}}
3455 \newboolean{@biditytfloat@b5paper}
3456 \DeclareOption{b5paper}{\setboolean{@biditytfloat@b5paper}{true}}
3457 \newboolean{@biditytfloat@symmetric}
3458 \newboolean{@biditytfloat@twoside}
3459 \DeclareOption{twoside}{%
3460 \@twosidettrue \mparswitchtrue%
3461 \setboolean{@biditytfloat@twoside}{true}%
3462 \setboolean{@biditytfloat@symmetric}{true}%
3463 }
3464 \DeclareOption{oneside}{%
3465 \@twosidefalse \mparswitchfalse%
3466 \setboolean{@biditytfloat@twoside}{false}%
3467 \setboolean{@biditytfloat@symmetric}{false}%
3468 }
3469 \@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
3470 \newboolean{@biditytfloat@debug}
3471 \newcommand*{\@biditytfloat@caption@justification}{\@biditytfloat@justification@autodetect}
3472 \ProcessOptions
3473 %% Globally sets the length
3474 \newcommand*{\gsetlength}[2]{%
3475 \setlength{#1}{#2}%
3476 \global#1=#1\relax%
3477 }
3478 %% Globally sets a boolean
3479 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
3480 \lowercase{\def\@tempa{#2}}%
3481 \@ifundefined{@tempa}{\@tempa}%
3482 {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
3483 {\@ifundefined{#1\@tempa}%
3484 {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
3485 {\global\csname#1\@tempa\endcsname}%
3486 }%
3487 }
3488 %% Set the font sizes and baselines to match biditytfloat's books
3489 \renewcommand\normalsize{%
3490 \setfontsize\normalsize\@xpt{14}%
3491 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
3492 \abovedisplayshortskip \z@ \@plus3\p@
3493 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
3494 \belowdisplayskip \abovedisplayskip
3495 \let\@listi\@listI}
3496 \normalbaselineskip=14pt

```



```

3497 \normalsize
3498 \renewcommand\footnotesize{%
3499   \@setfontsize\footnotesize\@viipt{10}%
3500   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
3501   \abovedisplayskipshortskip \z@ \@plus\p@
3502   \belowdisplayskipshortskip 3\p@ \@plus\p@ \@minus2\p@
3503   \def\@listi{\leftmargin\leftmargini
3504             \topsep 3\p@ \@plus\p@ \@minus\p@
3505             \parsep 2\p@ \@plus\p@ \@minus\p@
3506             \itemsep \parsep}%
3507   \belowdisplayskip \abovedisplayskip
3508 }
3509 %% Paragraph indentation and separation for marginal text
3510 \newcommand{\@bidiutefloat@margin@par}{%
3511   \setlength{\RaggedRightParindent}{0.5pc}%
3512   \setlength{\JustifyingParindent}{0.5pc}%
3513   \setlength{\parindent}{0.5pc}%
3514   \setlength{\parskip}{0pt}%
3515 }
3516 \RequirePackage{ragged2e}
3517 \ifthenelse{\boolean{@bidiutefloat@RTLgeometry}}{%
3518 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar=
3519 \ifthenelse{\boolean{@bidiutefloat@afourpaper}}
3520   {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
3521   {}
3522 \ifthenelse{\boolean{@bidiutefloat@bfivepaper}}
3523   {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
3524   {}}%
3525 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
3526 \ifthenelse{\boolean{@bidiutefloat@afourpaper}}
3527   {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
3528   {}
3529 \ifthenelse{\boolean{@bidiutefloat@bfivepaper}}
3530   {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
3531   {}
3532 \ifthenelse{\boolean{@bidiutefloat@symmetric}}
3533   {}
3534   {\geometry{asymmetric}}}% forces internal LaTeX `twoside'
3535 \setlength\marginparpush{10pt}
3536 %% Font for margin items
3537 \newcommand{\@bidiutefloat@marginfont}{\normalfont\footnotesize}
3538 \newcommand*{\@bidiutefloat@caption@font}{\@bidiutefloat@marginfont}
3539 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidiutefloat@caption@font}{#1}}
3540 \newcommand{\@bidiutefloat@justification}{\justifying}%
3541 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
3542 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
3543 \newboolean{@bidiutefloat@changepage}
3544 \IfFileExists{changepage.sty}{%
3545   \bidiutefloatDebugInfoNL{Found changepage.sty}
3546   \RequirePackage[strict]{changepage}

```



```

3547 \setboolean{@biditytfloat@changepage}{true}
3548 }{%
3549 \biditytfloatDebugInfoNL{Found chngpage.sty}
3550 \RequirePackage[strict]{chngpage}
3551 \setboolean{@biditytfloat@changepage}{false}
3552 }
3553 \newboolean{@biditytfloat@odd@page}
3554 \setboolean{@biditytfloat@odd@page}{true}
3555 \newcommand*{\@biditytfloat@checkoddpage}{%
3556 \checkoddpage%
3557 \ifthenelse{\boolean{@biditytfloat@changepage}}{%
3558 \ifoddpage%
3559 \setboolean{@biditytfloat@odd@page}{true}%
3560 \else%
3561 \setboolean{@biditytfloat@odd@page}{false}%
3562 \fi%
3563 }{%
3564 \ifpoddpage%
3565 \setboolean{@biditytfloat@odd@page}{true}%
3566 \else%
3567 \setboolean{@biditytfloat@odd@page}{false}%
3568 \fi%
3569 }%
3570 }
3571 \newlength{\@biditytfloat@overhang}% used by the fullwidth environment and the running heads
3572 \newlength{\@biditytfloat@fullwidth}
3573 \newlength{\@biditytfloat@caption@fill}
3574 \newcommand{\biditytfloatRecalculate}{%
3575 \setlength{\@biditytfloat@overhang}{\marginparwidth}
3576 \addtolength{\@biditytfloat@overhang}{\marginparsep}
3577
3578 \setlength{\@biditytfloat@fullwidth}{\textwidth}
3579 \addtolength{\@biditytfloat@fullwidth}{\marginparsep}
3580 \addtolength{\@biditytfloat@fullwidth}{\marginparwidth}
3581
3582 \setlength{\@biditytfloat@caption@fill}{\textwidth}
3583 \addtolength{\@biditytfloat@caption@fill}{\marginparsep}
3584 }
3585 \AtBeginDocument{\biditytfloatRecalculate}
3586 \RequirePackage{optparams}% provides multiple optional arguments for commands
3587 \RequirePackage{placeins}
3588 \newsavebox{\@biditytfloat@margin@floatbox}
3589 \newenvironment{@biditytfloat@margin@float}[2][-1.2ex]%
3590 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order.
3591 \begin{lrbox}{\@biditytfloat@margin@floatbox}%
3592 \begin{minipage}{\marginparwidth}%
3593 \@biditytfloat@caption@font%
3594 \def\@captype{#2}%
3595 \hbox{\vspace*{#1}%
3596 \@biditytfloat@caption@justification%

```



```

3597 \@biditytfloat@margin@par%
3598 \noindent%
3599 }
3600 {\end{minipage}}%
3601 \end{lrbox}}%
3602 \marginpar{\usebox{\@biditytfloat@margin@floatbox}}%
3603 }
3604 \newenvironment{marginfigure}[1][-1.2ex]%
3605 {\begin{\@biditytfloat@margin@float}[#1]{figure}}
3606 {\end{\@biditytfloat@margin@float}}
3607 \newenvironment{margintable}[1][-1.2ex]%
3608 {\begin{\@biditytfloat@margin@float}[#1]{table}}
3609 {\end{\@biditytfloat@margin@float}}
3610 \newcommand*{\@biditytfloat@justification@autodetect}{\justifying}%
3611
3612 \newcommand{\@biditytfloat@float@debug@info}{}% contains debug info generated as the float is
3613 \newcommand{\@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
3614 \ifthenelse{\equal{\@biditytfloat@float@debug@info}{}}%
3615 {\def\@biditytfloat@float@debug@info{#1}}%
3616 {\g@addto@macro\@biditytfloat@float@debug@info{\MessageBreak#1}}%
3617 }
3618 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
3619 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debug
3620 \newboolean{\@biditytfloat@float@recto}
3621 \newcommand{\forcerectofloat}{\gsetboolean{\@biditytfloat@float@recto}{true}\@biditytfloat
3622 \newcommand{\forceversofloat}{\gsetboolean{\@biditytfloat@float@recto}{false}\@biditytfloat
3623 \newsavebox{\@biditytfloat@figure@box}
3624 \newsavebox{\@biditytfloat@caption@box}
3625 \let\@biditytfloat@orig@float\@float
3626 \let\@biditytfloat@orig@endfloat\end@float
3627 \newlength{\@biditytfloat@caption@vertical@offset}
3628 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
3629 \newcommand{\@biditytfloat@stored@shortcaption}{%
3630 \newcommand{\@biditytfloat@stored@caption}{%
3631 \newcommand{\@biditytfloat@stored@label}{%
3632 \long\def\@biditytfloat@caption[#1][#2]#3{%
3633 \ifthenelse{\isempty{#1}}%
3634 {\gdef\@biditytfloat@stored@shortcaption{#3}}%
3635 {\gdef\@biditytfloat@stored@shortcaption{#1}}%
3636 \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to lower
3637 \gdef\@biditytfloat@stored@caption{#3}%
3638 }
3639 \newcommand{\@biditytfloat@label}[1]{%
3640 \gdef\@biditytfloat@stored@label{#1}}%
3641 }
3642 \newcommand{\@biditytfloat@fps}{%
3643 \newboolean{\@biditytfloat@float@star}
3644 \newlength{\@biditytfloat@float@contents@width}
3645 \newenvironment{\@biditytfloat@float}[3][htbp]%
3646 {% begin \@biditytfloat@float

```



```

3647 % Should this float be full-width or just text-width?
3648 \ifthenelse{\equal{#3}{star}}%
3649   {\gsetboolean{@biditytffloat@float@star}{true}}%
3650   {\gsetboolean{@biditytffloat@float@star}{false}}%
3651 % Check page side (recto/verso) and store detected value -- can be overridden in environment cont
3652 \@biditytffloat@checkoddpag%
3653 \ifthenelse{\boolean{@biditytffloat@odd@page}}%
3654   {\gsetboolean{@biditytffloat@float@recto}{true}\@biditytffloat@float@debug{Detected page
3655   {\gsetboolean{@biditytffloat@float@recto}{false}\@biditytffloat@float@debug{Detected pag
3656 % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages, otherw
3657 \renewcommand{\@biditytffloat@fps}{#1}%
3658 \@biditytffloat@float@debug{Allowed positions: [#1]}%
3659 \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
3660   {\renewcommand{\floatalignment}{b}\@biditytffloat@float@debug{Presumed position: [bottom]}%
3661   {\renewcommand{\floatalignment}{t}\@biditytffloat@float@debug{Presumed position: [top]}}%
3662 % Capture the contents of the \caption and \label commands to use later
3663 \global\let\@biditytffloat@orig@caption\caption%
3664 \global\let\@biditytffloat@orig@label\label%
3665 \renewcommand{\caption}{\optparams{\@biditytffloat@caption}{[] [Opt]}}%
3666 \renewcommand{\label}[1]{\@biditytffloat@label{##1}}%
3667 % Handle subfigure package compatibility
3668 \ifthenelse{\boolean{@biditytffloat@packages@subfigure}}{%
3669 % don't move the label while inside a \subfigure or \subtable command
3670 \global\let\label\@biditytffloat@orig@label%
3671 }{% subfigure package is not loaded
3672 \@biditytffloat@orig@float{#2}[#1]%
3673 \ifthenelse{\boolean{@biditytffloat@float@star}}%
3674   {\setlength{\@biditytffloat@float@contents@width}{\@biditytffloat@fullwidth}}%
3675   {\setlength{\@biditytffloat@float@contents@width}{\textwidth}}%
3676 \begin{lrbox}{\@biditytffloat@figure@box}%
3677 \begin{minipage}{\floatalignment}{\@biditytffloat@float@contents@width}\hbox{%
3678 }{% end @biditytffloat@float
3679 \par\hbox{\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}}{% align
3680 \end{minipage}%
3681 \end{lrbox}%
3682 % build the caption box
3683 \begin{lrbox}{\@biditytffloat@caption@box}%
3684 \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{%
3685 \ifthenelse{\NOT\equal{\@biditytffloat@stored@caption}}{\@biditytffloat@orig@caption
3686 \ifthenelse{\NOT\equal{\@biditytffloat@stored@label}}{\@biditytffloat@orig@label{\@b
3687 \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
3688 \end{minipage}%
3689 \end{lrbox}%
3690 % now typeset the stored boxes
3691 \begin{fullwidth}%
3692 \begin{minipage}{\floatalignment}{\linewidth}%
3693 \ifthenelse{\boolean{@biditytffloat@float@star}}%
3694   {\@biditytffloat@float@fullwidth[\@biditytffloat@caption@vertical@offset]{\@bidityt
3695   {\@biditytffloat@float@textwidth[\@biditytffloat@caption@vertical@offset]{\@bidityt
3696 \end{minipage}%

```



```

3697 \end{fullwidth}%
3698 \@bidiutfefloat@orig@endfloat% end original LaTeX float environment
3699 % output debug info
3700 \ifthenelse{\boolean{@bidiutfefloat@debug}}{%
3701 \typeout{^^J^^J----- bidiutfefloat package float information -----}%
3702 \ifthenelse{\equal{\@bidiutfefloat@stored@label}{}}%
3703 {\typeout{Warning: Float unlabeled!}}%
3704 {\typeout{Float label: [\@bidiutfefloat@stored@label]}}%
3705 \typeout{Page number: [\thepage]}%
3706 \def\MessageBreak{^^J}%
3707 \typeout{\@bidiutfefloat@float@debug@info}%
3708 \ifthenelse{\boolean{@bidiutfefloat@symmetric}}%
3709 {\typeout{Symmetric: [true]}}%
3710 {\typeout{Symmetric: [false]}}%
3711 \typeout{-----^^J^^J}%
3712 }}%
3713 % reset commands and temp boxes and captions
3714 \gdef\@bidiutfefloat@float@debug@info{%
3715 \let\caption\@bidiutfefloat@orig@caption%
3716 \let\label\@bidiutfefloat@orig@label%
3717 \begin{lrbox}{\@bidiutfefloat@figure@box}\hbox{}\end{lrbox}%
3718 \begin{lrbox}{\@bidiutfefloat@caption@box}\hbox{}\end{lrbox}%
3719 \gdef\@bidiutfefloat@stored@shortcaption{}%
3720 \gdef\@bidiutfefloat@stored@caption{}%
3721 \gdef\@bidiutfefloat@stored@label{}%
3722 \gsetlength{\@bidiutfefloat@caption@vertical@offset}{0pt}% reset caption offset
3723 }
3724 \newcommand{\@bidiutfefloat@float@textwidth}[3][0pt]{%
3725 \ifthenelse{\NOT\boolean{@bidiutfefloat@symmetric}}\OR\boolean{@bidiutfefloat@float@recto}}%
3726 % asymmetric or page is odd, so caption is on the right
3727 \hbox{%
3728 \usebox{#2}%
3729 \hspace{\marginparsep}%
3730 \smash{\raisebox{#1}{\usebox{#3}}}%
3731 }
3732 \@bidiutfefloat@float@debug{Caption position: [right]}%
3733 }{% symmetric pages and page is even, so caption is on the left
3734 \hbox{%
3735 \smash{\raisebox{#1}{\usebox{#3}}}%
3736 \hspace{\marginparsep}%
3737 \usebox{#2}%
3738 }
3739 \@bidiutfefloat@float@debug{Caption position: [left]}%
3740 }%
3741 }
3742 \newcommand{\@bidiutfefloat@float@fullwidth}[3][0pt]{%
3743 \ifthenelse{\equal{\floatalignment}{b}}%
3744 {% place caption above figure
3745 \ifthenelse{\NOT\boolean{@bidiutfefloat@symmetric}}\OR\boolean{@bidiutfefloat@float@recto}}%
3746 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidiutfefloat@float@debug{Cap

```




```

3747     {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug{Cap
3748 }{% place caption below figure
3749 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto
3750 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug{Cap
3751 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug{Cap
3752 }%
3753 }
3754 \renewenvironment{figure}[1][htbp]%
3755 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
3756 {\end{@biditytfloat@float}}
3757 \renewenvironment{table}[1][htbp]
3758 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
3759 {\end{@biditytfloat@float}}
3760 \renewenvironment{figure*}[1][htbp]%
3761 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
3762 {\end{@biditytfloat@float}}
3763 \renewenvironment{table*}[1][htbp]%
3764 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
3765 {\end{@biditytfloat@float}}
3766 \newenvironment{fullwidth}
3767 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3768 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\begin{adjustwidth*}{-}\@biditytfloat@
3769 {\begin{adjustwidth}{-}\@biditytfloat@overhang}}%
3770 }%
3771 {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
3772 {\ifthenelse{\boolean{@biditytfloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
3773 {\end{adjustwidth}}%
3774 }
3775 \long\def\@caption#1[#2]#3{%
3776 \par%
3777 \addcontentsline{\csname ext@#1\endcsname}{#1}%
3778 {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
3779 \begingroup%
3780 \@parboxrestore%
3781 \ifminipage%
3782 \@setminipage%
3783 \fi%
3784 \@biditytfloat@caption@font\@biditytfloat@caption@justification%
3785 \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
3786 %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
3787 \endgroup}
3788 %%
3789 % Turns newlines into spaces. Based on code from the `titlesec' package.
3790 \DeclareRobustCommand{\@biditytfloat@newlinetospace}{%
3791 \ifstar{\@biditytfloat@newlinetospace@i}{\@biditytfloat@newlinetospace@i}%
3792 }
3793 \def\@biditytfloat@newlinetospace@i{%
3794 \ifdim\lastskip>z@\else\space\fi
3795 \ignorespaces%
3796 }

```



```

3797 \DeclareRobustCommand{\newlinetospace}[1]{%
3798   \let\@bidityfteheading@orig@cr\% save the original meaning of \
3799   \def\{\@bidityfteheading@newlinetospace}% turn \ and \* into \space
3800   \let\newline\% turn \newline into \space
3801   #1%
3802   \let\\\@bidityfteheading@orig@cr% revert to original meaning of \
3803 }
3804 \RequirePackage{fancyhdr}
3805 \pagestyle{fancy}
3806 \AtBeginDocument{%
3807   \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3808     {\fancyhfoffset[LE,RO]{\@bidityftefloat@overhang}}
3809     {\fancyhfoffset[RE,RO]{\@bidityftefloat@overhang}}
3810 }
3811 % The running heads/feet don't have rules
3812 \renewcommand{\headrulewidth}{0pt}
3813 \renewcommand{\footrulewidth}{0pt}
3814 % The 'fancy' page style is the default style for all pages.
3815 \fancyhf{} % clear header and footer fields
3816   \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3817     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
3818     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3819     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
3820 % The 'plain' page style is used on chapter opening pages.
3821 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
3822 % bottom of pages -- the folios are unexpressed.
3823 \fancypagestyle{plain}{
3824   \fancyhf{} % clear header and footer fields
3825   % Uncomment the following five lines of code if you want the opening page
3826   % of the chapter to express the folio in the lower outside corner.
3827   % \ifthenelse{\boolean{@bidityftefloat@symmetric}}
3828   %   {\fancyfoot[LE,RO]{\thepage}}
3829   %   {\fancyfoot[RE,RO]{\thepage}}
3830 }
3831 % The 'empty' page style suppresses all headers and footers.
3832 % It's used on title pages and 'intentionally blank' pages.
3833 \fancypagestyle{empty}{
3834   \fancyhf{} % clear header and footer fields
3835 }
3836 \def\morefloats{% provides a total of 52 floats
3837   \ifthenelse{\isundefined{\bx@S}}{%
3838     \bidityftefloatDebugInfoNL{Adding 34 more float slots.}
3839     \newinsert\bx@S
3840     \newinsert\bx@T
3841     \newinsert\bx@U
3842     \newinsert\bx@V
3843     \newinsert\bx@W
3844     \newinsert\bx@X
3845     \newinsert\bx@Y
3846     \newinsert\bx@Z

```



```

3847 \newinsert\bx@a
3848 \newinsert\bx@b
3849 \newinsert\bx@c
3850 \newinsert\bx@d
3851 \newinsert\bx@e
3852 \newinsert\bx@f
3853 \newinsert\bx@g
3854 \newinsert\bx@h
3855 \newinsert\bx@i
3856 \newinsert\bx@j
3857 \newinsert\bx@k
3858 \newinsert\bx@l
3859 \newinsert\bx@m
3860 \newinsert\bx@n
3861 \newinsert\bx@o
3862 \newinsert\bx@p
3863 \newinsert\bx@q
3864 \newinsert\bx@r
3865 \newinsert\bx@s
3866 \newinsert\bx@t
3867 \newinsert\bx@u
3868 \newinsert\bx@v
3869 \newinsert\bx@w
3870 \newinsert\bx@x
3871 \newinsert\bx@y
3872 \newinsert\bx@z
3873 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3874 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3875 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3876 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3877 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3878 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3879 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3880 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3881 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3882 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3883 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3884 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
3885 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
3886 \ifthenelse{\isundefined{\bx@AA}}{%
3887 \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
3888 \newinsert\bx@AA
3889 \newinsert\bx@BB
3890 \newinsert\bx@CC
3891 \newinsert\bx@DD
3892 \newinsert\bx@EE
3893 \newinsert\bx@FF
3894 \newinsert\bx@GG
3895 \newinsert\bx@HH
3896 \newinsert\bx@II

```



```

3897 \newinsert\bx@JJ
3898 \newinsert\bx@KK
3899 \newinsert\bx@LL
3900 \newinsert\bx@MM
3901 \newinsert\bx@NN
3902 \newinsert\bx@OO
3903 \newinsert\bx@PP
3904 \newinsert\bx@QQ
3905 \newinsert\bx@RR
3906 \newinsert\bx@SS
3907 \newinsert\bx@TT
3908 \newinsert\bx@UU
3909 \newinsert\bx@VV
3910 \newinsert\bx@WW
3911 \newinsert\bx@XX
3912 \newinsert\bx@YY
3913 \newinsert\bx@ZZ
3914 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
3915 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
3916 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
3917 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
3918 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
3919 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
3920 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
3921 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
3922 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
3923 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
3924 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
3925 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
3926 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
3927 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
3928 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
3929 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
3930 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
3931 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
3932 }{%
3933 \biditytfloatError{You may only call \string\morefloats\space twice. See the\MessageBreak
3934 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\MessageBreak
3935 }%
3936 }%
3937 }
3938 \newboolean{@biditytfloat@packages@subfigure}
3939 \setboolean{@biditytfloat@packages@subfigure}{false}
3940 \AtBeginDocument{%
3941 \ifpackageloaded{subfigure}
3942 {\gsetboolean{@biditytfloat@packages@subfigure}{true}}
3943 {\gsetboolean{@biditytfloat@packages@subfigure}{false}}%
3944 }
3945 \AtBeginDocument{%
3946 \ifpackageloaded{float}{%

```



```

3947 % Save the redefined float environment (instead of the LaTeX float environment)
3948 \let\@biditytfloat@orig@float\@float
3949 \let\@biditytfloat@orig@endfloat\endfloat
3950
3951 % Define Tuftian float styles (with the caption in the margin)
3952 \newcommand{\floatc@biditytfloatplain}[2]{%
3953   \begin{lrbox}{\@biditytfloat@caption@box}%
3954     \begin{minipage}{\floatalignment}{\marginparwidth}\hbox{}%
3955       \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
3956     \end{minipage}%
3957   \end{lrbox}%
3958   \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
3959 }
3960 \newcommand{\fs@biditytfloatplain}{%
3961   \def\@fs@cfont{\@biditytfloat@caption@font}%
3962   \let\@fs@capt\floatc@biditytfloatplain%
3963   \def\@fs@pre{}%
3964   \def\@fs@post{}%
3965   \def\@fs@mid{}%
3966   \let\@fs@iftopcapt\iftrue%
3967 }
3968 \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
3969 \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
3970 \newcommand\floatc@biditytfloatruled[2]{%
3971   {\@fs@cfont #1} #2\par%
3972 }
3973 \newcommand\fs@biditytfloatruled{%
3974   \def\@fs@cfont{\@biditytfloat@caption@font}%
3975   \let\@fs@capt\floatc@biditytfloatplain%
3976   \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
3977   \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
3978   \def\@fs@mid{}%
3979   \let\@fs@iftopcapt\iftrue%
3980 }
3981 \newcommand\fs@biditytfloatboxed{%
3982   \def\@fs@cfont{}%
3983   \let\@fs@capt\floatc@biditytfloatplain%
3984   \def\@fs@pre{%
3985     \setbox\@currbox\vbox{\hbadness10000
3986       \moveleft3.4pt\vbox{\advance\hsize by6.8pt
3987         \hrule \hbox to\hsize{\vrule\kern3pt
3988           \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
3989   }%
3990   \def\@fs@mid{\kern2pt}%
3991   \def\@fs@post{}%
3992   \let\@fs@iftopcapt\iftrue%
3993 }
3994 }{%
3995   % Nothing to do
3996 }

```



```

3997 }
3998 \AtBeginDocument{%
3999   \ifpackageloaded{algorithm}{%
4000     % Set the float style to the Tufte version
4001     \ifthenelse{\equal{\ALG@floatstyle}{plain}}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{bidi}
4002     \bidiuftesfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak to \ALG@floatstyle}
4003     \floatstyle{bidiuftesfloat\ALG@floatstyle}%
4004     \restylefloat{algorithm}%
4005   }{}%
4006 }{%
4007   % Nothing to do
4008 }
4009 }
4010 \PassOptionsToPackage{caption=false}{subfig}

```

7.23 bidiuftesidenote.sty

```

4011 \NeedsTeXFormat{LaTeX2e}
4012 \ProvidesPackage{bidiuftesidenote}[2015/04/30 v0.3
4013 bidi implementation of tufte sidenote]
4014 \RequirePackage{xifthen}
4015 \RequirePackage{ragged2e}
4016 \RequirePackage{setspace}
4017 \RequirePackage{biditools}
4018 \def\bidiuftesidenotemarginpar{%
4019   \ifhmode
4020     \@bsphack
4021     \@floatpenalty -\@Mii
4022   \else
4023     \@floatpenalty -\@Miii
4024   \fi
4025   \ifinner
4026     \@parmoderr
4027     \@floatpenalty\z@
4028   \else
4029     \@next\@currbox\@freelist{}{}%
4030     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4031     {\@floatpenalty\z@
4032       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
4033   \fi
4034   \@ifnextchar [\@bidiuftesidenotexmpar\@bidiuftesidenoteympar}
4035 \long\def\@bidiuftesidenotexmpar[#1]#2{%
4036   \@bidiuftesidenotesavemarbox\@marbox{#1}%
4037   \@bidiuftesidenotesavemarbox\@currbox{#2}%
4038   \@xympar}
4039 \long\def\@bidiuftesidenoteympar#1{%
4040   \@bidiuftesidenotesavemarbox\@marbox{#1}%
4041   \global\setbox\@currbox\copy\@marbox
4042   \@xympar}
4043 \long\def \@bidiuftesidenotesavemarbox #1#2{%

```



```

4044 \global\setbox #1%
4045 \color@vbox
4046 \vtop{%
4047 \hsize\marginparwidth
4048 \@parboxrestore
4049 \@bidityftesidenotemarginparreset
4050 #2%
4051 \@minipagefalse
4052 \outer@nobreak
4053 }%
4054 \color@endbox
4055 }
4056 \def \@bidityftesidenotemarginparreset {%
4057 \reset@font
4058 \normalsize
4059 \@minipagetrue
4060 \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
4061 }
4062 \def\LTRbidityftesidenotemarginpar{%
4063 \ifhmode
4064 \@bsphack
4065 \@floatpenalty -\@Mii
4066 \else
4067 \@floatpenalty-\@Miii
4068 \fi
4069 \ifinner
4070 \@parmoderr
4071 \@floatpenalty\z@
4072 \else
4073 \@next\@currbox\@freelist{}\}%
4074 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4075 {\@floatpenalty\z@
4076 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
4077 \fi
4078 \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
4079 \long\def\@LTRbidityftesidenotexmpar[#1]#2{%
4080 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4081 \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
4082 \@xympar}
4083 \long\def\@LTRbidityftesidenoteympar#1{%
4084 \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
4085 \global\setbox\@currbox\copy\@marbox
4086 \@xympar}
4087 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
4088 \global\setbox #1%
4089 \color@vbox
4090 \vtop{%
4091 \hsize\marginparwidth
4092 \@parboxrestore
4093 \@LTRbidityftesidenotemarginparreset

```



```

4094      #2%
4095      \@minipagefalse
4096      \outer@nobreak
4097      }%
4098      \color@endbox
4099  }
4100  \def \LTRbiditytesidenotemarginparreset {%
4101      \reset@font
4102      \normalsize
4103      \@minipagetrue
4104      \everypar{\@minipagefalse\everypar{}}\beginL}%
4105  }
4106  \def \RTLbiditytesidenotemarginpar{%
4107      \ifhmode
4108          \@bsphack
4109          \@floatpenalty -\@Mii
4110      \else
4111          \@floatpenalty -\@Miii
4112      \fi
4113      \ifinner
4114          \@parmoderr
4115          \@floatpenalty\z@
4116      \else
4117          \@next\@currbox\@freelist{}}}%
4118          \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4119          {\@floatpenalty\z@
4120          \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
4121      \fi
4122      \@ifnextchar [\@RTLbiditytesidenotexmpar\@RTLbiditytesidenoteympar}
4123  \long\def\@RTLbiditytesidenotexmpar[#1]#2{%
4124      \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
4125      \@RTLbiditytesidenotesavemarbox\@currbox{#2}%
4126      \@xympar}
4127  \long\def\@RTLbiditytesidenoteympar#1{%
4128      \@RTLbiditytesidenotesavemarbox\@marbox{#1}%
4129      \global\setbox\@currbox\copy\@marbox
4130      \@xympar}
4131  \long\def \@RTLbiditytesidenotesavemarbox #1#2{%
4132      \global\setbox #1%
4133          \color@vbox
4134          \vtop{%
4135              \hsize\marginparwidth
4136              \@parboxrestore
4137              \@RTLbiditytesidenotemarginparreset
4138              #2%
4139              \@minipagefalse
4140              \outer@nobreak
4141              }%
4142          \color@endbox
4143  }

```




```

4144 \def \@RTLbidityftesidenotemarginparreset {%
4145     \reset@font
4146     \normalsize
4147     \@minipagetrue
4148     \everypar{\@minipagefalse\everypar{}\beginR}%
4149 }
4150 \newcommand{\@bidityftesidenote@marginfont}{\normalfont\footnotesize}
4151 \newcommand*{\@bidityftesidenote@sidenote@font}{\@bidityftesidenote@marginfont}
4152 \newcommand*{\@bidityftesidenote@marginnote@font}{\@bidityftesidenote@marginfont}
4153 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
4154 \newcommand*{\@bidityftesidenote@LTRsidenote@citation@font}{\@bidityftesidenote@marginfont}
4155 \newcommand*{\setsidenote@font}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
4156 \newcommand*{\setmarginnote@font}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
4157 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}
4158 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidityftesidenote@LTRsidenote@citation@font}{#1}}
4159 \newcommand*{\@bidityftesidenote@sidenote@justification}{\@bidityftesidenote@justification@au}
4160 \newcommand*{\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification@au}
4161 \newcommand*{\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@au}
4162 \newcommand*{\@bidityftesidenote@justification@autodetect}{\justifying}%
4163 \newcommand{\@bidityftesidenote@margin@par}{%
4164     \setlength{\RaggedRightParindent}{0.5pc}%
4165     \setlength{\JustifyingParindent}{0.5pc}%
4166     \setlength{\parindent}{0.5pc}%
4167     \setlength{\parskip}{0pt}%
4168 }
4169 %%
4170 % Globally sets the length
4171 \ifundefined{gsetlength}{%
4172 \newcommand*{\gsetlength}[2]{%
4173     \setlength{#1}{#2}%
4174     \global#1=#1\relax%
4175 }%
4176 }{}
4177 %%
4178 % Globally sets a boolean
4179 \ifundefined{gsetboolean}{%
4180 \newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
4181     \lowercase{\def\@tempa{#2}}%
4182     \ifundefined{\@tempa\@tempa}%
4183     {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
4184     {\ifundefined{#1\@tempa}%
4185         {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
4186         {\global\csname#1\@tempa\endcsname}%
4187     }%
4188 }%
4189 }{}
4190 %%
4191 % A function that removes leading and trailing spaces from the supplied macro.
4192 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
4193 % Executing \@bidityftesidenote@trim@spaces\xzyzy will result in the contents of \xyzy

```



```

4194 % being trimmed of leading and trailing white space.
4195 \catcode`\Q=3
4196 \def\@bidityftesidenote@trim@spaces#1{%
4197   % Use grouping to emulate a multi-token afterassignment queue
4198   \begingroup%
4199   % Put ``\toks 0 {' into the afterassignment queue
4200   \aftergroup\toks\aftergroup0\aftergroup{%
4201   % Apply \trimb to the replacement text of #1, adding a leading
4202   % \noexpand to prevent brace stripping and to serve another purpose
4203   % later.
4204   \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
4205   % Transfer the trimmed text back into #1.
4206   \edef#1{\the\toks0}%
4207 }
4208 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
4209 % clean up any leftover bizarre Qs, and trim a leading space. In
4210 % order for \trimc to work properly we need to put back a Q first.
4211 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
4212 % Execute \vfuzz assignment to remove leading space; the \noexpand
4213 % will now prevent unwanted expansion of a macro or other expandable
4214 % token at the beginning of the trimmed text. The \endgroup will feed
4215 % in the \aftergroup tokens after the \vfuzz assignment is completed.
4216 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
4217 \catcode`\Q=11
4218 %%
4219 % Citations should go in the margin as sidenotes
4220
4221 \RequirePackage{natbib}
4222 \RequirePackage{bibentry} % allows bibitems to be typeset outside the bibliography environment
4223 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
4224 \renewcommand\BR@b@bibitem[2] [] {%
4225   \ifthenelse{\isempty{#1}}{%
4226     {\BR@bibitem{#2}}%
4227     {\BR@bibitem[#1]{#2}}%
4228   \BR@c@bibitem{#2}%
4229 }
4230 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
4231 %%
4232 % Normal \cite behavior
4233 \newcounter{@bidityftesidenote@num@bibkeys}%
4234 \newcommand{\@bidityftesidenote@normal@cite}[2] [Opt] {%
4235   % Snag the last bibentry in the list for later comparison
4236   \let\@temp@last@bibkey\@empty%
4237   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4238   \sidenote[] [#1] {%
4239     % Loop through all the bibentries, separating them with semicolons and spaces
4240     \normalsize\normalfont\@bidityftesidenote@citation@font%
4241     \setcounter{@bidityftesidenote@num@bibkeys}{0}%
4242     \@for\@temp@bibkeyx:=#2\do{%
4243       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%

```



```

4244     {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{\and\}%
4245     \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4246     \bibentry{\@temp@bibkeyx}}%
4247     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4248     \bibentry{\@temp@bibkeyx};\}%
4249     \stepcounter{@bidituftesidenote@num@bibkeys}%
4250   }%
4251 }%
4252 }
4253 \newcommand{\@bidituftelTRsidenote@normal@cite}[2][Opt]{%
4254   % Snag the last bibentry in the list for later comparison
4255   \let\@temp@last@bibkey\empty%
4256   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4257   \LTRsidenote[] [#1]{%
4258     % Loop through all the bibentries, separating them with semicolons and spaces
4259     \normalsize\normalfont\@bidituftelTRsidenote@citation@font%
4260     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4261     \@for\@temp@bibkeyx:=#2\do{%
4262       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
4263       {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{\and\}%
4264       \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4265       \bibentry{\@temp@bibkeyx}}%
4266       {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4267       \bibentry{\@temp@bibkeyx};\}%
4268       \stepcounter{@bidituftesidenote@num@bibkeys}%
4269     }%
4270   }%
4271 }
4272 \newcommand{\@biditufterTLsidenote@normal@cite}[2][Opt]{%
4273   % Snag the last bibentry in the list for later comparison
4274   \let\@temp@last@bibkey\empty%
4275   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
4276   \RTLsidenote[] [#1]{%
4277     % Loop through all the bibentries, separating them with semicolons and spaces
4278     \normalsize\normalfont\@bidituftesidenote@citation@font%
4279     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
4280     \@for\@temp@bibkeyx:=#2\do{%
4281       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
4282       {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{\and\}%
4283       \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4284       \bibentry{\@temp@bibkeyx}}%
4285       {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4286       \bibentry{\@temp@bibkeyx};\}%
4287       \stepcounter{@bidituftesidenote@num@bibkeys}%
4288     }%
4289   }%
4290 }
4291 %%
4292 % Macros for holding the list of cite keys until after the \sidenote
4293 \gdef\@bidituftesidenote@citations{}% list of cite keys

```



```

4294 \newcommand\@bidityftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite keys
4295 \ifx\@bidityftesidenote@citations\@empty\else
4296 \g@addto@macro\@bidityftesidenote@citations{,}% separate by commas
4297 \fi
4298 \g@addto@macro\@bidityftesidenote@citations{#1}
4299 }
4300 \newcommand{\@bidityftesidenote@print@citations}[1][Opt]{% puts the citations in a margin note
4301 % Snag the last bibentry in the list for later comparison
4302 \let\@temp@last@bibkey\@empty%
4303 \@for\@temp@bibkey:=\@bidityftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
4304 \marginpar{%
4305 \hbox{\vspace*{#1}}%
4306 \@bidityftesidenote@citation@font%
4307 \@bidityftesidenote@citation@justification%
4308 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4309 \vspace*{-1\baselineskip}%
4310 % Loop through all the bibentries, separating them with semicolons and spaces
4311 \setcounter{\@bidityftesidenote@num@bibkeys}{0}%
4312 \@for\@temp@bibkeyx:=\@bidityftesidenote@citations\do{%
4313 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
4314 {\ifthenelse{\equal{\value{\@bidityftesidenote@num@bibkeys}}{0}}{-}{and\ }}%
4315 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4316 \bibentry{\@temp@bibkeyx}}%
4317 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
4318 \bibentry{\@temp@bibkeyx};\ }}%
4319 \stepcounter{\@bidityftesidenote@num@bibkeys}%
4320 }%
4321 }%
4322 }
4323 %%
4324 % \cite behavior when executed within a sidenote
4325 \newcommand{\@bidityftesidenote@sidenote@citations}{% contains list of \cites in sidenote
4326 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
4327 \@bidityftesidenote@add@citation{#1}
4328 }
4329 %%
4330 % Set the default \cite style. This is set and reset by the \sidenote command.
4331 \let\cite\@bidityftesidenote@normal@cite
4332 \let\LTRcite\@bidityfteLTRsidenote@normal@cite
4333 \let\RTLcite\@bidityfteRTLsidenote@normal@cite
4334 %%
4335 % Transform existing \footnotes into \sidenotes
4336 % Sidenote: ``Where God meant footnotes to go.' ' ---bidityftesidenote
4337 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
4338 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@
4339 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@
4340 % Override footmisc's definition to set the sidenote marks (numbers) inside the
4341 % sidenote's text block.
4342 \bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidityftesidenote@
4343 % Set the in-text footnote mark in the same typeface as the body text itself.

```



```

4344 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize
4345 \providecommand*\multiplefootnotemarker}{3sp}
4346 \providecommand*\multfootsep}{,}
4347 \bidi@patch@AfterPackage{bidi}{%
4348 \renewcommand{\@footnotemark}{%
4349 \leavevmode%
4350 \ifhmode%
4351 \edef\x@sf{\the\spacefactor}%
4352 \@bidityftesidenote@check@multiple@sidenotes%
4353 \nobreak%
4354 \fi%
4355 \@makefnmark%
4356 \ifhmode\spacefactor\x@sf\fi%
4357 \relax%
4358 }%
4359 }
4360 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
4361 \ifdim\lastkern=\multiplefootnotemarker\relax%
4362 \edef\x@sf{\the\spacefactor}%
4363 \unkern%
4364 \textsuperscript{\multfootsep}%
4365 \spacefactor\x@sf\relax%
4366 \fi
4367 }
4368 \bidi@patch@AfterPackage{bidi}{%
4369 \renewcommand\@footnotetext[2][Opt]{%
4370 \bidityftesidenotemarginpar{%
4371 \hbox{} \vspace*{#1}%
4372 \def\baselinestretch {\setspace@singlespace}%
4373 \reset@font\footnotesize%
4374 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4375 \vspace*{-1\baselineskip}\noindent%
4376 \protected@edef\@currentlabel{%
4377 \csname p@footnote\endcsname\@thefnmark%
4378 }%
4379 \color@begingroup%
4380 \@makefnmark%
4381 \ignorespaces#2%
4382 }%
4383 \color@endgroup%
4384 }%
4385 }%
4386 \renewcommand\@LTRfootnotetext[2][Opt]{%
4387 \LTRbidityftesidenotemarginpar{%
4388 \hbox{} \vspace*{#1}%
4389 \def\baselinestretch {\setspace@singlespace}%
4390 \reset@font\footnotesize%
4391 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
4392 \vspace*{-1\baselineskip}\noindent%
4393 \protected@edef\@currentlabel{%

```



```

4394     \csname p@footnote\endcsname\@thefnmark%
4395 }%
4396 \color@begingroup%
4397   \@makefnmark{%
4398     \ignorespaces#2%
4399   }%
4400 \color@endgroup%
4401 }%
4402 }%
4403 \renewcommand\@RTLfootnotetext[2][0pt]{%
4404   \RTLbidiuftesidenotemarginpar{%
4405     \hbox{}\vspace*{#1}%
4406     \def\baselinestretch {\setspace@singlespace}%
4407     \reset@font\footnotesize%
4408     \@bidiuftesidenote@margin@par% use parindent and parskip settings for marginal text
4409     \vspace*{-1\baselineskip}\noindent%
4410     \protected@edef\@currentlabel{%
4411       \csname p@footnote\endcsname\@thefnmark%
4412     }%
4413     \color@begingroup%
4414     \@makefnmark{%
4415       \ignorespaces#2%
4416     }%
4417     \color@endgroup%
4418   }%
4419 }%
4420 }
4421 %
4422 % Define \sidenote command. Can handle \cite.
4423 \newlength{\@bidiuftesidenote@sidenote@vertical@offset}
4424 \setlength{\@bidiuftesidenote@sidenote@vertical@offset}{0pt}
4425 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
4426 \long\def\@bidiuftesidenote@sidenote[#1][#2]#3{%
4427   \let\cite\@bidiuftesidenote@infootnote@cite% use the in-sidenote \cite command
4428   \gdef\@bidiuftesidenote@citations{}% clear out any old citations
4429   \ifthenelse{\NOT\isempty{#2}}{%
4430     \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{#2}%
4431   }{%
4432     \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{0pt}%
4433   }%
4434   \ifthenelse{\isempty{#1}}{%
4435     % no specific footnote number provided
4436     \stepcounter\@mpfn%
4437     \protected@xdef\@thefnmark{\thempfn}%
4438     \@footnotemark\@footnotetext[\@bidiuftesidenote@sidenote@vertical@offset]{#3}%
4439   }{%
4440     % specific footnote number provided
4441     \begingroup%
4442     \csname c@\@mpfn\endcsname #1\relax%
4443     \unrestored@protected@xdef\@thefnmark{\thempfn}%

```



```

4444 \endgroup%
4445 \@footnotemark\@footnotetext[\@bidiuftesidenote@sidenote@vertical@offset]{#3}%
4446 }%
4447 \@bidiuftesidenote@print@citations%          print any citations
4448 \let\cite\@bidiuftesidenote@normal@cite%      go back to using normal in-text \cite command
4449 \let\LTRcite\@bidiufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4450 \let\RTLcite\@bidiufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite co
4451 \unskip\ignorespaces%                          remove extra white space
4452 \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
4453 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4454 }
4455 \long\def\LTRbidiuftesidenote@sidenote[#1][#2]#3{%
4456 \let\cite\@bidiuftesidenote@infootnote@cite% use the in-sidenote \cite command
4457 \gdef\@bidiuftesidenote@citations{}%          clear out any old citations
4458 \ifthenelse{\NOT\isempty{#2}}{%
4459 \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{#2}%
4460 }{%
4461 \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{0pt}%
4462 }%
4463 \ifthenelse{\isempty{#1}}{%
4464 % no specific footnote number provided
4465 \stepcounter\@mpfn%
4466 \protected@xdef\@thefnmark{\thempfn}%
4467 \@footnotemark\LTRfootnotetext[\@bidiuftesidenote@sidenote@vertical@offset]{#3}%
4468 }{%
4469 % specific footnote number provided
4470 \begingroup%
4471 \csname c@\@mpfn\endcsname #1\relax%
4472 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4473 \endgroup%
4474 \@footnotemark\LTRfootnotetext[\@bidiuftesidenote@sidenote@vertical@offset]{#3}%
4475 }%
4476 \@bidiuftesidenote@print@citations%          print any citations
4477 \let\cite\@bidiuftesidenote@normal@cite%      go back to using normal in-text \cite command
4478 \let\LTRcite\@bidiufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4479 \let\RTLcite\@bidiufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite co
4480 \unskip\ignorespaces%                          remove extra white space
4481 \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
4482 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4483 }
4484 \long\def\RTLbidiuftesidenote@sidenote[#1][#2]#3{%
4485 \let\cite\@bidiuftesidenote@infootnote@cite% use the in-sidenote \cite command
4486 \gdef\@bidiuftesidenote@citations{}%          clear out any old citations
4487 \ifthenelse{\NOT\isempty{#2}}{%
4488 \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{#2}%
4489 }{%
4490 \gsetlength{\@bidiuftesidenote@sidenote@vertical@offset}{0pt}%
4491 }%
4492 \ifthenelse{\isempty{#1}}{%
4493 % no specific footnote number provided

```



```

4494 \stepcounter\@mpfn%
4495 \protected@xdef\@thefnmark{\thempfn}%
4496 \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
4497 }{%
4498 % specific footnote number provided
4499 \begingroup%
4500 \csname c@\@mpfn\endcsname #1\relax%
4501 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4502 \endgroup%
4503 \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
4504 }%
4505 \@bidituftesidenote@print@citations% print any citations
4506 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
4507 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite command
4508 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite command
4509 \unskip\ignorespaces% remove extra white space
4510 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
4511 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
4512 }
4513 \newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}
4514 \newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}
4515 \newcommand{\RTLSidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [Opt]}}
4516 \bidi@patch@AfterPackage{bidi}{%
4517 \renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[] [Opt]}}%
4518 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[] [Opt]}}%
4519 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[] [Opt]}}%
4520 }
4521 %%
4522 % Sidenote without the footnote mark
4523 \newcommand\marginnote[2] [Opt]{%
4524 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
4525 \gdef\@bidituftesidenote@citations{}% clear out any old citations
4526 \bidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituftesidenote@font%
4527 \@bidituftesidenote@print@citations% print any citations
4528 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
4529 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite command
4530 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite command
4531 }
4532 \newcommand\LTRmarginnote[2] [Opt]{%
4533 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
4534 \gdef\@bidituftesidenote@citations{}% clear out any old citations
4535 \LTRbidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituftesidenote@font%
4536 \@bidituftesidenote@print@citations% print any citations
4537 \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
4538 \let\LTRcite\@bidituftesidenote@normal@cite% go back to using normal in-text \LTRcite command
4539 \let\RTLcite\@bidituftesidenote@normal@cite% go back to using normal in-text \RTLcite command
4540 }
4541 \newcommand\RTLMarginnote[2] [Opt]{%
4542 \let\cite\@bidituftesidenote@infootnote@cite% use the in-sidenote \cite command
4543 \gdef\@bidituftesidenote@citations{}% clear out any old citations

```




```

4544 \RTLbidituftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidit
4545 \@bidituftesidenote@print@citations%          print any citations
4546 \let\cite\@bidituftesidenote@normal@cite%      go back to using normal in-text \cite command
4547 \let\LTRcite\@bidituftelTRsidenote@normal@cite% go back to using normal in-text \LTRcite co
4548 \let\RTLcite\@biditufterTLsidenote@normal@cite% go back to using normal in-text \RTLcite co
4549 }

```

7.24 bidituftetoc.sty

```

4550 \NeedsTeXFormat{LaTeX2e}
4551 \ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
4552 bidi implementation of tufte toc]
4553 \RequirePackage{titlesec,titletoc,xifthen,biditools}
4554 \newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
4555 \newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
4556 %%
4557 % Turn off section numbering
4558 \setcounter{secnumdepth}{-1}
4559 \newboolean{@bidituftetoc@toc}
4560 \setboolean{@bidituftetoc@toc}{true}
4561 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
4562 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
4563 \ProcessOptions
4564 %%
4565 % Make Tufatian-style section headings and TOC formatting
4566 \bidi@patch@AfterPackage{bidi}{%
4567 \titleformat{\chapter}{%
4568 [display]% shape
4569 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format app
4570 {\itshape\huge\thechapter}% label
4571 {0pt}% horizontal separation between label and title body
4572 {\huge\rmfamily\itshape}% before the title body
4573 [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}}% after the title bo
4574 \titleformat{\section}{%
4575 [hang]% shape
4576 {\normalfont\Large\itshape}% format applied to label+text
4577 {\thesection}% label
4578 {1em}% horizontal separation between label and title body
4579 {}% before the title body
4580 []% after the title body
4581 \titleformat{\subsection}{%
4582 [hang]% shape
4583 {\normalfont\large\itshape}% format applied to label+text
4584 {\thesubsection}% label
4585 {1em}% horizontal separation between label and title body
4586 {}% before the title body
4587 []% after the title body
4588 \titleformat{\paragraph}{%
4589 [runin]% shape
4590 {\normalfont\itshape}% format applied to label+text

```



```

4591 {\theparagraph}% label
4592 {1em}% horizontal separation between label and title body
4593 {}% before the title body
4594 []% after the title body
4595 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
4596 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
4597 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
4598 }
4599 % Subsubsection and following section headings shouldn't be used.
4600 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
4601 \renewcommand\subsubsection{%
4602   \biditytetocError{\noexpand\subsubsection is undefined by this class.%
4603     \MessageBreak See Robert Bringhurst's _The Elements of
4604     \MessageBreak Typographic Style_, section 4.2.2.
4605     \MessageBreak \noexpand\subsubsection was used}
4606   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4607   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
4608   \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
4609 }
4610 \renewcommand\subparagraph{%
4611   \biditytetocError{\noexpand\subparagraph is undefined by this class.%
4612     \MessageBreak See Robert Bringhurst's _The Elements of
4613     \MessageBreak Typographic Style_, section 4.2.2.
4614     \MessageBreak \noexpand\subparagraph was used}
4615   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
4616   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the many
4617   \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytetoc.com/.}
4618 }
4619 % Formatting for main TOC (printed in front matter)
4620 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
4621 \ifthenelse{\boolean{@biditytetoc@toc}}{%
4622   \bidity@patch@AfterPackage{bidi}{%
4623     \titlecontents{part}% FIXME
4624     [0em] % distance from left margin
4625     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)
4626     {\contentslabel{2em}} % before w/label (label = ``II'')
4627     {} % before w/o label
4628     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4629     [\end{fullwidth}] % after
4630   \titlecontents{chapter}%
4631     [0em] % distance from left margin
4632     {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatting)
4633     {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
4634     {\hspace*{0em}} % before w/o label
4635     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4636     [\end{fullwidth}] % after
4637   \titlecontents{section}% FIXME
4638     [0em] % distance from left margin
4639     {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatting)
4640     {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')

```



```

4641     {\hspace*{2em}} % before w/o label
4642     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4643     [\end{fullwidth}] % after
4644     \titlecontents{subsection}% FIXME
4645     [0em] % distance from left margin
4646     {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatting)
4647     {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
4648     {\hspace*{4em}} % before w/o label
4649     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4650     [\end{fullwidth}] % after
4651     \titlecontents{paragraph}% FIXME
4652     [0em] % distance from left margin
4653     {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global formatting)
4654     {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
4655     {\hspace*{6em}} % before w/o label
4656     {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
4657     [\end{fullwidth}] % after
4658 }%
4659 }{}
4660 %%
4661 % Format lists of figures/tables
4662 \renewcommand\listoffigures{%
4663   \ifundefined{chapter}%
4664     {\section*{\listfigurename}}%
4665     {\chapter*{\listfigurename}}%
4666 %   \begin{fullwidth}%
4667 %     \starttoc{lof}%
4668 %   \end{fullwidth}%
4669 }
4670 \renewcommand\listoftables{%
4671   \ifundefined{chapter}%
4672     {\section*{\listtablename}}%
4673     {\chapter*{\listtablename}}%
4674 %   \begin{fullwidth}%
4675 %     \starttoc{lot}%
4676 %   \end{fullwidth}%
4677 }
4678 \newcommand{\@bidiuftetoc@lof@line}[2]{%
4679   % #1 is the figure/table number and its caption text
4680   % #2 is the page number on which the figure/table appears
4681   \leftskip 0.0em
4682   \rightskip 0em
4683   \parfillskip 0em plus 1fil
4684   \parindent 0.0em
4685   \@afterindenttrue
4686   \interlinepenalty\@M
4687   \leavevmode
4688   \@tempdima 2.0em
4689   \ifRTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
4690   \null\nobreak\hskip -\ifRTL\rightskip\else\leftskip\fi

```



```

4691 {#1}\nobreak\qqquad\nobreak#2%
4692 \par%
4693 }
4694 \renewcommand*\l@figure{\@bidiuftetoc@lof@line}
4695 \let\l@table\l@figure

```

7.25 bidiuftegeneralstructure.sty

```

4696 \NeedsTeXFormat{LaTeX2e}
4697 \ProvidesPackage{bidiuftegeneralstructure}[2011/06/18 v0.1
4698 bidi implementation of tufte general structure]
4699 \renewcommand\small{%
4700   \setfontsize\small\@ixpt{12}%
4701   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
4702   \abovedisplayshortskip \z@ \@plus2\p@
4703   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
4704   \def\@listi{\leftmargin\leftmargini
4705             \topsep 4\p@ \@plus2\p@ \@minus2\p@
4706             \parsep 2\p@ \@plus\p@ \@minus\p@
4707             \itemsep \parsep}%
4708   \belowdisplayskip \abovedisplayskip
4709 }
4710 \renewcommand\scriptsize{\setfontsize\scriptsize\@viipt\@viiipt}
4711 \renewcommand\tiny{\setfontsize\tiny\@vpt\@vipt}
4712 \renewcommand\large{\setfontsize\large\@xipt{15}}
4713 \renewcommand\Large{\setfontsize\Large\@xiipt{16}}
4714 \renewcommand\LARGE{\setfontsize\LARGE\@xivpt{18}}
4715 \renewcommand\huge{\setfontsize\huge\@xxpt{30}}
4716 \renewcommand\Huge{\setfontsize\Huge{24}{36}}
4717 \setlength\leftmargini {1pc}
4718 \setlength\leftmarginii {1pc}
4719 \setlength\leftmarginiii {1pc}
4720 \setlength\leftmarginiv {1pc}
4721 \setlength\leftmarginv {1pc}
4722 \setlength\leftmarginvi {1pc}
4723 \setlength\labelsep {0.5pc}
4724 \setlength\labelwidth {\leftmargini}
4725 \addtolength\labelwidth{-\labelsep}
4726 \setlength{\parindent}{1.0pc}%
4727 \setlength{\parskip}{0pt}%
4728 \RequirePackage{ragged2e}
4729 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
4730 % Paragraph indentation and separation for normal text
4731 \newcommand{\@bidiuftegeneralstructure@reset@par}{%
4732   \setlength{\RaggedRightParindent}{1.0pc}%
4733   \setlength{\JustifyingParindent}{1.0pc}%
4734   \setlength{\parindent}{1pc}%
4735   \setlength{\parskip}{0pt}%
4736 }
4737 \@bidiuftegeneralstructure@reset@par

```



```

4738 % Require paralist package for tighter lists
4739 \RequirePackage{paralist}
4740 % Add rightmargin to compactenum
4741 \def\@compactenum@{%
4742   \expandafter\list\csname label\@enumctr\endcsname{%
4743     \usecounter{\@enumctr}%
4744     \rightmargin=2em% added this
4745     \parsep\plparsep
4746     \itemsep\plitemsep
4747     \topsep\pltopsep
4748     \partopsep\plpartopsep
4749     \def\makelabel##1{\hss\llap{##1}}}}
4750 %%
4751 % An environment for paragraph-style section
4752 \providecommand\newthought[1]{%
4753   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
4754   \noindent\textbf{#1}%
4755 }
4756 %%
4757 % Redefine the display environments (quote, quotation, etc.)
4758 \renewenvironment{verse}
4759   {\let\\@centercr
4760    \list{}{\itemsep      \z@
4761             \itemindent  -1pc%
4762             \listparindent\itemindent
4763             \rightmargin \leftmargin
4764             \advance\leftmargin 1pc}%
4765    \small%
4766    \item\relax}
4767   {\endlist}
4768 \renewenvironment{quotation}
4769   {\list{}{\listparindent 1pc%
4770             \itemindent    \listparindent
4771             \rightmargin   \leftmargin
4772             \parsep        \z@ \@plus\p}%
4773    \small%
4774    \item\relax\noindent\ignorespaces}
4775   {\endlist}
4776 \renewenvironment{quote}
4777   {\list{}{\rightmargin\leftmargin}%
4778    \small%
4779    \item\relax}
4780   {\endlist}
4781 % Italicize description run-in headings (instead of the default bold)
4782 \renewcommand*{\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
4783 %%
4784 % Redefine \bibsection to not mark the running heads.
4785 % (Code modified from natbib.sty.)
4786 \@ifundefined{chapter}%
4787   {\renewcommand\bibsection{\section*{\refname}}}

```



```

4788 {\@ifundefined{NAT@sectionbib}%
4789   {\renewcommand\bibsection{\chapter{\bibname}}}
4790   {\renewcommand\bibsection{\section*\bibname}}}}
4791 \RequirePackage{multicol}
4792 \renewenvironment{theindex}{%
4793 \@ifundefined{chapter}%
4794   {\section*\indexname}%
4795   {\chapter{\indexname}%
4796   \begin{fullwidth}%
4797   \small%
4798   \parskip0pt%
4799   \parindent0pt%
4800   \let\item\@idxitem%
4801   \begin{multicols}{3}%
4802 }{%
4803   \end{multicols}%
4804   \end{fullwidth}%
4805 }
4806 \AtBeginDocument{%
4807 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
4808 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
4809 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
4810 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
4811 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

7.26 bidentufterhyperref.sty

```

4812 \NeedsTeXFormat{LaTeX2e}
4813 \ProvidesPackage{bidentufterhyperref}[2011/06/18 v0.1
4814 bidi implementation of tufte hyperref]
4815 %%
4816 % Color
4817 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
4818 \newboolean{@bidentufterhyperref@loadhyper}
4819 \setboolean{@bidentufterhyperref@loadhyper}{true}
4820 \DeclareOption{hyper}{\setboolean{@bidentufterhyperref@loadhyper}{true}}
4821 \DeclareOption{nohyper}{\setboolean{@bidentufterhyperref@loadhyper}{false}}
4822 \ProcessOptions
4823 %% Loads the hyperref package and sets some default options.
4824 \newcommand{\bidentufterhyperrefLoadHyperref}{%
4825 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
4826 \hypersetup{%
4827   bookmarksdepth = section,
4828   citecolor = DarkGreen,
4829   linkcolor = DarkBlue,
4830 %   pagecolor = DarkBlue,
4831   urlcolor = DarkGreen,
4832 }%
4833 }
4834 \ifthenelse{\boolean{@bidentufterhyperref@loadhyper}}{%

```



```

4835 \biditytfehyperrefLoadHyperref%
4836 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
4837 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
4838 }

```

7.27 biditytetitle.sty

```

4839 \NeedsTeXFormat{LaTeX2e}
4840 \ProvidesPackage{biditytetitle}[2011/06/18 v0.1
4841 bidi implementation of tufte title]
4842 \RequirePackage{biditytools}
4843 %%
4844 % `titlepage' option -- creates a full title page with \maketitle
4845 \newboolean{@biditytetitle@titlepage}
4846 \DeclareOption{titlepage}{\setboolean{@biditytetitle@titlepage}{true}}
4847 \DeclareOption{notitlepage}{\setboolean{@biditytetitle@titlepage}{false}}
4848 % Default `book' and `handout' options
4849 \@ifclassloaded{book}{%
4850 \ExecuteOptions{titlepage}}{%
4851 \@ifclassloaded{article}{%
4852 \ExecuteOptions{notitlepage}}%
4853 {}}
4854 \ProcessOptions
4855 %%
4856 % Modified \title, \author, and \date commands. These store the
4857 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
4858 \newcommand{\plaintitle}{}% plain-text-only title
4859 \newcommand{\plainauthor}{}% plain-text-only author
4860 \newcommand{\plainpublisher}{}% plain-text-only publisher
4861 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
4862 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
4863 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
4864 \newcommand{@publisher}{}% full publisher with \thanks{}
4865 \newcommand{\thedata}{\today}
4866 \biditypatch@AfterPackage{bidi}{%
4867 \renewcommand{\thanks}[1]{\footnote{#1}}
4868 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
4869 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
4870 }
4871 \renewcommand{\title}[2][{}]{%
4872 \gdef@title{#2}%
4873 \begingroup%
4874 % TODO store contents of \thanks command
4875 \renewcommand{\thanks}[1]{}% swallow \thanks contents
4876 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4877 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4878 \protected@xdef\thanklesstitle{#2}%
4879 \endgroup%
4880 \ifthenelse{\isempty{#1}}{%
4881 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title

```



```

4882     {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
4883     \@ifundefined{hypersetup}%
4884     {}% hyperref is not loaded; do nothing
4885     {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
4886 }
4887 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
4888 \renewcommand{\author}[2][{}]{%
4889     \ifthenelse{\isempty{#2}}{\}{\gdef\@author{#2}}%
4890     \begingroup%
4891         % TODO store contents of \thanks command
4892         \renewcommand{\thanks}[1]{}% swallow \thanks contents
4893         \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4894         \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4895         \protected@xdef\thanklessauthor{#2}%
4896     \endgroup%
4897     \ifthenelse{\isempty{#1}}%
4898     {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
4899     {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
4900     \@ifundefined{hypersetup}%
4901     {}% hyperref is not loaded; do nothing
4902     {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
4903 }
4904 \renewcommand{\date}[1]{%
4905     \gdef\@date{#1}%
4906     \begingroup%
4907         % TODO store contents of \thanks command
4908         \renewcommand{\thanks}[1]{}% swallow \thanks contents
4909         \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4910         \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4911         \protected@xdef\thedata{#1}%
4912     \endgroup%
4913 }
4914 %%
4915 % Provides a \publisher command to set the publisher
4916 \newcommand{\publisher}[2][{}]{%
4917     \gdef\@publisher{#2}%
4918     \begingroup%
4919         \renewcommand{\thanks}[1]{}% swallow \thanks contents
4920         \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
4921         \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
4922         \protected@xdef\thanklesspublisher{#2}%
4923     \endgroup%
4924     \ifthenelse{\isempty{#1}}%
4925     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
4926     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
4927 }
4928 %%
4929 % Produces a full title page
4930 \newcommand{\maketitlepage}[0]{%
4931     \cleardoublepage%

```




```

4932 {%
4933 \bfseries%
4934 \begin{fullwidth}%
4935 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
4936 \vspace{11.5pc}%
4937 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
4938 \vfill%
4939 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
4940 \end{fullwidth}%
4941 }
4942 \thispagestyle{empty}%
4943 \clearpage%
4944 }
4945 %%
4946 % Title block
4947 \bidi@AfterEndPreamble{%
4948 \renewcommand{\maketitle}{%
4949 \newpage%
4950 \global\@topnum\z@% prevent floats from being placed at the top of the page
4951 \begingroup%
4952 \setlength{\parindent}{0pt}%
4953 \setlength{\parskip}{4pt}%
4954 \let\@title\@empty%
4955 \let\@author\@empty%
4956 \let\@date\@empty%
4957 \gdef\@title{\LARGE\itshape\@title\par}%
4958 \gdef\@author{\Large\itshape\@author\par}%
4959 \gdef\@date{\Large\itshape\@date\par}%
4960 \@title%
4961 \@author%
4962 \@date%
4963 \endgroup%
4964 \thispagestyle{plain}% suppress the running head
4965 }%
4966 }
4967 %%
4968 % Title page (if the `titlepage' option was passed to the bidentitetitle-handout
4969 % class.)
4970 \bidi@AfterEndPreamble{%
4971 \ifthenelse{\boolean{@bidentitetitle@titlepage}}
4972 {\renewcommand{\maketitle}{\maketitlepage}}
4973 {}
4974 }
4975 %%
4976 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
4977 % without headers and footers
4978 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
4979 \hbox{}
4980 %\vspace*{\fill}
4981 %\begin{center}

```



```

4982 % This page intentionally contains only this sentence.
4983 %\end{center}
4984 %\vspace{\fill}
4985 \thispagestyle{empty}
4986 \newpage
4987 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

7.28 biditufte-handout.cls

```

4988 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
4989 \ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
4990 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
4991 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
4992 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
4993 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
4994 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
4995 \ProcessOptions\relax
4996 \LoadClass{article}
4997 \RequirePackage{bidituftefloat}
4998 \RequirePackage{bidituftesidenote}
4999 \RequirePackage{bidituftetoc}
5000 \RequirePackage{bidituftegeneralstructure}
5001 \RequirePackage{bidituftehyperref}
5002 \RequirePackage{bidituftetitle}
5003 \renewenvironment{abstract}
5004 {\begin{quotation}}
5005 {\end{quotation}}
5006 \AtBeginDocument{%
5007 \IfFileExists{biditufte-handout.cfg}
5008 {\input{biditufte-handout.cfg}
5009 \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
5010 {}%
5011 }

```

7.29 biditufte-book.cls

```

5012 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5013 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
5014 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5015 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
5016 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
5017 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
5018 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
5019 \ProcessOptions\relax
5020 \LoadClass{book}
5021 \RequirePackage{bidituftefloat}
5022 \RequirePackage{bidituftesidenote}
5023 \RequirePackage{bidituftetoc}
5024 \RequirePackage{bidituftegeneralstructure}
5025 \RequirePackage{bidituftehyperref}
5026 \RequirePackage{bidituftetitle}

```



```

5027 %%
5028 % Set up any book-specific stuff now
5029 %%
5030 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5031 % to the opening page of Chapter 1. The running heads, when they appear,
5032 % contain only the (arabic) page number in the outside corner.
5033 %\newif\if@mainmatter \@mainmattertrue
5034 \renewcommand\frontmatter{%
5035   \cleardoublepage%
5036   \@mainmatterfalse%
5037   \pagenumbering{arabic}%
5038   %\pagestyle{plain}%
5039   \fancyhf{}%
5040   \ifthenelse{\boolean{@biditytuftefloat@twoside}}{%
5041     {\fancyhead[LE,RO]{\thepage}}%
5042     {\fancyhead[RE,RO]{\thepage}}%
5043 }
5044 %%
5045 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
5046 % numbering---it continues where it left off in the front matter.
5047 \renewcommand\mainmatter{%
5048   \cleardoublepage%
5049   \@mainmattertrue%
5050   \fancyhf{}%
5051   \ifthenelse{\boolean{@biditytuftefloat@twoside}}{%
5052     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
5053     \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
5054     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
5055     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
5056 }
5057 %%
5058 % The back matter contains appendices, indices, glossaries, endnotes,
5059 % bibliographies, list of contributors, illustration credits, etc.
5060 \renewcommand\backmatter{%
5061   \if@openright%
5062     \cleardoublepage%
5063   \else%
5064     \clearpage%
5065   \fi%
5066   \@mainmatterfalse%
5067 }
5068 %%
5069 % Only show the chapter titles in the table of contents
5070 \setcounter{tocdepth}{0}
5071 \AtBeginDocument{%
5072 \IfFileExists{biditytufte-book.cfg}
5073   {\input{biditytufte-book.cfg}}
5074   \ClassInfo{biditytufte-book}{Loading biditytufte-book configuration file \@gobble}}
5075 {}%
5076 }

```



7.30 bidipoem.sty

```
5077 \NeedsTeXFormat{LaTeX2e}
5078 \ProvidesPackage{bidipoem}%
5079 [2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
5080
5081 % Usage:
5082 %
5083 % \Setversedim #1#2 % define the layout (within a group):
5084 % #1 = length of both half-verses
5085 % #2 = separation distance = length of a connection, if present
5086 % Variant:
5087 % \Setversedim #1[#2]#3 % for half-verses of unequal length
5088 % #1 = length of first (=right) half-verse
5089 % #2 = length of second (=left) half-verse
5090 % #3 = separation distance = length of a connection, if present
5091 %
5092 % \traditionalhalfverses #1#2 % typeset two separated half-verses
5093 % #1 = text of first (=right) half-verse
5094 % #2 = text of second (=left) half-verse
5095 % Variant:
5096 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
5097 % #1 = text of first (=right) half-verse
5098 % #2 = text of connection
5099 % #3 = text of second (=left) half-verse
5100 %
5101 % Alternative (if preferred):
5102 %
5103 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
5104
5105
5106 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
5107
5108 % define the layout, verses will be centered
5109
5110 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
5111 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
5112
5113 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
5114 \bidipoem@hvind \textwidth
5115 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
5116 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
5117 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@n
5118
5119 \def \bidipoem@set@verseI [#1]{% optional parameter
5120 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
5121
5122 \newcommand*{\bidipoem@set@@verse}[1]{% separation
5123 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
5124 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
```



```

5125
5126 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
5127 \ifdim Opt > \bidipoem@hvind %
5128 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
5129 \else
5130 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
5131 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
5132 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
5133 \par }
5134
5135 % macro for two half verses
5136 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
5137 \ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
5138 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
5139 \bidipoem@half@verses@next}
5140
5141 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
5142 \traditionalconnverses {#1}{#2}{#3}}
5143
5144
5145 {\catcode\^^M=\active % these lines must end with %
5146 \gdef\traditionalpoem@obeylines{\catcode\^^M=\active \let^^M\traditionalpoem@par}%
5147 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
5148 {\catcode\^^M=\active % these lines must end with %
5149 \gdef\modernpoem@obeylines{\catcode\^^M=\active \let^^M\modernpoem@par}%
5150 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
5151 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
5152 \def\poemmarginsskip{1em plus 1fil minus 1em}
5153 \def\poemextrabaselineskip{0\baselineskip}
5154 \def\poemskip{\medskip}
5155 \newcommand{\bidipoem@openbox}{\leavevmode
5156 \hbox to.77778em{%
5157 \hfil\vrule
5158 \vbox to.675em{\hrule width.6em\vfil\hrule}%
5159 \vrule\hfil}}
5160 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
5161 \newdimen\versewidth
5162 \newtoks\bidipoem@p@ftn
5163 \def\poem@verse#1{%
5164 \ifdim\wd#1>\new@poem@width
5165 \xdef\new@poem@width{\the\wd#1}%
5166 \ifdim\new@poem@width>\poem@width
5167 \xdef\poem@width{\new@poem@width}%
5168 \global\let\poem@needrun\relax
5169 \fi
5170 \fi
5171 \hbox to\poem@width{\unhbox#1}%
5172 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
5173 }
5174 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginsskip\relax}

```



```

5175 \def\poem@lineend{\nobreak\hskip\poemmarginsskip\hskip\@flushglue\vadjust{}}
5176 \def\poem@lineversesep{%
5177 \nobreak
5178 \hskip\z@ plus 1filll%
5179 \penalty600%
5180 \hskip\poemcolsepskip
5181 \hskip\z@ plus -2filll%
5182 \vadjust{}}%
5183 \nobreak
5184 \hskip\z@ plus 1filll%
5185 }
5186 \def\poem@lineparsebegin{%
5187 \halign\bgroup
5188 \global\setbox\verse@i=\hbox{%
5189 \let\@footnotetext\bidipoem@p@ftntext%
5190 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5191 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5192 \let\@xfootnotenext\bidipoem@p@xftntext%
5193 \let\@xfootnote\bidipoem@p@xfootnote%
5194 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5195 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5196 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5197 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5198 \ignorespaces##\unskip}&&
5199 \global\setbox\verse@ii=\hbox{%
5200 \let\@footnotetext\bidipoem@p@ftntext%
5201 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5202 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5203 \let\@xfootnotenext\bidipoem@p@xftntext%
5204 \let\@xfootnote\bidipoem@p@xfootnote%
5205 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5206 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5207 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5208 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5209 \ignorespaces##\unskip}
5210 \cr
5211 }
5212 \def\poem@lineparseend{%
5213 \crr\egroup
5214 \vskip-\baselineskip
5215 }
5216 \def\traditionalpoem@cr{%
5217 \cr\poem@line
5218 }
5219 \newbox\verse@i
5220 \newbox\verse@ii
5221 \newif\ifpoem@started
5222
5223 \def\poem@line{%
5224 \poem@lineparseend

```



```

5225 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
5226 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
5227 \ifpoem@started
5228   \ifdim\wd\verse@ii>\z@\else
5229     \nopagebreak[3]
5230   \fi
5231   \leavevmode
5232   \poem@linebegin
5233   \poem@verse\verse@i
5234   \ifdim\wd\verse@ii>\z@
5235     \poem@lineversesep
5236     \poem@verse\verse@ii
5237   \fi
5238   \poem@lineend
5239 % \nopagebreak
5240 \par
5241 \vskip\poemextrabaselineskip
5242 \fi
5243 \poem@lineparsebegin
5244 }
5245 \def\@traditionalpoem{%
5246 \stepcounter{poem@no}
5247   \ifnum\max@poem@no<\number\c@poem@no%
5248 \xdef\poem@width{\z@}%
5249   \else
5250 \xdef\poem@width{\poem@prop{poem@width}}%
5251 \fi
5252 \xdef\new@poem@width{\z@}%
5253 \global\versewidth=\poem@width

5254 \poemskip\par
5255 \begingroup
5256 \tabskip=\z@
5257 \parskip=\z@
5258 \parindent=\z@
5259 \parfillskip=\z@
5260 \rightskip=\z@
5261 \leftskip=\z@
5262 \widowpenalty=10000% No break between verses of the same line.
5263 \clubpenalty=10000% Same as above. Not really needed.
5264 \def\newblock{\hfil\poemblocksep\hfil\null}%
5265 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
5266 \def\{\{\global\poem@startedtrue\traditionalpoem@cr\}%
5267 \global\poem@startedfalse
5268 \csname poem@obeylines\endcsname
5269 \let\poem@obeylines\relax
5270 \poem@lineparsebegin
5271 }
5272 \def\@endtraditionalpoem{%
5273 \cr

```



```

5274 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
5275 \noalign{%
5276 \skip0=\poemextrabaseskip
5277 \vskip-\skip0
5278 \vskip-\baseskip
5279 }%
5280 \fi\fi
5281 \poem@lineparseend
5282 \endgroup
5283 \par
5284 \vskip\baseskip
5285 \poemskip
5286 \if@nparlist \else
5287 \ifdim\lastskip >\z@
5288 \@tempskipa\lastskip \vskip -\lastskip
5289 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
5290 \vskip\@tempskipa
5291 \fi
5292 \@endparenv
5293 \fi
5294 \ifdim\new@poem@width<\poem@width
5295 \global\let\poem@needrun\relax
5296 \fi
5297 \poem@write@aux{\poem@width@romannumeral\c@poem@no}{\new@poem@width}%
5298 \ifx\AtEndDocument\undefined\poem@finish\fi
5299 }
5300
5301
5302 \long\def\bidipoem@p@ftntext#1{%
5303 \edef\@temp{x{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@{\mpfn}\endcsname}}}%
5304 \global\bidipoem@p@ftn\expandafter{\@temp{x{#1}}}%
5305 \long\def\bidipoem@p@LTRftntext#1{%
5306 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@{\mpfn}\endcsname}}}%
5307 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
5308 \long\def\bidipoem@p@RTLftntext#1{%
5309 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@{\mpfn}\endcsname}}}%
5310 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
5311
5312 \long\def\bidipoem@p@xftntext[#1]#2{%
5313 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
5314
5315 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
5316 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
5317
5318 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
5319 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
5320
5321 \def\bidipoem@p@xfootnote[#1]{%
5322 \begingroup
5323 \csname c@{\mpfn}\endcsname #1\relax

```




```

5324 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5325 \endgroup
5326 \@footnotemark\bidipoem@p@xftntext[#1]}
5327
5328 \def\bidipoem@p@xLTRfootnote[#1]{%
5329 \begingroup
5330 \csname c@\mpfn\endcsname #1\relax
5331 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5332 \endgroup
5333 \@footnotemark\bidipoem@p@xLTRftntext[#1]}
5334
5335 \def\bidipoem@p@xRTLfootnote[#1]{%
5336 \begingroup
5337 \csname c@\mpfn\endcsname #1\relax
5338 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5339 \endgroup
5340 \@footnotemark\bidipoem@p@xRTLftntext[#1]}
5341
5342
5343
5344 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
5345 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeylines}
5346 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
5347 \def\poem@finish{%
5348 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
5349 \ifx\poem@needrun\relax
5350 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
5351 \global\let\poem@needrun\undefined
5352 \fi
5353 }
5354 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
5355 \newcounter{poem@no}\setcounter{poem@no}{\z@}
5356 \ifx\max@poem@no\undefined
5357 \def\max@poem@no{0}%
5358 \fi
5359 \newcommand{\poem@prop}[1]{\@nameuse{#1\romannumeral\c@poem@no}}
5360 \newcommand{\poem@write@aux}[2]{%
5361 \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
5362 \@x
5363 }
5364 \def\@modernpoem{%
5365 \par
5366 \begingroup
5367 \parskip=\z@
5368 \parindent=\z@
5369 \def\[{ \@settab\@tabplus\ignorespaces}%
5370 \def\]{ \@tabminus\ignorespaces}%
5371 \def\newblock{\poemblocksep}%
5372 \let\newpoem@tabcr\@tabcr
5373 \def\modernpoem@par{% Redefine \par for possible \obeylines

```



```

5374 \ifpoem@started\else
5375 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
5376 \@stopfield
5377 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
5378 \@contfield
5379 \fi
5380 \fi
5381 \ifpoem@started\newpoem@tabcr\fi}%
5382 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
5383 \global\poem@startedfalse
5384 \csname poem@obeylines\endcsname
5385 \let\poem@obeylines\relax
5386 \begin{tabbing}%
5387 }
5388 \def\@endmodernpoem{%
5389 \global\poem@startedfalse
5390 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
5391 \@stopfield
5392 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
5393 \@contfield
5394 \fi
5395 \ifpoem@started\else\let\@stopline\@stopfield\fi
5396 \end{tabbing}%
5397 \endgroup
5398 \par
5399 \if@nolist \else
5400 \ifdim\lastskip >\z@
5401 \@tempskipa\lastskip \vskip -\lastskip
5402 \advance\@tempskipa\parskip \advance\@tempskipa -\outerparskip
5403 \vskip\@tempskipa
5404 \fi
5405 \endparenv
5406 \fi
5407 }
5408 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
5409 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@obeylines}
5410 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
5411 \gdef\@startfield{%
5412 \global\setbox\@curfield\hbox\bgroup%
5413 \let\@footnotetext\bidipoem@p@ftntext%
5414 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5415 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5416 \let\@xfootnotenext\bidipoem@p@xftntext%
5417 \let\@xfootnote\bidipoem@p@xfootnote%
5418 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5419 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5420 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5421 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5422 \color@begingroup}
5423 \gdef\@stopfield{%

```



```

5424 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
5425 \gdef\@contfield{%
5426 \global\setbox\@curfield\hbox\bgroup%
5427 \let\@footnotetext\bidipoem@p@ftntext%
5428 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
5429 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
5430 \let\@xfootnotenext\bidipoem@p@xftntext%
5431 \let\@xfootnote\bidipoem@p@xfootnote%
5432 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
5433 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
5434 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
5435 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
5436 \color@begingroup\unhbox\@curfield}

```

7.31 boek3-xetex-bidi.def

```

5437 \ProvidesFile{boek3-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek3 class for XeTeX e
5438 \renewenvironment{theindex}{%
5439 \if@twocolumn
5440 \@restonecolfalse
5441 \else
5442 \@restonecoltrue
5443 \fi
5444 \columnseprule \z@
5445 \columnsep 35\p@
5446 \twocolumn[\@makeschapterhead{\indexname}]%
5447 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5448 \thispagestyle{plain}\parindent\z@
5449 \parskip\z@ \@plus .3\p@\relax
5450 \let\item\@idxitem
5451 }{%
5452 \if@restonecol\onecolumn\else\clearpage\fi}
5453 \renewcommand*\head@style{%
5454 \interlinepenalty \@M
5455 \hyphenpenalty=\@M \exhyphenpenalty=\@M
5456 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5457 \renewcommand*\@regtocline[3]{%
5458 \ifnum #1>\c@tocdepth
5459 \else
5460 \vskip\z@ \@plus .2\p@
5461 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
5462 \if@RTL\rightskip\else\leftskip\fi\unitindent
5463 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
5464 \parfillskip\z@
5465 \@tempdima\unitindent
5466 \parindent\z@
5467 \leavevmode
5468 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
5469 \hskip 1em \nobreak{\slshape #3}\par
5470 }%

```



```

5471 \fi}
5472 \if@oldtoc
5473 \renewcommand*{\l@part}{%
5474   \ifnum \c@tocdepth >-2\relax
5475     \addpenalty{-\@highpenalty}%
5476     \addvspace{2.25em \@plus\p@}%
5477     \begingroup
5478       \setlength\@tempdima{3em}%
5479       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5480       \parfillskip -\@pnumwidth
5481       {\leavevmode
5482         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5483       \nobreak
5484       \global\@nobreaktrue
5485       \everypar{\global\@nobreakfalse\everypar{}}%
5486     \endgroup
5487 \fi}
5488 \else
5489 \renewcommand*{\l@part}{%
5490   \ifnum \c@tocdepth >-2\relax
5491     \addpenalty{-\@highpenalty}%
5492     \addvspace{2.25em \@plus\p@}%
5493     \@regtocline{0}%
5494 \fi}
5495 \fi
5496 \if@oldtoc
5497 \renewcommand*{\l@chapter}{%
5498   \addpenalty{-\@highpenalty}%
5499   \vskip 1.0em \@plus\p@
5500   \setlength\@tempdima{1.5em}%
5501   \begingroup
5502     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5503     \parfillskip -\@pnumwidth
5504     \leavevmode \bfseries
5505     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5506     \hskip -\if@RTL\rightskip\else\leftskip\fi
5507     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5508     \penalty\@highpenalty
5509   \endgroup}
5510 \else
5511 \renewcommand*{\l@chapter}{\@regtocline{0}}
5512 \fi
5513 \renewenvironment{abstract}{%
5514   \titlepage
5515   \null\vfil
5516   \section*{\SectFont \abstractname}
5517   \noindent\ignorespaces
5518   {\par\vfil\null\endtitlepage}
5519 \renewenvironment{thebibliography}[1]
5520   {\chapter*{\bibname}%

```



```

5521      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5522      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5523      \list{\@biblabel{\@arabic\c@enumiv}}%
5524          {\settowidth\labelwidth{\@biblabel{#1}}%
5525           \leftmargin\labelwidth
5526           \advance\leftmargin\labelsep
5527           \@openbib@code
5528           \usecounter{enumiv}%
5529           \let\p@enumiv\@empty
5530           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
5531      \sloppy\clubpenalty4000\widowpenalty4000%
5532      \sfcode`. \m}
5533      {\def\@noitemerr
5534       {\@latex@warning{Empty `thebibliography' environment}}}%
5535      \endlist}
5536 \renewcommand*\left@footnoterule{%
5537   \kern-3\p@
5538   \kern.5\baselineskip
5539   \hrule\@width\unitindent
5540   \kern.4\baselineskip
5541 }
5542 \renewcommand*\right@footnoterule{%
5543   \hbox to \columnwidth
5544   {\beginR \vbox{%
5545     \kern-3\p@
5546     \kern.5\baselineskip
5547     \hrule\@width\unitindent
5548     \kern.4\baselineskip}\hfil\endR}
5549 }
5550 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
5551 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
5552 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
5553 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
5554 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
5555 \renewcommand*\theequation{%
5556   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5557 \renewcommand*\thefigure{%
5558   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
5559 \renewcommand*\thetable{%
5560   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
5561 \renewcommand*\maketitle{%
5562   \begin{titlepage}%
5563     \let\footnotesize\small
5564     \let\right@footnoterule\relax
5565     \let\left@footnoterule\relax
5566     \let\textwidth\footnoterule\relax
5567     \let \footnote \thanks
5568     \long\def\@makefnmark##1{\parindent\z@
5569       \def\labelitemi{\textendash}\@revlabeltrue
5570       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}

```



```

5571 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
5572 \if@compatibility\setcounter{page}{0}\fi
5573 \null\vfil
5574 \vskip 60\p@
5575 \begin{center}%
5576 \TitleFont
5577 {\LARGE \def\{\{\penalty -\@M}
5578 \if@allcaps
5579 \expandafter\uc@nothanks\@title\thanks\relax
5580 \else
5581 \@title
5582 \fi\par}%
5583 \vskip 3em%
5584 {\large
5585 \lineskip .75em \parindent\z@
5586 \begin{tabular}[t]{c}%
5587 \if@allcaps
5588 \expandafter\uc@authornothanks\@author\and\relax
5589 \else
5590 \@author
5591 \fi
5592 \end{tabular}\par}%
5593 \vskip 1.5em%
5594 {\large
5595 \if@allcaps
5596 \uppercase\expandafter{\@date}%
5597 \else
5598 \@date
5599 \fi\par}%
5600 \end{center}\par
5601 \@thanks
5602 \vfil\null
5603 \end{titlepage}%
5604 \setcounter{footnote}{0}%
5605 \global\let\thanks\relax
5606 \global\let\maketitle\relax
5607 \global\let\@thanks\@empty
5608 \global\let\@author\@empty
5609 \global\let\@title\@empty
5610 \global\let\@date\@empty
5611 \global\let\title\relax
5612 \global\let\author\relax
5613 \global\let\date\relax
5614 \global\let\and\relax
5615 }

```

7.32 boek-xetex-bidi.def

```

5616 \ProvidesFile{boek-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for boek class for XeTeX eng
5617 \renewenvironment{theindex}{%

```



```

5618 \if@twocolumn
5619 \@restonecolfalse
5620 \else
5621 \@restonecoltrue
5622 \fi
5623 \columnseprule \z@
5624 \columnsep 35\p@
5625 \twocolumn[\@makeschapterhead{\indexname}]%
5626 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
5627 \thispagestyle{plain}\parindent\z@
5628 \parskip\z@ \@plus .3\p@\relax
5629 \let\item\@idxitem
5630 }{%
5631 \if@restonecol\onecolumn\else\clearpage\fi
5632 \renewcommand*\head@style{%
5633 \interlinepenalty \@M
5634 \hyphenpenalty=\@M \exhyphenpenalty=\@M
5635 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
5636 \renewcommand*\@regtocline[3]{%
5637 \ifnum #1>\c@tocdepth
5638 \else
5639 \vskip\z@ \@plus .2\p@
5640 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
5641 \if@RTL\rightskip\else\leftskip\fi\unitindent
5642 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
5643 \parfillskip\z@
5644 \@tempdima\unitindent
5645 \parindent\z@
5646 \leavevmode
5647 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
5648 \hskip 1em \nobreak{\slshape #3}\par
5649 }%
5650 \fi}
5651 \if@oldtoc
5652 \renewcommand*\l@part[2]{%
5653 \ifnum \c@tocdepth >-2\relax
5654 \addpenalty{-\@highpenalty}%
5655 \addvspace{2.25em \@plus\p@}%
5656 \begingroup
5657 \setlength\@tempdima{3em}%
5658 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5659 \parfillskip -\@pnumwidth
5660 {\leavevmode
5661 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5662 \nobreak
5663 \global\@nobreaktrue
5664 \everypar{\global\@nobreakfalse\everypar{}}%
5665 \endgroup
5666 \fi}
5667 \else

```



```

5668 \renewcommand*\l@part{%
5669     \ifnum \c@tocdepth >-2\relax
5670     \addpenalty{-\@highpenalty}%
5671     \addvspace{2.25em \@plus \p@}%
5672     \@regtocline{0}%
5673 \fi}
5674 \fi
5675 \if@oldtoc
5676 \renewcommand*\l@chapter[2]{%
5677     \addpenalty{-\@highpenalty}%
5678     \vskip 1.0em \@plus \p@
5679     \setlength\@tempdima{1.5em}%
5680     \begingroup
5681     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5682     \parfillskip -\@pnumwidth
5683     \leavevmode \bfseries
5684     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5685     \hskip -\if@RTL\rightskip\else\leftskip\fi
5686     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5687     \penalty\@highpenalty
5688 \endgroup}
5689 \else
5690 \renewcommand*\l@chapter{\@regtocline{0}}
5691 \fi
5692 \renewcommand*\left@footnoterule{%
5693     \kern-3\p@
5694     \kern.5\baselineskip
5695     \hrule\@width\unitindent
5696     \kern.4\baselineskip
5697 }
5698 \renewcommand*\right@footnoterule{%
5699     \hbox to \columnwidth
5700     {\beginR \vbox{%
5701         \kern-3\p@
5702         \kern.5\baselineskip
5703         \hrule\@width\unitindent
5704         \kern.4\baselineskip}\hfil\endR}
5705 }
5706 \renewenvironment{abstract}{%
5707     \titlepage
5708     \null\vfil
5709     \section*{\SectFont \abstractname}
5710     \noindent\ignorespaces}
5711     {\par\vfil\null\endtitlepage}
5712 \renewenvironment{thebibliography}[1]
5713     {\chapter*{\bibname}%
5714     \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
5715     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5716     \list{\@biblabel{\@arabic{c@enumiv}}}%
5717     {\settowidth\labelwidth{\@biblabel{#1}}%

```




```

5718         \leftmargin\labelwidth
5719         \advance\leftmargin\labelsep
5720         \@openbib@code
5721         \usecounter{enumiv}%
5722         \let\p@enumiv\@empty
5723         \renewcommand*{\theenumiv}{\@arabic\c@enumiv}}%
5724     \sloppy\clubpenalty4000\widowpenalty4000%
5725     \sfcode`.\@m}
5726     {\def\@noitemerr
5727       {\@latex@warning{Empty `thebibliography' environment}}}%
5728     \endlist}
5729 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
5730 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
5731 \renewcommand*{\thesubsubsection}{\thesubsection\@SepMark\@arabic\c@subsubsection}
5732 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
5733 \renewcommand*{\thesubparagraph}{\theparagraph\@SepMark\@arabic\c@subparagraph}
5734 \renewcommand*{\theequation}{%
5735   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
5736 \renewcommand*{\thefigure}{%
5737   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
5738 \renewcommand*{\thetable}{%
5739   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
5740 \renewcommand*{\maketitle}{%
5741   \begin{titlepage}%
5742     \let\footnotesize\small
5743     \let\right@footnoterule\relax
5744     \let\left@footnoterule\relax
5745     \let\textwidth@footnoterule\relax
5746     \let \footnote \thanks
5747     \long\def\@makefnmark##1{\parindent\z@
5748       \def\labelitemi{\textendash}\@revlabeltrue
5749       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
5750     \renewcommand*{\thefootnote}{\@fnsymbol\c@footnote}%
5751     \if@compatibility\setcounter{page}{0}\fi
5752     \null\vfil
5753     \vskip 60\p@
5754     \begin{center}%
5755       \TitleFont
5756       {\LARGE \def\\{\penalty -\@M}
5757         \if@allcaps
5758           \expandafter\uc@nothanks\@title\thanks\relax
5759         \else
5760           \@title
5761           \fi\par}%
5762       \vskip 3em%
5763       {\large
5764         \lineskip .75em \parindent\z@
5765         \begin{tabular}[t]{c}%
5766           \if@allcaps
5767             \expandafter\uc@authornothanks\@author\and\relax

```



```

5768         \else
5769         \@author
5770         \fi
5771     \end{tabular}\par}%
5772     \vskip 1.5em%
5773     {\large
5774     \if@allcaps
5775     \uppercase\expandafter{\@date}%
5776     \else
5777     \@date
5778     \fi\par}%
5779     \end{center}\par
5780     \@thanks
5781     \vfil\null
5782 \end{titlepage}%
5783 \setcounter{footnote}{0}%
5784 \global\let\thanks\relax
5785 \global\let\maketitle\relax
5786 \global\let\@thanks\@empty
5787 \global\let\@author\@empty
5788 \global\let\@title\@empty
5789 \global\let\@date\@empty
5790 \global\let\title\relax
5791 \global\let\author\relax
5792 \global\let\date\relax
5793 \global\let\and\relax
5794 }

```

7.33 **bookest-xetex-bidi.def**

```

5795 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for XeT
5796 \def\@makechapterhead#1{%
5797     \vspace*{20\p@}
5798     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5799     \ifnum \c@secnumdepth >\m@ne
5800         \if@mainmatter
5801             {\colorA\huge\scshape \@chapapp\space \thechapter}
5802             \par\nobreak
5803             \vskip 10\p@
5804             \fi
5805             \fi
5806             \interlinepenalty\@M
5807             {\colorB\hrule}
5808             \vskip 15\p@
5809             \if@RTL\begin{flushleft}\else\begin{flushright}\fi
5810             {\colorA\Huge \bfseries #1}\par\nobreak
5811             \if@RTL\end{flushleft}\else\end{flushright}\fi
5812             \vskip 5\p@
5813             {\colorB\hrule}
5814             \vskip 30\p@

```



```

5815 }}
5816 \def\@makeschapterhead#1{%
5817   \vspace*{20\p@}
5818   {\parindent \z@ \raggedright \normalfont
5819    {\colorB\hrule}
5820    \vskip 15\p@
5821    \begin{center}
5822      {\colorA\Huge \bfseries #1}\par\nobreak
5823    \end{center}
5824    \vskip 5\p@
5825    {\colorB\hrule}
5826    \vskip 30\p@
5827   }}

```

7.34 book-xetex-bidi.def

```

5828 \ProvidesFile{book-xetex-bidi.def}[2011/08/26 v0.8 bidi adaptations for standard book class for ]
5829 \renewenvironment{theindex}
5830   {\if@twocolumn
5831     \@restonecolfalse
5832   \else
5833     \@restonecoltrue
5834   \fi
5835     \columnseprule \z@
5836     \columnsep 35\p@
5837     \twocolumn[\@makeschapterhead{\indexname}]%
5838     \mkboth{\MakeUppercase\indexname}%
5839             {\MakeUppercase\indexname}%
5840     \thispagestyle{plain}\parindent\z@
5841     \parskip\z@ \@plus .3\p@\relax
5842     \let\item\@idxitem}
5843   {\if@restonecol\onecolumn\else\clearpage\fi}
5844 \@ifclassloaded{bookest}{-}{%
5845   \if@titlepage
5846     \renewcommand\maketitle{\begin{titlepage}%
5847       \let\footnotesize\small
5848       \let\right@footnoterule\relax
5849       \let\left@footnoterule\relax
5850       \let\textwidth\footnoterule\relax
5851       \let \footnote \thanks
5852       \let \LTRfootnote \LTRthanks
5853       \let \RTLfootnote \RTLthanks
5854       \null\vfil
5855       \vskip 60\p@
5856       \begin{center}%
5857         {\LARGE \@title \par}%
5858         \vskip 3em%
5859         {\large
5860           \lineskip .75em%
5861           \begin{tabular}[t]{c}%

```



```

5862         \@author
5863         \end{tabular}\par}%
5864         \vskip 1.5em%
5865         {\large \@date \par}%           % Set date in \large size.
5866     \end{center}\par
5867     \@thanks
5868     \vfil\null
5869     \end{titlepage}%
5870     \setcounter{footnote}{0}%
5871     \global\let\thanks\relax
5872     \global\let\LTRthanks\relax
5873     \global\let\RTLthanks\relax
5874     \global\let\maketitle\relax
5875     \global\let\@thanks\@empty
5876     \global\let\@author\@empty
5877     \global\let\@date\@empty
5878     \global\let\@title\@empty
5879     \global\let\title\relax
5880     \global\let\author\relax
5881     \global\let\date\relax
5882     \global\let\and\relax
5883 }
5884 \else
5885 \renewcommand\maketitle{\par
5886   \begingroup
5887     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
5888     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
5889     \long\def\@makefntext##1{\parindent 1em\noindent
5890       \hb@xt@1.8em{\%
5891         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
5892     \if@twocolumn
5893       \ifnum \col@number=\@ne
5894         \@maketitle
5895       \else
5896         \twocolumn[\@maketitle]%
5897       \fi
5898     \else
5899       \newpage
5900       \global\@topnum\z@   % Prevents figures from going at top of page.
5901       \@maketitle
5902     \fi
5903     \thispagestyle{plain}\@thanks
5904   \endgroup
5905   \setcounter{footnote}{0}%
5906   \global\let\thanks\relax
5907   \global\let\LTRthanks\relax
5908   \global\let\RTLthanks\relax
5909   \global\let\maketitle\relax
5910   \global\let\@maketitle\relax
5911   \global\let\@thanks\@empty

```



```

5912 \global\let\@author\@empty
5913 \global\let\@date\@empty
5914 \global\let\@title\@empty
5915 \global\let\title\relax
5916 \global\let\author\relax
5917 \global\let\date\relax
5918 \global\let\and\relax
5919 }
5920 \def\@maketitle{%
5921   \newpage
5922   \null
5923   \vskip 2em%
5924   \begin{center}%
5925     \let \footnote \thanks
5926     \let \LTRfootnote \LTRthanks
5927     \let \RTLfootnote \RTLthanks
5928     {\LARGE \@title \par}%
5929     \vskip 1.5em%
5930     {\large
5931       \lineskip .5em%
5932       \begin{tabular}[t]{c}%
5933         \@author
5934       \end{tabular}\par}%
5935     \vskip 1em%
5936     {\large \@date}%
5937   \end{center}%
5938   \par
5939   \vskip 1.5em}
5940 \fi}
5941 \renewcommand*\l@part[2]{%
5942   \ifnum \c@tocdepth >-2\relax
5943     \addpenalty{-\@highpenalty}%
5944     \addvspace{2.25em \@plus\p@}%
5945     \setlength\@tempdima{3em}%
5946     \begingroup
5947       \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
5948       \parfillskip -\@pnumwidth
5949       {\leavevmode
5950         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
5951       \nobreak
5952       \global\@nobreaktrue
5953       \everypar{\global\@nobreakfalse\everypar{}}%
5954     \endgroup
5955   \fi}
5956 \renewcommand*\l@chapter[2]{%
5957   \ifnum \c@tocdepth >\m@ne
5958     \addpenalty{-\@highpenalty}%
5959     \vskip 1.0em \@plus\p@
5960     \setlength\@tempdima{1.5em}%
5961     \begingroup

```



```

5962     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
5963     \parfillskip -\@pnumwidth
5964     \leavevmode \bfseries
5965     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
5966     \hskip -\if@RTL\rightskip\else\leftskip\fi
5967     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
5968     \penalty\@highpenalty
5969   \endgroup
5970 \fi}
5971 \renewcommand\left@footnoterule{%
5972   \kern-3\p@
5973   \hrule\@width.4\columnwidth
5974   \kern2.6\p@}
5975 \renewcommand\right@footnoterule{%
5976   \hbox to \columnwidth
5977   {\beginR \vbox{%
5978     \kern-3\p@
5979     \hrule\@width.4\columnwidth
5980     \kern2.6\p@}\hfil\endR}}
5981 \renewcommand\theequation
5982   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
5983 \renewcommand \thefigure
5984   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
5985 \renewcommand \thetable
5986   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
5987 \renewcommand \thechapter {\@arabic\c@chapter}
5988 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
5989 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
5990 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
5991 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
5992 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}
5993 \def\@makechapterhead#1{%
5994   \vspace*{50\p@}%
5995   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
5996     \ifnum \c@secnumdepth >\m@ne
5997       \if@mainmatter
5998         \huge\bfseries \@chapapp\space \thechapter
5999         \par\nobreak
6000         \vskip 20\p@
6001       \fi
6002     \fi
6003     \interlinepenalty\@M
6004     \Huge \bfseries #1\par\nobreak
6005     \vskip 40\p@
6006   }}
6007 \def\@makeschapterhead#1{%
6008   \vspace*{50\p@}%
6009   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6010     \normalfont
6011     \interlinepenalty\@M

```



```

6012 \Huge \bfseries #1\par\nobreak
6013 \vskip 40\p@
6014 }}
6015 \renewcommand\backmatter{%
6016 \if@openright
6017 \cleardoublepage
6018 \else
6019 \clearpage
6020 \fi
6021 \@mainmatterfalse}
6022 \renewenvironment{thebibliography}[1]
6023 {\chapter*{\bibname}%
6024 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6025 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6026 \list{\@biblabel{\@arabic\c@enumiv}}%
6027 {\settowidth\labelwidth{\@biblabel{#1}}%
6028 \leftmargin\labelwidth
6029 \advance\leftmargin\labelsep
6030 \@openbib@code
6031 \usecounter{enumiv}%
6032 \let\p@enumiv\@empty
6033 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6034 \sloppy
6035 \clubpenalty4000
6036 \@clubpenalty \clubpenalty
6037 \widowpenalty4000%
6038 \sfcode\.\@m}
6039 {\def\@noitemerr
6040 {\@latex@warning{Empty `thebibliography' environment}}%
6041 \endlist}

```

7.35 breqn-xetex-bidi.def

```

6042 \ProvidesFile{breqn-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for breqn package for XeTeX]
6043 \def\@dmath[#1]{\ifRTL\@RTLfalse\fi%
6044 \everydisplay\expandafter{\the\everydisplay \display@setup}%
6045 \if@noskipsec \leavevmode \fi
6046 \if@inlabel \leavevmode \global\@inlabelfalse \fi
6047 \if\eq@group\else\eq@prelim\fi
6048 \setkeys{breqn}{#1}%
6049 \the\eqstyle
6050 \eq@setnumber
6051 \begingroup
6052 \eq@setup@a
6053 \eq@startup
6054 }
6055 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
6056 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
6057 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
6058 \global\let\GRP@label\@empty

```



```

6059 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
6060 \global\grp@linewidth\z@\global\grp@wdNum\z@
6061 \global\let\grp@eqs@numbered\@False
6062 \global\let\grp@aligned\@True
6063 \global\let\grp@shiftnumber\@False
6064 \eq@prelim
6065 \setkeys{breqn}{#1}%
6066 \if\grp@hasNumber \grp@setnumber \fi
6067 }
6068 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
6069 \let\display@setup\dseries@display@setup
6070 % Question: should this be the default for dseries???
6071 \global\eq@wdCond\z@
6072 \@dmath[layout={M},#1]%
6073 \mathsurround\z@\@math \penalty\@Mi
6074 \let\endmath\ends@math
6075 \def\premath{%
6076 \ifdim\lastskip<.3em \unskip
6077 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
6078 }%
6079 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
6080 \ignorespaces
6081 }
6082 \def\eqnumform#1{\if@Latin\else\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@Latin\else\endR\fi}
6083 \renewenvironment{dsuspend}{%
6084 \global\setbox\EQ@box\vbox\bgroup\if@Latin\else\@RTLtrue\fi \@parboxrestore
6085 \parshape 1 \displayindent \displaywidth\relax
6086 \hsize=\columnwidth \noindent\ignorespaces
6087 }{%
6088 \par\egroup
6089 \global\setbox\GRP@box\vbox{%
6090 \hbox{\copy\EQ@box\top{\unvbox\EQ@box}}}%
6091 \unvbox\GRP@box
6092 }%
6093 \global\GRP@queue\@xp{\the\GRP@queue
6094 \@elt{\let\eq@isIntertext\@True}%
6095 }%
6096 }

```

7.36 cals-xetex-bidi.def

```

6097 \ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTeX et
6098 \renewenvironment{calstable}[1][c]{%
6099 \if@RTL\@RTLtabtrue\cals@activate@rtl\fi
6100 \if l#1%
6101 \if@RTLtab\leftskip\fill \rightskip\z@\else\leftskip\z@ \rightskip\fill\fi
6102 \else\if r#1%
6103 \if@RTLtab\leftskip\z@ \rightskip\fill\else\leftskip\fill \rightskip\z@\fi
6104 \else\if c#1%
6105 \leftskip\fill \rightskip\fill

```




```

6106 \fi\fi\fi
6107 \let\cals@thead@tokens=\relax
6108 \let\cals@tfoot@tokens=\relax
6109 \let\cals@tbreak@tokens=\relax
6110 \cals@tfoot@height=0pt \relax
6111 \let\cals@last@context=n%
6112 \let\cals@current@context=b%
6113 \parindent=0pt %
6114 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
6115 %% Alignment inside is independent on center/flushright outside
6116 \parfillskip=0pt plus1fil\relax
6117 \let\cals@borderL=\relax
6118 \let\cals@borderR=\relax
6119 \let\cals@borderT=\relax
6120 \let\cals@borderB=\relax
6121 }{% End of the table
6122 \cals@tfoot@tokens\lastrule\@RTLtabfalse}
6123
6124 \renewcommand\alignL{%
6125 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0 plus 1fill\else\cals@paddingL=\dimen0\
6126 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
6127
6128 \renewcommand\alignR{%
6129 \dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill\
6130 \dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

```

7.37 caption-xetex-bidi.def

```

6131 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for Xe
6132 \let\@makecaption\caption@makecaption

```

7.38 caption3-xetex-bidi.def

```

6133 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package for Xe
6134 \renewcommand*\caption@par{%
6135 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

7.39 colortbl-xetex-bidi.def

```

6136 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package for Xe
6137 \def\CT@setup{%
6138 \@tempdimb\col@sep
6139 \@tempdimc\col@sep
6140 \def\CT@color{%
6141 \global\let\CT@do@color\CT@@do@color
6142 \bidicolor}}
6143 \def\@classz{\@classx
6144 \@tempcnta\count@
6145 \prepnext@tok
6146 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
6147 \@addtopreamble{\if@RTLtab\beginL\fi%
6148 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi

```



```

6149 \ifcase \@chnum
6150 \hskip\stretch{.5}\kern\z@
6151 \d@llarbegin
6152 \insert@column
6153 \d@llarend\hskip\stretch{.5}\or
6154 \d@llarbegin \insert@column \d@llarend \hfill \or
6155 \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
6156 $\vcenter
6157 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
6158 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
6159 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
6160 \fi
6161 \if@RTLtab\endR\fi\egroup\egroup
6162 \begingroup
6163 \CT@setup
6164 \CT@column@color
6165 \CT@row@color
6166 \CT@cell@color
6167 \CT@do@color
6168 \endgroup
6169 \@tempdima\ht\z@
6170 \advance\@tempdima\minrowclearance
6171 \vrule\@height\@tempdima\@width\z@
6172 \unhbox\z@\if@RTLtab\endL\fi}%
6173 \prepnext@tok}

```

7.40 color-xetex-bidi.def

```

6174 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeTeX]
6175 \long\def\color@b@x#1#2#3{%
6176 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
6177 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
6178 \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
6179 \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
6180 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
6181 \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
6182 \def\normalcolor{\let\current@color\default@color\ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi}
6183 \DeclareRobustCommand\color{%
6184 \ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}%
6185 \def\@declaredcolor#1{%
6186 \@ifundefined{string\color @#1}%
6187 {\c@lor@error{`#1'}}%
6188 {\expandafter\let\expandafter\current@color
6189 \csname\string\color @#1\endcsname
6190 \set@color}%
6191 \ifmmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
6192 \def\@undeclaredcolor[#1]#2{%
6193 \@ifundefined{color@#1}%
6194 {\c@lor@error{model `#1'}}%
6195 {\csname color@#1\endcsname\current@color{#2}%

```



```

6196     \set@color}%
6197     \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
6198 \DeclareRobustCommand\bidicolor{%
6199     \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
6200 \def\@bidiundeclaredcolor[#1]#2{%
6201     \@ifundefined{color@#1}%
6202     {\c@lor@error{model `#1'}}}%
6203     {\csname color@#1\endcsname\current@color{#2}%
6204     \set@color}%
6205     \ignorespaces}
6206 \def\@bidideclaredcolor#1{%
6207     \@ifundefined{\string\color @#1}%
6208     {\c@lor@error{`#1'}}}%
6209     {\expandafter\let\expandafter\current@color
6210     \csname\string\color @#1\endcsname
6211     \set@color}%
6212     \ignorespaces}
6213 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
6214 \def\color@fbox#1#2#3{%
6215     \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
6216 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.41 combine-xetex-bidi.def

```

6217 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeT
6218 \renewcommand{\c@ll@chapsecii}[2]{%
6219     \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
6220     \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
6221     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6222 }
6223 \renewcommand{\c@ll@chapseci}{%
6224     \setlength\@tempdima{0em}%
6225     \begingroup
6226         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6227         \parfillskip -\@pnumwidth
6228         \leavevmode
6229 }
6230 \renewenvironment{tocindent}[1]{%
6231     \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{%

```

7.42 crop-xetex-bidi.def

```

6232 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX e
6233 \renewcommand*\CROP@ulc{%
6234     \if@RTLmain%
6235         \begin{picture}(0,0)
6236             \unitlength\p@\thinline
6237             \put(-40,0){\circle{10}}
6238             \put(-30,-5){\line(0,1){10}}
6239             \put(-35,0){\line(1,0){30}}
6240             \put(-10,30){\circle{10}}

```



```

6241         \put(-5,30){\line(1,0){10}}
6242         \put(0,35){\line(0,-1){30}}
6243     \end{picture}%
6244 \else%
6245     \begin{picture}(0,0)
6246         \unitlength\p@\thinlines
6247         \put(-30,0){\circle{10}}
6248         \put(-30,-5){\line(0,1){10}}
6249         \put(-35,0){\line(1,0){30}}
6250         \put(0,30){\circle{10}}
6251         \put(-5,30){\line(1,0){10}}
6252         \put(0,35){\line(0,-1){30}}
6253     \end{picture}%
6254 \fi%
6255 }
6256 \renewcommand*\CROP@urc{%
6257     \if@RTLmain%
6258         \begin{picture}(0,0)
6259             \unitlength\p@\thinlines
6260             \put(20,0){\circle{10}}
6261             \put(30,-5){\line(0,1){10}}
6262             \put(35,0){\line(-1,0){30}}
6263             \put(-10,30){\circle{10}}
6264             \put(-5,30){\line(1,0){10}}
6265             \put(0,35){\line(0,-1){30}}
6266         \end{picture}%
6267     \else%
6268         \begin{picture}(0,0)
6269             \unitlength\p@\thinlines
6270             \put(30,0){\circle{10}}
6271             \put(30,-5){\line(0,1){10}}
6272             \put(35,0){\line(-1,0){30}}
6273             \put(0,30){\circle{10}}
6274             \put(-5,30){\line(1,0){10}}
6275             \put(0,35){\line(0,-1){30}}
6276         \end{picture}%
6277     \fi%
6278 }
6279 \renewcommand*\CROP@llc{%
6280     \if@RTLmain%
6281         \begin{picture}(0,0)
6282             \unitlength\p@\thinlines
6283             \put(-40,0){\circle{10}}
6284             \put(-30,-5){\line(0,1){10}}
6285             \put(-35,0){\line(1,0){30}}
6286             \put(-10,-30){\circle{10}}
6287             \put(-5,-30){\line(1,0){10}}
6288             \put(0,-35){\line(0,1){30}}
6289         \end{picture}%
6290     \else%

```



```

6291 \begin{picture}(0,0)
6292 \unitlength\p@\thinlines
6293 \put(-30,0){\circle{10}}
6294 \put(-30,-5){\line(0,1){10}}
6295 \put(-35,0){\line(1,0){30}}
6296 \put(0,-30){\circle{10}}
6297 \put(-5,-30){\line(1,0){10}}
6298 \put(0,-35){\line(0,1){30}}
6299 \end{picture}%
6300 \fi%
6301 }
6302 \renewcommand*\CROP@lrc{%
6303 \if@RTLmain%
6304 \begin{picture}(0,0)
6305 \unitlength\p@\thinlines
6306 \put(20,0){\circle{10}}
6307 \put(30,-5){\line(0,1){10}}
6308 \put(35,0){\line(-1,0){30}}
6309 \put(-10,-30){\circle{10}}
6310 \put(-5,-30){\line(1,0){10}}
6311 \put(0,-35){\line(0,1){30}}
6312 \end{picture}%
6313 \else%
6314 \begin{picture}(0,0)
6315 \unitlength\p@\thinlines
6316 \put(30,0){\circle{10}}
6317 \put(30,-5){\line(0,1){10}}
6318 \put(35,0){\line(-1,0){30}}
6319 \put(0,-30){\circle{10}}
6320 \put(-5,-30){\line(1,0){10}}
6321 \put(0,-35){\line(0,1){30}}
6322 \end{picture}%
6323 \fi%
6324 }
6325 \@ifpackagewith{crop}{cam}{%
6326 \CROP@execopt{cam}%
6327 }{}

```

7.43 cutwin-xetex-bidi.def

```

6328 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeT
6329 \renewcommand*{\c@twcompctr}[2]{%
6330 \def\c@twfirst{1}
6331 \loop\advance\c@twwinlines\m@ne
6332 \setbox\c@twslicea=\vsplit#1 to\baselineskip
6333 \setbox\c@twsliceb=\vsplit#1 to\baselineskip
6334 \c@twprune{\c@twslicea}{\c@twlftside}%
6335 \c@twprune{\c@twsliceb}{\c@twrtside}%
6336 \ifnum\c@twfirst=\@ne
6337 \setbox#2=\vbox{\unvbox#2\hbox

```



```

6338 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
6339 \else
6340   \setbox#2=\vbox{\unvbox#2\hbox
6341 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\
6342 \fi
6343 \def\c@twfirst{2}
6344 \ifnum\c@twwinlines>\z@\repeat}
6345 \renewcommand*{\c@twcompodctr}[2]{%
6346 \def\c@twrounds{1}
6347 \def\c@twfirst{1}
6348 \@for\c@twlspec:=\c@twb\do{%
6349   \ifnum\c@twrounds=1
6350     \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
6351     \c@twprune{\c@twslicea}{\c@twlspec}%
6352     \def\c@twrounds{2}
6353   \else
6354     \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
6355     \c@twprune{\c@twsliceb}{\c@twlspec}%
6356     \ifnum\c@twfirst=1
6357       \setbox#2=\vbox{\unvbox#2\hbox
6358 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\
6359       \def\c@twfirst{2}
6360     \else
6361       \setbox#2=\vbox{\unvbox#2\hbox
6362 to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\
6363       \fi
6364       \def\c@twrounds{1}
6365     \fi}}

```

7.44 cuted-xetex-bidi.def

```

6366 \ProvidesFile{cuted-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for cuted package for XeTeX]
6367 \def\RTL@outputdblcol{%
6368 \if@firstcolumn \global\@firstcolumnfalse
6369 \global\setbox\@leftcolumn \box\@outputbox
6370 \else
6371 \global\@firstcolumntrue
6372 \setbox\@outputbox \vbox {\hbox to\textwidth {%
6373 \hskip \columnwidth
6374 \hfil \vrule width\columnseprule \hfil
6375 \hbox to\columnwidth {\box\@leftcolumn \hss}%
6376 \hskip -\textwidth
6377 \hbox to\columnwidth{\box\@outputbox \hss}%
6378 \hskip \columnsep
6379 \hskip \columnwidth }}%
6380 \ifvoid\hold@viper
6381 \else
6382 \setbox\@outputbox \vbox to\textheight{%
6383 \box\hold@viper
6384 \box\@outputbox

```



```

6385 \vss
6386 }%
6387 \fi
6388 \@combinedblfloats \@outputpage
6389 \beginngroup \@dblfloatplacement \@startdblcolumn
6390 \@whiles\if@fcolmade \fi
6391 {\@outputpage \@startdblcolumn }%
6392 \ifvoid\@viper
6393 \else
6394 \global\setbox\@viper\vbox{%
6395 \vskip-\stripsep
6396 \unvbox\@viper
6397 }%
6398 \@viperoutput
6399 \fi
6400 \endgroup
6401 \fi}
6402 \def\LTR@outputdblcol{%
6403 \if@firstcolumn
6404 \global \@firstcolumnfalse
6405 \global \setbox\@leftcolumn \box\@outputbox
6406 \else
6407 \global\@firstcolumntrue
6408 \setbox\@outputbox \vbox {%
6409 \hb@xt@\textwidth {%
6410 \hb@xt@\columnwidth {%
6411 \box\@leftcolumn \hss}%
6412 \hfil
6413 \vrule \@width\columnseprule
6414 \hfil
6415 \hb@xt@\columnwidth {%
6416 \box\@outputbox \hss}%
6417 }%
6418 }%
6419 \ifvoid\hold\@viper
6420 \else
6421 \setbox\@outputbox \vbox to\textheight{%
6422 \box\hold\@viper
6423 \box\@outputbox
6424 \vss
6425 }%
6426 \fi
6427 \@combinedblfloats
6428 \@outputpage
6429 \beginngroup
6430 \@dblfloatplacement
6431 \@startdblcolumn
6432 \@whiles\if@fcolmade \fi
6433 {\@outputpage
6434 \@startdblcolumn}%

```



```

6435     \ifvoid\@viper
6436     \else
6437         \global\setbox\@viper\vbox{%
6438             \vskip-\stripsep
6439             \unvbox\@viper
6440         }%
6441     \@viperoutput
6442     \fi
6443 \endgroup
6444 \fi
6445 }
6446 \def \@addviper {%
6447     \if@firstcolumn
6448         \@insertfalse
6449         \@reqcolroom .5\@pageht
6450         \ht@viper\@reqcolroom
6451         \advance \@reqcolroom \ht\@viper
6452         \advance \@reqcolroom \stripsep
6453         \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
6454 %%
6455     \@tempdimb \ht@viper
6456     \loop
6457     \setbox\v@aaa\copy\@holdpg
6458     \setbox\v@ccc\vbox to\@tempdimb{%
6459         \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
6460     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
6461     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
6462     \loop
6463     \setbox\v@aaa\copy\@holdpg
6464     \setbox\v@ccc\vbox to\@tempdimb{%
6465         \vsplit\v@aaa to\@tempdimb\vss}%
6466     \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
6467     \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
6468     \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
6469     \setbox\v@ccc\vbox to\@tempdimb{%
6470         \vsplit\@holdpg to\@tempdimb\vss}%
6471 %%
6472     \setbox\@tempboxa \vbox {%
6473         \hb@xt@\textwidth {%
6474             \if@RTLmain%
6475             \hskip \columnwidth
6476             \hfil \vrule width\columnseprule \hfil
6477             \hb@xt@\columnwidth {%
6478                 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6479             \hskip -\textwidth
6480             \hb@xt@\columnwidth {%
6481                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6482             \hskip \columnsep
6483             \hskip \columnwidth
6484             \else%

```




```

6485         \hb@xt@\columnwidth {%
6486             \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6487         \hfil
6488         \vrule \@width\columnseprule
6489         \hfil
6490         \hb@xt@\columnwidth {%
6491             \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6492         \fi}%
6493     }%
6494 \ifvoid\hold@viper
6495     \global\setbox\hold@viper \vbox {%
6496         \unvbox\@tempboxa
6497         \penalty\interlinepenalty
6498         \vskip\stripsep
6499         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6500         \outputpenalty \z@
6501     }%
6502 \else
6503     \global\setbox\hold@viper \vbox {%
6504         \unvbox\hold@viper
6505         \unvbox\@tempboxa
6506         \penalty\interlinepenalty
6507         \vskip\stripsep
6508         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6509         \outputpenalty \z@
6510     }%
6511 \fi
6512 \ifdim \@colroom>\@reqcolroom
6513     \global\setbox\hold@viper \vbox {%
6514         \unvbox\hold@viper
6515         \box\@viper
6516         \penalty\interlinepenalty
6517         \vskip\stripsep
6518         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6519         \outputpenalty \z@
6520     }%
6521     \@inserttrue
6522     \advance\@tempdima by-\ht\hold@viper
6523     \global \advance \@colht \@tempdima
6524     \ifdim \@colht<2.5\baselineskip
6525     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
6526         too tall on page \thepage (1 stulpelis)}%
6527     \@emptycol
6528     \if@firstcolumn
6529     \else
6530     \@emptycol
6531     \fi
6532     \global\@lastvipertrue
6533 \else
6534     \global \vsize \@colht

```



```

6535         \global \@colroom \@colht
6536         \check@floats
6537         \ifdim\@tempdima>\z@
6538             \global\advance\@colroom by-\@tempdima
6539         \fi
6540         \ifdim\@colroom<\z@
6541             \global\@colroom 1pt
6542             \ifdim\@tempdima>\@colht
6543                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
6544                     netelpa lape \thepage (1 stulpelis)}%
6545             \fi
6546             \@emptycol
6547             \if@firstcolumn
6548                 \else
6549                     \@emptycol
6550             \fi
6551             \global\@lastvipertrue
6552         \fi
6553     \fi
6554 \fi
6555 \else
6556     \@insertfalse
6557     \@reqcolroom\@colht
6558     \advance\@reqcolroom \@pageht
6559     \ht@viper.5\@reqcolroom
6560     \@reqcolroom\ht@viper
6561     \advance \@reqcolroom \ht\@viper
6562     \advance \@reqcolroom \stripsep
6563     \if@flushend@auto@baselineskip
6564         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
6565             \global\lastskip@d\lastskip
6566             \global\lastskip@b\lastskip
6567         \loop
6568             \global\lastskip@a\lastskip@b
6569             \unskip\unpenalty
6570             \global\lastskip@b\lastskip
6571             \global\advance\lastskip@d by\lastskip
6572             \ifdim\lastskip@b=-\lastskip@a
6573                 \global\advance\lastskip@d by-\lastskip
6574             \else
6575                 \repeat
6576             \ifdim\lastskip@b=-\lastskip@a
6577                 \ifdim\lastskip@b=\z@
6578                     \setbox\lastbox@a\lastbox
6579                     \global\advance\lastskip@d by\ht\lastbox@a
6580                     \global\advance\lastskip@d by\lastskip
6581                     \unskip\unpenalty
6582                     \setbox\lastbox@a\lastbox
6583                     \global\advance\lastskip@d by\dp\lastbox@a
6584                 \else

```



```

6585         \global\lastskip@d\lastskip
6586         \global\advance\lastskip@d by\topskip
6587     \fi
6588 \fi
6589     \global\advance\lastskip@d by-\topskip
6590 }%
6591 \ifdim\ht\@holdpg>\@colht
6592 \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
6593 \par\eject
6594 \vbox to \@colht{\unvbox\@holdpg\unskip}}%
6595 }%
6596 \else
6597 \global\setbox\@holdpg\vbox{%
6598 \unvbox\@leftcolumn\unskip\unpenalty
6599 \vskip\lastskip@d
6600 \the\At@ViperColsBreak
6601 \unvbox\@holdpg
6602 \unskip
6603 }%
6604 \fi
6605 \else
6606 \global\setbox\@holdpg\vbox{%
6607 \unvbox\@leftcolumn
6608 \setbox\@tempboxa\lastbox
6609 \on@stripcols@break
6610 \the\At@ViperColsBreak
6611 \unvbox\@holdpg
6612 }%
6613 \fi
6614 \global\At@ViperColsBreak{}%
6615 \ht@viper .5\ht\@holdpg
6616 \ifdim \ht@viper>\@colht
6617 \ht@viper \@colht
6618 \fi
6619 \ifvoid\hold@viper\@tempdima=z@\else\@tempdima\ht\hold@viper\fi
6620 %%
6621 \@tempdimb \ht@viper
6622 \loop
6623 \setbox\v@aaa\copy\@holdpg
6624 \setbox\v@ccc\vbox to\@tempdimb{%
6625 \vsplit\v@aaa to\@tempdimb
6626 \vss
6627 \vsplit\v@aaa to\@tempdimb
6628 }%
6629 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
6630 \ifvoid\v@aaa
6631 \else
6632 \advance\@tempdimb 1\p@
6633 \repeat
6634 \loop

```



```

6635 \setbox\v@aaa\copy\@holdpg
6636 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
6637 \wlog{(2)Left:\the\ht\v@ccc\space
6638 Right:\the\ht\v@aaa\space
6639 Output:\the\@tempdimb
6640 }%
6641 \ifdim\ht\v@ccc<\ht\v@aaa
6642 \@tempdimb \the\ht\v@aaa
6643 \repeat
6644 \wlog{- LAST -^^JLeft:\the\ht\v@ccc
6645 ^^JRight:\the\ht\v@aaa
6646 ^^JOutput:\the\@tempdimb
6647 }%
6648 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
6649 \setbox\@tempboxa\vbox{%
6650 \hb@xt@\textwidth {%
6651 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
6652 \hfil
6653 \vrule \@width\columnseprule
6654 \hfil
6655 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
6656 }%
6657 }%
6658 \ifvoid\hold@viper
6659 \global\setbox\hold@viper \vbox {%
6660 \unvbox\@tempboxa
6661 \penalty\interlinepenalty
6662 \vskip\stripsep
6663 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6664 \outputpenalty \z@
6665 }%
6666 \else
6667 \global\setbox\hold@viper \vbox {%
6668 \unvbox\hold@viper
6669 \unvbox\@tempboxa
6670 \penalty\interlinepenalty
6671 \vskip\stripsep
6672 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6673 \outputpenalty \z@
6674 }%
6675 \fi
6676 \ifdim \@colht>\@reqcolroom
6677 \global\setbox\hold@viper \vbox {%
6678 \unvbox\hold@viper
6679 \box\@viper
6680 \penalty\interlinepenalty
6681 \vskip\stripsep
6682 \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
6683 \outputpenalty \z@
6684 }%

```



```

6685     \@inserttrue
6686     \global\@firstcolumntrue
6687     \advance\@tempdima by-\ht\hold@viper
6688     \global \advance \@colht \@tempdima
6689     \ifdim \@colht<2.5\baselineskip
6690     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
6691                               too tall on page \thepage (2 stulpelis)}%
6692         \emptycol
6693         \if@firstcolumn
6694         \else
6695             \emptycol
6696         \fi
6697         \global\@lastvipertrue
6698     \else
6699         \global \vsize \@colht
6700         \global \@colroom \@colht
6701         \check@floats
6702         \ifdim\@tempdima>\z@
6703             \global\advance\@colroom by-\@tempdima
6704         \fi
6705         \ifdim\@colroom<\z@
6706             \global\@colroom 1pt
6707             \ifdim\@tempdima>\@colht
6708                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
6709                                           netelpa lape \thepage (2 stulpelis)}%
6710             \fi
6711             \emptycol
6712             \if@firstcolumn
6713             \else
6714                 \emptycol
6715             \fi
6716             \global\@lastvipertrue
6717         \fi
6718     \fi
6719 \fi
6720 \fi
6721 \if@insert
6722 \else
6723     \advance\@tempdima by-\ht\hold@viper
6724     \global \advance \@colht \@tempdima
6725     \global\setbox\hold@viper \vbox {%
6726                                     \unvbox\hold@viper
6727                                     \csname viper@top@hook\endcsname
6728                                     \vsplit\@viper to \@colht
6729                                     \vss
6730                                     }%
6731     \vbox{%
6732         \global\@firstcolumnfalse
6733         \newpage
6734     \fi

```



6735 }

7.45 cvthemebidicasual.sty

```
6736 \NeedsTeXFormat{LaTeX2e}
6737 \ProvidesPackage{cvthemebidicasual}
6738 \DeclareOption{blue}{}
6739 \newif\if@colourorange\@colourorangefalse
6740 \DeclareOption{orange}{\@colourorange>true}
6741 \newif\if@colouргreen\@colouргreenfalse
6742 \DeclareOption{green}{\@colouргreen>true}
6743 \newif\if@coloured\@colouredfalse
6744 \DeclareOption{red}{\@coloured>true}
6745 \newif\if@colouргrey\@colouргreyfalse
6746 \DeclareOption{grey}{\@colouргrey>true}
6747 \DeclareOption*{
6748   \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
6749 \ExecuteOptions{colour}
6750 \ProcessOptions\relax
6751 \renewcommand*{\listitemsymbol}{\textbullet}
6752 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
6753 \familynamecolour{808080}
6754 \firstnamecolour{A9A9A9}
6755 \quotecolour{696969}
6756 \addresscolour{696969}
6757 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
6758 \sectiontitlecolour{1E90FF}
6759 \subsectioncolour{4682B4}
6760 \definecolor{rulecolour}{gray}{0.6}
6761 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
6762 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
6763 \if@colourorange
6764   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6765   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
6766   \sectiontitlecolour{FF8C00}
6767   \subsectioncolour{FF8C00}
6768   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
6769   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
6770 \if@colouргreen
6771   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6772   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6773   \sectiontitlecolour{008000}
6774   \subsectioncolour{008000}
6775   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
6776   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
6777 \if@coloured
6778   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6779   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6780   \sectiontitlecolour{FF0000}
6781   \subsectioncolour{FF0000}
```



```

6782 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
6783 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
6784 \if@colourgrey
6785 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6786 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6787 \sectiontitlecolour{808080}
6788 \subsectioncolour{808080}
6789 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
6790 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
6791 \renewcommand*{\ttdefault}{pcr}
6792 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
6793 \renewcommand*{\familynamefont}{\firstnamefont}
6794 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6795 \renewcommand*{\quoteontextfont}{\large\slshape}
6796 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6797 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6798 \renewcommand*{\maketitle}{%
6799   {%
6800     \ifthenelse{\isundefined{\@photo}}{%
6801       {}%
6802     }{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}%
6803     \hfill%
6804     \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
6805     {\color{firstnamecolor}\rule{\textwidth}{.25ex}}\[2.5em]}%
6806   \ifthenelse{\isundefined{\@quote}}{%
6807     {}%
6808     {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\[2.
6809   }%
6810 \newif\if@firstfooterelement\@firstfooterelementtrue
6811 \providecommand*{\footersymbol}{%
6812 \renewcommand*{\footersymbol}{%
6813 \if@firstfooterelement%
6814 \else%
6815   {~~\color{footersymbolcolor}\textbullet~~}\fi}
6816 \providecommand*{\makefooter}{%
6817 \renewcommand*{\makefooter}{%
6818 \fancypagestyle{plain}{%
6819 \fancyfoot[c]{%
6820 \parbox{0.8\textwidth}{%
6821 \centering%
6822 \addressfont\@addresscolour%
6823 \ifthenelse{\isundefined{\@address}}{}{%
6824 \addresssymbol~\@address\\%
6825 \@firstfooterelementfalse}%
6826 \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
6827 \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
6828 \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
6829 \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emailink{\@email}\@firstfooterelementfalse}%
6830 \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
6831 }%

```



```

6832 \pagestyle{plain}}
6833 \AtBeginDocument{\makefooter}

```

7.46 cvthemebidiclassic.sty

```

6834 \NeedsTeXFormat{LaTeX2e}
6835 \ProvidesPackage{cvthemebidiclassic}
6836 \DeclareOption{blue}{\}
6837 \newif\if@colourorange\@colourorangefalse
6838 \DeclareOption{orange}{\@colourorangetrue}
6839 \newif\if@colourgreen\@colourgreenfalse
6840 \DeclareOption{green}{\@colourgreentrue}
6841 \newif\if@colourred\@colourredfalse
6842 \DeclareOption{red}{\@colourredtrue}
6843 \newif\if@colourgrey\@colourgreyfalse
6844 \DeclareOption{grey}{\@colourgreytrue}
6845 \DeclareOption*{
6846   \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
6847 \ExecuteOptions{colour}
6848 \ProcessOptions\relax
6849 \renewcommand*{\listitemsymbol}{\textbullet}
6850 \firstnamecolour{}
6851 \familynamecolour{}
6852 \titlecolour{808080}
6853 \quotecolour{696969}
6854 \addresscolour{696969}
6855 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
6856 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
6857 \sectiontitlecolour{1E90FF}
6858 \subsectioncolour{4682B4}
6859 \if@colourorange
6860   \addresscolour{FF8C00}
6861   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
6862   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
6863   \sectiontitlecolour{FF8C00}
6864   \subsectioncolour{FF8C00}\fi
6865 \if@colourgreen
6866   \addresscolour{008000}
6867   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
6868   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
6869   \sectiontitlecolour{008000}
6870   \subsectioncolour{008000}\fi
6871 \if@colourred
6872   \addresscolour{FF0000}
6873   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
6874   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
6875   \sectiontitlecolour{FF0000}
6876   \subsectioncolour{FF0000}\fi
6877 \if@colourgrey
6878   \addresscolour{808080}

```




```

6879 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
6880 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
6881 \sectiontitlecolour{808080}
6882 \subsectioncolour{808080}\fi
6883 \renewcommand*{\ttdefault}{pcr}
6884 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
6885 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
6886 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
6887 \renewcommand*{\familynamefont}{\firstnamefont}
6888 \renewcommand*{\quoteont}{\large\slshape}
6889 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
6890 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
6891 \newlength{\maketitlenamemaxwidth}
6892 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
6893 \newlength{\maketitlenamewidth}
6894 \setlength{\maketitlenamewidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
6895 \newlength{\maketitlepicturewidth}
6896 \ifnum\maketitlenamemaxwidth<\maketitlenamewidth\setlength{\maketitlenamewidth}{\maketitlepicturewidth}
6897 \newlength{\maketitlepicturewidth}
6898 \setlength{\maketitlepicturewidth}{\@photowidth}
6899 \newlength{\maketitledetailwidth}
6900 \renewcommand*{\recomputethemelengths}{%
6901 \setlength{\maketitledetailwidth}{\textwidth}%
6902 \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
6903 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
6904 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}%
6905 \recomputethemelengths}
6906 \newif\if@firstdetailselement\@firstdetailselementtrue
6907 \newcommand*{\maketitledetailsnewline}{%
6908 \if@firstdetailselement%
6909 \@firstdetailselementfalse%
6910 \else%
6911 \[.2em]\fi}
6912 \renewcommand*{\maketitle}{%
6913 % name and title
6914 \begin{minipage}[b]{\maketitlenamewidth}%
6915 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
6916 \ifthenelse{\equal{\@title}{}}{\[1.25em]\titlestyle{\@title}}%
6917 \end{minipage}%
6918 % optional data
6919 \begin{minipage}[b]{\maketitledetailwidth}%
6920 \bidi@raggedleft\addressfont\@addresscolour%
6921 \ifthenelse{\isundefined{\@address}}{\[1.25em]\titlestyle{\@title}}%
6922 \maketitledetailsnewline%
6923 \addresssymbol~\@address}%
6924 \ifthenelse{\isundefined{\@mobile}}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
6925 \ifthenelse{\isundefined{\@phone}}{\maketitledetailsnewline\phonesymbol~\@phone}%
6926 \ifthenelse{\isundefined{\@fax}}{\maketitledetailsnewline\faxsymbol~\@fax}%
6927 \ifthenelse{\isundefined{\@email}}{\maketitledetailsnewline\emailsymbol~\@email}%
6928 \ifthenelse{\isundefined{\@extrainfo}}{\maketitledetailsnewline\@extrainfo}%

```



```

6929 \end{minipage}%
6930 % optional photo
6931 \ifthenelse{\isundefined{\@photo}}%
6932 {}%
6933 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\mak
6934 % optional quote
6935 \ifthenelse{\isundefined{\@quote}}%
6936 {}%
6937 {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\[2.
6938 }

```

7.47 dblfnote-xetex-bidi.def

```

6939 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package for
6940 \let\autofootnoterule\relax
6941 \let\rightfootnoterule\relax
6942 \let\leftfootnoterule\relax
6943 \let\textwidthfootnoterule\relax
6944 \let\LRfootnoterule\relax
6945 \def\footnoterule{\kern-3\p@
6946 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
6947 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
6948 \let\@footnotetext\dfn@footnotetext}
6949 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
6950 \let\insert\dfn@gobble
6951 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6952 \def\@makefnmark{\smash{\dfn@makefnmark}}
6953 \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6954 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
6955 \ifdim\dfn@dima>\z@else
6956 \dfn@dima\sp\relax
6957 \setbox\dfn@boxa\vbox{\vbox to\sp{\unvbox\dfn@boxa\vfil}}\fi
6958 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6959 \ifvoid\dfn@ins\else
6960 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6961 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6962 \setbox\dfn@boxa\copy\dfn@ins
6963 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6964 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6965 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6966 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}}%
6967 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
6968 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
6969 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
6970 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
6971 \let\insert\dfn@gobble
6972 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
6973 \def\@makefnmark{\smash{\dfn@makefnmark}}
6974 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
6975 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa

```



```

6976 \ifdim\dfn@dima>\z@\else
6977 \dfn@dimalsp\relax
6978 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
6979 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
6980 \ifvoid\dfn@ins\else
6981 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
6982 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
6983 \setbox\dfn@boxa\copy\dfn@ins
6984 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
6985 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
6986 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
6987 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
6988 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}%
6989 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
6990 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
6991 \def\dfn@RTLmakecol{\ifvoid\footins\else
6992 \dfn@dima\ht\footins
6993 \@tempcnta\z@ \dfn@countins
6994 \@tempdima\z@ \let\@elt\dfn@elt@getht
6995 \dfn@list\@nil
6996 \ifdim\@tempdima=\z@\else
6997 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
6998 \global\setbox\dfn@ins\box\dfn@ins
6999 \@tempswatrue
7000 \ifdfn@trysingle
7001 \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7002 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7003 \advance\@tempdima-\skip\footins
7004 \advance\@tempdima-\ht\dfn@boxa
7005 \ifdim\@tempdima<\z@\else \@tempswafalse
7006 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7007 \footnoterule \unvbox\dfn@boxa}\fi\fi
7008 \if@tempswa
7009 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7010 \global\setbox\footins\vbox{\hbox{%
7011 \hskip \DFNcolumnwidth
7012 \hskip\DFNcolumnsep
7013 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7014 \unvbox\dfn@boxb\vss}\hss}
7015 \hskip -\textwidth
7016 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7017 \vbox to\@tempdima{
7018 \setbox\@tempboxa\vbox{\footnoterule}
7019 \ifdfn@ruleboth \unvbox\@tempboxa
7020 \else \@tempdima\ht\@tempboxa
7021 \advance\@tempdima\dp\@tempboxa
7022 \vskip\@tempdima
7023 \prevdepth\dp\@tempboxa \fi
7024 \unvbox\dfn@boxa\vss}\fi\hss}
7025 \hskip \DFNcolumnsep

```



```

7026                                \hskip \DFNcolumnwidth}}\fi\fi
7027    \global\dfn@fnht\z@
7028    \ifx\dfn@list\@empty\else
7029        \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7030        \dfn@list \global\advance\dfn@fnht\dfn@dimb
7031        \let\@elt\relax
7032        \ifdim\dfn@dimb>\z@
7033            \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7034            \insert\footins{\floatingpenalty\@MM
7035                \vbox to\dfn@dimb{}}\fi
7036        \ifdim\dfn@fnht>\@tempdima
7037            \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7038            \global\dfn@fnht\@tempdima
7039            \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7040            \xdef\dfn@afteroutput{\insert\footins{
7041                \floatingpenalty\@MM
7042                \vbox to\number\@tempdimb sp{}}}%
7043            \global\let\noexpand\dfn@afteroutput\relax}%
7044        \fi\fi
7045    \fi}%
7046    \let\footnoterule\relax \dfn@latex@makecol
7047    \let\footnoterule\dfn@footnoterule}
7048 \def\dfn@LTRmakecol{\ifvoid\footins\else
7049     \dfn@dima\ht\footins
7050     \@tempcnta\z@ \dfn@countins
7051     \@tempdima\z@ \let\@elt\dfn@elt@getht
7052     \dfn@list\@nil
7053     \ifdim\@tempdima=\z@\else
7054         \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
7055         \global\setbox\dfn@ins\box\dfn@ins
7056         \@tempswatrue
7057     \ifdfn@trysingle
7058         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
7059         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
7060         \advance\@tempdima-\skip\footins
7061         \advance\@tempdima-\ht\dfn@boxa
7062         \ifdim\@tempdima<\z@\else \@tempswafalse
7063             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
7064                 \footnoterule \unvbox\dfn@boxa}\fi\fi
7065     \if@tempswa
7066         \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7067         \global\setbox\footins\vbox{\hbox{%
7068             \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
7069                 \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
7070             \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
7071                 \vbox to\@tempdima{
7072                     \setbox\@tempboxa\vbox{\footnoterule}
7073                     \ifdfn@ruleboth \unvbox\@tempboxa
7074                     \else \@tempdima\ht\@tempboxa
7075                     \advance\@tempdima\dp\@tempboxa

```



```

7076 \vskip\@tempdima
7077 \prevdepth\dp\@tempboxa \fi
7078 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
7079 \global\dfn@fnht\z@
7080 \ifx\dfn@list\@empty\else
7081 \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
7082 \dfn@list \global\advance\dfn@fnht\dfn@dimb
7083 \let\@elt\relax
7084 \ifdim\dfn@dimb>\z@
7085 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
7086 \insert\footins{\floatingpenalty\@MM
7087 \vbox to\dfn@dimb{}}\fi
7088 \ifdim\dfn@fnht>\@tempdima
7089 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
7090 \global\dfn@fnht\@tempdima
7091 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
7092 \xdef\dfn@afteroutput{\insert\footins{
7093 \floatingpenalty\@MM
7094 \vbox to\number\@tempdimb sp{}}}%
7095 \global\let\noexpand\dfn@afteroutput\relax}%
7096 \fi\fi
7097 \fi}%
7098 \let\footnoterule\relax \dfn@latex@makecol
7099 \let\footnoterule\dfn@footnoterule}
7100 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
7101 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
7102 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
7103 \DFNalwaysdouble

```

7.48 draftwatermark-xetex-bidi.def

```

7104 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermar
7105 \renewcommand\SetWatermarkText[1]{%
7106 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

7.49 eso-pic-xetex-bidi.def

```

7107 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for X
7108 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
7109 \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}
7110
7111 \ESO@isMEMOIR{%
7112 \renewcommand\AtTextUpperLeft[1]{%
7113 \begingroup
7114 \ifodd\c@page
7115 \@tempdima=\spinemargin
7116 \else
7117 \@tempdima=\paperwidth
7118 \advance\@tempdima-\textwidth
7119 \advance\@tempdima-\spinemargin
7120 \fi

```



```

7121 \@tempdimb=-\uppermargin
7122 \AtPageUpperLeft{%
7123 \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
7124 }%
7125 \endgroup
7126 }
7127 }{%
7128 \renewcommand\AtTextUpperLeft[1]{%
7129 \begingroup
7130 \@tempdima=1in\relax
7131 \ifodd\c@page
7132 \advance\@tempdima\oddsidemargin
7133 \else
7134 \advance\@tempdima\evensidemargin
7135 \fi
7136 \@tempdimb=-1in\relax
7137 \advance\@tempdimb-\topmargin
7138 \advance\@tempdimb-\headheight
7139 \advance\@tempdimb-\headsep
7140 \AtPageUpperLeft{%
7141 \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
7142 }%
7143 \endgroup
7144 }
7145 }

```

7.50 empheq-xetex-bidi.def

```

7146 \ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for XeT
7147 \MHInternalSyntaxOn
7148 \def\EQ_tag_plus_endmark:{%
7149 \iftagsleft@
7150 \gdef\maketag@@@#1{%
7151 \hfuzz\displaywidth
7152 \if@RTL\makebox[\widthof{#1}][r]{%
7153 \hbox to \displaywidth{\m@th\normalfont#1\hss
7154 \raisebox{-\dp\EQ_mathdisplay_box
7155 -\depthof\EQ_outerbox:}}{}}
7156 {\PotEndMark{\hss}}}}
7157 \else\makebox[\widthof{#1}][l]{%
7158 \hbox to \displaywidth{\m@th\normalfont#1\hss
7159 \raisebox{-\dp\EQ_mathdisplay_box
7160 -\depthof\EQ_outerbox:}}{}}
7161 {\PotEndMark{\hss}}}\fi}%
7162 \else:
7163 \gdef\maketag@@@#1{%
7164 \hbox{\m@th\normalfont#1\llap{\hss\PotEndMark{%
7165 \settoheight{\@tempdima}{\@nameuse{InTheoType Symbol}}}%
7166 \MH_addtolength:dn \@tempdima
7167 {g_EQ_bottomtag_depth_dim+\mintagvsep}

```



```

7168 \setlength{\@tempdimb}
7169 { \g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox: {}}
7170 +\depthof{\EQ_innerbox: {}}}
7171 \if_dim:w \@tempdima>\@tempdimb
7172 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
7173 -\@tempdima+\g_EQ_bottomrow_depth_dim}
7174 \addtolength{\@tempdima}{\depthof{\EQ_innerbox: {}}}
7175 \def\EQ_next:{\raisebox{\@tempdima}}%
7176 \else:
7177 \def\EQ_next:{
7178 \raisebox{-\dp\EQ_mathdisplay_box
7179 -\depthof{\EQ_outerbox: {}}}%
7180 \fi:\EQ_next:}}}%
7181 \fi:}
7182 \def\EQ_post_process:{%
7183 \EQ_initialize:
7184 \EQ_begin_equation:
7185 \MH_if_boolean:nT {outer_mult}{
7186 \setkeys{\MT_options_name:}{
7187 firstline-afterskip=0pt,
7188 lastline-preskip=0pt,
7189 multlined-width=0pt,
7190 }
7191 \ifodd \l_EQ_alignmentmode_int
7192 \setkeys{\MT_options_name:}{multlined-pos=b}
7193 \else:
7194 \setkeys{\MT_options_name:}{multlined-pos=t}
7195 \fi:
7196 \g@addto@macro\EQ_complete_mathdisplay:{
7197 \begin{MTmultlined}\relax}
7198 }
7199 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
7200 \MH_if_boolean:nT {outer_mult}{
7201 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
7202 }
7203 \EQ_end_equation:
7204 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
7205 \savecounters@
7206 \EQ_typeset_tags:
7207 \edef\l_EQ_equation_fint{\number\c@equation}
7208 \restorecounters@
7209 \Hy@linkcounter=\EQ_hyperref_link_fint
7210 \settowidth\l_EQ_totalwidth_dim{%
7211 $\EQ_left_side:\EQ_innerbox: {\}\EQ_right_side:$}%
7212 \MH_if_boolean:nTF {outer_mult}
7213 { \def\EQ_next:{_mult} }
7214 { \def\EQ_next:{} }
7215 \@nameuse{EQ_modify_linewidth_
7216 \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
7217 \EQ_typeset_display:

```



```

7218 \@nameuse{find_displaywidth_
7219 \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7220 \MH_addtolength:dn
7221 \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
7222 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
7223 $EQ_left_side:
7224 \EQ_innerbox:{%
7225 \if_case:w \l_EQ_alignmentmode_int\or:
7226 \makebox[\l_EQ_displaywidth_dim][c]
7227 {\usebox{\EQ_mathdisplay_box}}%
7228 \or:
7229 \makebox[\l_EQ_displaywidth_dim][c]
7230 {\usebox{\EQ_mathdisplay_box}}%
7231 \or:
7232 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7233 \if_num:w \l_EQ_equationtype_int=5 \else:
7234 \if_num:w \l_EQ_equationtype_int=6 \else:
7235 \kern-\@mathmargin
7236 \fi:
7237 \fi:
7238 \usebox{\EQ_mathdisplay_box}}%
7239 \else\makebox[\l_EQ_displaywidth_dim][l]{%
7240 \if_num:w \l_EQ_equationtype_int=5 \else:
7241 \if_num:w \l_EQ_equationtype_int=6 \else:
7242 \kern-\@mathmargin
7243 \fi:
7244 \fi:
7245 \usebox{\EQ_mathdisplay_box}}\fi%
7246 \or:
7247 \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
7248 \if_num:w \l_EQ_equationtype_int=5 \else:
7249 \if_num:w \l_EQ_equationtype_int=6 \else:
7250 \kern-\@mathmargin
7251 \fi:
7252 \fi:
7253 \usebox{\EQ_mathdisplay_box}}
7254 \else\makebox[\l_EQ_displaywidth_dim][l]{%
7255 \if_num:w \l_EQ_equationtype_int=5 \else:
7256 \if_num:w \l_EQ_equationtype_int=6 \else:
7257 \kern-\@mathmargin
7258 \fi:
7259 \fi:
7260 \usebox{\EQ_mathdisplay_box}}\fi%
7261 \fi:}%
7262 \EQ_right_side:$}%
7263 \begin{AmSequation*}
7264 \@nameuse{EQ_place_display_
7265 \romannumeral\l_EQ_equationtype_int\EQ_next: :}
7266 \if_dim:w \g_EQ_widesttag_dim>\z@
7267 \MH_set_boolean_T:n {show_manual_tags}

```




```

7268 \if_case:w \l_EQ_alignmentmode_int
7269 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
7270 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
7271 \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
7272 \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
7273 \fi:
7274 \fi:
7275 \end{AmSequation*}
7276 \global\c@equation=\l_EQ_equation_fint\relax
7277 }
7278 \AtBeginDocument{%
7279 \ifpackageloaded{fancybox}{%
7280 \ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
7281 {\renewcommand*{\textcolor[2]{\normalcolor{#2}}}%
7282 \renewcommand*{\shadowbox{%
7283 \ifstar{\MH_set_boolean_T:n {shadowbox_star}
7284 \VerbBox\EQ_shadowbox:n}
7285 {\MH_set_boolean_F:n {shadowbox_star}
7286 \VerbBox\EQ_shadowbox:n}}
7287 \def\EQ_shadowbox:n #1{%
7288 \sbox{\z@}{\fbox{#1}}%
7289 \MH_if_boolean:nTF {shadowbox_star}{
7290 \MH_setlength:dn \@tempdima{\z@}%
7291 }{
7292 \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
7293 }
7294 \raisebox{\@tempdima}{%
7295 \if@RTL\makebox[\z@][r]{%
7296 \kern\shadowsize \textcolor{shadowcolor}{%
7297 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
7298 }%
7299 \else\makebox[\z@][l]{%
7300 \kern\shadowsize \textcolor{shadowcolor}{%
7301 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
7302 }\fi%
7303 \usebox\z@\textcolor{shadowcolor}{%
7304 \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
7305 }{}%
7306 }
7307 \MHInternalSyntaxOff

```

7.51 extarticle-xetex-bidi.def

```

7308 \ProvidesFile{extarticle-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for extarticle class]
7309 \renewcommand*{\l@section[2]{%
7310 \ifnum \c@tocdepth >\z@
7311 \addpenalty\@secpenalty
7312 \addvspace{1.0em \@plus\p@}%
7313 \setlength\@tempdima{1.5em}%
7314 \begingroup

```



```

7315     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7316     \parfillskip -\@pnumwidth
7317     \leavevmode \bfseries
7318     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
7319     \hskip -\if@RTL\rightskip\else\leftskip\fi
7320     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
7321 \endgroup
7322 \fi}
7323 \renewcommand*\l@part[2]{%
7324 \ifnum \c@tocdepth >-2\relax
7325     \addpenalty\@secpenalty
7326     \addvspace{2.25em \@plus\p@}%
7327     \begingroup
7328     \setlength\@tempdima{3em}%
7329     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7330     \parfillskip -\@pnumwidth
7331     {\leavevmode
7332     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
7333     \nobreak
7334 \endgroup
7335 \fi}
7336 \def\@part[#1]#2{%
7337     \ifnum \c@secnumdepth >\m@ne
7338         \refstepcounter{part}%
7339         \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
7340     \else
7341         \addcontentsline{toc}{part}{#1}%
7342     \fi
7343     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7344     \interlinepenalty \@M
7345     \normalfont
7346     \ifnum \c@secnumdepth >\m@ne
7347         \Large\bfseries \partname~\thepart
7348     \par\nobreak
7349     \fi
7350     \huge \bfseries #2%
7351     \markboth{}{}\par}%
7352 \nobreak
7353 \vskip 3ex
7354 \@afterheading}
7355 \def\@spart#1{%
7356     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7357     \interlinepenalty \@M
7358     \normalfont
7359     \huge \bfseries #1\par}%
7360 \nobreak
7361 \vskip 3ex
7362 \@afterheading}
7363 \renewenvironment{thebibliography}[1]
7364     {\section*{\refname

```



```

7365         \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
7366         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
7367         \list{\@biblabel{\@arabic\c@enumiv}}%
7368         {\settowidth\labelwidth{\@biblabel{#1}}%
7369         \leftmargin\labelwidth
7370         \advance\leftmargin\labelsep
7371         \@openbib@code
7372         \usecounter{enumiv}%
7373         \let\p@enumiv\@empty
7374         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
7375         \sloppy\clubpenalty4000\widowpenalty4000%
7376         \sfcode`. \@m}
7377     {\def\@noitemerr
7378     {\@latex@warning{Empty `thebibliography' environment}}}%
7379     \endlist}
7380 \renewcommand\left@footnoterule{%
7381 \kern-3\p@
7382 \hrule\@width.4\columnwidth
7383 \kern2.6\p@}
7384 \renewcommand\right@footnoterule{%
7385 \hbox to \columnwidth
7386 {\beginR \vbox{%
7387 \kern-3\p@
7388 \hrule\@width.4\columnwidth
7389 \kern2.6\p@}\hfil\endR}}
7390 \if@titlepage
7391 \renewcommand\maketitle{\begin{titlepage}%
7392 \let\footnotesize\small
7393 \let\right@footnoterule\relax
7394 \let\left@footnoterule\relax
7395 \let\textwidth\footnoterule\relax
7396 \let \footnote \thanks
7397 \null\vfil
7398 \vskip 60\p@
7399 \begin{center}%
7400 {\LARGE \@title \par}%
7401 \vskip 3em%
7402 {\large
7403 \lineskip .75em%
7404 \begin{tabular}[t]{c}%
7405 \@author
7406 \end{tabular}\par}%
7407 \vskip 1.5em%
7408 {\large \@date \par}%           % Set date in \large size.
7409 \end{center}\par
7410 \@thanks
7411 \vfil\null
7412 \end{titlepage}%
7413 \setcounter{footnote}{0}%
7414 \global\let\thanks\relax

```



```

7415 \global\let\maketitle\relax
7416 \global\let\@thanks\@empty
7417 \global\let\@author\@empty
7418 \global\let\@date\@empty
7419 \global\let\@title\@empty
7420 \global\let\title\relax
7421 \global\let\author\relax
7422 \global\let\date\relax
7423 \global\let\and\relax
7424 }
7425 \else
7426 \renewcommand\maketitle{\par
7427 \begin{group}
7428 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7429 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7430 \long\def\@makefnmark##1{\parindent 1em\noindent
7431 \hspace{1.8em}%
7432 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
7433 \if@twocolumn
7434 \ifnum \col@number=\@ne
7435 \@maketitle
7436 \else
7437 \twocolumn[\@maketitle]%
7438 \fi
7439 \else
7440 \newpage
7441 \global\@topnum\z@ % Prevents figures from going at top of page.
7442 \@maketitle
7443 \fi
7444 \thispagestyle{plain}\@thanks
7445 \endgroup
7446 \setcounter{footnote}{0}%
7447 \global\let\thanks\relax
7448 \global\let\maketitle\relax
7449 \global\let\@maketitle\relax
7450 \global\let\@thanks\@empty
7451 \global\let\@author\@empty
7452 \global\let\@date\@empty
7453 \global\let\@title\@empty
7454 \global\let\title\relax
7455 \global\let\author\relax
7456 \global\let\date\relax
7457 \global\let\and\relax
7458 }
7459 \def\@maketitle{%
7460 \newpage
7461 \null
7462 \vskip 2em%
7463 \begin{center}%
7464 \let \footnote \thanks

```



```

7465 {\LARGE \@title \par}%
7466 \vskip 1.5em%
7467 {\large
7468 \lineskip .5em%
7469 \begin{tabular}[t]{c}%
7470 \@author
7471 \end{tabular}\par}%
7472 \vskip 1em%
7473 {\large \@date}%
7474 \end{center}%
7475 \par
7476 \vskip 1.5em}
7477 \fi
7478 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
7479 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
7480 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7481 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

7.52 extbook-xetex-bidi.def

```

7482 \ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for XeT
7483 \if@titlepage
7484 \renewcommand\maketitle{\begin{titlepage}%
7485 \let\footnotesize\small
7486 \let\right@footnoterule\relax
7487 \let\left@footnoterule\relax
7488 \let\textwidth\footnoterule\relax
7489 \let \footnote \thanks
7490 \let \LTRfootnote \LTRthanks
7491 \let \RTLfootnote \RTLthanks
7492 \null\vfil
7493 \vskip 60\p@
7494 \begin{center}%
7495 {\LARGE \@title \par}%
7496 \vskip 3em%
7497 {\large
7498 \lineskip .75em%
7499 \begin{tabular}[t]{c}%
7500 \@author
7501 \end{tabular}\par}%
7502 \vskip 1.5em%
7503 {\large \@date \par}% % Set date in \large size.
7504 \end{center}\par
7505 \@thanks
7506 \vfil\null
7507 \end{titlepage}%
7508 \setcounter{footnote}{0}%
7509 \global\let\thanks\relax
7510 \global\let\LTRthanks\relax
7511 \global\let\RTLthanks\relax

```



```

7512 \global\let\maketitle\relax
7513 \global\let\@thanks\@empty
7514 \global\let\@author\@empty
7515 \global\let\@date\@empty
7516 \global\let\@title\@empty
7517 \global\let\title\relax
7518 \global\let\author\relax
7519 \global\let\date\relax
7520 \global\let\and\relax
7521 }
7522 \else
7523 \renewcommand\maketitle{\par
7524 \begingroup
7525 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
7526 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
7527 \long\def\@makefntext##1{\parindent 1em\noindent
7528 \hb@xt@1.8em{\%
7529 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
7530 \if@twocolumn
7531 \ifnum \col@number=\@ne
7532 \@maketitle
7533 \else
7534 \twocolumn[\@maketitle]%
7535 \fi
7536 \else
7537 \newpage
7538 \global\@topnum\z@ % Prevents figures from going at top of page.
7539 \@maketitle
7540 \fi
7541 \thispagestyle{plain}\@thanks
7542 \endgroup
7543 \setcounter{footnote}{0}%
7544 \global\let\thanks\relax
7545 \global\let\LTRthanks\relax
7546 \global\let\RTLthanks\relax
7547 \global\let\maketitle\relax
7548 \global\let\@maketitle\relax
7549 \global\let\@thanks\@empty
7550 \global\let\@author\@empty
7551 \global\let\@date\@empty
7552 \global\let\@title\@empty
7553 \global\let\title\relax
7554 \global\let\author\relax
7555 \global\let\date\relax
7556 \global\let\and\relax
7557 }
7558 \def\@maketitle{%
7559 \newpage
7560 \null
7561 \vskip 2em%

```



```

7562 \begin{center}%
7563 \let \footnote \thanks
7564 \let \LTRfootnote \LTRthanks
7565 \let \RTLfootnote \RTLthanks
7566 {\LARGE \@title \par}%
7567 \vskip 1.5em%
7568 {\large
7569 \lineskip .5em%
7570 \begin{tabular}[t]{c}%
7571 \@author
7572 \end{tabular}\par}%
7573 \vskip 1em%
7574 {\large \@date}%
7575 \end{center}%
7576 \par
7577 \vskip 1.5em}
7578 \fi
7579 \renewcommand*\l@part[2]{%
7580 \ifnum \c@tocdepth >-2\relax
7581 \addpenalty{-\@highpenalty}%
7582 \addvspace{2.25em \@plus\p@}%
7583 \begingroup
7584 \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth
7585 \parfillskip -\@pnumwidth
7586 {\leavevmode
7587 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
7588 \nobreak
7589 \global\@nobreaktrue
7590 \everypar{\global\@nobreakfalse\everypar{}}%
7591 \endgroup
7592 \fi}
7593 \renewcommand\theequation
7594 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
7595 \renewcommand \thefigure
7596 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
7597 \renewcommand \thetable
7598 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
7599 \renewcommand \thechapter {\@arabic\c@chapter}
7600 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
7601 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
7602 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
7603 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
7604 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
7605 \def\@makechapterhead#1{%
7606 \vspace*{50\p@}%
7607 {\parindent \z@ \ifRTL\raggedleft\else\raggedright\fi \normalfont
7608 \ifnum \c@secnumdepth >\m@ne
7609 \if@mainmatter
7610 \huge\bfseries \@chapapp\space \thechapter
7611 \par\nobreak

```



```

7612         \vskip 20\p@
7613         \fi
7614     \fi
7615     \interlinepenalty\@M
7616     \Huge \bfseries #1\par\nobreak
7617     \vskip 40\p@
7618 }}
7619
7620 \def\@makeschapterhead#1{%
7621     \vspace*{50\p@}%
7622     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
7623     \normalfont
7624     \interlinepenalty\@M
7625     \Huge \bfseries #1\par\nobreak
7626     \vskip 40\p@
7627 }}
7628 \renewcommand\backmatter{%
7629     \if@openright
7630         \cleardoublepage
7631     \else
7632         \clearpage
7633     \fi
7634     \@mainmatterfalse}
7635 \renewenvironment{thebibliography}[1]
7636     {\chapter*{\bibname
7637         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
7638     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
7639     \list{\@biblabel{\@arabic\c@enumiv}}%
7640         {\settowidth\labelwidth{\@biblabel{#1}}%
7641         \leftmargin\labelwidth
7642         \advance\leftmargin\labelsep
7643         \@openbib@code
7644         \usecounter{enumiv}%
7645         \let\p@enumiv\@empty
7646         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
7647     \sloppy
7648     \clubpenalty4000
7649     \@clubpenalty \clubpenalty
7650     \widowpenalty4000%
7651     \sfcode`.\@m}
7652     {\def\@noitemerr
7653         {\@latex@warning{Empty `thebibliography' environment}}%
7654     \endlist}

```

7.53 extletter-xetex-bidi.def

```

7655 \ProvidesFile{extletter-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extletter class for
7656 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
7657     \thispagestyle{firstpage}%
7658     {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%

```




```

7659 \else % home address
7660 \thispagestyle{empty}%
7661 {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces
7662 \fromaddress \*[2\parskip]%
7663 \@date \end{tabular}\par}%
7664 \fi
7665 \vspace{2\parskip}%
7666 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
7667 \vspace{2\parskip}%
7668 #1\par\nobreak}
7669 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
7670 \stopbreaks
7671 \noindent
7672 \ifx\@empty\fromaddress\else
7673 \hspace*{\longindentation}\fi
7674 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
7675 \ignorespaces #1\[[6\medskipamount]%
7676 \ifx\@empty\fromsig
7677 \fromname
7678 \else \fromsig \fi\strut}%
7679 \par}
7680 \renewcommand\left@footnoterule{%
7681 \kern-\p@
7682 \hrule \@width .4\columnwidth
7683 \kern .6\p@}
7684 \renewcommand\right@footnoterule{%
7685 \hbox to \columnwidth
7686 {\beginR \vbox{%
7687 \kern-\p@
7688 \hrule \@width .4\columnwidth
7689 \kern .6\p@}\hfil\endR}}

```

7.54 extrafootnotefeatures-xetex-bidi.def

```

7690 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2012/12/12 v0.4 bidi extra footnote feature
7691 \let\autofootnoterule\relax
7692 \let\rightfootnoterule\relax
7693 \let\leftfootnoterule\relax
7694 \let\textwidthfootnoterule\relax
7695 \let\LRfootnoterule\relax
7696 \def\footnoterule{\kern-3\p@
7697 \hrule \@width \columnwidth \kern 2.6\p@}
7698 \bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
7699 \bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
7700 \renewcommand{\@footnotetext}[1]{%
7701 \insert\footins{%
7702 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7703 \def\baselinestretch{\m@m@footnote@spacing}%
7704 \reset@font
7705 \foottextfont

```



```

7706 \preamfntext
7707 \hsize\columnwidth
7708 \protected@edef\@currentlabel{%
7709 \csname p@footnote\endcsname\@thefnmark}%
7710 \color@begingroup
7711 \makefntext{%
7712 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
7713 \@finalstrut\strutbox}%
7714 \color@endgroup}%
7715 \m@mmf@prepare}
7716 \renewcommand{\@RTLfootnotetext}[1]{%
7717 \insert\footins{%
7718 \@RTLtrue%
7719 \def\baselinestretch{\m@m@footnote@spacing}%
7720 \reset@font
7721 \RTLfoottextfont
7722 \preamfntext
7723 \hsize\columnwidth
7724 \protected@edef\@currentlabel{%
7725 \csname p@footnote\endcsname\@thefnmark}%
7726 \color@begingroup
7727 \makefntext{%
7728 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
7729 \@finalstrut\strutbox}%
7730 \color@endgroup}%
7731 \m@mmf@prepare}
7732 \renewcommand{\@LTRfootnotetext}[1]{%
7733 \insert\footins{%
7734 \@RTLfalse%
7735 \def\baselinestretch{\m@m@footnote@spacing}%
7736 \reset@font
7737 \LTRfoottextfont
7738 \preamfntext
7739 \hsize\columnwidth
7740 \protected@edef\@currentlabel{%
7741 \csname p@footnote\endcsname\@thefnmark}%
7742 \color@begingroup
7743 \makefntext{%
7744 \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
7745 \@finalstrut\strutbox}%
7746 \color@endgroup}%
7747 \m@mmf@prepare}
7748 \renewcommand{\@mpfootnotetext}[1]{%
7749 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7750 \unvbox\@mpfootins
7751 \def\baselinestretch{\m@m@footnote@spacing}%
7752 \foottextfont \hsize\columnwidth \@parboxrestore
7753 \protected@edef\@currentlabel{%
7754 \csname p@mpfootnote\endcsname\@thefnmark}%
7755 \color@begingroup

```



```

7756 \reset@font%
7757 \makefnintext{%
7758 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
7759 \@finalstrut\strutbox}%
7760 \color@endgroup}}
7761 \renewcommand{\@mpLTRfootnotetext}[1]{%
7762 \global\setbox\@mpfootins\vbox{\@RTLfalse%
7763 \unvbox\@mpfootins
7764 \def\baselinestretch{\m@m@footnote@spacing}%
7765 \LTRfoottextfont \hsize\columnwidth \@parboxrestore
7766 \protected@edef\@currentlabel{%
7767 \csname p@mpfootnote\endcsname\@thefnmark}%
7768 \color@begingroup
7769 \reset@font%
7770 \makefnintext{%
7771 \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
7772 \@finalstrut\strutbox}%
7773 \color@endgroup}}
7774 \renewcommand{\@mpRTLfootnotetext}[1]{%
7775 \global\setbox\@mpfootins\vbox{\@RTLtrue%
7776 \unvbox\@mpfootins
7777 \def\baselinestretch{\m@m@footnote@spacing}%
7778 \RTLfoottextfont \hsize\columnwidth \@parboxrestore
7779 \protected@edef\@currentlabel{%
7780 \csname p@mpfootnote\endcsname\@thefnmark}%
7781 \color@begingroup
7782 \reset@font%
7783 \makefnintext{%
7784 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
7785 \@finalstrut\strutbox}%
7786 \color@endgroup}}
7787 \let\m@mold@footnotetext\@footnotetext
7788 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
7789 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
7790 \let\m@mold@mpfootnotetext\@mpfootnotetext
7791 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
7792 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
7793 \bidi@ensure@newcommand{\normalfootnotes}{%
7794 \let\@footnotetext\m@mold@footnotetext
7795 \let\@LTRfootnotetext\m@mold@LTRfootnotetext
7796 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
7797 \let\@mpfootnotetext\m@mold@mpfootnotetext
7798 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
7799 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
7800 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
7801 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestruer}
7802 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
7803 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
7804 \def\m@m@singlespace{#1}%
7805 \def\m@m@footnote@spacing{#1}%

```



```

7806 \def\m@m@float@spacing{#1} %
7807 }
7808 \setSingleSpace{1}
7809 \newinsert\sideins
7810 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
7811 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
7812 \kern-\multiplefootnotemarker
7813 \kern\multiplefootnotemarker\relax}
7814 \bidi@ensure@newlength{\footmarkwidth}
7815 \bidi@ensure@newlength{\footmarksep}
7816 \bidi@ensure@newlength{\footparindent}
7817 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
7818 \bidi@ensure@newcommand{\footfootmark}{%
7819 \ifdim\footmarkwidth < \z@
7820 \llap{\hb@xt@ -\footmarkwidth{%
7821 \hss\normalfont\footscript{\@thefnmark}}}%
7822 \hspace*{-\footmarkwidth}}%
7823 \else
7824 \ifdim\footmarkwidth = \z@
7825 {\normalfont\footscript{\@thefnmark}}%
7826 \else
7827 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
7828 \fi
7829 \fi}
7830 \footmarkstyle{\textsuperscript{#1}}
7831 \setlength{\footmarkwidth}{1.8em}
7832 \setlength{\footparindent}{1em}
7833 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
7834 \bidi@ensure@newcommand*{\extrafeetins}{%
7835 \setbox\@outputbox \vbox{%
7836 \boxmaxdepth \@maxdepth
7837 \unvbox\@outputbox
7838 \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
7839 \extrafeetinshook}}
7840 \bidi@ensure@newcommand{\extrafeetinshook}{\}
7841 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
7842 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
7843 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
7844 \bidi@ensure@newlength{\footinsdim}
7845 \setlength{\footinsdim}{8in} % standard for \dimen\footins
7846 \bidi@ensure@newcommand{\@preamftext}{%
7847 \interlinepenalty\interfootnotelinepenalty
7848 \floatingpenalty \@MM
7849 \splittopskip=\footnotesep
7850 \splitmaxdepth=\dp\strutbox
7851 \@parboxrestore}
7852 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
7853 \extrafeetminihook}
7854 \bidi@ensure@newcommand{\extrafeetendmini}{%
7855 \ifvoid\@mpfootinsv@r\else

```



```

7856 \vskip\skip\@mpfootins
7857 \normalcolor\footnoterule\mp@footgroupv@r
7858 \fi
7859 \extrafeetendminihook}
7860 \bidi@ensure@newcommand{\extrafeetendminihook}{}
7861 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
7862 \def\endminipage{%
7863 \par
7864 \unskip
7865 \ifvoid\@mpfootins\else
7866 \vskip\skip\@mpfootins
7867 \normalcolor
7868 \footnoterule
7869 \unvbox\@mpfootins
7870 \fi
7871 \m@mdoextrafeetendmini
7872 \@minipagefalse
7873 \color@endgroup
7874 \egroup
7875 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
7876 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
7877 \namedef{@footstart#1}{%
7878 \vskip\bigskipamount
7879 \leftskip=\z@
7880 \rightskip=\z@
7881 \footnoterule}}
7882 \newinsert\footinsv@r
7883 \skip\footinsv@r\bigskipamount
7884 \count\footinsv@r=1000 % no magnification
7885 \dimen\footinsv@r=\footinsdim
7886 \m@make@footstart{v@r}
7887 \bidi@ensure@newcommand{\@footgroupv@r}{}
7888 \newinsert\@mpfootinsv@r
7889 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
7890 \newcount\m@m@k \newdimen\m@m@h
7891 \ifpackageloaded{multicol}{%
7892 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7893 \hsize\textwidth
7894 \@@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7895 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7896 }{%
7897 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
7898 \@@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
7899 \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
7900 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
7901 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
7902 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
7903 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
7904 \setbox2 \vsplit0 to \dimen0
7905 \unvbox2 }

```



```

7906 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
7907   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
7908   \let\@footnotetext\@twocolfootnotetext
7909   \let\@LTRfootnotetext\@twocolLTRfootnotetext
7910   \let\@RTLfootnotetext\@twocolRTLfootnotetext
7911   \dimen\footinsv@r=2\footinsdim
7912   \count\footinsv@r=500\relax
7913   \m@make@twocol@footgroup{v@r}%
7914   \let\@footgroupv@r\@twocol@footgroupv@r
7915   \let\@mpfootnotetext\@mptwocolfootnotetext
7916   \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
7917   \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
7918   \m@make@mptwocol@footgroup{v@r}%
7919   \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
7920 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
7921   \def\baselinestretch{\m@m@footnote@spacing}%
7922   \reset@font\foottextfont
7923   \@preamfntext
7924   \protected@edef\@currentlabel{%
7925     \csname p@footnote\endcsname\@thefnmark}%
7926   \color@begingroup
7927     \@twocolfootfmt{#1}%
7928   \color@endgroup}%
7929   \m@mmf@prepare}
7930 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
7931   \def\baselinestretch{\m@m@footnote@spacing}%
7932   \reset@font\LTRfoottextfont
7933   \@preamfntext
7934   \protected@edef\@currentlabel{%
7935     \csname p@footnote\endcsname\@thefnmark}%
7936   \color@begingroup
7937     \@twocolLTRfootfmt{#1}%
7938   \color@endgroup}%
7939   \m@mmf@prepare}
7940 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
7941   \def\baselinestretch{\m@m@footnote@spacing}%
7942   \reset@font\RTLfoottextfont
7943   \@preamfntext
7944   \protected@edef\@currentlabel{%
7945     \csname p@footnote\endcsname\@thefnmark}%
7946   \color@begingroup
7947     \@twocolRTLfootfmt{#1}%
7948   \color@endgroup}%
7949   \m@mmf@prepare}
7950 \bidi@ensure@newcommand{\@preamtwofmt}{%
7951   \hsize .45\hsize
7952   \parindent=\z@
7953   \tolerance=5000\relax
7954   \leavevmode}
7955 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%

```



```

7956 \@preamtwofmt
7957 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
7958 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
7959 \@preamtwofmt
7960 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
7961 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
7962 \@preamtwofmt
7963 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
7964 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
7965 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
7966 \unvbox\@mpfootinsv@r
7967 \def\baselinestretch{\m@m@footnote@spacing}%
7968 \reset@font\foottextfont
7969 \hsize\columnwidth \@parboxrestore
7970 \protected@edef\@currentlabel{%
7971 \csname p@mpfootnote\endcsname\@thefnmark}%
7972 \color@begingroup
7973 \@twocolfootfmt{#1}%
7974 \color@endgroup}%
7975 \m@mmf@prepare}
7976 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
7977 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
7978 \unvbox\@mpfootinsv@r
7979 \def\baselinestretch{\m@m@footnote@spacing}%
7980 \reset@font\LTRfoottextfont
7981 \hsize\columnwidth \@parboxrestore
7982 \if@RTLcolumnfootnotes\beginL\fi
7983 \protected@edef\@currentlabel{%
7984 \csname p@mpfootnote\endcsname\@thefnmark}%
7985 \color@begingroup
7986 \@twocolLTRfootfmt{#1}%
7987 \color@endgroup}%
7988 \m@mmf@prepare}
7989 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
7990 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
7991 \unvbox\@mpfootinsv@r
7992 \def\baselinestretch{\m@m@footnote@spacing}%
7993 \reset@font\RTLfoottextfont
7994 \hsize\columnwidth \@parboxrestore
7995 \protected@edef\@currentlabel{%
7996 \csname p@mpfootnote\endcsname\@thefnmark}%
7997 \color@begingroup
7998 \@twocolRTLfootfmt{#1}%
7999 \color@endgroup}%
8000 \m@mmf@prepare}
8001 \bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
8002 \m@make@twocolfootnotetext{#1}%
8003 \m@make@mptwocolfootnotetext{#1}%
8004 \m@make@twocolfootfmt{#1}%
8005 \m@make@twocol@footgroup{#1}%

```



```

8006 \m@make@emptwocol@footgroup{#1}%
8007 \m@make@footstart{#1}%
8008 \bidi@namelongdef{@footnotetext#1}##1{%
8009 \@nameuse{@twocolfootnotetext#1}{##1}}%
8010 \bidi@namelongdef{@mpfootnotetext#1}##1{%
8011 \@nameuse{@emptwocolfootnotetext#1}{##1}}%
8012 \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
8013 \@namedef{@mp@footgroup#1}{\@nameuse{@emptwocol@footgroup#1}}%
8014 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8015 \expandafter\count\csname footins#1\endcsname=500\relax}
8016 \bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
8017 \bidi@namelongdef{@twocolfootnotetext#1}##1{%
8018 \insert\@nameuse{footins#1}{%
8019 \def\baselinestretch{\m@m@footnote@spacing}%
8020 \reset@font\@nameuse{foottextfont#1}%
8021 \@preamfntext
8022 \protected@edef\@currentlabel{%
8023 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8024 \color@begingroup
8025 \@nameuse{@twocolfootfmt#1}{##1}%
8026 \color@endgroup}%
8027 \m@mmf@prepare}}
8028 \bidi@ensure@newcommand{\m@make@emptwocolfootnotetext}[1]{%
8029 \bidi@namelongdef{@emptwocolfootnotetext#1}##1{%
8030 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8031 \unvbox\@nameuse{@mpfootins#1}
8032 \def\baselinestretch{\m@m@footnote@spacing}%
8033 \reset@font\@nameuse{foottextfont#1}%
8034 \hsize\columnwidth \@parboxrestore
8035 \protected@edef\@currentlabel{%
8036 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8037 \color@begingroup
8038 \@nameuse{@twocolfootfmt#1}{##1}%
8039 \color@endgroup}\m@mmf@prepare}}
8040 \bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
8041 \@namedef{@twocolfootfmt#1}##1{%
8042 \preamtwofmt
8043 {\@nameuse{footfootmark#1}\strut
8044 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8045 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
8046 \@namedef{@twocol@footgroup#1}{%
8047 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8048 \m@rmrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
8049 \bidi@ensure@newcommand{\m@make@emptwocol@footgroup}[1]{%
8050 \@namedef{@emptwocol@footgroup#1}{%
8051 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8052 \m@rmrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
8053 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
8054 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8055 \let\@footnotetext\@threecolfootnotetext

```




```

8056 \let\@LTRfootnotetext\@threecolLTRfootnotetext
8057 \let\@RTLfootnotetext\@threecolRTLfootnotetext
8058 \dimen\footinsv@r=3\footinsdim
8059 \count\footinsv@r=333\relax
8060 \m@make@threecol@footgroup{v@r}%
8061 \let\@footgroupv@r\@threecol@footgroupv@r
8062 \let\@mpfootnotetext\@mpthreecolfootnotetext
8063 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
8064 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
8065 \m@make@mpthreecol@footgroup{v@r}%
8066 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
8067 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8068 \def\baselinestretch{\m@m@footnote@spacing}%
8069 \reset@font\foottextfont
8070 \@preamfntext
8071 \protected@edef\@currentlabel{%
8072 \csname p@footnote\endcsname\@thefnmark}%
8073 \color@begingroup
8074 \@threecolfootfmt{#1}%
8075 \color@endgroup}\m@mmf@prepare}
8076 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8077 \def\baselinestretch{\m@m@footnote@spacing}%
8078 \reset@font\LTRfoottextfont
8079 \@preamfntext
8080 \protected@edef\@currentlabel{%
8081 \csname p@footnote\endcsname\@thefnmark}%
8082 \color@begingroup
8083 \@threecolLTRfootfmt{#1}%
8084 \color@endgroup}\m@mmf@prepare}
8085 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8086 \def\baselinestretch{\m@m@footnote@spacing}%
8087 \reset@font\RTLfoottextfont
8088 \@preamfntext
8089 \protected@edef\@currentlabel{%
8090 \csname p@footnote\endcsname\@thefnmark}%
8091 \color@begingroup
8092 \@threecolRTLfootfmt{#1}%
8093 \color@endgroup}\m@mmf@prepare}
8094 \bidi@ensure@newcommand{\@preamthreefmt}{%
8095 \hsize .3\hsize
8096 \parindent=\z@
8097 \tolerance=5000\relax
8098 \leavevmode}
8099 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
8100 \@preamthreefmt
8101 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8102 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
8103 \@preamthreefmt
8104 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8105 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%

```



```

8106 \@preamthreelfmt
8107 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8108 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
8109 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8110 \unvbox\@mpfootinsv@r
8111 \def\baselinestretch{\m@m@footnote@spacing}%
8112 \reset@font\foottextfont
8113 \hsize\columnwidth \@parboxrestore
8114 \protected@edef\@currentlabel{%
8115 \csname p@mpfootnote\endcsname\@thefnmark}%
8116 \color@begingroup
8117 \@threecolfootfmt{#1}%
8118 \color@endgroup}\m@m@mmf@prepare}
8119 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
8120 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8121 \unvbox\@mpfootinsv@r
8122 \def\baselinestretch{\m@m@footnote@spacing}%
8123 \reset@font\LTRfoottextfont
8124 \hsize\columnwidth \@parboxrestore
8125 \if@RTLcolumnfootnotes\beginL\fi
8126 \protected@edef\@currentlabel{%
8127 \csname p@mpfootnote\endcsname\@thefnmark}%
8128 \color@begingroup
8129 \@threecolLTRfootfmt{#1}%
8130 \color@endgroup}\m@m@mmf@prepare}
8131 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
8132 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8133 \unvbox\@mpfootinsv@r
8134 \def\baselinestretch{\m@m@footnote@spacing}%
8135 \reset@font\RTLfoottextfont
8136 \hsize\columnwidth \@parboxrestore
8137 \protected@edef\@currentlabel{%
8138 \csname p@mpfootnote\endcsname\@thefnmark}%
8139 \color@begingroup
8140 \@threecolRTLfootfmt{#1}%
8141 \color@endgroup}\m@m@mmf@prepare}
8142 \bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
8143 \m@make@threecolfootnotetext{#1}%
8144 \m@make@mpthreecolfootnotetext{#1}%
8145 \m@make@threecolfootfmt{#1}%
8146 \m@make@threecol@footgroup{#1}%
8147 \m@make@mpthreecol@footgroup{#1}%
8148 \m@make@footstart{#1}%
8149 \bidi@namelongdef{\@footnotetext#1}##1{%
8150 \nameuse{\@threecolfootnotetext#1}{##1}}%
8151 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8152 \nameuse{\@mpthreecolfootnotetext#1}{##1}}%
8153 \@namedef{\@footgroup#1}{\@nameuse{\@threecol@footgroup#1}}%
8154 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpthreecol@footgroup#1}}%
8155 \expandafter\dimen\csname footins#1\endcsname=3\footinsdim

```



```

8156 \expandafter\count\csname footins#1\endcsname=333\relax}
8157 \bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
8158 \bidi@namelongdef{@threecolfootnotetext#1}##1{%
8159 \insert\@nameuse{footins#1}-{%
8160 \def\baselinestretch{\m@m@footnote@spacing}%
8161 \reset@font\@nameuse{foottextfont#1}%
8162 \@preamfntext
8163 \protected@edef\@currentlabel{%
8164 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8165 \color@begingroup
8166 \@nameuse{@threecolfootfmt#1}##1}%
8167 \color@endgroup}\m@mmf@prepare}}
8168 \bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
8169 \bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
8170 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8171 \unvbox\@nameuse{@mpfootins#1}
8172 \def\baselinestretch{\m@m@footnote@spacing}%
8173 \reset@font\@nameuse{foottextfont#1}%
8174 \hsize\columnwidth \@parboxrestore
8175 \protected@edef\@currentlabel{%
8176 \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
8177 \color@begingroup
8178 \@nameuse{@threecolfootfmt#1}##1}%
8179 \color@endgroup}\m@mmf@prepare}}
8180 \bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
8181 \bidi@namelongdef{@threecolfootfmt#1}##1{%
8182 \@preamthreelfmt
8183 {\@nameuse{footfootmark#1}\strut
8184 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8185 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
8186 \@namedef{@threecol@footgroup#1}{%
8187 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8188 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
8189 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
8190 \@namedef{@mpthreecol@footgroup#1}{%
8191 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8192 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
8193 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
8194 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8195 \let\@footnotetext\@fourcolfootnotetext
8196 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
8197 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
8198 \dimen\footinsv@r=4\footinsdim
8199 \count\footinsv@r=250\relax
8200 \m@make@fourcol@footgroup{v@r}%
8201 \let\@footgroupv@r\@fourcol@footgroupv@r
8202 \let\@mpfootnotetext\@mpfourcolfootnotetext
8203 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
8204 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
8205 \m@make@mpfourcol@footgroup{v@r}%

```



```

8206 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
8207 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8208 \def\baselinestretch{\m@m@footnote@spacing}%
8209 \reset@font\foottextfont
8210 \@preamfntext
8211 \protected@edef\@currentlabel{%
8212 \csname p@footnote\endcsname\@thefnmark}%
8213 \color@begingroup
8214 \@fourcolfootfmt{#1}%
8215 \color@endgroup}%
8216 \m@mmf@prepare}
8217 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
8218 \def\baselinestretch{\m@m@footnote@spacing}%
8219 \reset@font\LTRfoottextfont
8220 \@preamfntext
8221 \protected@edef\@currentlabel{%
8222 \csname p@footnote\endcsname\@thefnmark}%
8223 \color@begingroup
8224 \@fourcolLTRfootfmt{#1}%
8225 \color@endgroup}%
8226 \m@mmf@prepare}
8227 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8228 \def\baselinestretch{\m@m@footnote@spacing}%
8229 \reset@font\RTLfoottextfont
8230 \@preamfntext
8231 \protected@edef\@currentlabel{%
8232 \csname p@footnote\endcsname\@thefnmark}%
8233 \color@begingroup
8234 \@fourcolRTLfootfmt{#1}%
8235 \color@endgroup}%
8236 \m@mmf@prepare}
8237 \bidi@ensure@newcommand{\@preamfourfmt}{%
8238 \hsize .25\hsize
8239 \parindent=\z@
8240 \tolerance=5000\relax
8241 \leavevmode}
8242 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
8243 \@preamfourfmt
8244 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8245 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
8246 \@preamfourfmt
8247 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8248 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
8249 \@preamfourfmt
8250 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8251 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
8252 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8253 \unvbox\@mpfootinsv@r
8254 \def\baselinestretch{\m@m@footnote@spacing}%
8255 \reset@font\foottextfont

```



```

8256 \hsize\columnwidth \@parboxrestore
8257 \protected@edef\@currentlabel{%
8258 \csname p@mpfootnote\endcsname\@thefnmark}%
8259 \color@begingroup
8260 \@fourcolfootfmt{#1}%
8261 \color@endgroup}%
8262 \m@mmf@prepare}
8263 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
8264 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8265 \unvbox\@mpfootinsv@r
8266 \def\baselinestretch{\m@m@footnote@spacing}%
8267 \reset@font\LTRfoottextfont
8268 \hsize\columnwidth \@parboxrestore
8269 \if@RTLcolumnfootnotes\beginL\fi
8270 \protected@edef\@currentlabel{%
8271 \csname p@mpfootnote\endcsname\@thefnmark}%
8272 \color@begingroup
8273 \@fourcolLTRfootfmt{#1}%
8274 \color@endgroup}%
8275 \m@mmf@prepare}
8276 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
8277 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8278 \unvbox\@mpfootinsv@r
8279 \def\baselinestretch{\m@m@footnote@spacing}%
8280 \reset@font\RTLfoottextfont
8281 \hsize\columnwidth \@parboxrestore
8282 \protected@edef\@currentlabel{%
8283 \csname p@mpfootnote\endcsname\@thefnmark}%
8284 \color@begingroup
8285 \@fourcolRTLfootfmt{#1}%
8286 \color@endgroup}%
8287 \m@mmf@prepare}
8288 \bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
8289 \m@make@fourcolfootnotetext{#1}%
8290 \m@make@mpfourcolfootnotetext{#1}%
8291 \m@make@fourcolfootfmt{#1}%
8292 \m@make@fourcol@footgroup{#1}%
8293 \m@make@mpfourcol@footgroup{#1}%
8294 \m@make@footstart{#1}%
8295 \bidi@namelongdef{\@footnotetext#1}##1{%
8296 \@nameuse{\@fourcolfootnotetext#1}{##1}}%
8297 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8298 \@nameuse{\@mpfourcolfootnotetext#1}{##1}}%
8299 \@namedef{\@footgroup#1}{\@nameuse{\@fourcol@footgroup#1}}%
8300 \@namedef{\@mpfootgroup#1}{\@nameuse{\@mpfourcol@footgroup#1}}%
8301 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8302 \expandafter\count\csname footins#1\endcsname=500\relax}
8303 \bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
8304 \bidi@namelongdef{\@fourcolfootnotetext#1}##1{%
8305 \insert\@nameuse{\footins#1}{%

```



```

8306 \def\baselinestretch{\m@m@footnote@spacing}%
8307 \reset@font\@nameuse{foottextfont#1}%
8308 \@preamfntext
8309 \protected@edef\@currentlabel{%
8310     \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8311 \color@begingroup
8312     \@nameuse{fourcolfootfmt#1}{##1}%
8313 \color@endgroup}%
8314 \m@mmf@prepare}}
8315 \bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
8316 \bidi@namelongdef{mpfourcolfootnotetext#1}##1{%
8317 \global\setbox\@nameuse{mpfootins#1}\vbox{%
8318 \unvbox\@nameuse{mpfootins#1}
8319 \def\baselinestretch{\m@m@footnote@spacing}%
8320 \reset@font\@nameuse{foottextfont#1}%
8321 \hsize\columnwidth \@parboxrestore
8322 \protected@edef\@currentlabel{%
8323     \csname p@mpfootnote#1\endcsname \@nameuse{@thefnmark#1}}%
8324 \color@begingroup
8325     \@nameuse{fourcolfootfmt#1}{##1}%
8326 \color@endgroup}\m@mmf@prepare}}
8327 \bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
8328 \namedef{@fourcolfootfmt#1}##1{%
8329     \@preamfourfmt
8330     {\@nameuse{footfootmark#1}\strut
8331     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8332 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
8333 \namedef{@fourcol@footgroup#1}{%
8334     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8335     \m@rigrigidbodybalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
8336 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
8337 \namedef{mpfourcol@footgroup#1}{%
8338     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8339     \m@rigrigidbodybalance{\@nameuse{mpfootins#1}}{4}{\splittopskip}}}}
8340 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
8341 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
8342 \let\@footnotetext\@fivecolfootnotetext
8343 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
8344 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
8345 \dimen\footinsv@r=5\footinsdim
8346 \count\footinsv@r=200\relax
8347 \m@make@fivecol@footgroup{v@r}%
8348 \let\@footgroupv@r\@fivecol@footgroupv@r
8349 \let\@mpfootnotetext\@mpfivecolfootnotetext
8350 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
8351 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
8352 \m@make@mpfivecol@footgroup{v@r}%
8353 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
8354 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8355 \def\baselinestretch{\m@m@footnote@spacing}%

```



```

8356 \reset@font\foottextfont
8357 \@preamfntext
8358 \protected@edef\@currentlabel{%
8359   \csname p@footnote\endcsname\@thefnmark}%
8360 \color@begingroup
8361   \@fivecolfootfmt{#1}%
8362 \color@endgroup}%
8363 \m@mmf@prepare}
8364 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
8365   \def\baselinestretch{\m@m@footnote@spacing}%
8366   \reset@font\LTRfoottextfont
8367   \@preamfntext
8368   \protected@edef\@currentlabel{%
8369     \csname p@footnote\endcsname\@thefnmark}%
8370   \color@begingroup
8371     \@fivecolLTRfootfmt{#1}%
8372   \color@endgroup}%
8373   \m@mmf@prepare}
8374 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8375   \def\baselinestretch{\m@m@footnote@spacing}%
8376   \reset@font\RTLfoottextfont
8377   \@preamfntext
8378   \protected@edef\@currentlabel{%
8379     \csname p@footnote\endcsname\@thefnmark}%
8380   \color@begingroup
8381     \@fivecolRTLfootfmt{#1}%
8382   \color@endgroup}%
8383   \m@mmf@prepare}
8384 \bidi@ensure@newcommand{\@preamfivefmt}{%
8385   \hsize .2\hsize
8386   \parindent=\z@
8387   \tolerance=5000\relax
8388   \leavevmode}
8389 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
8390   \@preamfivefmt
8391   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8392 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
8393   \@preamfivefmt
8394   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8395 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
8396   \@preamfivefmt
8397   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8398 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
8399   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8400     \unvbox\@mpfootinsv@r
8401     \def\baselinestretch{\m@m@footnote@spacing}%
8402     \reset@font\foottextfont
8403     \hsize\columnwidth \@parboxrestore
8404     \protected@edef\@currentlabel{%
8405       \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

8406 \color@begingroup
8407   \@fivecolfootfmt{#1}%
8408 \color@endgroup}%
8409 \m@mmf@prepare}
8410 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
8411   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8412     \unvbox\@mpfootinsv@r
8413     \def\baselinestretch{\m@m@footnote@spacing}%
8414     \reset@font\LTRfoottextfont
8415     \hsize\columnwidth \@parboxrestore
8416     \ifRTLcolumnfootnotes\beginL\fi
8417     \protected@edef\@currentlabel{%
8418       \csname p@mpfootnote\endcsname\@thefnmark}%
8419   \color@begingroup
8420     \@fivecolLTRfootfmt{#1}%
8421   \color@endgroup}%
8422 \m@mmf@prepare}
8423 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
8424   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8425     \unvbox\@mpfootinsv@r
8426     \def\baselinestretch{\m@m@footnote@spacing}%
8427     \reset@font\RTLfoottextfont
8428     \hsize\columnwidth \@parboxrestore
8429     \protected@edef\@currentlabel{%
8430       \csname p@mpfootnote\endcsname\@thefnmark}%
8431   \color@begingroup
8432     \@fivecolRTLfootfmt{#1}%
8433   \color@endgroup}%
8434 \m@mmf@prepare}
8435 \bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
8436   \m@make@fivecolfootnotetext{#1}%
8437   \m@make@mpfivecolfootnotetext{#1}%
8438   \m@make@fivecolfootfmt{#1}%
8439   \m@make@fivecol@footgroup{#1}%
8440   \m@make@mpfivecol@footgroup{#1}%
8441   \m@make@footstart{#1}%
8442   \bidi@namelongdef{\footnotetext#1}##1{%
8443     \@nameuse{\@fivecolfootnotetext#1}{##1}}%
8444   \bidi@namelongdef{\mpfootnotetext#1}##1{%
8445     \@nameuse{\@mpfivecolfootnotetext#1}{##1}}%
8446   \@namedef{\@footgroup#1}{\@nameuse{\@fivecol@footgroup#1}}%
8447   \@namedef{\mp@footgroup#1}{\@nameuse{\@mpfivecol@footgroup#1}}%
8448   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8449   \expandafter\count\csname footins#1\endcsname=500\relax}
8450 \bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
8451   \bidi@namelongdef{\@fivecolfootnotetext#1}##1{%
8452     \insert\@nameuse{\footins#1}{%
8453       \def\baselinestretch{\m@m@footnote@spacing}%
8454       \reset@font\@nameuse{\foottextfont#1}%
8455       \@preamfntext

```




```

8456 \protected@edef\@currentlabel{%
8457 \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
8458 \color@begingroup
8459 \@nameuse{@fivecolfootfmt#1}{##1}%
8460 \color@endgroup}%
8461 \m@mmf@prepare}}
8462 \bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
8463 \bidi@namelongdef{\mpfivecolfootnotetext#1}##1{%
8464 \global\setbox\@nameuse{\mpfootins#1}\vbox{%
8465 \unvbox\@nameuse{\mpfootins#1}
8466 \def\baselinestretch{\m@m@footnote@spacing}%
8467 \reset@font\@nameuse{foottextfont#1}%
8468 \hsize\columnwidth \@parboxrestore
8469 \protected@edef\@currentlabel{%
8470 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8471 \color@begingroup
8472 \@nameuse{@fivecolfootfmt#1}{##1}%
8473 \color@endgroup}\m@mmf@prepare}}
8474 \bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
8475 \@namedef{@fivecolfootfmt#1}##1{%
8476 \@preamfivefmt
8477 {\@nameuse{footfootmark#1}\strut
8478 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8479 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
8480 \@namedef{@fivecol@footgroup#1}{%
8481 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8482 \m@mrigidbodybalance{\@nameuse{footins#1}}{5}{\splittopskip}}}%
8483 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
8484 \@namedef{\mpfivecol@footgroup#1}{%
8485 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8486 \m@mrigidbodybalance{\@nameuse{\mpfootins#1}}{5}{\splittopskip}}}%
8487 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
8488 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8489 \let\@footnotetext\@sixcolfootnotetext
8490 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
8491 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
8492 \dimen\footinsv@r=6\footinsdim
8493 \count\footinsv@r=166\relax
8494 \m@make@sixcol@footgroup{v@r}%
8495 \let\@footgroupv@r\@sixcol@footgroupv@r
8496 \let\@mpfootnotetext\@mpsixcolfootnotetext
8497 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
8498 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
8499 \m@make@mpsixcol@footgroup{v@r}%
8500 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
8501 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8502 \def\baselinestretch{\m@m@footnote@spacing}%
8503 \reset@font\foottextfont
8504 \@preamfntext
8505 \protected@edef\@currentlabel{%

```



```

8506 \csname p@footnote\endcsname\@thefnmark}%
8507 \color@begingroup
8508 \@sixcolfootfmt{#1}%
8509 \color@endgroup}%
8510 \m@mmf@prepare}
8511 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
8512 \def\baselinestretch{\m@m@footnote@spacing}%
8513 \reset@font\LTRfoottextfont
8514 \@preamfntext
8515 \protected@edef\@currentlabel{%
8516 \csname p@footnote\endcsname\@thefnmark}%
8517 \color@begingroup
8518 \@sixcolLTRfootfmt{#1}%
8519 \color@endgroup}%
8520 \m@mmf@prepare}
8521 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8522 \def\baselinestretch{\m@m@footnote@spacing}%
8523 \reset@font\RTLfoottextfont
8524 \@preamfntext
8525 \protected@edef\@currentlabel{%
8526 \csname p@footnote\endcsname\@thefnmark}%
8527 \color@begingroup
8528 \@sixcolRTLfootfmt{#1}%
8529 \color@endgroup}%
8530 \m@mmf@prepare}
8531 \bidi@ensure@newcommand{\@preamsixfmt}{%
8532 \hspace{.16\hspace}
8533 \parindent=\z@
8534 \tolerance=5000\relax
8535 \leavevmode}
8536 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
8537 \@preamsixfmt
8538 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8539 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
8540 \@preamsixfmt
8541 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8542 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
8543 \@preamsixfmt
8544 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8545 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}
8546 \global\setbox\@mpfootinsv@r\vbox{%
8547 \unvbox\@mpfootinsv@r
8548 \def\baselinestretch{\m@m@footnote@spacing}%
8549 \reset@font\foottextfont
8550 \hspace\columnwidth \@parboxrestore
8551 \protected@edef\@currentlabel{%
8552 \csname p@mpfootnote\endcsname\@thefnmark}%
8553 \color@begingroup
8554 \@sixcolfootfmt{#1}%
8555 \color@endgroup}%

```



```

8556 \m@mmf@prepare}
8557 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
8558 \global\setbox\@mpfootinsv@r\vbox{%
8559 \unvbox\@mpfootinsv@r
8560 \def\baselinestretch{\m@m@footnote@spacing}%
8561 \reset@font\LTRfoottextfont
8562 \hsize\columnwidth \@parboxrestore
8563 \if@RTLcolumnfootnotes\beginL\fi
8564 \protected@edef\@currentlabel{%
8565 \csname p@mpfootnote\endcsname\@thefnmark}%
8566 \color@begingroup
8567 \@sixcolLTRfootfmt{#1}%
8568 \color@endgroup}%
8569 \m@mmf@prepare}
8570 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
8571 \global\setbox\@mpfootinsv@r\vbox{%
8572 \unvbox\@mpfootinsv@r
8573 \def\baselinestretch{\m@m@footnote@spacing}%
8574 \reset@font\RTLfoottextfont
8575 \hsize\columnwidth \@parboxrestore
8576 \protected@edef\@currentlabel{%
8577 \csname p@mpfootnote\endcsname\@thefnmark}%
8578 \color@begingroup
8579 \@sixcolRTLfootfmt{#1}%
8580 \color@endgroup}%
8581 \m@mmf@prepare}
8582 \bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
8583 \m@make@sixcolfootnotetext{#1}%
8584 \m@make@mpsixcolfootnotetext{#1}%
8585 \m@make@sixcolfootfmt{#1}%
8586 \m@make@sixcol@footgroup{#1}%
8587 \m@make@mpsixcol@footgroup{#1}%
8588 \m@make@footstart{#1}%
8589 \bidi@namelongdef{\footnotetext#1}##1{%
8590 \@nameuse{\@sixcolfootnotetext#1}{##1}}%
8591 \bidi@namelongdef{\mpfootnotetext#1}##1{%
8592 \@nameuse{\@mpsixcolfootnotetext#1}{##1}}%
8593 \@namedef{\@footgroup#1}{\@nameuse{\@sixcol@footgroup#1}}%
8594 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpsixcol@footgroup#1}}%
8595 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8596 \expandafter\count\csname footins#1\endcsname=500\relax}
8597 \bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
8598 \bidi@namelongdef{\@sixcolfootnotetext#1}##1{%
8599 \insert\@nameuse{\footins#1}{%
8600 \def\baselinestretch{\m@m@footnote@spacing}%
8601 \reset@font\@nameuse{\foottextfont#1}%
8602 \@preamfntext
8603 \protected@edef\@currentlabel{%
8604 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8605 \color@begingroup

```



```

8606      \@nameuse{@sixcolfootfmt#1}{##1}%
8607      \color@endgroup}%
8608      \m@mmf@prepare}}
8609 \bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
8610 \bidi@namelongdef{@mpsixcolfootnotetext#1}{##1}%
8611 \global\setbox\@nameuse{@mpfootins#1}\vbox{%
8612 \unvbox\@nameuse{@mpfootins#1}
8613 \def\baselinestretch{\m@m@footnote@spacing}%
8614 \reset@font\@nameuse{foottextfont#1}%
8615 \hsize\columnwidth \parboxrestore
8616 \protected@edef\@currentlabel{%
8617 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8618 \color@begingroup
8619 \@nameuse{@sixcolfootfmt#1}{##1}%
8620 \color@endgroup}\m@mmf@prepare}}
8621 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
8622 \@namedef{@sixcol@footgroup#1}{##1}%
8623 \@preamsixfmt
8624 {\@nameuse{footfootmark#1}\strut
8625 {\@nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
8626 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
8627 \@namedef{@sixcol@footgroup#1}{%
8628 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8629 \m@r@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
8630 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
8631 \@namedef{@mpsixcol@footgroup#1}{%
8632 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8633 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
8634 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
8635 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8636 \let\@footnotetext\@sevendcolfootnotetext
8637 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
8638 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
8639 \dimen\footinsv@r=7\footinsdim
8640 \count\footinsv@r=142\relax
8641 \m@make@sevendcol@footgroup{v@r}%
8642 \let\@footgroupv@r\@sevendcol@footgroupv@r
8643 \let\@mpfootnotetext\@mpsevendcolfootnotetext
8644 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
8645 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
8646 \m@make@mpsevendcol@footgroup{v@r}%
8647 \let\mp@footgroupv@r\@mpsevendcol@footgroupv@r}
8648 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8649 \def\baselinestretch{\m@m@footnote@spacing}%
8650 \reset@font\foottextfont
8651 \@preamfntext
8652 \protected@edef\@currentlabel{%
8653 \csname p@footnote\endcsname\@thefnmark}%
8654 \color@begingroup
8655 \@sevendcolfootfmt{#1}%

```



```

8656 \color@endgroup}%
8657 \m@mmf@prepare}
8658 \bidi@ensure@newcommand{\@sevendcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
8659 \def\baselinestretch{\m@m@footnote@spacing}%
8660 \reset@font\LTRfoottextfont
8661 \@preamfntext
8662 \protected@edef\@currentlabel{%
8663 \csname p@footnote\endcsname\@thefnmark}%
8664 \color@begingroup
8665 \@sevendcolLTRfootfmt{#1}%
8666 \color@endgroup}%
8667 \m@mmf@prepare}
8668 \bidi@ensure@newcommand{\@sevendcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8669 \def\baselinestretch{\m@m@footnote@spacing}%
8670 \reset@font\RTLfoottextfont
8671 \@preamfntext
8672 \protected@edef\@currentlabel{%
8673 \csname p@footnote\endcsname\@thefnmark}%
8674 \color@begingroup
8675 \@sevendcolRTLfootfmt{#1}%
8676 \color@endgroup}%
8677 \m@mmf@prepare}
8678 \bidi@ensure@newcommand{\@preamsevenfmt}{%
8679 \hspace{.142\hspace}
8680 \parindent=\z@
8681 \tolerance=5000\relax
8682 \leavevmode}
8683 \bidi@ensure@newcommand{\@sevendcolfootfmt}[1]{%
8684 \@preamsevenfmt
8685 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8686 \bidi@ensure@newcommand{\@sevendcolLTRfootfmt}[1]{%
8687 \@preamsevenfmt
8688 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8689 \bidi@ensure@newcommand{\@sevendcolRTLfootfmt}[1]{%
8690 \@preamsevenfmt
8691 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8692 \bidi@ensure@newcommand{\@mpsevendcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
8693 \global\setbox\@mpfootinsv@r\vbox{%
8694 \unvbox\@mpfootinsv@r
8695 \def\baselinestretch{\m@m@footnote@spacing}%
8696 \reset@font\foottextfont
8697 \hspace\columnwidth \@parboxrestore
8698 \protected@edef\@currentlabel{%
8699 \csname p@mpfootnote\endcsname\@thefnmark}%
8700 \color@begingroup
8701 \@sevendcolfootfmt{#1}%
8702 \color@endgroup}%
8703 \m@mmf@prepare}
8704 \bidi@ensure@newcommand{\@mpsevendcolLTRfootnotetext}[1]{\@RTLfalse%
8705 \global\setbox\@mpfootinsv@r\vbox{%

```



```

8706 \unvbox\@mpfootinsv@r
8707 \def\baselinestretch{\m@m@footnote@spacing}%
8708 \reset@font\LTRfoottextfont
8709 \hsize\columnwidth \@parboxrestore
8710 \if@RTLcolumnfootnotes\beginL\fi
8711 \protected@edef\@currentlabel{%
8712 \csname p@mpfootnote\endcsname\@thefnmark}%
8713 \color@begingroup
8714 \@sevenscolLTRfootfmt{#1}%
8715 \color@endgroup}%
8716 \m@mmf@prepare}
8717 \bidi@ensure@newcommand{\@mpsevenscolRTLfootnotetext}[1]{\@RTLtrue%
8718 \global\setbox\@mpfootinsv@r\vbox{%
8719 \unvbox\@mpfootinsv@r
8720 \def\baselinestretch{\m@m@footnote@spacing}%
8721 \reset@font\RTLfoottextfont
8722 \hsize\columnwidth \@parboxrestore
8723 \protected@edef\@currentlabel{%
8724 \csname p@mpfootnote\endcsname\@thefnmark}%
8725 \color@begingroup
8726 \@sevenscolRTLfootfmt{#1}%
8727 \color@endgroup}%
8728 \m@mmf@prepare}
8729 \bidi@ensure@newcommand{\sevenscolumnfootstyle}[1]{%
8730 \m@make@sevenscolfootnotetext{#1}%
8731 \m@make@mpsevenscolfootnotetext{#1}%
8732 \m@make@sevenscolfootfmt{#1}%
8733 \m@make@sevenscol@footgroup{#1}%
8734 \m@make@mpsevenscol@footgroup{#1}%
8735 \m@make@footstart{#1}%
8736 \bidi@namelongdef{\@footnotetext#1}##1{%
8737 \@nameuse{\@sevenscolfootnotetext#1}{##1}}%
8738 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
8739 \@nameuse{\@mpsevenscolfootnotetext#1}{##1}}%
8740 \@namedef{\@footgroup#1}{\@nameuse{\@sevenscol@footgroup#1}}%
8741 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpsevenscol@footgroup#1}}%
8742 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8743 \expandafter\count\csname footins#1\endcsname=500\relax}
8744 \bidi@ensure@newcommand{\m@make@sevenscolfootnotetext}[1]{%
8745 \bidi@namelongdef{\@sevenscolfootnotetext#1}##1{%
8746 \insert\@nameuse{footins#1}{%
8747 \def\baselinestretch{\m@m@footnote@spacing}%
8748 \reset@font\@nameuse{foottextfont#1}%
8749 \@preamfntext
8750 \protected@edef\@currentlabel{%
8751 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8752 \color@begingroup
8753 \@nameuse{\@sevenscolfootfmt#1}{##1}%
8754 \color@endgroup}%
8755 \m@mmf@prepare}}

```



```

8756 \bidi@ensure@newcommand{\m@make@mpsevenscolfootnotetext}[1]{%
8757 \bidi@namelongdef{\mpsevenscolfootnotetext#1}##1{%
8758 \global\setbox\@nameuse{\mpfootins#1}\vbox{%
8759 \unvbox\@nameuse{\mpfootins#1}
8760 \def\baselinestretch{\m@m@footnote@spacing}%
8761 \reset@font\@nameuse{foottextfont#1}%
8762 \hsize\columnwidth \@parboxrestore
8763 \protected@edef\@currentlabel{%
8764 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8765 \color@begingroup
8766 \@nameuse{@sevenscolfootfmt#1}{##1}%
8767 \color@endgroup}\m@mmf@prepare}}
8768 \bidi@ensure@newcommand{\m@make@sevenscolfootfmt}[1]{%
8769 \@namedef{@sevenscolfootfmt#1}##1{%
8770 \@preamsevenfmt
8771 {\@nameuse{footfootmark#1}\strut
8772 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
8773 \bidi@ensure@newcommand{\m@make@sevenscol@footgroup}[1]{%
8774 \@namedef{@sevenscol@footgroup#1}{%
8775 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8776 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
8777 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
8778 \@namedef{@mpsevenscol@footgroup#1}{%
8779 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8780 \m@mrigidbalance{\@nameuse{\mpfootins#1}}{7}{\splittopskip}}}}
8781 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
8782 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8783 \let\@footnotetext\@eightcolfootnotetext
8784 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
8785 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
8786 \dimen\footinsv@r=8\footinsdim
8787 \count\footinsv@r=125\relax
8788 \m@make@eightcol@footgroup{v@r}%
8789 \let\@footgroupv@r\@eightcol@footgroupv@r
8790 \let\@mpfootnotetext\@mpeightcolfootnotetext
8791 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
8792 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
8793 \m@make@mpeightcol@footgroup{v@r}%
8794 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
8795 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
8796 \def\baselinestretch{\m@m@footnote@spacing}%
8797 \reset@font\foottextfont
8798 \@preamfntext
8799 \protected@edef\@currentlabel{%
8800 \csname p@footnote\endcsname\@thefnmark}%
8801 \color@begingroup
8802 \@eightcolfootfmt{#1}%
8803 \color@endgroup}%
8804 \m@mmf@prepare}
8805 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTL@columnfootnot

```



```

8806 \def\baselinestretch{\m@m@footnote@spacing}%
8807 \reset@font\LTRfoottextfont
8808 \@preamfntext
8809 \protected@edef\@currentlabel{%
8810   \csname p@footnote\endcsname\@thefnmark}%
8811 \color@begingroup
8812   \@eightcolLTRfootfmt{#1}%
8813 \color@endgroup}%
8814 \m@mmf@prepare}
8815 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8816 \def\baselinestretch{\m@m@footnote@spacing}%
8817 \reset@font\RTLfoottextfont
8818 \@preamfntext
8819 \protected@edef\@currentlabel{%
8820   \csname p@footnote\endcsname\@thefnmark}%
8821 \color@begingroup
8822   \@eightcolRTLfootfmt{#1}%
8823 \color@endgroup}%
8824 \m@mmf@prepare}
8825 \bidi@ensure@newcommand{\@preameightfmt}{%
8826 \hsize .125\hsize
8827 \parindent=\z@
8828 \tolerance=5000\relax
8829 \leavevmode}
8830 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
8831   \@preameightfmt
8832   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8833 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
8834   \@preameightfmt
8835   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8836 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
8837   \@preameightfmt
8838   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8839 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
8840   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8841     \unvbox\@mpfootinsv@r
8842     \def\baselinestretch{\m@m@footnote@spacing}%
8843     \reset@font\foottextfont
8844     \hsize\columnwidth \@parboxrestore
8845     \protected@edef\@currentlabel{%
8846       \csname p@mpfootnote\endcsname\@thefnmark}%
8847     \color@begingroup
8848       \@eightcolfootfmt{#1}%
8849     \color@endgroup}%
8850     \m@mmf@prepare}
8851 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
8852   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
8853     \unvbox\@mpfootinsv@r
8854     \def\baselinestretch{\m@m@footnote@spacing}%
8855     \reset@font\LTRfoottextfont

```




```

8856 \hsize\columnwidth \@parboxrestore
8857 \if@RTLcolumnfootnotes\beginL\fi
8858 \protected@edef\@currentlabel{%
8859 \csname p@mpfootnote\endcsname\@thefnmark}%
8860 \color@begingroup
8861 \@eightcolLTRfootfmt{#1}%
8862 \color@endgroup}%
8863 \m@mmf@prepare}
8864 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
8865 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
8866 \unvbox\@mpfootinsv@r
8867 \def\baselinestretch{\m@m@footnote@spacing}%
8868 \reset@font\RTLfoottextfont
8869 \hsize\columnwidth \@parboxrestore
8870 \protected@edef\@currentlabel{%
8871 \csname p@mpfootnote\endcsname\@thefnmark}%
8872 \color@begingroup
8873 \@eightcolRTLfootfmt{#1}%
8874 \color@endgroup}%
8875 \m@mmf@prepare}
8876 \bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
8877 \m@make@eightcolfootnotetext{#1}%
8878 \m@make@mpeightcolfootnotetext{#1}%
8879 \m@make@eightcolfootfmt{#1}%
8880 \m@make@eightcol@footgroup{#1}%
8881 \m@make@mpeightcol@footgroup{#1}%
8882 \m@make@footstart{#1}%
8883 \bidi@namelongdef{\footnotetext#1}##1{%
8884 \@nameuse{\@eightcolfootnotetext#1}{##1}}%
8885 \bidi@namelongdef{\mpfootnotetext#1}##1{%
8886 \@nameuse{\@mpeightcolfootnotetext#1}{##1}}%
8887 \@namedef{\@footgroup#1}{\@nameuse{\@eightcol@footgroup#1}}%
8888 \@namedef{\mp@footgroup#1}{\@nameuse{\@mpeightcol@footgroup#1}}%
8889 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
8890 \expandafter\count\csname footins#1\endcsname=500\relax}
8891 \bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
8892 \bidi@namelongdef{\@eightcolfootnotetext#1}##1{%
8893 \insert\@nameuse{footins#1}{%
8894 \def\baselinestretch{\m@m@footnote@spacing}%
8895 \reset@font\@nameuse{foottextfont#1}%
8896 \@preamfntext
8897 \protected@edef\@currentlabel{%
8898 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
8899 \color@begingroup
8900 \@nameuse{\@eightcolfootfmt#1}{##1}%
8901 \color@endgroup}%
8902 \m@mmf@prepare}}
8903 \bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
8904 \bidi@namelongdef{\@mpeightcolfootnotetext#1}##1{%
8905 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%

```



```

8906 \unvbox\@nameuse{mpfootins#1}
8907 \def\baselinestretch{\m@footnote@spacing}%
8908 \reset@font\@nameuse{foottextfont#1}%
8909 \hsize\columnwidth \parboxrestore
8910 \protected@edef\@currentlabel{%
8911 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
8912 \color@begingroup
8913 \@nameuse{@eightcolfootfmt#1}{##1}%
8914 \color@endgroup}\m@mmf@prepare}}
8915 \bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
8916 \@namedef{@eightcolfootfmt#1}{##1}%
8917 \@preambleeightfmt
8918 {\@nameuse{footfootmark#1}\strut
8919 {\@nameuse{foottextfont#1}{##1}\strut\par}\allowbreak}}
8920 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8921 \@namedef{@eightcol@footgroup#1}{%
8922 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8923 \m@r@rigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
8924 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
8925 \@namedef{@eightcol@footgroup#1}{%
8926 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
8927 \m@r@rigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
8928 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
8929 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
8930 \let\@footnotetext\@ninecolfootnotetext
8931 \let\@LTRfootnotetext\@ninecolLTRfootnotetext
8932 \let\@RTLfootnotetext\@ninecolRTLfootnotetext
8933 \dimen\footinsv@r=9\footinsdim
8934 \count\footinsv@r=111\relax
8935 \m@make@ninecol@footgroup{v@r}%
8936 \let\@footgroupv@r\@ninecol@footgroupv@r
8937 \let\@mpfootnotetext\@mpninecolfootnotetext
8938 \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
8939 \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
8940 \m@make@mpninecol@footgroup{v@r}%
8941 \let\@mp@footgroupv@r\@mpninecol@footgroupv@r}
8942 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
8943 \def\baselinestretch{\m@footnote@spacing}%
8944 \reset@font\foottextfont
8945 \@preamblefntext
8946 \protected@edef\@currentlabel{%
8947 \csname p@footnote\endcsname\@thefnmark}%
8948 \color@begingroup
8949 \@ninecolfootfmt{#1}%
8950 \color@endgroup}%
8951 \m@mmf@prepare}
8952 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTL@columnfootnote
8953 \def\baselinestretch{\m@footnote@spacing}%
8954 \reset@font\LTRfoottextfont
8955 \@preamblefntext

```



```

8956 \protected@edef\@currentlabel{%
8957   \csname p@footnote\endcsname\@thefnmark}%
8958 \color@begingroup
8959   \@ninecolLTRfootfmt{#1}%
8960 \color@endgroup}%
8961 \m@mmf@prepare}
8962 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
8963   \def\baselinestretch{\m@m@footnote@spacing}%
8964   \reset@font\RTLfoottextfont
8965   \@preamfntext
8966   \protected@edef\@currentlabel{%
8967     \csname p@footnote\endcsname\@thefnmark}%
8968   \color@begingroup
8969     \@ninecolRTLfootfmt{#1}%
8970   \color@endgroup}%
8971   \m@mmf@prepare}
8972 \bidi@ensure@newcommand{\@preamninefmt}{%
8973   \hsize .1\hsize
8974   \parindent=\z@
8975   \tolerance=5000\relax
8976   \leavevmode}
8977 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
8978   \@preamninefmt
8979   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
8980 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
8981   \@preamninefmt
8982   {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
8983 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
8984   \@preamninefmt
8985   {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
8986 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
8987   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8988     \unvbox\@mpfootinsv@r
8989     \def\baselinestretch{\m@m@footnote@spacing}%
8990     \reset@font\foottextfont
8991     \hsize\columnwidth \@parboxrestore
8992     \protected@edef\@currentlabel{%
8993       \csname p@mpfootnote\endcsname\@thefnmark}%
8994     \color@begingroup
8995       \@ninecolfootfmt{#1}%
8996     \color@endgroup}%
8997     \m@mmf@prepare}
8998 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
8999   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9000     \unvbox\@mpfootinsv@r
9001     \def\baselinestretch{\m@m@footnote@spacing}%
9002     \reset@font\LTRfoottextfont
9003     \hsize\columnwidth \@parboxrestore
9004     \if@RTLcolumnfootnotes\beginL\fi
9005     \protected@edef\@currentlabel{%

```



```

9006      \csname p@mpfootnote\endcsname\@thefnmark}%
9007      \color@begingroup
9008      \@ninecolLTRfootfmt{#1}%
9009      \color@endgroup}%
9010      \m@mmf@prepare}
9011 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
9012 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9013   \unvbox\@mpfootinsv@r
9014   \def\baselinestretch{\m@m@footnote@spacing}%
9015   \reset@font\RTLfoottextfont
9016   \hsize\columnwidth \parboxrestore
9017   \protected@edef\@currentlabel{%
9018     \csname p@mpfootnote\endcsname\@thefnmark}%
9019   \color@begingroup
9020     \@ninecolRTLfootfmt{#1}%
9021   \color@endgroup}%
9022   \m@mmf@prepare}
9023 \bidi@ensure@newcommand{\@ninecolumnfootstyle}[1]{%
9024   \m@make@ninecolfootnotetext{#1}%
9025   \m@make@mpninecolfootnotetext{#1}%
9026   \m@make@ninecolfootfmt{#1}%
9027   \m@make@ninecol@footgroup{#1}%
9028   \m@make@mpninecol@footgroup{#1}%
9029   \m@make@footstart{#1}%
9030   \bidi@namelongdef{\@footnotetext#1}##1{%
9031     \@nameuse{\@ninecolfootnotetext#1}##1}%
9032   \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9033     \@nameuse{\@mpninecolfootnotetext#1}##1}%
9034   \@namedef{\@footgroup#1}{\@nameuse{\@ninecol@footgroup#1}}%
9035   \@namedef{\mp@footgroup#1}{\@nameuse{\@mpninecol@footgroup#1}}%
9036   \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9037   \expandafter\count\csname footins#1\endcsname=500\relax}
9038 \bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
9039   \bidi@namelongdef{\@ninecolfootnotetext#1}##1{%
9040     \insert\@nameuse{footins#1}{%
9041       \def\baselinestretch{\m@m@footnote@spacing}%
9042       \reset@font\@nameuse{foottextfont#1}%
9043       \@preamfntext
9044       \protected@edef\@currentlabel{%
9045         \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
9046       \color@begingroup
9047         \@nameuse{\@ninecolfootfmt#1}##1}%
9048       \color@endgroup}%
9049       \m@mmf@prepare}}
9050 \bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
9051 \bidi@namelongdef{\@mpninecolfootnotetext#1}##1{%
9052 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%
9053   \unvbox\@nameuse{\@mpfootins#1}
9054   \def\baselinestretch{\m@m@footnote@spacing}%
9055   \reset@font\@nameuse{foottextfont#1}%

```



```

9056 \hsize\columnwidth \@parboxrestore
9057 \protected@edef\@currentlabel{%
9058 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9059 \color@begingroup
9060 \@nameuse{@ninecolfootfmt#1}{##1}%
9061 \color@endgroup}\m@mmf@prepare}}
9062 \bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
9063 \@namedef{@ninecolfootfmt#1}##1{%
9064 \@preamninefmt
9065 {\@nameuse{footfootmark#1}\strut
9066 {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9067 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
9068 \@namedef{@ninecol@footgroup#1}{%
9069 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9070 \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}%
9071 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
9072 \@namedef{@mpninecol@footgroup#1}{%
9073 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9074 \m@mrigidbalance{\@nameuse{mpfootins#1}}{9}{\splittopskip}}}%
9075 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
9076 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9077 \let\@footnotetext\@tencolfootnotetext
9078 \let\@LTRfootnotetext\@tencolLTRfootnotetext
9079 \let\@RTLfootnotetext\@tencolRTLfootnotetext
9080 \dimen\footinsv@r=10\footinsdim
9081 \count\footinsv@r=100\relax
9082 \m@make@tencol@footgroup{v@r}%
9083 \let\@footgroupv@r\@tencol@footgroupv@r
9084 \let\@mpfootnotetext\@mptencolfootnotetext
9085 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
9086 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
9087 \m@make@mptencol@footgroup{v@r}%
9088 \let\mp@footgroupv@r\@mptencol@footgroupv@r}
9089 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9090 \def\baselinestretch{\m@m@footnote@spacing}}%
9091 \reset@font\foottextfont
9092 \@preamfntext
9093 \protected@edef\@currentlabel{%
9094 \csname p@footnote\endcsname\@thefnmark}%
9095 \color@begingroup
9096 \@tencolfootfmt{#1}%
9097 \color@endgroup}%
9098 \m@mmf@prepare}
9099 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9100 \def\baselinestretch{\m@m@footnote@spacing}}%
9101 \reset@font\LTRfoottextfont
9102 \@preamfntext
9103 \protected@edef\@currentlabel{%
9104 \csname p@footnote\endcsname\@thefnmark}%
9105 \color@begingroup

```



```

g106 \tencolLTRfootfmt{#1}%
g107 \color@endgroup}%
g108 \m@mmf@prepare}
g109 \bidi@ensure@newcommand{\tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
g110 \def\baselinestretch{\m@m@footnote@spacing}%
g111 \reset@font\RTLfoottextfont
g112 \@preamfntext
g113 \protected@edef\@currentlabel{%
g114 \csname p@footnote\endcsname\@thefnmark}%
g115 \color@begingroup
g116 \tencolRTLfootfmt{#1}%
g117 \color@endgroup}%
g118 \m@mmf@prepare}
g119 \bidi@ensure@newcommand{\@preamtenfmt}{%
g120 \hsize .1\hsize
g121 \parindent=\z@
g122 \tolerance=5000\relax
g123 \leavevmode}
g124 \bidi@ensure@newcommand{\tencolfootfmt}[1]{%
g125 \@preamtenfmt
g126 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
g127 \bidi@ensure@newcommand{\tencolLTRfootfmt}[1]{%
g128 \@preamtenfmt
g129 {\footfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
g130 \bidi@ensure@newcommand{\tencolRTLfootfmt}[1]{%
g131 \@preamtenfmt
g132 {\footfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
g133 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
g134 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
g135 \unvbox\@mpfootinsv@r
g136 \def\baselinestretch{\m@m@footnote@spacing}%
g137 \reset@font\foottextfont
g138 \hsize\columnwidth \@parboxrestore
g139 \protected@edef\@currentlabel{%
g140 \csname p@mpfootnote\endcsname\@thefnmark}%
g141 \color@begingroup
g142 \tencolfootfmt{#1}%
g143 \color@endgroup}%
g144 \m@mmf@prepare}
g145 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
g146 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
g147 \unvbox\@mpfootinsv@r
g148 \def\baselinestretch{\m@m@footnote@spacing}%
g149 \reset@font\LTRfoottextfont
g150 \hsize\columnwidth \@parboxrestore
g151 \if@RTLcolumnfootnotes\beginL\fi
g152 \protected@edef\@currentlabel{%
g153 \csname p@mpfootnote\endcsname\@thefnmark}%
g154 \color@begingroup
g155 \tencolLTRfootfmt{#1}%

```



```

9156 \color@endgroup}%
9157 \m@mmf@prepare}
9158 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
9159 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9160 \unvbox\@mpfootinsv@r
9161 \def\baselinestretch{\m@m@footnote@spacing}%
9162 \reset@font\RTLfoottextfont
9163 \hsize\columnwidth \@parboxrestore
9164 \protected@edef\@currentlabel{%
9165 \csname p@mpfootnote\endcsname\@thefnmark}%
9166 \color@begingroup
9167 \@tencolRTLfootfmt{#1}%
9168 \color@endgroup}%
9169 \m@mmf@prepare}
9170 \bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
9171 \m@make@tencolfootnotetext{#1}%
9172 \m@make@mptencolfootnotetext{#1}%
9173 \m@make@tencolfootfmt{#1}%
9174 \m@make@tencol@footgroup{#1}%
9175 \m@make@mptencol@footgroup{#1}%
9176 \m@make@footstart{#1}%
9177 \bidi@namelongdef{\@footnotetext#1}##1{%
9178 \@nameuse{\@tencolfootnotetext#1}{##1}}%
9179 \bidi@namelongdef{\@mpfootnotetext#1}##1{%
9180 \@nameuse{\@mptencolfootnotetext#1}{##1}}%
9181 \@namedef{\@footgroup#1}{\@nameuse{\@tencol@footgroup#1}}%
9182 \@namedef{\mp@footgroup#1}{\@nameuse{\@mptencol@footgroup#1}}%
9183 \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
9184 \expandafter\count\csname footins#1\endcsname=500\relax}
9185 \bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
9186 \bidi@namelongdef{\@tencolfootnotetext#1}##1{%
9187 \insert\@nameuse{footins#1}{%
9188 \def\baselinestretch{\m@m@footnote@spacing}%
9189 \reset@font\@nameuse{foottextfont#1}%
9190 \@preamfntext
9191 \protected@edef\@currentlabel{%
9192 \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
9193 \color@begingroup
9194 \@nameuse{\@tencolfootfmt#1}{##1}%
9195 \color@endgroup}%
9196 \m@mmf@prepare}}
9197 \bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
9198 \bidi@namelongdef{\@mptencolfootnotetext#1}##1{%
9199 \global\setbox\@nameuse{\@mpfootins#1}\vbox{%
9200 \unvbox\@nameuse{\@mpfootins#1}
9201 \def\baselinestretch{\m@m@footnote@spacing}%
9202 \reset@font\@nameuse{foottextfont#1}%
9203 \hsize\columnwidth \@parboxrestore
9204 \protected@edef\@currentlabel{%
9205 \csname p@mpfootnote#1\endcsname\@nameuse{\@thefnmark#1}}%

```



```

9206 \color@begingroup
9207   \@nameuse{@tencolfootfmt#1}{##1}%
9208 \color@endgroup}\m@mmf@prepare}}
9209 \bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
9210   \@namedef{@tencolfootfmt#1}##1{%
9211     \@preamtenfmt
9212     {\@nameuse{footfootmark#1}\strut
9213      {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
9214 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
9215   \@namedef{@tencol@footgroup#1}{%
9216     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9217     \m@rgrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
9218 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
9219   \@namedef{@mptencol@footgroup#1}{%
9220     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9221     \m@rgrigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}}
9222 \bidi@ensure@newcommand{\m@munvxh}[1]{%
9223   \setbox0=\vbox{\unvbox#1%
9224     \global\setbox1=\lastbox}%
9225   \unhbox1
9226   \unskip
9227   \unskip
9228   \unpenalty
9229   \hskip\m@mipn@skip}
9230 \bidi@ensure@newcommand{\m@mungebox}{%
9231   \setbox0=\hbox{\m@munvxh0}%
9232   \dp0=\z@
9233   \ht0=\footfudgefactor\wd0
9234   \box0
9235   \penalty0}
9236 \newskip\m@mipn@skip
9237 \bidi@ensure@newcommand*{\m@minterparanoteglua}[1]{%
9238   {\foottextfont\global\m@mipn@skip=#1\relax}}
9239 \m@minterparanoteglua{1em plus.4em minus.4em}
9240 \@ifpackageloaded{multicol}{%
9241 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
9242   \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9243   \hsize\textwidth%
9244   \setbox0=\hbox{}%
9245   \loop
9246     \unpenalty
9247     \setbox2=\lastbox
9248     \ifhbox2
9249       \setbox0=\hbox{\box2\unhbox0}
9250     \repeat}
9251 }{%
9252 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
9253   \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
9254   \setbox0=\hbox{}%
9255   \loop

```




```

9256 \unpenalty
9257 \setbox2=\lastbox
9258 \ifhbox2
9259 \setbox0=\hbox{\box2\unhbox0}
9260 \repeat}}
9261 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
9262 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
9263 \bidi@ensure@newcommand*{\footfudgefiddle}{64}
9264 \bidi@ensure@newcommand{\paragraphfootnotes}{%
9265 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9266 \let\@footnotetext\@parafootnotetext
9267 \let\@LTRfootnotetext\@paraLTRfootnotetext
9268 \let\@RTLfootnotetext\@paraRTLfootnotetext
9269 \dimen\footinsv@r=\footinsdim
9270 \count\footinsv@r=1000\relax
9271 \m@make@para@footgroup{v@r}%
9272 \let\@footgroupv@r\@para@footgroupv@r
9273 \let\@mpfootnotetext\@mpparafootnotetext
9274 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
9275 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
9276 \m@make@mppara@footgroup{v@r}%
9277 \let\mp@footgroupv@r\@mppara@footgroupv@r
9278 {\foottextfont
9279 \dimen0=\baselineskip
9280 \multiply\dimen0 by 1024
9281 \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
9282 \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
9283 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
9284 \def\baselinestretch{\m@m@footnote@spacing}%
9285 \reset@font\foottextfont
9286 \@preamfntext
9287 \protected@edef\@currentlabel{%
9288 \csname p@footnote\endcsname\@thefnmark}%
9289 \setbox0=\vbox{\hsize=\maxdimen
9290 \color@begingroup
9291 \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
9292 \color@endgroup}%
9293 \m@mungebox}\m@m@mmf@prepare}
9294 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse
9295 \def\baselinestretch{\m@m@footnote@spacing}%
9296 \reset@font\LTRfoottextfont
9297 \@preamfntext
9298 \protected@edef\@currentlabel{%
9299 \csname p@footnote\endcsname\@thefnmark}%
9300 \setbox0=\vbox{\hsize=\maxdimen
9301 \color@begingroup
9302 \noindent \@paraLTRfootfmt{\beginL#1\endL}%
9303 \color@endgroup}%
9304 \m@mungebox}\m@m@mmf@prepare}
9305 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLfalse

```



```

9306 \def\baselinestretch{\m@m@footnote@spacing}%
9307 \reset@font\RTLfoottextfont
9308 \@preamfntext
9309 \protected@edef\@currentlabel{%
9310   \csname p@footnote\endcsname\@thefnmark}%
9311 \setbox0=\vbox{\hsize=\maxdimen
9312   \color@begingroup
9313     \noindent \@paraRTLfootfmt{\beginR#1\endR}%
9314   \color@endgroup}%
9315 \m@mungebox}\m@mmf@prepare}
9316 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
9317   \parindent=\z@
9318   \parfillskip=Opt \@plus 1fil
9319   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
9320 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
9321   \parindent=\z@
9322   \parfillskip=Opt \@plus 1fil
9323   {\footfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
9324 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
9325   \parindent=\z@
9326   \parfillskip=Opt \@plus 1fil
9327   {\footfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
9328 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
9329   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9330     \unvbox\@mpfootinsv@r
9331     \def\baselinestretch{\m@m@footnote@spacing}%
9332     \reset@font\foottextfont
9333     \hsize\columnwidth \@parboxrestore
9334     \protected@edef\@currentlabel{%
9335       \csname p@mpfootnote\endcsname\@thefnmark}%
9336     \setbox0=\vbox{\hsize=\maxdimen
9337       \color@begingroup
9338         \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
9339       \color@endgroup}%
9340     \m@mungebox}\m@mmf@prepare}
9341 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
9342   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9343     \unvbox\@mpfootinsv@r
9344     \def\baselinestretch{\m@m@footnote@spacing}%
9345     \reset@font\LTRfoottextfont
9346     \hsize\columnwidth \@parboxrestore
9347     \protected@edef\@currentlabel{%
9348       \csname p@mpfootnote\endcsname\@thefnmark}%
9349     \setbox0=\vbox{\hsize=\maxdimen
9350       \color@begingroup
9351         \noindent \@paraLTRfootfmt{\beginL#1\endL}%
9352       \color@endgroup}%
9353     \m@mungebox}\m@mmf@prepare}
9354 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
9355   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%

```



```

9356 \unvbox\@mpfootinsv@r
9357 \def\baselinestretch{\m@m@footnote@spacing}%
9358 \reset@font\RTLfoottextfont
9359 \hsize\columnwidth \parboxrestore
9360 \protected@edef\@currentlabel{%
9361   \csname p@mpfootnote\endcsname\@thefnmark}%
9362 \setbox0=\vbox{\hsize=\maxdimen
9363   \color@begingroup
9364   \noindent \@paraRTLfootfmt{\beginR#1\endR}%
9365   \color@endgroup}%
9366 \m@mungebox}\m@mmf@prepare}
9367 \bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
9368   \m@make@parafootnotetext{#1}%
9369   \m@make@mpparafootnotetext{#1}%
9370   \m@make@parafootfmt{#1}%
9371   \m@make@para@footgroup{#1}%
9372   \m@make@mppara@footgroup{#1}%
9373   \m@make@para@footstart{#1}%
9374   \bidi@namelongdef{\footnotetext#1}##1{%
9375     \@nameuse{\@parafootnotetext#1}{##1}}%
9376   \bidi@namelongdef{\mpfootnotetext#1}##1{%
9377     \@nameuse{\@mpparafootnotetext#1}{##1}}%
9378   \@namedef{\@footgroup#1}{\@nameuse{\@para@footgroup#1}}%
9379   \@namedef{\mp@footgroup#1}{\@nameuse{\@mppara@footgroup#1}}%
9380   \@namedef{\@footstart#1}{\@nameuse{\@para@footstart#1}}%
9381   \expandafter\dimen\csname footins#1\endcsname=\footinsdim
9382   \expandafter\count\csname footins#1\endcsname=1000\relax
9383   {\@nameuse{\foottextfont#1}%
9384     \dimen0=\baselineskip
9385     \multiply\dimen0 by 1024
9386     \divide\dimen0 by \hsize \multiply\dimen0 by 64
9387     \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
9388 \bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
9389   \bidi@namelongdef{\@parafootnotetext#1}##1{%
9390     \insert\@nameuse{\footins#1}{
9391       \def\baselinestretch{\m@m@footnote@spacing}%
9392       \reset@font\@nameuse{\foottextfont#1}%
9393       \@preamfntext
9394       \protected@edef\@currentlabel{%
9395         \csname p@footnote#1\endcsname \@nameuse{\@thefnmark#1}}%
9396       \setbox0=\vbox{\hsize=\maxdimen
9397         \color@begingroup
9398         \noindent \@nameuse{\@parafootfmt#1}{##1}%
9399         \color@endgroup}%
9400       \m@mungebox}\m@mmf@prepare}}
9401 \bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
9402   \bidi@namelongdef{\@mpparafootnotetext#1}##1{%
9403     \global\setbox\@nameuse{\mpfootins#1}\vbox{%
9404       \unvbox\@nameuse{\mpfootins#1}
9405       \def\baselinestretch{\m@m@footnote@spacing}%

```



```

9406 \reset@font\@nameuse{foottextfont#1}%
9407 \hsize\columnwidth \@parboxrestore
9408 \protected@edef\@currentlabel{%
9409 \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
9410 \setbox0=\vbox{\hsize=\maxdimen
9411 \color@begingroup
9412 \noindent \@nameuse{@parafootfmt#1}{##1}%
9413 \color@endgroup}%
9414 \m@mmungebox}\m@mmf@prepare}}
9415 \bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
9416 \bidi@namelongdef{@parafootfmt#1}##1{%
9417 \parindent=\z@
9418 \parfillskip=Opt \@plus 1fil
9419 {\@nameuse{footfootmark#1}\strut
9420 {\@nameuse{foottextfont#1}##1\penalty-10}}}}
9421 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
9422 \@namedef{@para@footgroup#1}{%
9423 \unvbox\@nameuse{footins#1}
9424 \m@mmakehboxofhboxes
9425 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9426 \@nameuse{foottextfont#1}%
9427 \noindent\unhbox0\par}}
9428 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
9429 \@namedef{@mppara@footgroup#1}{%
9430 \unvbox\@nameuse{@mpfootins#1}
9431 \m@mmakehboxofhboxes
9432 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
9433 \@nameuse{foottextfont#1}%
9434 \noindent\unhbox0\par}}
9435 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
9436 \@namedef{@para@footstart#1}{%
9437 \vskip\bigskipamount
9438 \leftskip=\z@
9439 \rightskip=\z@
9440 \parindent=\z@
9441 \vskip\skip\@nameuse{footins#1}%
9442 \footnoterule}}
9443 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
9444 \xdef\@freelist{\@freelist\@midlist}%
9445 \global\let\@midlist\@empty
9446 \@combinefloats}
9447 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
9448 \ifvbox\@kludgeins
9449 \@makespecialcolbox
9450 \else
9451 \setbox\@outputbox \vbox to\@colht{%
9452 \@texttop
9453 \dimen@ \dp\@outputbox
9454 \unvbox \@outputbox
9455 \vskip -\dimen@

```



```

9456      \@textbottom}%
9457    \fi}
9458 \bidi@ensure@newcommand*{\m@m@makecolintro}{%
9459 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
9460   \boxmaxdepth\@maxdepth
9461   \@tempdima\dp\@cclv
9462   \unvbox\@ccclv
9463   \vskip-\@tempdima
9464   \vskip \skip\footins
9465   \color@begingroup
9466     \normalcolor
9467     \footnoterule
9468     \unvbox \footins
9469   \color@endgroup}}
9470 \bidi@ensure@newcommand*{\m@mopsidebar}{%
9471   \ifvoid\sideins\else
9472     \setbox\@outputbox \vbox{%
9473       \sidecontents
9474       \unvbox\@outputbox}
9475   \fi}
9476 \gdef\mem@m@makecol{%
9477   \m@m@makecolintro
9478   \ifvoid\footins
9479     \setbox\@outputbox \box\@ccclv
9480   \else
9481     \m@mopfootnote
9482   \fi
9483   \m@m@doextrafeet
9484   \m@m@makecolfloats
9485   \m@mopsidebar
9486   \m@m@makecoltext
9487   \global \maxdepth \@maxdepth}
9488 \bidi@ensure@newcommand{\feetabovelfloat}{\gdef\@makecol{\mem@m@makecol}}
9489 \feetabovelfloat%

```

7.55 extreport-xetex-bidi.def

```

9490 \ProvidesFile{extreport-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for extreport class for
9491 \renewcommand*\l@part[2]{%
9492   \ifnum \c@tocdepth >-2\relax
9493     \addpenalty{-\@highpenalty}%
9494     \addvspace{2.25em \@plus\p@}%
9495     \begingroup
9496       \setlength\@tempdima{3em}%
9497       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9498       \parfillskip -\@pnumwidth
9499       {\leavevmode
9500        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9501       \nobreak
9502       \global\@nobreaktrue

```



```

9503         \everypar{\global\@nbreakfalse\everypar{}}%
9504     \endgroup
9505 \fi}
9506 \renewcommand*{\l@chapter[2]{%
9507     \ifnum \c@tocdepth >\m@ne
9508         \addpenalty{-\@highpenalty}%
9509         \vskip 1.0em \@plus\p@
9510         \setlength\@tempdima{1.5em}%
9511         \begingroup
9512             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9513             \parfillskip -\@pnumwidth
9514             \leavevmode \bfseries
9515             \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9516             \hskip -\if@RTL\rightskip\else\leftskip\fi
9517             #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9518             \penalty\@highpenalty
9519         \endgroup
9520     \fi}
9521 \def\@makechapterhead#1{%
9522     \vspace*{50\p@}%
9523     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9524         \ifnum \c@secnumdepth >\m@ne
9525             \huge\bfseries \@chapapp\space \thechapter
9526             \par\nobreak
9527             \vskip 20\p@
9528         \fi
9529         \interlinepenalty\@M
9530         \Huge \bfseries #1\par\nobreak
9531         \vskip 40\p@
9532     }}
9533 \def\@makeschapterhead#1{%
9534     \vspace*{50\p@}%
9535     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9536         \normalfont
9537         \interlinepenalty\@M
9538         \Huge \bfseries #1\par\nobreak
9539         \vskip 40\p@
9540     }}
9541 \renewcommand\left@footnoterule{%
9542     \kern-3\p@
9543     \hrule\@width.4\columnwidth
9544     \kern2.6\p@}
9545 \renewcommand\right@footnoterule{%
9546     \hbox to \columnwidth
9547     {\beginR \vbox{%
9548         \kern-3\p@
9549         \hrule\@width.4\columnwidth
9550         \kern2.6\p@}\hfil\endR}}
9551 \renewenvironment{thebibliography}[1]
9552     {\chapter*{\bibname

```



```

9553         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
9554 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9555 \list{\@biblabel{\@arabic\c@enumiv}}%
9556         {\settowidth\labelwidth{\@biblabel{#1}}%
9557         \leftmargin\labelwidth
9558         \advance\leftmargin\labelsep
9559         \@openbib@code
9560         \usecounter{enumiv}%
9561         \let\p@enumiv\@empty
9562         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
9563 \sloppy\clubpenalty4000\widowpenalty4000%
9564 \sfcode`. \@m}
9565 {\def\@noitemerr
9566   {\@latex@warning{Empty `thebibliography' environment}}%
9567 \endlist}
9568 \if@titlepage
9569 \renewcommand\maketitle{\begin{titlepage}%
9570 \let\footnotesize\small
9571 \let\right@footnoterule\relax
9572 \let\left@footnoterule\relax
9573 \let\textwidth\footnoterule\relax
9574 \let \footnote \thanks
9575 \null\vfil
9576 \vskip 60\p@
9577 \begin{center}%
9578   {\LARGE \@title \par}%
9579   \vskip 3em%
9580   {\large
9581     \lineskip .75em%
9582     \begin{tabular}[t]{c}%
9583       \@author
9584     \end{tabular}\par}%
9585     \vskip 1.5em%
9586     {\large \@date \par}%           % Set date in \large size.
9587 \end{center}\par
9588 \@thanks
9589 \vfil\null
9590 \end{titlepage}%
9591 \setcounter{footnote}{0}%
9592 \global\let\thanks\relax
9593 \global\let\maketitle\relax
9594 \global\let\@thanks\@empty
9595 \global\let\@author\@empty
9596 \global\let\@date\@empty
9597 \global\let\@title\@empty
9598 \global\let\title\relax
9599 \global\let\author\relax
9600 \global\let\date\relax
9601 \global\let\and\relax
9602 }

```



```

g603 \else
g604 \renewcommand\maketitle{\par
g605   \begingroup
g606     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
g607     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
g608     \long\def\@makefntext##1{\parindent 1em\noindent
g609       \hb@xt@1.8em{%
g610         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
g611     \if@twocolumn
g612       \ifnum \col@number=\@ne
g613         \@maketitle
g614       \else
g615         \twocolumn[\@maketitle]%
g616       \fi
g617     \else
g618       \newpage
g619       \global\@topnum\z@    % Prevents figures from going at top of page.
g620       \@maketitle
g621     \fi
g622     \thispagestyle{plain}\@thanks
g623 \endgroup
g624 \setcounter{footnote}{0}%
g625 \global\let\thanks\relax
g626 \global\let\maketitle\relax
g627 \global\let\@maketitle\relax
g628 \global\let\@thanks\@empty
g629 \global\let\@author\@empty
g630 \global\let\@date\@empty
g631 \global\let\@title\@empty
g632 \global\let\title\relax
g633 \global\let\author\relax
g634 \global\let\date\relax
g635 \global\let\and\relax
g636 }
g637 \def\@maketitle{%
g638   \newpage
g639   \null
g640   \vskip 2em%
g641   \begin{center}%
g642     \let \footnote \thanks
g643     {\LARGE \@title \par}%
g644     \vskip 1.5em%
g645     {\large
g646       \lineskip .5em%
g647       \begin{tabular}[t]{c}%
g648         \@author
g649       \end{tabular}\par}%
g650     \vskip 1em%
g651     {\large \@date}%
g652   \end{center}%

```




```

9653 \par
9654 \vskip 1.5em}
9655 \fi
9656 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
9657 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9658 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9659 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9660 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9661 \renewcommand\theequation{%
9662 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9663 \renewcommand\thefigure{%
9664 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9665 \renewcommand\thetable{%
9666 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```

7.56 fancybox-xetex-bidi.def

```

9667 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package for
9668 \def\fancy@oval#1#2#3{%
9669 \boxmaxdepth \maxdimen
9670 \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
9671 \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
9672 \@ovxx#1\relax
9673 \advance\@ovxx-\@wholewidth
9674 \@ovyy#2\relax
9675 \advance\@ovyy-\@wholewidth
9676 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
9677 \advance\@tempdimb-2\p@
9678 \ifdim\@tempdimb>\the@cornersize\relax
9679 \@tempdimb=\the@cornersize
9680 \fi
9681 \@getcirc\@tempdimb
9682 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
9683 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
9684 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
9685 \@circlefnt
9686 \setbox\@tempboxa\hbox{\beginL%
9687 \if@ovr \@ovvert32\kern -\@tempdima \fi
9688 \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
9689 \if@ovt \@ovhorz \kern -\@ovxx \fi
9690 \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
9691 \advance\@ovdx\@ovro
9692 \advance\@ovdy\@ovro
9693 \advance\@ovxx\@wholewidth
9694 \wd\@tempboxa=\@ovxx
9695 \dp\@tempboxa=\z@}

```

7.57 fancyhdr-xetex-bidi.def

```

9696 \ProvidesFile{fancyhdr-xetex-bidi.def}[2012/04/18 v0.4 bidi adaptations for fancyhdr package for
9697 \let\fnch@everypar\everypar%

```



```

9698 \def\@fancyhead#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox
9699 \@fancyvbox\headheight{\hbox
9700 {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLma
9701 \parbox[b]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else
9702 \llap{\parbox[b]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma
9703 \def\@fancyfoot#1#2#3#4#5{\if@RTLmain\beginR\else\beginL\fi#1\if@RTLmain\endR\else\endL\fi\hbox
9704 \@fancyvbox\footskip{\footrule
9705 \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright\if@RTLmain\beginR\else\beginL\fi#2\if@RTLma
9706 \parbox[t]{\headwidth}{\centering\if@RTLmain\beginR\else\beginL\fi#3\if@RTLmain\endR\else
9707 \llap{\parbox[t]{\headwidth}{\bidi@raggedleft\if@RTLmain\beginR\else\beginL\fi#4\if@RTLma

```

7.58 fix2col-xetex-bidi.def

```

9708 \ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for Xe
9709 \def\RTL@outputdblcol{%
9710 \if@firstcolumn
9711 \global\@firstcolumnfalse
9712 \global\setbox\@leftcolumn\copy\@outputbox
9713 \splitmaxdepth\maxdimen
9714 \vbadness\maxdimen
9715 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9716 \toks@{\expandafter{\topmark}}%
9717 \xdef\@firstcoltopmark{\the\toks@}%
9718 \toks@{\expandafter{\splitfirstmark}}%
9719 \xdef\@firstcolfirstmark{\the\toks@}%
9720 \ifx\@firstcolfirstmark\@empty
9721 \global\let\@setmarks\relax
9722 \else
9723 \gdef\@setmarks{%
9724 \let\firstmark\@firstcolfirstmark
9725 \let\topmark\@firstcoltopmark}%
9726 \fi
9727 \else \global\@firstcolumntrue
9728 \setbox\@outputbox \vbox {\hbox to\textwidth {%
9729 \hskip \columnwidth
9730 \hfil \vrule width\columnseprule \hfil
9731 \hbox to\columnwidth {\box\@leftcolumn \hss}%
9732 \hskip -\textwidth
9733 \hbox to\columnwidth{\box\@outputbox \hss}%
9734 \hskip \columnsep
9735 \hskip \columnwidth }}%
9736 \@combinedblfloats \@setmarks \@outputpage
9737 \begingroup \@dblfloatplacement \@startdblcolumn
9738 \@whiles\if@fcolmade \fi
9739 {\@outputpage \@startdblcolumn }\endgroup
9740 \fi}
9741 \def\LTR@outputdblcol{%
9742 \if@firstcolumn
9743 \global\@firstcolumnfalse
9744 \global\setbox\@leftcolumn\copy\@outputbox

```



```

9745 \splitmaxdepth\maxdimen
9746 \vbadness\maxdimen
9747 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
9748 \toks@\expandafter{\topmark}%
9749 \xdef\@firstcoltopmark{\the\toks@}%
9750 \toks@\expandafter{\splitfirstmark}%
9751 \xdef\@firstcolfirstmark{\the\toks@}%
9752 \ifx\@firstcolfirstmark\@empty
9753 \global\let\@setmarks\relax
9754 \else
9755 \gdef\@setmarks{%
9756 \let\firstmark\@firstcolfirstmark
9757 \let\topmark\@firstcoltopmark}%
9758 \fi
9759 \else
9760 \global\@firstcolumntrue
9761 \setbox\@outputbox\vbox{%
9762 \hb@xt@\textwidth{%
9763 \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
9764 \hfil
9765 \vrule \@width\columnseprule
9766 \hfil
9767 \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
9768 \@combinedblfloats
9769 \setmarks
9770 \outputpage
9771 \beginngroup
9772 \@dblfloatplacement
9773 \@startdblcolumn
9774 \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
9775 \endgroup
9776 \fi}

```

7.59 fleqn-xetex-bidi.def

```

9777 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX eng
9778 \renewcommand\[{ \relax
9779 \ifmmode\@badmath
9780 \else
9781 \begin{trivlist}%
9782 \beginparpenalty\predisplaypenalty
9783 \endparpenalty\postdisplaypenalty
9784 \item[]\leavevmode
9785 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
9786 \hskip\mathindent\bgroup
9787 \fi}
9788 \renewcommand\]{ \relax
9789 \ifmmode
9790 \egroup $\hfil% $
9791 \endL\egroup

```



```

9792             \end{trivlist}%
9793             \else \@badmath
9794             \fi}
9795 \renewenvironment{equation}%
9796   {\@beginparpenalty\predisplaypenalty
9797   \endparpenalty\postdisplaypenalty
9798   \refstepcounter{equation}%
9799   \trivlist \item[]\leavevmode
9800   \hb@xt@\linewidth\bgroup\beginL $\m@th% $
9801   \displaystyle
9802   \hskip\mathindent}%
9803   {$\hfil % $
9804   \displaywidth\linewidth\hbox{\@eqnnum}%
9805   \endL\egroup
9806   \endtrivlist}

```

7.60 float-xetex-bidi.def

```

9807 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX]
9808 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
9809 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
9810 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
9811 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
9812   \expandafter\edef\csname the#1\endcsname{%
9813     \expandafter\noexpand\csname
9814       the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
9815   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

7.61 floatrow-xetex-bidi.def

```

9816 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package for XeTeX]
9817 \renewcommand\flnew@within[1]{\@addtoreset{FB@captype}{#1}%
9818   \expandafter\edef\csname theFB@captype\endcsname{%
9819     \expandafter\noexpand\csname
9820       the#1\endcsname\@SepMark\noexpand\arabic{FB@captype}}}

```

7.62 flowfram-xetex-bidi.def

```

9821 \ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package for XeTeX]
9822 \def\@outputdblcol{%
9823   \@nxtcol=\c@thisframe
9824   \c@curpg=\c@page
9825   \@g@tnextcol{\@nxtcol}%
9826   \if@ff@nwpg % next flow frame starts on new page
9827     \global\@firstcolumntrue
9828     \@setcolbox\c@thisframe
9829     \if@specialpage
9830       \global\@specialpagefalse
9831       \@nameuse{ps@\@specialstyle}\relax
9832     \fi
9833     \if@twoside
9834       \ifodd\count\z@

```



```

9835     \let\@thehead\@oddhead
9836     \let\@thefoot\@oddfoot
9837     \else
9838         \let\@thehead\@evenhead
9839         \let\@thefoot\@evenfoot
9840     \fi
9841 \else
9842     \let\@thehead\@oddhead
9843     \let\@thefoot\@oddfoot
9844 \fi
9845 \@begindvi
9846 \@dodynamicthehead\@dodynamicthefoot
9847 \vbadness=\@M
9848 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
9849 \@combinedblfloats
9850 \@outputpage
9851 \advance\c@curpg by -\c@page\relax
9852 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
9853 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
9854 \@outputpage}
9855 \begingroup
9856     \@dblfloatplacement
9857     \@startdblcolumn
9858     \@whilesw \if@fcolmade \fi
9859         {\@outputpage \@startdblcolumn }\endgroup
9860 \@resetst@tics
9861 \@resetdyn@mics
9862 \else % still on same page, save contents of box255
9863     \global\@firstcolumnfalse
9864     \@setcolbox\c@thisframe
9865 \fi
9866 \global\c@thisframe=\@nxtcol
9867 \setcol{\c@thisframe}\relax
9868 \global\@colht\vsiz
9869 }
9870 \def\@outputpage{%
9871 \begingroup
9872     \let\protect\noexpand
9873     \@resetactivechars
9874     \global\let\@@if@newlist\if@newlist
9875     \global\@newlistfalse\@parboxrestore
9876     \shipout\vbox{\set@typeset@protect
9877         \aftergroup
9878         \endgroup
9879         \aftergroup
9880         \set@typeset@protect
9881         \reset@font\normalsize\normalsfcodes
9882         \let\label\@gobble
9883         \let\index\@gobble
9884         \let\glossary\@gobble

```



```

9885 \baselineskip\z@skip
9886 \lineskip\z@skip
9887 \lineskiplimit\z@
9888 \vskip\topmargin\moveright\@themargin
9889 \vbox{%
9890     \vskip\headheight
9891     \vskip\headsep
9892     \box\@outputbox
9893 }}%
9894 \global\let\if@newlist\@if@newlist
9895 \stepcounter{page}%
9896 \setcounter{displayedframe}{0}%
9897 \let\firstmark\botmark}
9898
9899
9900 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
9901 \expandafter\bidicolor\ff@txtcol}}
9902
9903 \newcommand{\bidi@ff@box}[3]{\@ffbackground{\vbox to#2
9904 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}%
9905
9906
9907 \renewcommand*{\@docolbox}[1]{%
9908 \edef\ff@frametype{%
9909 \csname @ff@frametype@\romannumeral#1\endcsname}%
9910 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
9911 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
9912 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
9913 \@ff@setoffset{#1}%
9914 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
9915 \ifthenelse{\boolean{columnframe\romannumeral#1}}{\}%
9916 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
9917 {\csname colheight\romannumeral#1\endcsname}{%
9918 \expandafter\box\csname column\romannumeral#1\endcsname}{%
9919 \csname\ff@frametype\endcsname}%
9920 }{%
9921 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
9922 {\csname colheight\romannumeral#1\endcsname}{%
9923 \expandafter\box\csname column\romannumeral#1\endcsname}%
9924 }}
9925 \@ifclassloaded{book}{%
9926 \renewcommand\theequation
9927 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9928 \renewcommand \thefigure
9929 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9930 \renewcommand \thetable
9931 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9932 \renewcommand \thechapter {\@arabic\c@chapter}
9933 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9934 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}

```



```

9935 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9936 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9937 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9938 \@ifclassloaded{report}{%
9939 \renewcommand\theequation
9940 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9941 \renewcommand \thefigure
9942 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9943 \renewcommand \thetable
9944 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9945 \renewcommand \thechapter {\@arabic\c@chapter}
9946 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9947 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9948 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9949 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9950 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
9951 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
9952 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
9953 \else
9954 #2\relax
9955 \fi}

```

7.63 footnote-xetex-bidi.def

```

9956 \ProvidesFile{footnote-xetex-bidi.def}[2013/04/26 v0.8 bidi footnote macros for XeTeX engine]
9957 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
9958 \newif\ifbidi@autofootnoterule
9959 \def\bidi@mpfootnoterule{footnoterule}
9960 \newcounter{footdir@label}
9961 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
9962 \newcommand*{\footdir@write}{%
9963 \stepcounter{footdir@label}%
9964 \zref@labelbyprops{\thefootdir@label}{abspage}%
9965 }
9966 \newif\iffootdir@debug
9967 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
9968 \newtoks\footdir@toks
9969 \newcommand*{\footdir@debug}[1]{%
9970 \iffootdir@debug
9971 \typeout{[footdir] #1}%
9972 \fi
9973 }
9974 \@ifpackagelater{zref-abspage}{2012/10/27}{%
9975 \newcommand*{\footdir@LeftRightElse}{%
9976 \ltx@ifundefined{footdir@the\value{zabspage}}{%
9977 \footdir@debug{abspage \the\value{zabspage}: else}%
9978 \ltx@thirdofthree
9979 }{%
9980 \if\csname footdir@the\value{zabspage}\endcsname L%
9981 \footdir@debug{abspage \the\value{zabspage}: left}%

```



```

9982         \expandafter\ltx@firstofthree
9983     \else
9984         \footdir@debug{abspage \the\value{zabspage}: right}%
9985         \expandafter\ltx@secondofthree
9986     \fi
9987 }%
9988 }%
9989 }{%
9990 \providecommand*\c@zabspage{\c@abspage}%
9991 \newcommand*\footdir@LeftRightElse{%
9992     \footdir@write
9993     \zifrefundefined{\thefootdir@label}{%
9994         \footdir@debug{abspage ??: else}%
9995         \ltx@thirdofthree
9996     }{%
9997         \edef\footdir@abspage{%
9998             \zref@extractdefault{\thefootdir@label}{abspage}{0}%
9999         }%
10000         \ltx@ifundefined{footdir@\footdir@abspage}{%
10001             \footdir@debug{\footdir@abspage: else}%
10002             \ltx@thirdofthree
10003         }{%
10004             \if\csname footdir@\footdir@abspage\endcsname L%
10005                 \footdir@debug{\footdir@abspage: left}%
10006                 \expandafter\ltx@firstofthree
10007             \else
10008                 \footdir@debug{\footdir@abspage: right}%
10009                 \expandafter\ltx@secondofthree
10010             \fi
10011         }%
10012     }%
10013 }%
10014 }
10015 \newcommand*\footdir@fntext}[1]{%
10016     \zifrefundefined{\thefootdir@label}{%
10017     }{%
10018         \edef\footdir@name{%
10019             footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
10020         }%
10021         \@ifundefined{\footdir@name}{%
10022             \expandafter\gdef\csname\footdir@name\endcsname{#1}%
10023         }{%
10024         }%
10025     }
10026 }
10027 \newcommand*\footdir@temp}[3]{%
10028     \@ifdefinable{#1}{%
10029         \let#1#2%
10030         \renewcommand{#2}[1]{%
10031             \footdir@write

```




```

10032 \footdir@fntext{#3}%
10033 \stepcounter{footdir@label}%
10034 \footdir@fntext{#3}%
10035 \footdir@toks{##1}%
10036 \footdir@toks\expandafter{%
10037 \the\expandafter\footdir@toks
10038 \expandafter
10039 \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
10040 }%
10041 \expandafter#1\expandafter{\the\footdir@toks}%
10042 }%
10043 }%
10044 }
10045
10046 \def\right@footnoterule{%
10047 \hbox to \columnwidth
10048 {\beginR \vbox{\kern -3\p@
10049 \hrule width .4\columnwidth \kern2.6\p@\hfil\endR}}
10050 \def\left@footnoterule{%
10051 \hrule width .4\columnwidth\kern 2.6\p@}
10052 \def\textwidth@footnoterule{\kern-3\p@
10053 \hrule \@width \columnwidth \kern 2.6\p@}
10054 \def\leftfootnoterule{%
10055 \bidi@autofootnoterulefalse%
10056 \def\footnoterule{\left@footnoterule}}
10057 \let\LRfootnoterule=\leftfootnoterule
10058 \def\rightfootnoterule{%
10059 \bidi@autofootnoterulefalse%
10060 \def\footnoterule{\right@footnoterule}}
10061 \def\textwidthfootnoterule{%
10062 \bidi@autofootnoterulefalse%
10063 \def\footnoterule{\textwidth@footnoterule}}
10064
10065
10066
10067 \def\auto@footnoterule{%
10068 \footdir@LeftRightElse%
10069 \left@footnoterule%
10070 \right@footnoterule%
10071 \left@footnoterule%
10072 }
10073
10074
10075
10076 \def\autofootnoterule{%
10077 \bidi@autofootnoteruletrue%
10078 \def\footnoterule{\auto@footnoterule}%
10079 }
10080
10081 \newcommand*\SplitFootnoteRule{%

```



```

10082 \gdef\split@prev{0}
10083 \let\pagefootnoterule\footnoterule
10084 \let\mpfootnoterule\footnoterule
10085 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
10086 \def\footnoterule{\relax
10087   \ifx \@listdepth\@mplistdepth
10088     \mpfootnoterule
10089   \else
10090     \ifnum\split@prev=\z@
10091       \pagefootnoterule
10092     \else
10093       \splitfootnoterule
10094     \fi
10095     \xdef\split@prev{\the\insertpenalties}%
10096   \fi
10097 }%
10098 }
10099
10100
10101
10102
10103 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
10104   \protected@xdef\@thefnmark{\thempfn}%
10105   \@footnotemark\@RTLfootnotetext}}
10106 \def\@xRTLfootnote[#1]{%
10107   \begingroup
10108     \csname c@\@mpfn\endcsname #1\relax
10109     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10110   \endgroup
10111   \@footnotemark\@RTLfootnotetext}
10112 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
10113   \protected@xdef\@thefnmark{\thempfn}%
10114   \@footnotemark\@LTRfootnotetext}}
10115 \def\@xLTRfootnote[#1]{%
10116   \begingroup
10117     \csname c@\@mpfn\endcsname #1\relax
10118     \unrestored@protected@xdef\@thefnmark{\thempfn}%
10119   \endgroup
10120   \@footnotemark\@LTRfootnotetext}
10121
10122
10123 \def\setfootnoteRL{\@RTL@footnotetrue}
10124 \def\unsetfootnoteRL{\@RTL@footnotefalse}
10125 \def\setfootnoteLR{\unsetfootnoteRL}
10126
10127 \long\def\@footnotetext#1{\insert\footins{%
10128   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10129   \reset@font\footnotesize
10130   \interlinepenalty\interfootnotelinepenalty
10131   \splittopskip\footnotesep

```



```

10132 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10133 \hsize\columnwidth \@parboxrestore
10134 \protected@edef\@currentlabel{%
10135     \csname p@footnote\endcsname\@thefnmark
10136 }%
10137 \color@begingroup
10138     \@makefnstext{%
10139         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10140 \color@endgroup}}%
10141
10142
10143 \long\def\@RTLfootnotetext#1{\insert\footins{%
10144     \@RTLtrue%
10145     \reset@font\footnotesize
10146     \interlinepenalty\interfootnotelinepenalty
10147     \splittopskip\footnotesep
10148     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10149     \hsize\columnwidth \@parboxrestore
10150     \protected@edef\@currentlabel{%
10151         \csname p@footnote\endcsname\@thefnmark
10152     }%
10153     \color@begingroup
10154         \@makefnstext{%
10155             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10156     \color@endgroup}}%
10157
10158 \long\def\@LTRfootnotetext#1{\insert\footins{%
10159     \@RTLfalse%
10160     \reset@font\footnotesize
10161     \interlinepenalty\interfootnotelinepenalty
10162     \splittopskip\footnotesep
10163     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
10164     \hsize\columnwidth \@parboxrestore
10165     \protected@edef\@currentlabel{%
10166         \csname p@footnote\endcsname\@thefnmark
10167     }%
10168     \color@begingroup
10169         \@makefnstext{%
10170             \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10171     \color@endgroup}}%
10172
10173 \AtBeginDocument{%
10174 \if@RTL@footnote
10175     \newcommand*{\bidi@footdir@footnote}{R}
10176 \else
10177     \newcommand*{\bidi@footdir@footnote}{L}
10178 \fi%
10179 }
10180
10181 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%

```



```

10182 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
10183 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
10184
10185 \long\def\@mpRTLfootnotetext#1{%
10186   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\@bidi@mpfootnoterule\right@footnote
10187   \global\setbox\@mpfootins\vbox{\@RTLtrue%
10188     \unvbox\@mpfootins
10189     \reset@font\footnotesize
10190     \hsize\columnwidth
10191     \@parboxrestore
10192     \protected@edef\@currentlabel
10193       {\csname p@mpfootnote\endcsname\@thefnmark}%
10194     \color@begingroup
10195       \@makefntext{%
10196         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10197     \color@endgroup}}
10198 \long\def\@mpLTRfootnotetext#1{%
10199   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\@bidi@mpfootnoterule\left@footnote
10200   \global\setbox\@mpfootins\vbox{\@RTLfalse%
10201     \unvbox\@mpfootins
10202     \reset@font\footnotesize
10203     \hsize\columnwidth
10204     \@parboxrestore
10205     \protected@edef\@currentlabel
10206       {\csname p@mpfootnote\endcsname\@thefnmark}%
10207     \color@begingroup
10208       \@makefntext{%
10209         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10210     \color@endgroup}}
10211 \long\def\@mpfootnotetext#1{%
10212   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\@bidi@mpfootnoterule
10213   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10214     \unvbox\@mpfootins
10215     \reset@font\footnotesize
10216     \hsize\columnwidth
10217     \@parboxrestore
10218     \protected@edef\@currentlabel
10219       {\csname p@mpfootnote\endcsname\@thefnmark}%
10220     \color@begingroup
10221       \@makefntext{%
10222         \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
10223     \color@endgroup}}
10224 \def\@iiiminipage#1#2[#3]#4{%
10225   \leavevmode
10226   \@pboxswfalse
10227   \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
10228   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
10229   \setlength\@tempdima{#4}%
10230   \def\@mpargs{#1}#2[#3]{#4}}%
10231   \setbox\@tempboxa\vbox\bgroup

```



```

10232 \color@begingroup
10233 \hsize\@tempdima
10234 \textwidth\hsize \columnwidth\hsize
10235 \@parboxrestore
10236 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
10237 \let\@footnotetext\@mpfootnotetext
10238 \let\@LTRfootnotetext\@mpLTRfootnotetext
10239 \let\@RTLfootnotetext\@mpRTLfootnotetext
10240 \let\@listdepth\@mplistdepth \@mplistdepth\z@
10241 \@minipagerestore
10242 \@setminipage}
10243 \def\endminipage{%
10244 \par
10245 \unskip
10246 \ifvoid\@mpfootins\else
10247 \vskip\skip\@mpfootins
10248 \normalcolor
10249 \bidi@mpfootnoterule
10250 \unvbox\@mpfootins
10251 \fi
10252 \@minipagefalse %% added 24 May 89
10253 \color@endgroup
10254 \egroup
10255 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
10256 \def\LTRthanks#1{\footnotemark
10257 \protected@xdef\@thanks{\@thanks
10258 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
10259 }
10260 \def\LTRfootnotetext{%
10261 \@ifnextchar [\@xLTRfootnotenext
10262 {\protected@xdef\@thefnmark{\thempfn}%
10263 \@LTRfootnotetext}}
10264 \def\@xLTRfootnotenext[#1]{%
10265 \begingroup
10266 \csname c@\@mpfn\endcsname #1\relax
10267 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10268 \endgroup
10269 \@LTRfootnotetext}
10270 \def\RTLthanks#1{\footnotemark
10271 \protected@xdef\@thanks{\@thanks
10272 \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
10273 }
10274 \let\@thanks\@empty
10275 \def\RTLfootnotetext{%
10276 \@ifnextchar [\@xRTLfootnotenext
10277 {\protected@xdef\@thefnmark{\thempfn}%
10278 \@RTLfootnotetext}}
10279 \def\@xRTLfootnotenext[#1]{%
10280 \begingroup
10281 \csname c@\@mpfn\endcsname #1\relax

```



```

10282 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10283 \endgroup
10284 \@RTLfootnotetext}
10285 \leftfootnoterule

```

7.64 framed-xetex-bidi.def

```

10286 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for XeT
10287 \renewcommand\TitleBarFrame[3][\begingroup
10288 \ifx\delimiter#1\delimiter
10289 \let\TF@conlab\@empty
10290 \else
10291 \def\TF@conlab{% continuation label
10292 \nointerlineskip
10293 \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
10294 \fi
10295 %\let\TF@savecolor\current@color
10296 \textcolor{TFFrameColor}{%
10297 \CustomFBox
10298 {\TF@Title{#2}}{\TF@conlab}%
10299 \fboxrule\fboxrule\fboxrule\fboxrule
10300 %{\let\current@color\TF@savecolor\set@color #3}%
10301 {\normalcolor #3}%
10302 }\endgroup
10303 }
10304 \renewenvironment{titled-frame}[1]{%
10305 \def\FrameCommand{\fboxsep8pt\fboxrule2pt
10306 \TitleBarFrame{\textbf{#1}}}%
10307 \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
10308 \TitleBarFrame[{$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{$\textbf{#1}}}%
10309 \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
10310 \TitleBarFrame[{$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{$\textbf{#1\ (cont)}$}%
10311 \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
10312 \TitleBarFrame{\textbf{#1\ (cont)}}}%
10313 \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
10314 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
10315 % could interfere with the width measurement.
10316 {\endMakeFramed}
10317 \chardef\FrameRestore=\catcode`\| % for debug
10318 \catcode`\|=\catcode`\% (debug: insert space after backslash)
10319 \def\fb@put@frame#1#2{\relax
10320 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
10321 | \message{===== Entering putframe =====^~J
10322 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
10323 \ifinner
10324 \fb@putboxa#1%
10325 \fb@afterframe
10326 \else
10327 \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
10328 \ifdim\dimen@<2\baselineskip % Too little room on page

```



```

10329 | \message{Page has only \the\dimen@space room left; eject. }%
10330 | \eject \fb@adjheight \fb@put@frame#1#2%
10331 | \else % there's appreciable room left on the page
10332 | \fb@sizeofframe#1%
10333 | \message{\string\pagetotal=\the\pagetotal,
10334 | \string\pagegoal=\the\pagegoal,
10335 | \string\pagestretch=\the\pagestretch,
10336 | \string\pageshrink=\the\pageshrink,
10337 | \string\fb@frh=\the\fb@frh. \space}
10338 | \message{^^JBox of size \the\ht@tempboxa\space}%
10339 | \begingroup % temporarily set \dimen@ to be...
10340 | \advance\dimen@.8\pageshrink % maximum space available on page
10341 | \advance\dimen@-\fb@frh\relax % max space available for frame's contents
10342 | %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
10343 | \expandafter\endgroup
10344 | % expand \ifdim, then restore \dimen@ to real room left on page
10345 | \ifdim\dimen@>\ht@tempboxa % whole box does fit
10346 | \message{fits in \the\dimen@. }%
10347 | % ToDo: Change this to use vsplit anyway to capture the marks
10348 | % MERGE THIS WITH THE else CLAUSE!!!
10349 | \fb@putboxa#1%
10350 | \fb@afterframe
10351 | \else % box must be split
10352 | \message{must be split to fit in \the\dimen@. }%
10353 | % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
10354 | \fb@sizeofframe#2%
10355 | \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
10356 | \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
10357 | \kern137sp\kern-137sp\penalty-30
10358 | \unvbox\@tempboxa}%
10359 | \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
10360 | \splittopskip\the\splittopskip}%
10361 | \boxmaxdepth\z@ \splittopskip\z@
10362 | \message{^^JPadded box of size \the\ht@tempboxa\space split to \the\dimen@}%
10363 | % Split box here
10364 | \setbox\tw@\vsplit\@tempboxa to\dimen@
10365 | \toks99\expandafter{\splitfirstmark}%
10366 | \toks98\expandafter{\splitbotmark}%
10367 | \message{Marks are: \the\toks99, \the\toks98. }%
10368 | \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
10369 | \message{Natural height of split box is \the\ht\tw@, leaving
10370 | \the\ht@tempboxa\space remainder. }%
10371 | % If the split-to size > (\vsize-\topskip), then set box to full size.
10372 | \begingroup
10373 | \advance\dimen@\topskip
10374 | \expandafter\endgroup
10375 | \ifdim\dimen@>\pagegoal
10376 | \message{Frame is big -- Use up the full column. }%
10377 | \dimen@ii\pagegoal
10378 | \advance\dimen@ii -\topskip

```



```

10379         \advance\dimen@ii \FrameHeightAdjust\relax
10380     \else % suspect this is implemented incorrectly:
10381     % If the split-to size > feasible room_on_page, rebox it smaller.
10382         \advance\dimen@.8\pageshrink
10383         \ifdim\ht\tw@>\dimen@
10384 |         \message{Box too tall; rebox it to \the\dimen@. }%
10385         \dimen@ii\dimen@
10386     \else % use natural size
10387         \dimen@ii\ht\tw@
10388     \fi
10389 \fi
10390 % Re-box contents to desired size \dimen@ii
10391 \advance\dimen@ii -\fb@frh
10392 \setbox\tw@\vbox to\dimen@ii \bgroup
10393 % remove simulated frame and page flexibility:
10394 \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
10395 \unvbox\tw@ \unpenalty\unpenalty
10396 \ifdim\lastkern=-137sp % whole box went to next page
10397 |     \message{box split at beginning! }%
10398     % need work here???
10399 \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
10400     \fb@adjheight
10401     \fb@put@frame#1#2% INSERTED ???
10402 \else % Got material split off at the head
10403     \egroup \fb@resto@set
10404     \ifvoid@tempboxa % it all fit after all
10405 |     \message{box split at end! }%
10406     \setbox@tempboxa\box\tw@
10407     \fb@putboxa#1%
10408     \fb@afterframe
10409     \else % it really did split
10410 |     \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
10411     \ifdim\wd\tw@>\z@
10412         \wd\tw@\wd@tempboxa
10413         \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
10414     \else
10415 |     \message{Zero width means likely blank. Don't frame it (guess)}%
10416     \box\tw@
10417     \fi
10418     \hrule \@height\z@ \@width\hsize
10419     \eject
10420     \fb@adjheight
10421     \fb@put@frame\LastFrameCommand\MidFrameCommand
10422 \fi\fi\fi\fi\fi
10423 }
10424 \def\fb@putboxa#1{%
10425     \ifvoid@tempboxa
10426         \PackageWarning{framed}{Boxa is void -- discard it. }%
10427     \else
10428 |     \message{Frame and place boxa. }%

```




```

10429 |   %{\showoutput\showbox\@tempboxa}%
10430   \centerline{#1{\hboxL{\box\@tempboxa}}}%
10431   \fi
10432 }
10433 \catcode`\|=\FrameRestore
10434 \def\FrameRestore{%
10435   \let\if@nobreak\iffalse
10436   \let\if@noskipsec\iffalse
10437   \let\-\@dischyph
10438   \let'\@acci\let'\@accii\let\=\@acciii
10439   % \message{FrameRestore:
10440   %   \@totalleftmargin=\the \@totalleftmargin,
10441   %   \rightmargin=\the\rightmargin,
10442   %   \@listdepth=\the\@listdepth. }%
10443   % Test if we are in a list (or list-like paragraph)
10444   \ifnum \ifdim \@totalleftmargin>\z@ 1\fi
10445     \ifdim \rightmargin>\z@ 1\fi
10446     \ifnum \@listdepth>\z@ 1\fi 0>\z@
10447   % \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
10448   %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
10449   %   \labelwidth=\the\labelwidth. }%
10450   \@setminipage % snug fit around the item
10451   % Now try to propagate changes of width from \hsize to list parameters.
10452   % This is deficient, but a more advanced way to indicate modification to text
10453   % dimensions is not (yet) provided; in particular, no separate left/right
10454   % adjustment.
10455   \advance\linewidth-\columnwidth \advance\linewidth\hsize
10456   \parshape\@ne \@totalleftmargin \linewidth
10457 \else % Not in list
10458   \linewidth=\hsize
10459   %\message{No list, set \string\linewidth=\the\hsize. }%
10460   \fi
10461   \sloppy
10462 }

```

7.65 ftnright-xetex-bidi.def

```

10463 \ProvidesFile{ftnright-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for ftnright package for
10464 \def\LTR@outputdblcol{\if@firstcolumn
10465   \global\@firstcolumnfalse
10466   \global\setbox\@leftcolumn\box\@outputbox
10467   \global\count\footins\@m
10468   \global\skip\footins\rcol@footinsskip
10469 \else \preparefootins
10470   \global\@firstcolumntrue
10471   \setbox\@outputbox\vbox{\hbox to\textwidth
10472     {\hbox to\columnwidth
10473       {\box\@leftcolumn\hss}%
10474     \hfil\vrule\@width\columnseprule\hfil
10475     \hbox to\columnwidth

```



7.66 graphicx-xetex-bidi.def

bidi implementation 241



```

10523 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
10524 \leavevmode
10525 \def\Gscale@x{#1}\def\Gscale@y{#2}%
10526 \setbox\z@\hbox{{#3}}%
10527 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
10528 \ifdim#2\p@<\z@
10529 \ht\tw@-#2\dp\z@
10530 \dp\tw@-#2\ht\z@
10531 \else
10532 \ht\tw@#2\ht\z@
10533 \dp\tw@#2\dp\z@
10534 \fi
10535 \ifdim#1\p@<\z@
10536 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
10537 \else
10538 \wd\tw@#1\wd\z@
10539 \box\tw@
10540 \fi\ifmmode\else\if@RTL\endL\fi\fi}
10541 \def\Gin@iii[#1,#2][#3,#4]#5{%
10542 \begingroup
10543 \ifmmode\else\if@RTL\beginL\fi\fi
10544 \Gin@bboxtrue
10545 \Gin@defaultbp\Gin@llx{#1}%
10546 \Gin@defaultbp\Gin@lly{#2}%
10547 \Gin@defaultbp\Gin@urx{#3}%
10548 \Gin@defaultbp\Gin@ury{#4}%
10549 \Gin@include@graphics{#5}%
10550 \ifmmode\else\if@RTL\endL\fi\fi
10551 \endgroup}
10552 \def\Gin@ii[#1]#2{%
10553 \def\@tempa{[]}\def\@tempb{#2}%
10554 \ifx\@tempa\@tempb
10555 \def\@tempa{\Gin@iii[#1] []}%
10556 \expandafter\@tempa
10557 \else
10558 \begingroup
10559 \ifmmode\else\if@RTL\beginL\fi\fi
10560 \@tempswafalse
10561 \toks@{\Gin@include@graphics{#2}}%
10562 \setkeys{Gin}{#1}%
10563 \Gin@esetsize
10564 \the\toks@
10565 \ifmmode\else\if@RTL\endL\fi\fi
10566 \endgroup
10567 \fi}
10568 \def\reflectbox{\bidiGscale@box-1[1]}
10569 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
10570 \leavevmode
10571 \def\Gscale@x{#1}\def\Gscale@y{#2}%
10572 \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}}

```



```

10573 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
10574 \ifdim#2\p@<\z@
10575 \ht\tw@-#2\dp\z@
10576 \dp\tw@-#2\ht\z@
10577 \else
10578 \ht\tw@#2\ht\z@
10579 \dp\tw@#2\dp\z@
10580 \fi
10581 \ifdim#1\p@<\z@
10582 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
10583 \else
10584 \wd\tw@#1\wd\z@
10585 \box\tw@
10586 \fi\ifmmode\else\if@RTL\endL\fi\fi}
10587 \def\scalebox#1{%
10588 \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
10589 \def\resizebox{%
10590 \leavevmode
10591 \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
10592 \def\bidiGscale@@box#1#2#3{%
10593 \let\@tempa\Gin@exclamation
10594 \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
10595 \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
10596 \ifx\@tempb\@tempa
10597 \ifx\@tempc\@tempa
10598 \toks@{\mbox}%
10599 \else
10600 \toks@{\bidiGscale@box@dd{#3}#1}%
10601 \fi
10602 \else
10603 \ifx\@tempc\@tempa
10604 \toks@{\bidiGscale@box@dd{#2}\width}%
10605 \else
10606 \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
10607 \fi
10608 \fi
10609 \the\toks@}
10610 \long\def\bidiGscale@box@dd#1#2#3{%
10611 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
10612 \setlength\@tempdima{#1}%
10613 \setlength\@tempdimb{#2}%
10614 \Gscale@div\@tempa\@tempdima\@tempdimb
10615 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
10616 \@end@tempboxa}
10617 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
10618 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
10619 \setlength\@tempdima{#1}%
10620 \setlength\@tempdimb{#2}%
10621 \Gscale@div\@tempa\@tempdima\@tempdimb
10622 \setlength\@tempdima{#3}%

```



```

10623 \setlength\@tempdimb{#4}%
10624 \Gscale@div\@tempb\@tempdima\@tempdimb
10625 \ifGin@iso
10626 \ifdim\@tempa\p@>\@tempb\p@
10627 \let\@tempa\@tempb
10628 \else
10629 \let\@tempb\@tempa
10630 \fi
10631 \fi
10632 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
10633 \@end@tempboxa}

```

7.67 geometry-xetex-bidi.def

```

10634 \ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package for X
10635 \renewcommand*{\Gm@vrules@mpi}{%
10636 \if@RTLmain%
10637 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
10638 \llap{\Gm@vrule}\ignorespaces
10639 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
10640 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
10641 \else%
10642 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
10643 \hskip \textwidth\Gm@vrule\hskip \marginparsep
10644 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
10645 \renewcommand*{\Gm@vrules@mpii}{%
10646 \if@RTLmain%
10647 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
10648 \hskip \textwidth\Gm@vrule\hskip \marginparsep
10649 \llap{\Gm@vrule}\hfil\Gm@vrule}%
10650 \else%
10651 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
10652 \llap{\Gm@vrule}\ignorespaces
10653 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
10654 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
10655

```

7.68 hvfloat-xetex-bidi.def

```

10656 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for X
10657 \def\do@hvFloat[#1]#2#3{%
10658 \def\hv@shortCap{#1}
10659 \def\hv@longCap{#2}
10660 \def\hv@label{#3}
10661 %\newcommand*{\hvFloat}[5][[]]{%
10662 % [#1]: keyvalues
10663 % #2: type figure | table | ...
10664 % #3: float contents
10665 % [#4]: short caption
10666 % #5: caption
10667 % #6: label

```



```

10668 % \setDefault%
10669 % \def\@tempa{#1}%
10670 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
10671 % \def\@tempa{90}%
10672 % \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
10673 % \else \setlength{\hvMaxCapWidth}{\linewidth}
10674 % \fi
10675 %
10676 % First we save the object in \hvObjectBox
10677 %
10678 % \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
10679 % \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
10680 % \else
10681 % \savebox{\hvObjectBox}{%
10682 % \rotatebox{\hvSet@objectAngle}{%
10683 % \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
10684 % \fi
10685 % \setlength{\hvObjectWidth}{\wd\hvObjectBox}
10686 %
10687 % Now we save the caption with its defined \hvCapWidth
10688 %
10689 % \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
10690 % \else
10691 % \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
10692 % \else
10693 % \setlength{\hvCapWidth}{\hvObjectWidth}
10694 % \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
10695 % \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
10696 % \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
10697 % \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
10698 % \else
10699 % \setlength{\hvCapWidth}{\hvMaxCapWidth}
10700 % \fi
10701 % \fi
10702 % \fi
10703 %
10704 % now we have the object and the caption with the right
10705 % rotated angles saved in boxes
10706 %
10707 % \def\fps@figure{\hvSet@floatPos}
10708 % \ifhv@nonFloat\begin{group}% Start the nonfloat part
10709 % \else \begin{\hv@floatType}% Start the floating environment
10710 % \fi%
10711 % \saveCaptionSkip% we put this space ourselves
10712 % \ifx\hvSet@capAngle\hv@Width % need rotation?
10713 % \sbox{\hvCaptionBox}{%
10714 % \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
10715 % \ifhv@nonFloat%
10716 % \ifhv@onlyText#2%
10717 % \else%

```



```

10718 \ifx\hv@floatType\hv@figure
10719 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10720 \else
10721 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10722 \fi
10723 \fi
10724 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10725 \fi%
10726 \label{#3}%
10727 \end{minipage}%
10728 }%
10729 \else%
10730 \sbox{\hvCaptionBox}{%
10731 \rotatebox{\hvSet@capAngle}{%
10732 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
10733 \ifhv@nonFloat%
10734 \ifhv@onlyText#2%
10735 \else%
10736 \ifx\hv@floatType\hv@figure
10737 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
10738 \else
10739 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
10740 \fi
10741 \fi
10742 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
10743 \fi%
10744 \label{#3}%
10745 \end{minipage}%
10746 }%
10747 }%
10748 \fi%
10749 %%
10750 \restoreCaptionSkip% save old values
10751 \ifx\hvSet@objectPos\hv@Right\bidiraggedleft%
10752 \else%
10753 \ifx\hvSet@objectPos\hv@Center
10754 \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
10755 \fi%
10756 \fi%
10757 %
10758 % to rotate object and caption together, we save all in another box
10759 % the caption comes first, if its on the left or the top
10760 %
10761 \savebox{\@tempboxa}{%
10762 \ifx\hvSet@capPos\hv@Left % caption on left side
10763 \if@RTL%
10764 \ifx\hvSet@capVPos\hv@Center%
10765 \ifhv@fbox
10766 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10767 \else

```



```

10768 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10769 \fi%
10770 \hspace{\hvSet@floatCapSep pt}%
10771 \ifhv@fbox
10772 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10773 \else
10774 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10775 \fi%
10776 \else%
10777 \ifx\hvSet@capVPos\hv@Top
10778 \ifhv@fbox
10779 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10780 \else
10781 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10782 \fi%
10783 \hspace{\hvSet@floatCapSep pt}%
10784 \ifhv@fbox
10785 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10786 \else
10787 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10788 \fi
10789 \else
10790 \ifhv@fbox
10791 \fbox{\usebox{\hvObjectBox}}%
10792 \else
10793 \usebox{\hvObjectBox}%
10794 \fi
10795 \hspace{\hvSet@floatCapSep pt}%
10796 \ifhv@fbox
10797 \fbox{\usebox{\hvCaptionBox}}%
10798 \else
10799 \usebox{\hvCaptionBox}%
10800 \fi%
10801 \fi%
10802 \fi%
10803 \else% not RTL
10804 \ifx\hvSet@capVPos\hv@Center%
10805 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10806 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10807 \fi%
10808 \hspace{\hvSet@floatCapSep pt}% capfloatsep
10809 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
10810 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10811 \fi%
10812 \else%
10813 \ifx\hvSet@capVPos\hv@Top % caption at top
10814 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10815 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10816 \fi
10817 \hspace{\hvSet@floatCapSep pt}% capfloatsep

```




```

10818     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10819     \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
10820     \fi%
10821     \else% caption on bottom
10822     \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10823     \else\usebox{\hvCaptionBox}
10824     \fi%
10825     \hspace{\hvSet@floatCapSep pt}%
10826     \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10827     \else      \usebox{\hvObjectBox}
10828     \fi%
10829     \fi%
10830 \fi% end of RTL
10831 \fi%
10832 \else
10833 \ifx\hvSet@capPos\hv@Top
10834 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10835 \begin{minipage}{\wd\hvCaptionBox}
10836 \else
10837 \begin{minipage}{\wd\hvObjectBox}
10838 \fi
10839 \centering
10840 \ifhv@fbox
10841 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
10842 \fbbox{\usebox{\hvObjectBox}}
10843 \else
10844 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
10845 \usebox{\hvObjectBox}
10846 \fi%
10847 \end{minipage}
10848 \else
10849 \ifx\hvSet@capPos\hv@Bottom
10850 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
10851 \begin{minipage}{\wd\hvCaptionBox}
10852 \else
10853 \begin{minipage}{\wd\hvObjectBox}
10854 \fi
10855 \centering
10856 \ifhv@fbox
10857 \fbbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
10858 \fbbox{\usebox{\hvCaptionBox}}
10859 \else
10860 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
10861 \usebox{\hvCaptionBox}
10862 \fi%
10863 \end{minipage}
10864 \else% the last option: put the caption on the right
10865 \if@RTL%
10866     \ifx\hvSet@capVPos\hv@Center%
10867     \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%

```



```

10868     \else      \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
10869     \fi%
10870     \hspace{\hvSet@floatCapSep pt}% capfloatsep
10871     \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10872     \else      \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
10873     \fi%
10874 \else%
10875     \ifx\hvSet@capVPos\hv@Top % caption at top
10876     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10877     \else      \raisebox{-\height}{\usebox{\hvCaptionBox}}%
10878     \fi
10879     \hspace{\hvSet@floatCapSep pt}% capfloatsep
10880     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10881     \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
10882     \fi%
10883 \else% caption on bottom
10884     \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
10885     \else\usebox{\hvCaptionBox}
10886     \fi%
10887     \hspace{\hvSet@floatCapSep pt}%
10888     \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
10889     \else      \usebox{\hvObjectBox}
10890     \fi%
10891 \fi%
10892 \fi%
10893 \else% not RTL
10894 \ifx\hvSet@capVPos\hv@Center%
10895 \ifhv@fbox
10896 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
10897 \else
10898 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
10899 \fi%
10900 \hspace{\hvSet@floatCapSep pt}%
10901 \ifhv@fbox
10902 \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
10903 \else
10904 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
10905 \fi%
10906 \else%
10907 \ifx\hvSet@capVPos\hv@Top
10908 \ifhv@fbox
10909 \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
10910 \else
10911 \raisebox{-\height}{\usebox{\hvObjectBox}}%
10912 \fi%
10913 \hspace{\hvSet@floatCapSep pt}%
10914 \ifhv@fbox
10915 \fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
10916 \else
10917 \raisebox{-\height}{\usebox{\hvCaptionBox}}%

```



```

10918 \fi
10919 \else
10920 \ifhv@fbox
10921 \fbox{\usebox{\hvObjectBox}}%
10922 \else
10923 \usebox{\hvObjectBox}%
10924 \fi
10925 \hspace{\hvSet@floatCapSep pt}%
10926 \ifhv@fbox
10927 \fbox{\usebox{\hvCaptionBox}}%
10928 \else
10929 \usebox{\hvCaptionBox}%
10930 \fi%
10931 \fi%
10932 \fi
10933 \fi% end of RTL
10934 \fi
10935 \fi
10936 \fi
10937 }% End savebox Object and caption
10938 %
10939 % now we rotate the object and caption, if needed
10940 %
10941 \ifx\hvSet@rotAngle\hv@Zero
10942 \usebox{\@tempboxa}
10943 \else
10944 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
10945 \fi
10946 \ifhv@nonFloat
10947 \ifx\hvSet@objectPos\hv@Center
10948 \ifhv@nonFloat
10949 \hspace{\fill}
10950 \fi
10951 \fi
10952 \endgroup% End the nonfloat part
10953 \else
10954 \end{\hv@floatType}% End the floating environment
10955 \fi
10956 }

```

7.69 hyperref-xetex-bidi.def

```

10957 \ProvidesFile{hyperref-xetex-bidi.def}[2014/11/08 v0.8 bidi adaptations for hyperref package for
10958 \AtBeginDocument{%
10959 \def\contentsline#1#2#3#4{%
10960 \ifx\#4\%
10961 \csname l@#1\endcsname{#2}{#3}%
10962 \else
10963 \ifcase\Hy@linktoc % none
10964 \csname l@#1\endcsname{#2}{#3}%

```



```

10965 \or % section
10966 \csname l@#1\endcsname{%
10967 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10968 }{#3}%
10969 \or % page
10970 \csname l@#1\endcsname{#2}{%
10971 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10972 }%
10973 \else % all
10974 \csname l@#1\endcsname{%
10975 \beginL\hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend\endL
10976 }{#3}%
10977 \beginL\hyper@linkstart{link}{#4}{#3}\hyper@linkend\endL
10978 }%
10979 \fi
10980 \fi
10981 }
10982 \ifHy@hyperfootnotes
10983 \let\H@@footnotetext\@footnotetext
10984 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
10985 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
10986 \def\@xfootnotenext[#1]{%
10987 \begingroup
10988 \csname c@\@mpfn\endcsname #1\relax
10989 \unrestored@protected@xdef\@thefnmark{\thempfn}%
10990 \endgroup
10991 \ifx\@footnotetext\@mpfootnotetext
10992 \expandafter\H@@mpfootnotetext
10993 \else
10994 \expandafter\H@@footnotetext
10995 \fi
10996 }%
10997 \def\@xRTLfootnotenext[#1]{%
10998 \begingroup
10999 \csname c@\@mpfn\endcsname #1\relax
11000 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11001 \endgroup
11002 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
11003 \expandafter\HRTL@@mpRTLfootnotetext
11004 \else
11005 \expandafter\HRTL@@RTLfootnotetext
11006 \fi
11007 }%
11008 \def\@xLTRfootnotenext[#1]{%
11009 \begingroup
11010 \csname c@\@mpfn\endcsname #1\relax
11011 \unrestored@protected@xdef\@thefnmark{\thempfn}%
11012 \endgroup
11013 \ifx\@LTRfootnotetext\@mplTRfootnotetext
11014 \expandafter\HLTR@@mplTRfootnotetext

```



```

11015 \else
11016 \expandafter\HLTR@@LTRfootnotetext
11017 \fi
11018 }%
11019 \def\xfootnotemark[#1]{%
11020 \begingroup
11021 \c@footnote #1\relax
11022 \unrestored@protected@xdef\@thefnmark{\thefootnote}%
11023 \endgroup
11024 \H@@footnotemark
11025 }%
11026 \let\H@mpfootnotetext\mpfootnotetext
11027 \let\HRTL@mpRTLfootnotetext\mpRTLfootnotetext
11028 \let\HLTR@mpLTRfootnotetext\mpLTRfootnotetext
11029 \long\def\@mpfootnotetext#1{%
11030 \H@mpfootnotetext{%
11031 \ifHy@nesting
11032 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11033 \else
11034 \Hy@raisedlink{%
11035 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11036 }#1%
11037 \fi
11038 }%
11039 }%
11040 \long\def\@mpRTLfootnotetext#1{%
11041 \HRTL@mpRTLfootnotetext{%
11042 \ifHy@nesting
11043 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11044 \else
11045 \Hy@raisedlink{%
11046 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11047 }#1%
11048 \fi
11049 }%
11050 }%
11051 \long\def\@mpLTRfootnotetext#1{%
11052 \HLTR@mpLTRfootnotetext{%
11053 \ifHy@nesting
11054 \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11055 \else
11056 \Hy@raisedlink{%
11057 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11058 }#1%
11059 \fi
11060 }%
11061 }%
11062 \long\def\@footnotetext#1{%
11063 \H@@footnotetext{%
11064 \ifHy@nesting

```



```

11065         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11066     \else
11067         \Hy@raisedlink{%
11068             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11069         }%
11070         \let\@currentHlabel\Hy@footnote@currentHlabel
11071         \let\@currentHref\Hy@footnote@currentHref
11072         \let\@currentlabelname\@empty
11073         #1%
11074     \fi
11075 }%
11076 }%
11077 \long\def\@RTLfootnotetext#1{%
11078     \HRTL@RTLfootnotetext{%
11079         \ifHy@nesting
11080             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11081         \else
11082             \Hy@raisedlink{%
11083                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11084             }%
11085             \let\@currentHlabel\Hy@footnote@currentHlabel
11086             \let\@currentHref\Hy@footnote@currentHref
11087             \let\@currentlabelname\@empty
11088             #1%
11089         \fi
11090     }%
11091 }%
11092 \long\def\@LTRfootnotetext#1{%
11093     \HLTR@LTRfootnotetext{%
11094         \ifHy@nesting
11095             \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
11096         \else
11097             \Hy@raisedlink{%
11098                 \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
11099             }%
11100             \let\@currentHlabel\Hy@footnote@currentHlabel
11101             \let\@currentHref\Hy@footnote@currentHref
11102             \let\@currentlabelname\@empty
11103             #1%
11104         \fi
11105     }%
11106 }%
11107 \def\@footnotemark{%
11108     \leavevmode
11109     \ifhmode\edef\@x@sf{\the\spacefactor}\nobreak\fi
11110     \stepcounter{Hfootnote}%
11111     \global\let\Hy@saved@currentHlabel\@currentHlabel
11112     \global\let\Hy@saved@currentHref\@currentHref
11113     \hyper@makecurrent{Hfootnote}%
11114     \global\let\Hy@footnote@currentHlabel\@currentHlabel

```



```

1115 \global\let\Hy@footnote@currentHref\@currentHref
1116 \global\let\@currentHlabel\Hy@saved@currentHlabel
1117 \global\let\@currentHref\Hy@saved@currentHref
1118 \beginL\hyper@linkstart{link}{\Hy@footnote@currentHref}%
1119 \@makefnmark
1120 \hyper@linkend\endL
1121 \ifhmode\spacefactor\@xsf\fi
1122 \relax
1123 }%
1124 \@ifpackageloaded{tabularx}{%
1125 \let\HyOrg@TX@endtabularx\TX@endtabularx
1126 \def\Hy@tabularx@hook{%
1127 \let\@footnotetext\H@footnotetext
1128 \let\@LTRfootnotetext\HLTR@LTRfootnotetext
1129 \let\@RTLfootnotetext\HRTL@RTLfootnotetext
1130 \let\@footnotemark\H@footnotemark
1131 \let\@mpfootnotetext\H@mpfootnotetext
1132 \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
1133 \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
1134 }%
1135 \begingroup
1136 \toks@\expandafter{\TX@endtabularx}%
1137 \xdef\Hy@gtemp{%
1138 \noexpand\Hy@tabularx@hook
1139 \the\toks@
1140 }%
1141 \endgroup
1142 \let\TX@endtabularx\Hy@gtemp
1143 }{}%
1144 \@ifpackageloaded{longtable}{%
1145 \CheckCommand*{\LT@p@LTRftntext}[1]{%
1146 \edef\@tempa{%
1147 \the\LT@p@ftn
1148 \noexpand\LTRfootnotetext[\the\c@footnote]%
1149 }%
1150 \global\LT@p@ftn\expandafter{\@tempa{#1}}%
1151 }%
1152 \long\def\LT@p@LTRftntext#1{%
1153 \edef\@tempa{%
1154 \the\LT@p@ftn
1155 \begingroup
1156 \noexpand\c@footnote=\the\c@footnote\relax
1157 \noexpand\protected@xdef\noexpand\@thefnmark{%
1158 \noexpand\thempfn
1159 }%
1160 \noexpand\Hy@LT@LTRfootnotetext{%
1161 \Hy@footnote@currentHref
1162 }%
1163 }%
1164 \global\LT@p@ftn\expandafter{%

```



```

11165         \@tempa{#1}%
11166     \endgroup
11167 }%
11168 }%
11169 \long\def\Hy@LT@LTRfootnotetext#1#2{%
11170     \HLTR@LTRfootnotetext{%
11171         \ifHy@nesting
11172             \hyper@@anchor{#1}{#2}%
11173         \else
11174             \Hy@raisedlink{%
11175                 \hyper@@anchor{#1}{\relax}%
11176             }%
11177             \def\@currentHref{#1}%
11178             \let\@currentlabelname\@empty
11179             #2%
11180         \fi
11181     }%
11182 }%
11183 \CheckCommand*{\LT@p@RTLftntext}[1]{%
11184     \edef\@tempa{%
11185         \the\LT@p@ftn
11186         \noexpand\RTLfootnotetext[\the\c@footnote]%
11187     }%
11188     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
11189 }%
11190 \long\def\LT@p@RTLftntext#1{%
11191     \edef\@tempa{%
11192         \the\LT@p@ftn
11193         \begingroup
11194             \noexpand\c@footnote=\the\c@footnote\relax
11195             \noexpand\protected@xdef\noexpand\@thefnmark{%
11196                 \noexpand\thempfn
11197             }%
11198             \noexpand\Hy@LT@RTLfootnotetext{%
11199                 \Hy@footnote@currentHref
11200             }%
11201         }%
11202         \global\LT@p@ftn\expandafter{
11203             \@tempa{#1}%
11204         }
11205     }%
11206 }%
11207 \long\def\Hy@LT@RTLfootnotetext#1#2{%
11208     \HRTL@RTLfootnotetext{%
11209         \ifHy@nesting
11210             \hyper@@anchor{#1}{#2}%
11211         \else
11212             \Hy@raisedlink{%
11213                 \hyper@@anchor{#1}{\relax}%
11214             }%

```




```

11215         \def\@currentHref{#1}%
11216         \let\@currentlabelname\@empty
11217         #2%
11218     \fi
11219 }%
11220 }%
11221 }{}%
11222 \@ifpackageloaded{bidipoem}{%
11223 \long\def\bidipoem@p@ftntext#1{%
11224     \edef\@tempix{%
11225         \the\bidipoem@p@ftn
11226         \begingroup
11227         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11228         \noexpand\protected@xdef\noexpand\@thefnmark{%
11229             \noexpand\thempfn
11230         }%
11231         \noexpand\Hy@bidipoem@footnotetext{%
11232             \Hy@footnote@currentHref
11233         }%
11234     }%
11235     \global\bidipoem@p@ftn\expandafter{%
11236         \@tempix{#1}%
11237     \endgroup
11238 }%
11239 }%
11240 \long\def\Hy@bidipoem@footnotetext#1#2{%
11241     \H@@footnotetext{%
11242         \ifHy@nesting
11243             \hyper@@anchor{#1}{#2}%
11244         \else
11245             \Hy@raisedlink{%
11246                 \hyper@@anchor{#1}{\relax}%
11247             }%
11248             \def\@currentHref{#1}%
11249             \let\@currentlabelname\@empty
11250             #2%
11251         \fi
11252     }%
11253 }%
11254 \long\def\bidipoem@p@LTRftntext#1{%
11255     \edef\@tempxi{%
11256         \the\bidipoem@p@ftn
11257         \begingroup
11258         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11259         \noexpand\protected@xdef\noexpand\@thefnmark{%
11260             \noexpand\thempfn
11261         }%
11262         \noexpand\Hy@bidipoem@LTRfootnotetext{%
11263             \Hy@footnote@currentHref
11264         }%

```



```

11265 }%
11266 \global\bidipoem@p@ftn\expandafter{%
11267   \@tempxi{#1}%
11268   \endgroup
11269 }%
11270 }%
11271 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
11272   \HLTR@@LTRfootnotetext{%
11273     \ifHy@nesting
11274       \hyper@@anchor{#1}{#2}%
11275     \else
11276       \Hy@raisedlink{%
11277         \hyper@@anchor{#1}{\relax}%
11278       }%
11279       \def\@currentHref{#1}%
11280       \let\@currentlabelname\@empty
11281       #2%
11282     \fi
11283   }%
11284 }%
11285 \long\def\bidipoem@p@RTLftntext#1{%
11286   \edef\@tempxii{%
11287     \the\bidipoem@p@ftn
11288     \begingroup
11289     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
11290     \noexpand\protected@xdef\noexpand\@thefnmark{%
11291       \noexpand\thempfn
11292     }%
11293     \noexpand\Hy@bidipoem@RTLfootnotetext{%
11294       \Hy@footnote@currentHref
11295     }%
11296   }%
11297   \global\bidipoem@p@ftn\expandafter{%
11298     \@tempxii{#1}%
11299   \endgroup
11300 }%
11301 }%
11302 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
11303   \HRTL@@RTLfootnotetext{%
11304     \ifHy@nesting
11305       \hyper@@anchor{#1}{#2}%
11306     \else
11307       \Hy@raisedlink{%
11308         \hyper@@anchor{#1}{\relax}%
11309       }%
11310       \def\@currentHref{#1}%
11311       \let\@currentlabelname\@empty
11312       #2%
11313     \fi
11314   }%

```



```

11315 }%
11316 }{}%
11317 \let\HyOrg@maketitle\maketitle
11318 \def\maketitle{%
11319   \let\Hy@saved@footnotemark\@footnotemark
11320   \let\Hy@saved@footnotetext\@footnotetext
11321   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
11322   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
11323   \let\@footnotemark\H@@footnotemark
11324   \let\@footnotetext\H@@footnotetext
11325   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
11326   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
11327   \@ifnextchar[\Hy@maketitle@optarg{% ]
11328     \HyOrg@maketitle
11329     \Hy@maketitle@end
11330 }%
11331 }%
11332 \def\Hy@maketitle@optarg[#1]{%
11333   \HyOrg@maketitle[#{#1}]%
11334   \Hy@maketitle@end
11335 }%
11336 \def\Hy@maketitle@end{%
11337   \ifx\@footnotemark\H@@footnotemark
11338     \let\@footnotemark\Hy@saved@footnotemark
11339     \fi
11340   \ifx\@footnotetext\H@@footnotetext
11341     \let\@footnotetext\Hy@saved@footnotetext
11342     \fi
11343   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
11344     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
11345     \fi
11346   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
11347     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
11348     \fi
11349 }%
11350 \def\realfootnote{%
11351   \@ifnextchar[\@xfootnote{%
11352     \stepcounter{\@mpfn}%
11353     \protected@xdef\@thefnmark{\thempfn}%
11354     \H@@footnotemark\H@@footnotetext
11355   }%
11356 }%
11357 \fi
11358 \def\hyper@link#1#2#3{%
11359   \ifmmode\else\beginL\fi\hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\endL\fi
11360 }
11361 \def\url@#1{\beginL\hyper@linkurl{\Hurl{#1}}{#1}\endL}
11362 \def\hyper@natlinkstart#1{%
11363   \Hy@backout{#1}%
11364   \beginL\hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%

```



```

11365 \def\hyper@nat@current{#1}%
11366 }
11367 \def\hyper@natlinkend{%
11368 \if@RTL\endR\fi\hyper@linkend\endL
11369 }
11370 \def\hyper@natlinkbreak#1#2{%
11371 \if@RTL\endR\fi\hyper@linkend\endL#1\beginL\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
11372 }%
11373 }
11374 \begingroup
11375 \catcode`\$=6 %
11376 \catcode`\#=12 %
11377 \gdef\href@\$1{\expandafter\href@split$1##\}%
11378 \gdef\href@split$1#$2#$3\\$4{%
11379 \beginL\hyper@@link{$1}{$2}{\if@RTL\beginR\fi$4\if@RTL\endR\fi}\endL%
11380 \endgroup
11381 }%
11382 \endgroup
11383 \pdfstringdefDisableCommands{%
11384 \let\LRE\@firstofone
11385 \let\LR\@firstofone
11386 \let\RLE\@firstofone
11387 \let\RL\@firstofone
11388 \def\XeTeX{Xe\TeX}
11389 \def\XeLaTeX{Xe\LaTeX}
11390 }
11391 \@ifpackageloaded{longtable}{%
11392 \begingroup
11393 \def\y{\LT@array}%
11394 \@ifundefined{scrLT@array}{%
11395 \@ifundefined{adlLT@array}{\def\y{\adlLT@array}}%
11396 }\def\y{\scrLT@array}}%
11397 \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
11398 \expandafter\endgroup
11399 \expandafter\def\y[##1]##2{%
11400 \H@refstepcounter{#1}%
11401 \hyper@makecurrent{table}%
11402 \let\Hy@LT@currentHref\@currentHref
11403 #2\@sharp####4%
11404 }%
11405 }%
11406 \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
11407 \begingroup
11408 \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
11409 \endgroup
11410 \def\LT@start{%
11411 #1%
11412 \ifvoid\LT@foot#2\fi
11413 \let\@currentHref\Hy@LT@currentHref
11414 \Hy@raisedlink{%

```



```

11415         \hyper@anchorstart{\@currentHref}\hyper@anchorend
11416     }%
11417     #3%
11418 }%
11419 }%
11420 \expandafter\x\LT@start\@nil
11421 }{}

```

7.70 leqno-xetex-bidi.def

```

11422 \ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX eng
11423 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
11424         \rlap{
11425             \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\fi

```

7.71 letter-xetex-bidi.def

```

11426 \ProvidesFile{letter-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for standard letter class
11427 \renewcommand*\opening[1]{\ifx\@empty\fromaddress
11428     \thispagestyle{firstpage}%
11429     {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11430 \else % home address
11431     \thispagestyle{empty}%
11432     {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@{}}
11433         \fromaddress \[*[2\parskip]%
11434         \@date \end{tabular}\par}%
11435 \fi
11436 \vspace{2\parskip}%
11437 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ \toaddress \par}%
11438 \vspace{2\parskip}%
11439 #1\par\nobreak}
11440 \renewcommand\left@footnoterule{%
11441     \kern-\p@
11442     \hrule \@width .4\columnwidth
11443     \kern .6\p@}
11444 \renewcommand\right@footnoterule{%
11445     \hbox to \columnwidth
11446     {\beginR \vbox{%
11447         \kern-\p@
11448         \hrule \@width .4\columnwidth
11449         \kern .6\p@}\hfil\endR}}

```

7.72 lettrine-xetex-bidi.def

```

11450 \ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package for
11451 \def\@lettrine[#1]#2#3{%
11452     \setcounter{L@lines}{\theDefaultLines}%
11453     \setcounter{L@depth}{\theDefaultDepth}%
11454     \renewcommand*\L@hang{\DefaultLhang}%
11455     \renewcommand*\L@oversize{\DefaultLoversize}%
11456     \renewcommand*\L@raise{\DefaultLraise}%
11457     \renewcommand*\L@ante{\}%

```



```

11458 \setlength{\L@Findent}{\DefaultFindent}%
11459 \setlength{\L@Nindent}{\DefaultNindent}%
11460 \setlength{\L@slope}{\DefaultSlope}%
11461 \setlength{\L@novskip}{\DiscardVskip}%
11462 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
11463 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
11464 \if\DefaultOptionsFile\relax
11465 \else
11466 \begingroup
11467 \InputIfFileExists{\DefaultOptionsFile}%
11468 {}%
11469 {\PackageWarning{lettrine.sty}%
11470 {File \DefaultOptionsFile\space not found}%
11471 }%
11472 \def\color##1##{\l@color{##1}}%
11473 \let\l@color\@gobbletwo
11474 \def\textcolor##1##{\l@textcolor{##1}}%
11475 \def\l@textcolor##1##2##3{##3}%
11476 \expandafter\ifx\csname l@#2-keys\endcsname\relax
11477 \gdef\l@LOKeys{}%
11478 \else
11479 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
11480 \fi
11481 \endgroup
11482 \def\KV@prefix{KV@L@}%
11483 \let\@tempc\relax
11484 \expandafter\KV@do\l@LOKeys,\relax,
11485 \sbox{\L@lbox}{\LettrineFont #2}%
11486 \setlength{\LettrineWidth}{\wd\L@lbox}%
11487 \def\KV@prefix{KV@L@}%
11488 \let\@tempc\relax
11489 \expandafter\KV@do\l@LOKeys,\relax,
11490 \fi
11491 \setkeys{L}{#1}%
11492 \ifL@image
11493 \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
11494 \else
11495 \sbox{\L@lbox}{\LettrineFont #2}%
11496 \fi
11497 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
11498 \@tempdima=\baselineskip
11499 \ifnum\theL@lines=1
11500 \setlength{\L@first}{\ht\L@lbox}%
11501 \addtolength{\L@first}{-\ht\L@tbox}%
11502 \setlength{\L@raise}{\z@}%
11503 \else
11504 \setlength{\L@first}{-\theL@lines\@tempdima}%
11505 \addtolength{\L@first}{\@tempdima}%
11506 \sbox{\@tempboxa}{\LettrineTextFont x}%
11507 \addtolength{\L@first}{-\ht\@tempboxa}%

```



```

11508 \setlength{\L@lraise}{-\L@raise\L@first}%
11509 \addtolength{\L@first}{\L@lraise}%
11510 \addtolength{\L@first}{\ht\L@lbox}%
11511 \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
11512 \addtolength{\L@lraise}{\@tempdima}%
11513 \fi
11514 \par
11515 \ifdim\L@first>\L@novskip
11516 \ifL@grid
11517 \@tempdima=\baselineskip
11518 \@tempdimb=\@tempdima
11519 \advance\@tempdimb by \L@novskip
11520 \@tempcnta=1
11521 \loop\ifdim\L@first>\@tempdimb
11522 \advance\@tempcnta by 1
11523 \advance\L@first by -\@tempdima
11524 \repeat
11525 \vskip\@tempcnta\baselineskip
11526 \else
11527 \vskip\L@first
11528 \fi
11529 \fi
11530 \setlength{\L@Pindent}{\wd\L@lbox}%
11531 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
11532 \settowidth{\L@first}{\L@ante}%
11533 \addtolength{\L@Pindent}{\L@first}%
11534 \addtolength{\L@Pindent}{\L@Findent}%
11535 \setlength{\L@first}{\linewidth}%
11536 \addtolength{\L@first}{-\L@Pindent}%
11537 \addtolength{\L@Nindent}{\L@Pindent}%
11538 \setlength{\L@next}{\linewidth}%
11539 \addtolength{\L@next}{-\L@Nindent}%
11540 \addtolength{\L@Pindent}{\rightmargin}%
11541 \addtolength{\L@Nindent}{\rightmargin}%
11542 \setlength{\LettrineWidth}{\wd\L@lbox}%
11543 \setlength{\LettrineHeight}{\ht\L@lbox}%
11544 \setlength{\LettrineDepth}{\dp\L@lbox}%
11545 \addtocounter{L@lines}{1}%
11546 \addtocounter{L@lines}{\the\c@L@depth}%
11547 \if@RTL\def\L@parshape{\c@L@lines Opt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pin
11548 \@tempcnta=\tw@
11549 \@whilenum \@tempcnta<\c@L@lines\do{%
11550 \if@RTL\edef\L@parshape{\L@parshape Opt \the\L@next}\else\edef\L@parshape{\L@parshape \the\
11551 \addtolength{\L@Nindent}{\L@slope}%
11552 \addtolength{\L@next}{-\L@slope}%
11553 \advance\@tempcnta\@ne}%
11554 \if@RTL\edef\L@parshape{\L@parshape Opt \the\linewidth}\else\edef\L@parshape{\L@parshape \ri
11555 \noindent
11556 \parshape=\L@parshape\relax
11557 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%

```



```

11558         \hskip \the\L@Findent}}%
11559 \usebox{\L@tbox}%
11560 }

```

7.73 listings-xetex-bidi.def

```

11561 \ProvidesFile{listings-xetex-bidi.def}[2015/04/25 v0.8 bidi adaptations for listings package for
11562 \lst@Key{captiondirection}{textdirection}{%
11563   \lstKV@SwitchCases{#1}%
11564   {textdirection&\\%
11565     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
11566     LTR&\chardef\bidi@lst@caption@direction\@z}%
11567   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
11568 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
11569   \ifundefined{bidi@lst@caption@direction}{}%
11570   \ifnum\bidi@lst@caption@direction=\@z%
11571     #1%
11572   \else%
11573     \ifnum\bidi@lst@caption@direction=\@ne%
11574       #2%
11575     \fi%
11576   \fi%
11577 }}
11578 \long\def\@bidi@lst@makecaption#1#2{%
11579   \vskip\abovecaptionskip
11580   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
11581   \sbox\@tempboxa{%
11582     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
11583     #1: #2%
11584     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
11585   }%
11586   \ifdim \wd\@tempboxa >\hsize
11587     #1: #2\par
11588   \else
11589     \global \@minipagefalse
11590     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
11591   \fi
11592   \vskip\belowcaptionskip}%
11593 \def\lst@makecaption{\@bidi@lst@makecaption}
11594 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
11595 \bidi@patchcmd{\lst@MakeCaption}{%
11596   \addcontentsline{lol}{lstlisting}%
11597   {\protect\numberline{\thelstlisting}\lst@@caption}%
11598 }{%
11599 \begingroup%
11600   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
11601   \addcontentsline{lol}{lstlisting}%
11602   {\protect\numberline{\thelstlisting}\lst@@caption}%
11603 \endgroup%
11604 }{}{}

```




```

11605 \AtBeginDocument{%
11606 \ifundefined{captionlabelfalse}{\let\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
11607 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
11608 \ifundefined{caption@startrue}{\let\caption@startrue\@bidi@lst@makecaption\@empty}}%
11609 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
11610 }
11611 \AtBeginDocument{
11612 \ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}{\let\lst@ifnumberbychapter\iffalse}}
11613 \lst@ifnumberbychapter
11614 \gdef\thelstlisting%
11615 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
11616 \else
11617 \gdef\thelstlisting{\@arabic\c@lstlisting}
11618 \fi}

```

7.74 loadingorder-xetex-bidi.def

```

11619 \ProvidesFile{loadingorder-xetex-bidi.def}[2013/05/22 v0.95 making sure that bidi is the last package loaded]
11620 \bidi@isloaded{amsmath}
11621 \bidi@isloaded{amstext}
11622 \bidi@isloaded{amsthm}
11623 \bidi@isloaded{breqn}
11624 \bidi@isloaded{cals}
11625 \bidi@isloaded{caption}
11626 \bidi@isloaded{crop}
11627 \bidi@isloaded{cuted}
11628 \bidi@isloaded{cutwin}
11629 \bidi@isloaded{color}
11630 \bidi@isloaded{dblfnote}
11631 \bidi@isloaded{xcolor}
11632 \bidi@isloaded{colortbl}
11633 \bidi@isloaded{float}
11634 \bidi@isloaded{floatrow}
11635 \bidi@isloaded{flowfram}
11636 \bidi@isloaded{framed}
11637 \bidi@isloaded{ftnright}
11638 \bidi@isloaded{xltextra}
11639 \bidi@isloaded{xunicode}
11640 \bidi@isloaded{wrapfig}
11641 \bidi@isloaded{graphicx}
11642 \bidi@isloaded{geometry}
11643 \bidi@isloaded{hvfloat}
11644 \bidi@isloaded{mdframed}
11645 \bidi@isloaded{midfloat}
11646 \bidi@isloaded{ntheorem}
11647 \bidi@isloaded{ntheorem-hyper}
11648 \bidi@isloaded{hyperref}
11649 \bidi@isloaded{fancybox}
11650 \bidi@isloaded{fancyhdr}
11651 \bidi@isloaded{fix2col}

```



```

11652 \bidi@isloaded{draftwatermark}
11653 \bidi@isloaded{empheq}
11654 \bidi@isloaded{pdfpages}
11655 \bidi@isloaded{listings}
11656 \bidi@isloaded{lettrine}
11657 \bidi@isloaded{pstricks}
11658 \bidi@isloaded{pgf}
11659 \bidi@isloaded{picinpar}
11660 \bidi@isloaded{quotchap}
11661 \bidi@isloaded{tikz}
11662 \bidi@isloaded{titlesec}
11663 \bidi@isloaded{titletoc}
11664 \bidi@isloaded{array}
11665 \bidi@isloaded{stabular}
11666 \bidi@isloaded{subfig}
11667 \bidi@isloaded{subfigure}
11668 \bidi@isloaded{supertabular}
11669 \bidi@isloaded{xtab}
11670 \bidi@isloaded{longtable}
11671 \bidi@isloaded{arydshln}
11672 \bidi@isloaded{multicol}
11673 \bidi@isloaded{multienum}
11674 \bidi@isloaded{minitoc}
11675 \bidi@isloaded{natbib}
11676 \bidi@isloaded{newfloat}
11677 \bidi@isloaded{ragged2e}
11678 \bidi@isloaded{rotating}
11679 \bidi@isloaded{tbls}
11680 \bidi@isloaded{tabulary}
11681 \bidi@isloaded{tocstyle}
11682 \bidi@isloaded{tocbibind}
11683 \bidi@isloaded{fontspec}
11684 \bidi@isloaded{arabxetex}
11685 \bidi@isloaded{polyglossia}
11686 \bidi@isloaded{fancyvrb}
11687 \AtBeginDocument{
11688   \if@bidi@amsmathloaded@else
11689     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package. Plea
11690     \fi%
11691     \if@bidi@amstextloaded@else
11692       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package. Plea
11693       \fi%
11694       \if@bidi@amsthmloaded@else
11695         \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package. Plea
11696         \fi%
11697         \if@bidi@breqnloaded@else
11698           \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package. Plea
11699           \fi%
11700           \if@bidi@calsloaded@else
11701             \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package. Plea

```



```

11702 \fi%
11703 \if@bidi@captionloaded@else
11704 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package. Plea
11705 \fi%
11706 \if@bidi@croplloaded@else
11707 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package. Plea
11708 \fi%
11709 \if@bidi@colorloaded@else
11710 \@ifpackageloaded{hyperref}{}%
11711 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package. Plea
11712 \fi%
11713 \if@bidi@cutwinloaded@else
11714 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package. Pl
11715 \fi%
11716 \if@bidi@cutedloaded@else
11717 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package. Plea
11718 \fi%
11719 \if@bidi@dblfnoteloaded@else
11720 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package.
11721 \fi%
11722 \if@bidi@xcolorloaded@else
11723 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package. Pl
11724 \fi%
11725 \if@bidi@colortblloaded@else
11726 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package.
11727 \fi%
11728 \if@bidi@floatloaded@else
11729 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package. Plea
11730 \fi%
11731 \if@bidi@floatrowloaded@else
11732 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package.
11733 \fi%
11734 \if@bidi@flowframloaded@else
11735 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package.
11736 \fi%
11737 \if@bidi@framedloaded@else
11738 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package. Pl
11739 \fi%
11740 \if@bidi@ftnrightloaded@else
11741 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package.
11742 \fi%
11743 \if@bidi@xltxtraloaded@else
11744 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi package. F
11745 \fi%
11746 \if@bidi@xunicodeloaded@else
11747 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package.
11748 \fi%
11749 \if@bidi@wrapfigloaded@else
11750 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package. F
11751 \fi%

```



```

11752 \if@bidi@graphicxloaded@else
11753 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package.
11754 \fi%
11755 \if@bidi@geometryloaded@else
11756 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package.
11757 \fi%
11758 \if@bidi@hvfloatloaded@else
11759 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi package.
11760 \fi%
11761 \if@bidi@mdframedloaded@else
11762 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package.
11763 \fi%
11764 \if@bidi@midfloatloaded@else
11765 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package.
11766 \fi%
11767 \if@bidi@ntheoremloaded@else
11768 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package.
11769 \fi%
11770 \if@bidi@hyperrefloaded@else
11771 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package.
11772 \fi%
11773 \if@bidi@fancyboxloaded@else
11774 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package.
11775 \fi%
11776 \if@bidi@fancyhdrloaded@else
11777 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package.
11778 \fi%
11779 \if@bidi@draftwatermarkloaded@else
11780 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi pa
11781 \fi%
11782 \if@bidi@empheqloaded@else
11783 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package.
11784 \fi%
11785 \if@bidi@pdfpagesloaded@else
11786 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package.
11787 \fi%
11788 \if@bidi@lettrineloaded@else
11789 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package.
11790 \fi%
11791 \if@bidi@listingsloaded@else
11792 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package.
11793 \fi%
11794 \if@bidi@pstricksloaded@else
11795 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package.
11796 \fi%
11797 \if@bidi@pgfloaded@else
11798 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. Pleas
11799 \fi%
11800 \if@bidi@picinparloaded@else
11801 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package.

```



```

11802 \fi%
11803 \if@bidi@quotchaploaded@else
11804 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package. Plea
11805 \fi%
11806 \if@bidi@tikzloaded@else
11807 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package. Plea
11808 \fi%
11809 \if@bidi@titlesecloaded@else
11810 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package.
11811 \fi%
11812 \if@bidi@titletocloaded@else
11813 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package.
11814 \fi%
11815 \if@bidi@arrayloaded@else
11816 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package. Ple
11817 \fi%
11818 \if@bidi@stabularloaded@else
11819 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package.
11820 \fi%
11821 \if@bidi@subfigloaded@else
11822 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package. PL
11823 \fi%
11824 \if@bidi@subfigureloaded@else
11825 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package
11826 \fi%
11827 \if@bidi@supertabularloaded@else
11828 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi pack
11829 \fi%
11830 \if@bidi@xtabloaded@else
11831 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package. Plea
11832 \fi%
11833 \if@bidi@longtableloaded@else
11834 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package
11835 \fi%
11836 \if@bidi@arydshlnloaded@else
11837 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.
11838 \fi%
11839 \if@bidi@multicolloaded@else
11840 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.
11841 \fi%
11842 \if@bidi@multienumloaded@else
11843 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package
11844 \fi%
11845 \if@bidi@minitocloaded@else
11846 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package. P
11847 \fi%
11848 \if@bidi@natbibloaded@else
11849 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package. PL
11850 \fi%
11851 \if@bidi@newfloatloaded@else

```



```

11852 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package.
11853 \fi%
11854 \csname if@bidi@ragged2loaded@endcsname\else
11855 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package.
11856 \fi%
11857 \if@bidi@rotatingloaded@\else
11858 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package.
11859 \fi%
11860 \if@bidi@tblsloaded@\else
11861 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi package. Ple
11862 \fi%
11863 \if@bidi@tabularyloaded@\else
11864 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package.
11865 \fi%
11866 \if@bidi@tocstyleloaded@\else
11867 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi package.
11868 \fi%
11869 \if@bidi@tocbibindloaded@\else
11870 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi package
11871 \fi%
11872 \if@bidi@fontspecloaded@\else
11873 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi package.
11874 \fi%
11875 \if@bidi@arabxetexloaded@\else
11876 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi package
11877 \fi%
11878 \if@bidi@polyglossialloaded@\else
11879 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi packa
11880 \fi%
11881 \if@bidi@fancyvrbloaded@\else
11882 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi package.
11883 \fi%
11884 }

```

7.75 longtable-xetex-bidi.def

```

11885 \ProvidesFile{longtable-xetex-bidi.def}[2013/04/01 v0.3 bidi adaptations for longtable package f
11886 \def\LT@array[#1]#2{%
11887 \refstepcounter{table}\stepcounter{LT@tables}%
11888 \if l#1%
11889 \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
11890 \else\if r#1%
11891 \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
11892 \else\if c#1%
11893 \LTleft\fill \LTright\fill
11894 \fi\fi\fi
11895 \let\LT@mc\multicolumn
11896 \let\LT@tabarray\@tabarray
11897 \let\LT@hline\hline
11898 \def\@tabarray{%

```



```

11899 \let\hline\LT@chl
11900 \LT@tabarray}%
11901 \let\\LT@tabularcr\let\tabularnewline\\%
11902 \def\newpage{\noalign{\break}}%
11903 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
11904 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
11905 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
11906 \@tempdima\ht\strutbox
11907 \let\@endpbox\LT@endpbox
11908 \ifx\extrarowheight\@undefined
11909 \let\@acol\@tabacol
11910 \let\@classz\@tabclassz \let\@classiv\@tabclassiv
11911 \def\@startpbox{\vtop\LT@startpbox}%
11912 \let\@startpbox\@startpbox
11913 \let\@endpbox\@endpbox
11914 \let\LT@LL@FM@cr\@tabularcr
11915 \else
11916 \advance\@tempdima\extrarowheight
11917 \col@sep\tabcolsep
11918 \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
11919 \fi
11920 \setbox\@arstrutbox\hbox{\vrule
11921 \@height \arraystretch \@tempdima
11922 \@depth \arraystretch \dp \strutbox
11923 \@width \z@}%
11924 \let\@sharp##\let\protect\relax
11925 \begingroup
11926 \mkpream{#2}%
11927 \xdef\LT@bchunk{%
11928 \global\advance\c@LT@chunks\@ne
11929 \global\LT@rows\z@\setbox\z@\vbox\bgroup
11930 \LT@setprevdepth
11931 \tabskip\LTleft \noexpand\halign to\hsize\bgroup
11932 \tabskip\z@ \@arstrut \@preamble \tabskip\LTRight \cr}%
11933 \endgroup
11934 \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
11935 \LT@make@row
11936 \m@th\let\par\@empty
11937 \everycr{}\lineskip\z@\baselineskip\z@
11938 \LT@bchunk}
11939 \def\LT@makecaption#1#2#3{%
11940 \LT@mc@col\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
11941 \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
11942 \ifdim\wd\@tempboxa>\hsize
11943 #1{#2: }#3%
11944 \else
11945 \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
11946 \fi
11947 \endgraf\vskip\baselineskip}%
11948 \hss}}

```



```

11949 \def\LT@startpbox#1{%
11950   \bgroup
11951     \let\@footnotetext\LT@p@ftntext
11952     \let\@LTRfootnotetext\LT@p@LTRftntext
11953     \let\@RTLfootnotetext\LT@p@RTLftntext
11954     \setlength\hsize{#1}%
11955     \@arrayparboxrestore
11956     \vrule \@height \ht\@arstrutbox \@width \z@}
11957 \def\LT@p@LTRftntext#1{%
11958   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
11959   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
11960 \def\LT@p@RTLftntext#1{%
11961   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
11962   \global\LT@p@ftn\expandafter{\@tempa{#1}}}%

```

7.76 mdframed-xetex-bidi.def

```

11963 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package for
11964 \newif\if@bidi@mdf@RTL
11965 \def\mdf@lrbox#1{%
11966   \mdf@patchamsthm\patch amsthm
11967   \if@RTL\@bidi@mdf@RTLtrue\fi%
11968   \@RTLfalse%
11969   \setbox#1\vbox\bgroup%
11970   \color@begingroup%
11971   \if@bidi@mdf@RTL\@RTLtrue\fi%
11972   \mdf@horizontalmargin@equation%
11973   \columnwidth=\hsize%
11974   \textwidth=\hsize%
11975   \let\if@nobreak\iffalse%
11976   \let\if@noskipsec\iffalse%
11977   \let\par\@par%
11978   \let\-\@dischyp%
11979   \let'\@acci\let\`@accii\let\=@acciii%
11980   \parindent\z@ \parskip\z@skip%
11981   \linewidth\hsize%
11982   \@totalleftmargin\z@%
11983   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
11984   \parfillskip\@flushglue \lineskip\normallineskip%
11985   \baselineskip\normalbaselineskip%
11986 %% \sloppy%
11987   \let\\\@normalcr%
11988   \mdf@par@local%New feature to restore parskip/parindent local in save box
11989   \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
11990   \@afterindentfalse%
11991   %\@afterheading%
11992 }
11993 \renewrobustcmd\mdfframedtitleenv[1]{%
11994   \mdf@lrbox{\mdf@frametitlebox}%
11995   \mdf@frametitlealignment%

```




```

11996      \leavevmode{\color{\mdf@frametitlefontcolor}}%
11997      \normalfont\mdf@frametitlefont{#1}
11998      \ifbool{mdf@ignorelastdescenders}%
11999      {%
12000      \par\strut\par
12001      \unskip\unskip\setbox0=\lastbox
12002      \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
12003      }{}%
12004      \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
12005      \endmdf@lrbox\relax%
12006      \mdf@ignorevbadness%
12007      \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
12008      \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
12009      \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
12010      \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
12011      \mdfframetitleboxtotalheight=\dimexpr
12012      \ht\mdf@frametitlebox
12013      +\dp\mdf@frametitlebox%
12014      +\mdf@frametitleaboveskip@length
12015      +\mdf@frametitlebelowskip@length
12016      \relax%
12017 }
12018
12019 \renewrobustcmd*\mdf@footnoteoutput{%
12020     \ifvoid\@mpfootins\else%
12021     \nobreak%
12022     \vskip\mdf@footnotedistance@length%
12023     \normalcolor%
12024     \bidi@mpfootnoterule%
12025     \unvbox\@mpfootins%
12026     \fi%
12027 }
12028
12029
12030 \renewrobustcmd*\mdf@footnoteinput{%
12031     \def\@mpfn{mpfootnote}%
12032     \def\thempfn{\thempfootnote}%
12033     \c@mpfootnote\z@%
12034     \let\@footnotetext\@mpfootnotetext%
12035     \let\@LTRfootnotetext\@mpLTRfootnotetext%
12036     \let\@RTLfootnotetext\@mpRTLfootnotetext%
12037 }

```

7.77 memoir-xetex-bidi.def

```

12038 \ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for XeTeX]
12039 \renewcommand{\keepthetitle}{%
12040     \@bsmtitleempty
12041     \global\let\thanks\relax
12042     \global\let\LTRthanks\relax

```



```

12043 \global\let\RTLthanks\relax
12044 \global\let\and\relax
12045 \global\let\andnext\relax
12046 \global\let\@thanks\@empty
12047 \global\let\@title\@empty
12048 \global\let\@author\@empty
12049 \global\let\@date\@empty}
12050 \renewcommand{\maketitle}{\par
12051 \begingroup
12052 \@bsmarkseries
12053 \def\@makefnmark{\@textsuperscript{%
12054 \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
12055 \long\def\@makefntext##1{\makethanksmark ##1}
12056 \if@twocolumn
12057 \ifnum \col@number=\@ne
12058 \@maketitle
12059 \else
12060 \twocolumn[\@maketitle]%
12061 \fi
12062 \else
12063 \ifdim\pagetotal>\z@
12064 \newpage
12065 \fi
12066 \global\@topnum\z@
12067 \@maketitle
12068 \fi
12069 \thispagestyle{title}\@thanks
12070 \endgroup
12071 \@bscontmark % \setcounter{footnote}{0}%
12072 }
12073 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
12074 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
12075 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
12076 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
12077 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
12078 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
12079 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
12080 \renewcommand*{\thesubsection}{%
12081 \thesection\@SepMark\@arabic\c@subsection}
12082 \renewcommand*{\thesubsubsection}{%
12083 \thesubsection\@SepMark\@arabic\c@subsubsection}
12084 \renewcommand*{\theparagraph}{%
12085 \thesubsubsection\@SepMark\@arabic\c@paragraph}
12086 \renewcommand*{\thesubparagraph}{%
12087 \theparagraph\@SepMark\@arabic\c@subparagraph}
12088 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
12089 \renewcommand{\theequation}{%
12090 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
12091 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
12092 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}

```



```

12093 \ifartopt
12094   \chapterstyle{article}
12095   \counterwithout{figure}{chapter}
12096   \counterwithout{table}{chapter}
12097   \counterwithout{footnote}{chapter}
12098   \counterwithout{equation}{chapter}
12099   \renewcommand{\chaptername}{}
12100   \renewcommand{\maketitlehookb}{%
12101     \vskip -1.5\topsep\vskip -1.5\partopsep}
12102   \renewcommand{\maketitlehookc}{%
12103     \vskip -1.5\topsep\vskip -1.5\partopsep}
12104 \fi
12105 \long\def\@makecaption#1#2{\let\@memtempa\relax
12106   \ifdim\prevdepth>-99p@ \vskip\abovecaptionskip
12107   \else \def\@memtempa{\vbox to\topskip{}}\fi
12108   \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
12109   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
12110   \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
12111   \let\footnote\@contfnote
12112   \let\footnotemark\@contfmark
12113   \ifdim\wd\@tempboxa<\linewidth \centering \fi
12114   \if@contcw
12115     \centering
12116     \parbox{\@contcwidth}{%
12117       \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
12118     }
12119   \ifdim\wd\@tempboxa<\linewidth
12120     \@contpre
12121     {\@contnfont #1\@contdelim}\@memtempa
12122     {\@contcshortstyle \@conttfont #2\@contfinal\par}
12123   \else
12124     \if@conthang
12125       \sbox\@tempboxa{\@contnfont #1\@contdelim}
12126       \@contpre%
12127       {\@contcstyle\hangindent=\wd\@tempboxa
12128         \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
12129     \else
12130       \if@contindent
12131         \@contpre%
12132         {\@contnfont #1\@contdelim}\@memtempa
12133         {\@contcstyle\hangindent=\@contindw
12134           \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
12135       \else
12136         \@contpre%
12137         {\@contnfont #1\@contdelim}\@memtempa
12138         {\@contcstyle \@conttfont #2\@contfinal\par}
12139       \fi
12140     \fi
12141   \fi
12142   \@contpost

```



```

12143 \if@contcw
12144   \par
12145   } % end of the \parbox
12146 \fi
12147 \vskip\belowcaptionskip}
12148 \@ifpackageloaded{caption}{%
12149 \AtBeginPackage{caption}{
12150 \ClassWarningNoLine{memoir}{%
12151   You are using the caption package with the memoir \MessageBreak
12152   class. This may cause unexpected or inconsistent \MessageBreak
12153   results if you use any of memoir's captioning facilities}
12154 }
12155 \long\def\@makecaption##1##2{%
12156   \vskip\abovecaptionskip
12157   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
12158   \ifdim \wd\@tempboxa >\hsize
12159     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
12160   \else
12161     \global \@minipagefalse
12162     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
12163   \fi
12164   \vskip\belowcaptionskip}
12165
12166 \def\caption{%
12167   \ifx\@capytype\@undefined
12168     \@latex@error{\noexpand\caption outside float}\@ehd
12169     \expandafter\@gobble
12170   \else
12171     \refstepcounter\@capytype
12172     \expandafter\@firstofone
12173   \fi
12174   {\@dblarg{\@caption\@capytype}}%
12175 }
12176
12177 \long\def\@caption##1[##2]##3{%
12178   \par
12179   \addcontentsline{\csname ext@##1\endcsname}{##1}%
12180   {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
12181   \begingroup
12182     \@parboxrestore
12183     \if@minipage
12184       \@setminipage
12185     \fi
12186     \normalsize
12187     \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
12188   \endgroup}
12189 }}{}
12190 \renewenvironment{thebibliography}[1]{%
12191   \bibsection
12192   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi

```



```
12193 \begin{bibitemlist}{#1}}{\end{bibitemlist}}\postbibhook}
```

7.78 midfloat-xetex-bidi.def

```
12194 \ProvidesFile{midfloat-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for midfloat package for
12195 \def\RTL@outputdblcol{%
12196 \if@firstcolumn
12197 \global \@firstcolumnfalse
12198 \global \setbox\@leftcolumn \box\@outputbox
12199 \global\c@colht\@colht\global\c@addvipersep\z@
12200 \ifnum\jua@sk>0
12201 \remove@strip\jua@sar
12202 \global\@colht\the\jua@pr
12203 \ifdim\right@cor>\z@
12204 \global\advance\@colht by\right@cor
12205 \fi
12206 \global\advance\@colht by\cor@height
12207 \global\cor@height=0pt
12208 \fi
12209 \global \setbox\@rightcolumn \vbox{%
12210 \else
12211 \ifdim\c@colht>\@colht
12212 \@tempdima\@colht
12213 \ifdim\@colht>\z@
12214 \global\setbox\@rightcolumn \vbox{%
12215 \unvbox\@rightcolumn
12216 \vbox to\@tempdima{%
12217 \vskip\c@addvipersep\unvbox\@outputbox}%
12218 \vskip\stripsep
12219 \vrule height\the\jua@ht width 0pt depth 0pt
12220 \vskip\stripsep
12221 }%
12222 \global\c@addvipersep\m@addvipersep
12223 \else
12224 \global\setbox\@rightcolumn \vbox{%
12225 \unvbox\@rightcolumn
12226 \vrule height\the\jua@ht width 0pt depth 0pt
12227 \vskip\stripsep
12228 }%
12229 \fi
12230 \ifnum\jua@sk>0
12231 \remove@strip\jua@sar
12232 \global\@colht\the\jua@pr
12233 \global\advance\@colht by -\ht\@rightcolumn
12234 \global\advance\@colht by\cor@height
12235 \global\cor@height=0pt
12236 \else
12237 \global\advance\c@colht by-\ht\@rightcolumn
12238 \global\@colht\c@colht
12239 \fi
```



```

12240 \else
12241 \global\@firstcolumntrue
12242 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
12243     \unvbox\@rightcolumn
12244     \vskip\c@addvipersep
12245     \unvbox\@outputbox
12246 }%
12247 \setbox\@outputbox \vbox {%
12248     \hb@xt@\textwidth {%
12249         \hskip \columnwidth
12250         \hfil
12251         \vrule \@width\columnseprule
12252         \hfil
12253         \hb@xt@\columnwidth {%
12254             \box\@leftcolumn \hss}%
12255         \hskip-\textwidth
12256         \hb@xt@\columnwidth {%
12257             \box\@outputbox \hss}%
12258         \hskip\columnwidth
12259         \hskip\columnsep}%
12260     }%
12261 \@combinedblfloats
12262 \@outputpage
12263 \begingroup
12264 \@dblfloatplacement
12265 \@startdblcolumn
12266 \@whilesw\if@fcolmade \fi
12267 {\@outputpage
12268   \@startdblcolumn}%
12269 \endgroup
12270 \global\jua@sk=0\global\jua@sar={}
12271 \global\cor@height\z@\global\c@addvipersep\z@
12272 \fi
12273 \fi
12274 }
12275
12276
12277 \def\LTR@outputdblcol{%
12278   \if@firstcolumn
12279     \global \@firstcolumnfalse
12280     \global \setbox\@leftcolumn \box\@outputbox
12281     \global\c@colht\@colht\global\c@addvipersep\z@
12282     \ifnum\jua@sk>0
12283       \remove@strip\jua@sar
12284       \global\@colht\the\jua@pr
12285       \ifdim\right@cor>\z@
12286         \global\advance\@colht by\right@cor
12287       \fi
12288       \global\advance\@colht by\cor@height
12289       \global\cor@height=0pt

```



```

12290 \fi
12291 \global \setbox\@rightcolumn \vbox{}%
12292 \else
12293 \ifdim\c@colht>\@colht
12294 \@tempdima\@colht
12295 \ifdim\@colht>\z@
12296 \global\setbox\@rightcolumn \vbox{%
12297 \unvbox\@rightcolumn
12298 \vbox to\@tempdima{%
12299 \vskip\c@addvipersep\unvbox\@outputbox}%
12300 \vskip\stripsep
12301 \vrule height\the\jua@ht width Opt depth Opt
12302 \vskip\stripsep
12303 }%
12304 \global\c@addvipersep\m@addvipersep
12305 \else
12306 \global\setbox\@rightcolumn \vbox{%
12307 \unvbox\@rightcolumn
12308 \vrule height\the\jua@ht width Opt depth Opt
12309 \vskip\stripsep
12310 }%
12311 \fi
12312 \ifnum\jua@sk>0
12313 \remove@strip\jua@sar
12314 \global\@colht\the\jua@pr
12315 \global\advance\@colht by -\ht\@rightcolumn
12316 \global\advance\@colht by\cor@height
12317 \global\cor@height=Opt
12318 \else
12319 \global\advance\c@colht by-\ht\@rightcolumn
12320 \global\@colht\c@colht
12321 \fi
12322 \else
12323 \global\@firstcolumntrue
12324 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
12325 \unvbox\@rightcolumn
12326 \vskip\c@addvipersep
12327 \unvbox\@outputbox
12328 }%
12329 \setbox\@outputbox \vbox {%
12330 \hb@xt@\textwidth {%
12331 \hb@xt@\columnwidth {%
12332 \box\@leftcolumn \hss}%
12333 \hfil
12334 \vrule \@width\columnseprule
12335 \hfil
12336 \hb@xt@\columnwidth {%
12337 \box\@outputbox \hss}%
12338 }%
12339 }%

```



```

12340 \combinedblfloats
12341 \@outputpage
12342 \begingroup
12343 \dblfloatingplacement
12344 \@startdblcolumn
12345 \@whiles\if@fcolmade \fi
12346 {\@outputpage
12347 \startdblcolumn}%
12348 \endgroup
12349 \global\jua@sk=0\global\jua@sar={}%
12350 \global\cor@height\z@\global\c@addvipersep\z@
12351 \fi
12352 \fi
12353 }
12354
12355
12356 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
12357 \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\v
12358 \hsize\textwidth
12359 \@parboxrestore
12360 \col@number \c@ne
12361 \vrule height\topskip width0pt depth0pt
12362 }
12363
12364 \def\endstrip{%
12365 \egroup\egroup
12366 \if@firstcolumn
12367 \ifdim\pagetotal>\z@
12368 \vskip\stripsep
12369 \global\ht@strip\pagegoal
12370 \global\advance\ht@strip by-\pagetotal
12371 \global\advance\ht@strip by-\stripsep
12372 \global\advance\ht@strip by-\ht\@viper
12373 \global\advance\ht@strip by-\stripsep
12374 \global\jua@ht=\ht\@viper
12375 \else
12376 \global\ht@strip\z@
12377 \fi
12378 \ifdim\ht@strip>\z@
12379 \unvbox\@viper
12380 \vskip\stripsep
12381 \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
12382 \global\advance\jua@sk by1
12383 \else
12384 \@latexerror{Strip needs more place!}\@ehc
12385 \if@vihproof
12386 \framebox[\columnwidth]{??? Strip ???}%
12387 \fi
12388 \fi
12389 \else

```




```

12390         \@latex@error{Strip is used only on left column!}\@ehc
12391         \if@vihproof
12392             \framebox[\columnwidth]{??? Strip ???}%
12393         \fi
12394     \fi
12395 }

```

7.79 minitoc-xetex-bidi.def

```

12396 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for Xe
12397 \def\@undottedtocline#1#2#3#4#5{%
12398     \ifnum #1>\c@tocdepth\relax \else
12399         \vskip \z@ plus.2\p@
12400     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \p@
12401         \parindent #2\relax\@afterindenttrue
12402         \interlinepenalty\@M
12403         \leavevmode
12404         \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
12405         \hskip -\if@RTL\rightskip\else\leftskip\fi
12406         #4\nobreak\hfill \nobreak
12407         \null\par}%
12408     \fi}
12409 \def\@Undottedtocline#1#2#3#4#5{%
12410     \ifnum #1>\c@tocdepth\relax \else
12411         \vskip \z@ \@plus.2\p@
12412     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \p@
12413         \parindent #2\relax\@afterindenttrue
12414         \interlinepenalty\@M
12415         \leavevmode
12416         \@tempdima #3\relax
12417         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
12418         {\coffefont #4}\nobreak \nobreak\null
12419         \par}%
12420     \fi}
12421 \def\@Undottedtoclinep#1#2#3#4#5{%
12422     \ifnum #1>\c@tocdepth\relax \else
12423         \vskip \z@ \@plus.2\p@
12424     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \p@
12425         \parindent #2\relax\@afterindenttrue
12426         \interlinepenalty\@M
12427         \leavevmode
12428         \@tempdima #3\relax
12429         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
12430         {#4}\nobreak \hfill \nobreak\null
12431         \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
12432     \par}%
12433     \fi}

```

7.80 multicol-xetex-bidi.def

```

12434 \ProvidesFile{multicol-xetex-bidi.def}[2014/09/20 v0.6 bidi adaptations for multicol package for

```



```

12435 \def\page@sofar{%
12436   \process@cols\mult@rightbox
12437   {\ifvoid\count@
12438     \setbox\count@\hbox to\hsize}%
12439   \else
12440     \wd\count@\hsize
12441   \fi}%
12442   \count@\col@number \advance\count@\m@ne
12443   \mult@info\z@
12444   {Column spec: \the\full@width\space = indent
12445     + columns + sep =\MessageBreak
12446     \the\multicol@leftmargin\space
12447     + \the\col@number\space
12448     x \the\hsize\space
12449     + \the\count@\space
12450     x \the\columnsep
12451   }%
12452   \ifvmode\else\errmessage{Multicol Error}\fi
12453   \nointerlineskip
12454   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
12455   \moveright\multicol@leftmargin
12456   \hbox to\full@width{%
12457     \bidi@multicol@align@columns
12458     \rlap{\phantom p}%
12459   }%
12460   \prevdepth\z@
12461   \kern-\dimen\tw@
12462   \ifdim\dimen\tw@ > \mc@gridwarn
12463     \PackageWarning{multicol}%
12464       {Very deep columns!\MessageBreak
12465         Grid alignment might be broken}%
12466   \fi
12467 }
12468 \def\LTR@column@boxes{%
12469   \process@cols\mult@gfirstbox{%
12470     \ifdim\dp\count@>\dimen\tw@
12471     \global\dimen\tw@\dp\count@ \fi
12472     \mc@col@status@write
12473     \box\count@
12474     \hss{\columnseprulecolor\vrule
12475       \@width\columnseprule}\hss}%
12476   \ifdim\dp\mult@rightbox>\dimen\tw@
12477     \global\dimen\tw@\dp\mult@rightbox \fi
12478   \mc@lastcol@status@write
12479   \box\mult@rightbox
12480 }
12481
12482 \def\RTL@column@boxes{%
12483   \process@cols\mult@gfirstbox{%
12484     \hskip\hsize

```



```

12485     \hss{\columnseprulecolor\vrule
12486         \@width\columnseprule}\hss
12487   }%
12488   \hskip\hsize
12489   \process@cols\mult@gfirstbox{%
12490     \ifdim\dp\count@>\dimen\tw@
12491       \global\dimen\tw@\dp\count@ \fi
12492     \hskip-\hsize
12493     \mc@col@status@write
12494     \box\count@
12495     \hskip-\hsize
12496     \hskip-\columnsep
12497   }%
12498   \ifdim\dp\mult@rightbox>\dimen\tw@
12499     \global\dimen\tw@\dp\mult@rightbox \fi
12500   \hskip-\hsize
12501   \mc@lastcol@status@write
12502   \box\mult@rightbox
12503   \hskip-\hsize
12504   \hskip\full@width
12505 }
12506 \newcommand\RTLmulticolcolumns
12507   {\let\bidimulticol@align@columns
12508     \RTL@column@boxes}
12509 \newcommand\LTRmulticolcolumns
12510   {\let\bidimulticol@align@columns
12511     \LTR@column@boxes}
12512 \newcommand\bidimulticol@align@columns
12513   {\ifRTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
12514 \def\multicols#1{\col@number#1\relax
12515   \ifnum\col@number<\tw@
12516     \PackageWarning{multicol}%
12517       {Using `~\number\col@number'
12518         columns doesn't seem a good idea.^^J
12519         I therefore use two columns instead}%
12520     \col@number\tw@ \fi
12521   \ifnum\col@number>10
12522     \PackageError{multicol}%
12523       {Too many columns}%
12524     {Current implementation doesn't
12525       support more than 10 columns.%
12526       \MessageBreak
12527       I therefore use 10 columns instead}%
12528     \col@number10 \fi
12529   \ifx\@footnotetext\mult@footnotetext\else
12530     \let\orig@footnotetext\@footnotetext
12531     \let\@footnotetext\mult@footnotetext
12532   \fi
12533   \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
12534     \let\orig@LTRfootnotetext\@LTRfootnotetext

```



```

12535     \let\@LTRfootnotetext\mult@LTRfootnotetext
12536     \fi
12537     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
12538     \let\orig@RTLfootnotetext\@RTLfootnotetext
12539     \let\@RTLfootnotetext\mult@RTLfootnotetext
12540     \fi
12541     \@ifnextchar[\mult@cols{\mult@cols[]}]
12542 \long\def\mult@footnotetext#1{\begingroup
12543     \hsize\textwidth
12544     \columnwidth\textwidth
12545     \orig@footnotetext{#1}\endgroup}
12546 \long\def\mult@LTRfootnotetext#1{\begingroup
12547     \hsize\textwidth
12548     \columnwidth\textwidth
12549     \orig@LTRfootnotetext{#1}\endgroup}
12550 \long\def\mult@RTLfootnotetext#1{\begingroup
12551     \hsize\textwidth
12552     \columnwidth\textwidth
12553     \orig@RTLfootnotetext{#1}\endgroup}
12554 \def\righ@footnoterule{%
12555     \hbox to \textwidth
12556     {\beginR \vbox{\kern -3\p@
12557     \hrule width .4\columnwidth \kern2.6\p@}\hfil\endR}}
12558 \def\textwidth@footnoterule{\kern-3\p@
12559     \hrule \@width \textwidth \kern 2.6\p@}

```

7.81 multienum-xetex-bidi.def

```

12560 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
12561 \renewcommand{\itemx}[1]{\parbox[t]{
12562 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12563 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
12564 \renewcommand{\itemxx}[2]{\parbox[t]{
12565 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12566 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{
12567 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12568 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
12569 \renewcommand{\itemxxx}[3]{\parbox[t]{
12570 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12571 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{
12572 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
12573 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{
12574 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
12575 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
12576 \renewcommand{\itemxxxx}[4]{\parbox[t]{
12577 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12578 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{
12579 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12580 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12581 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep

```



```

12582 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
12583 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12584 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
12585 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
12586 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12587 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
12588 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12589 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
12590 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12591 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
12592 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12593 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
12594 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12595 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
12596 \renewcommand{\itemxox}[2]{\parbox[t]{%
12597 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12598 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
12599 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12600 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
12601 \renewcommand{\itemxox}[2]{\parbox[t]{%
12602 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12603 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
12604 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12605 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
12606 \renewcommand{\itemxox}[3]{\parbox[t]{%
12607 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12608 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
12609 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12610 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12611 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12612 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
12613 \renewcommand{\itemxox}[3]{\parbox[t]{%
12614 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12615 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
12616 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12617 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
12618 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12619 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
12620 \renewcommand{\itemxox}[3]{\parbox[t]{%
12621 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12622 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
12623 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12624 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
12625 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
12626 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

7.82 natbib-xetex-bidi.def

```

12627 \ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for XeT
12628 \renewenvironment{thebibliography}[1]{%

```



```

12629 \bibsection
12630 \parindent\z@
12631 \bibpreamble
12632 \bibfont
12633 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12634 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
12635 \ifNAT@openbib
12636 \renewcommand\newblock{\par}%
12637 \else
12638 \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
12639 \fi
12640 \sloppy\clubpenalty4000\widowpenalty4000
12641 \sfcode`\.\@m
12642 \let\NAT@bibitem@first@sw\@firstoftwo
12643 \let\citeN\cite \let\shortcite\cite
12644 \let\citeasnoun\cite
12645 }{%
12646 \bibitem@fin
12647 \bibpostamble
12648 \def\@noitemerr{%
12649 \PackageWarning{natbib}{Empty `thebibliography' environment}%
12650 }%
12651 \endlist
12652 \bibcleanup
12653 }%

```

7.83 newfloat-xetex-bidi.def

```

12654 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package for
12655 \renewcommand*{newfloat@setwithin}[2]{%
12656 \ifcsname c@chapter\endcsname
12657 \removefromreset{#1}{chapter}%
12658 \fi
12659 \removefromreset{#1}{section}%
12660 \edef\@tempa{#2}%
12661 \ifx\@tempa\@empty
12662 \def\@tempa{none}%
12663 \fi
12664 \def\@tempb{none}%
12665 \ifx\@tempa\@tempb
12666 \ifcsname c@chapter\endcsname
12667 \chapterlistsgap@off{#1}%
12668 \fi
12669 \newfloat@@setwithin{#1}{\@tempa}%
12670 \else
12671 \def\@tempb{chapter}%
12672 \ifx\@tempa\@tempb
12673 \addtoreset{#1}{chapter}%
12674 \chapterlistsgap@on{#1}%
12675 \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMa

```



```

12676 \else
12677 \def\@tempb{section}%
12678 \ifx\@tempa\@tempb
12679 \@addtoreset{#1}{section}%
12680 \ifcsname c@chapter\endcsname
12681 \@addtoreset{#1}{chapter}%
12682 \@chapterlistsgap@on{#1}%
12683 \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
12684 \else
12685 \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@SepMark}%
12686 \fi
12687 \else
12688 \newfloat@Error{Invalid value `#2' for option `within'}%
12689 \fi
12690 \fi
12691 \fi}

```

7.84 ntheorem-xetex-bidi.def

```

12692 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package for xetex]
12693 \gdef\@thm#1#2#3{%
12694 \if@thmmarks
12695 \stepcounter{end\InTheoType ctr}%
12696 \fi
12697 \renewcommand{\InTheoType}{#1}%
12698 \if@thmmarks
12699 \stepcounter{curr#1ctr}%
12700 \setcounter{end#1ctr}{0}%
12701 \fi
12702 \refstepcounter{#2}%
12703 \theorem@prework
12704 \thm@topsepadd \theorem@postskipamount % cf. latex.ltx: \@trivlist
12705 \ifvmode \advance\thm@topsepadd\partopsep\fi
12706 \trivlist
12707 \@topsep \theorem@preskipamount
12708 \@topsepadd \thm@topsepadd % used by \@endparenv
12709 \advance\linewidth -\theorem@indent
12710 \advance\@totalleftmargin \theorem@indent
12711 \if@RTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
12712 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.85 ntheorem-hyper-xetex-bidi.def

```

12713 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper package for xetex]
12714 \gdef\@thm#1#2#3{%
12715 \if@thmmarks
12716 \stepcounter{end\InTheoType ctr}%
12717 \fi
12718 \renewcommand{\InTheoType}{#1}%
12719 \if@thmmarks
12720 \stepcounter{curr#1ctr}%

```



```

12721     \setcounter{end#1ctr}{0}%
12722   \fi
12723   \refstepcounter{#2}%
12724   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
12725   \ifvmode \advance\thm@topsepadd\partopsep\fi
12726   \trivlist
12727   \@topsep \theorempreskipamount
12728   \@topsepadd \thm@topsepadd % used by \@endparenv
12729   \advance\linewidth -\theorem@indent
12730   \advance\@totalleftmargin \theorem@indent
12731   \ifRTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
12732   \ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

7.86 pdfpages-xetex-bidi.def

```

12733 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package for
12734 \renewcommand*{\includepdf}[2][]{%
12735   \begingroup
12736   \@RTLfalse
12737   \let\AM@threadname\relax
12738   \AM@split@options{pdfpages}{#1}%
12739   \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
12740   \expandafter\setkeys\AM@temp
12741   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
12742     \let\AM@currentdocname\relax
12743     \renewcommand\includegraphics[2][]{Survey in draft-mode}%
12744     \def\AM@pagecount{0}%
12745   }{%
12746     \AM@findfile{#2}%
12747     \if\AM@threadname\relax
12748       \def\AM@threadname{\AM@currentdocname}%
12749     \fi
12750   }%
12751   \ifAM@survey
12752     \def\AM@pagestemp{}%
12753     \@tempcnta=0
12754     \def\foo{%
12755       \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
12756       {\let\foo\relax}
12757       {\expandafter\ifx\expandafter\\AM@pagestemp\\
12758         \edef\AM@pagestemp{%
12759           \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
12760         \else
12761           \edef\AM@pagestemp{\AM@pagestemp,%
12762             \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
12763         \fi
12764         \advance\@tempcnta 1\relax
12765       }%
12766     \foo
12767   }%

```




```

12768 \foo
12769 \expandafter\ifx\expandafter\\AM@pagestemp\\
12770 \def\AM@pagestemp{1}%
12771 \fi
12772 \fi
12773 \ifAM@output
12774 \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
12775 \AM@output{#1}%
12776 \fi
12777 \AM@CheckAtEnd
12778 \endgroup
12779 \AM@ClearShipoutPicture
12780 }

```

7.87 pgf-xetex-bidi.def

```

12781 \ProvidesFile{pgf-xetex-bidi.def}[2014/11/21 v0.6 bidi adaptations for pgf package for XeTeX eng
12782 \let\origin@pgfpicture=\pgfpicture
12783 \let\origin@endpgfpicture=\endpgfpicture
12784 \def\bidi@pgfpicture{\ifmmode\else\beginL\fi\origin@pgfpicture}
12785 \def\endbidi@pgfpicture{\origin@endpgfpicture\ifmmode\else\endL\fi}
12786 \def\pgfpicture{\ifmmode\else\LTR\noindent\beginL\fi\origin@pgfpicture}
12787 \def\endpgfpicture{\origin@endpgfpicture\ifmmode\else\endL\endLTR\fi}

```

7.88 picinpar-xetex-bidi.def

```

12788 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package for
12789 \long\def\@makewincaption#1#2{%
12790 \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
12791 \ifdim\wd\@tempboxa>\picwd
12792 {\footnotesize{\bf #1:\enspace}{#2\par}}
12793 \else
12794 \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
12795 \fi}
12796 \def\endwindow{%
12797 \global\tcd=\tcdsav
12798 \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
12799 \vbadness=10000
12800 \splittopskip=0pt
12801 %
12802 % Typeset the lines above the window
12803 %
12804 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
12805 \tcn=\tcd
12806 \loop\advance\tcn -1
12807 \setbox\fslice=\vsplit\holder to\baselineskip
12808 \prune\fslice\linewidth
12809 \topheight=0pt
12810 \ifnum\dp\fslice>\dp\wstrutbox
12811 \advance\topheight-\dp\fslice
12812 \advance\topheight\dp\wstrutbox

```



```

12813         \advance\topheight\ilg\fi
12814 \hbox to\linewidth{\box\fslice}
12815 \vskip-\topheight
12816 \ifdim\ht\holder>0pt\repeat
12817 \fi
12818 %
12819 % Now we build the boxes beside the window
12820 %
12821 \global\topheight=\tcl\baselineskip
12822 \ifnum\cumpartcl>0\global\tcl=\cumtcl
12823         \global\topheight=\vpic
12824 \fi
12825 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
12826 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
12827 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
12828 \tcn=\tcl \na=0 \nb=0
12829 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
12830 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
12831 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
12832 \ifnum\na=0\ifnum\nb=0
12833         \setbox\waslice=\vbox to\vpic{\vss}
12834         \setbox\wbslice=\vbox to\vpic{\vss}
12835         \bl=1\br=1
12836         \vskip\ilg
12837 \fi\fi
12838 %
12839 % both sides
12840 %
12841 \ifnum\na>0 \ifnum\nb>0
12842 \loop\advance\nb -1
12843 \advance\na -1
12844 \if@RTL%
12845 \setbox\bslice=\vsplit\holder to\baselineskip
12846 \prune\bslice\rtside
12847 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12848 to\rtside{\box\bslice\hfil}}
12849 \setbox\aslice=\vsplit\holder to\baselineskip
12850 \prune\aslice\lftside
12851 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12852 to\lftside{\box\aslice\hfil}}
12853 \else%
12854 \setbox\aslice=\vsplit\holder to\baselineskip
12855 \prune\aslice\lftside
12856 \setbox\waslice=\vbox{\unvbox\waslice\hbox
12857 to\lftside{\box\aslice\hfil}}
12858 \setbox\bslice=\vsplit\holder to\baselineskip
12859 \prune\bslice\rtside
12860 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12861 to\rtside{\box\bslice\hfil}}
12862 \fi%

```



```

12863 \ifnum\nb>0\repeat
12864 \fi\fi
12865 %
12866 % only text on the left side
12867 %
12868 \ifnum\na>0
12869     \loop\advance\na -1
12870     \setbox\aslice=\vsplit\holder to\baselineskip
12871     \prune\aslice\lftside
12872     \setbox\waslice=\vbox{\unvbox\waslice\hbox
12873 to\lftside{\box\aslice\hfil}}
12874     \ifdim\ht\holder>0pt\repeat
12875 \fi
12876 %
12877 % only text on the right side
12878 %
12879 \ifnum\nb>0
12880     \loop\advance\nb -1
12881     \setbox\bslice=\vsplit\holder to\baselineskip
12882     \prune\bslice\rtside
12883     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
12884 to\rtside{\box\bslice\hfil}}
12885     \ifdim\ht\holder>0pt\repeat
12886 \fi
12887 %
12888 % fixing the dimensions of the window part
12889 %
12890 \ifnum\bl=0\topheight=\ht\wbslice
12891 \else\ifnum\br=0\topheight=\ht\waslice
12892     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
12893     \else\topheight=\ht\wbslice\fi\fi\fi
12894 %
12895 % ship out the window material to the main vertical list
12896 %
12897 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
12898 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
12899 \fi\fi\fi
12900 \setbox>windowbox=\vbox{\hbox to\linewidth{%
12901 \ifnum\bl>0\box\waslice\hfill\fi%
12902 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
12903 \vfill\unvbox\picbox%
12904 \ifnum\picwd>0\vfill\fi%
12905 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
12906 \unvbox>windowbox%
12907 \loop
12908 \setbox\bslice=\vsplit\rawtext to\baselineskip
12909 \prune\bslice\linewidth
12910 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
12911 \unvbox\wbslice
12912 \ifdim\ht\rawtext>0pt

```



```

12913 \repeat
12914 }% FINITO

```

7.89 plain-xetex-bidi.def

```

12915 \def\TeXeTOn{\TeXeTstate=1 }
12916 \def\TeXeTOff{\TeXeTstate=0 }
12917 \TeXeTOn
12918 \def\usebox#1{\leavevmode\copy #1\relax}
12919 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@\lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
12920 \let\bidi@o@everypar=\everypar
12921 \newtoks\bidi@n@everypar
12922 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
12923 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
12924 \let\everypar=\bidi@n@everypar
12925 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
12926 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
12927 \protected\def\hboxR{\hbox\bgroup
12928 \everyhbox{%
12929 \aftergroup\egroup
12930 \everyhbox{}}%
12931 \beginR
12932 \bgroup
12933 \aftergroup\endR
12934 \aftergroup\egroup
12935 }\hbox}
12936 \protected\def\hboxL{\hbox\bgroup
12937 \everyhbox{%
12938 \aftergroup\egroup
12939 \everyhbox{}}%
12940 \beginL
12941 \bgroup
12942 \aftergroup\endL
12943 \aftergroup\egroup
12944 }\hbox}
12945 \protected\def\vboxR{\vbox\bgroup
12946 \everyvbox{%
12947 \aftergroup\egroup
12948 \everyvbox{}}%
12949 \@RTLtrue
12950 \bgroup
12951 \aftergroup\egroup
12952 }\vbox}
12953 \protected\def\vboxL{\vbox\bgroup
12954 \everyvbox{%
12955 \aftergroup\egroup
12956 \everyvbox{}}%
12957 \@RTLfalse
12958 \bgroup
12959 \aftergroup\egroup

```



```

12960 } \vbox}
12961 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
12962 \def\endLTR{\par}
12963 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
12964 \def\endRTL{\par}
12965 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
12966 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
12967 \let\unsetRTL=\setLTR
12968 \let\unsetLTR=\setRTL
12969 \let\LR=\LRE
12970 \let\RL=\RLE
12971 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
12972 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
12973 \let\@ensure@RL=\@ensure@RTL
12974 \let\@ensure@LR=\@ensure@LTR
12975 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
12976 \let\@ensure@maindir=\@ensure@dir
12977 \def\@RTL{RTL}
12978 \def\@LTR{LTR}
12979 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
12980 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
12981 \let\@TeX\TeX
12982 \def\TeX{\@ensure@LTR{\@TeX}}
12983 \long\def\@bidi@reflect@box#1{%
12984   \leavevmode
12985   \setbox\z@\hbox{{#1}}%
12986   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
12987   \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}}%
12988 }
12989 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
12990   \hbox{\kern-.125em\@bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
12991 \let\setRL=\setRTL
12992 \let\setLR=\setLTR
12993 \let\unsetRL=\setLTR
12994 \let\@bidi@sav@eqno=\eqno
12995 \let\@bidi@sav@leqno=\leqno
12996 \def\eqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@leqno \else \@bidi@sav@eqno \fi}
12997 \def\leqno{\ifnum\predisplaydirection<\z@ \@bidi@sav@eqno \else \@bidi@sav@leqno \fi}
12998 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
12999 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
13000 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

7.90 pstricks-xetex-bidi.def

```

13001 \ProvidesFile{pstricks-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for pstricks package for
13002 \let\origin@pspicture=\pspicture
13003 \let\origin@endpspicture=\endpspicture
13004 \def\pspicture{\ifmmode\else\LTR\beginL\fi\origin@pspicture}
13005 \def\endpspicture{\origin@endpspicture\ifmmode\else\endL\endLTR\fi}

```



7.91 quotchap-xetex-bidi.def

```
13006 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package for
13007 \renewcommand{\qauthor}[1]{%
13008   \par\smallskip
13009   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qqquad\hbox{\par}\bigskip}
13010 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
13011   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
13012     {\chapnumfont
13013       \ifnum \c@secnumdepth >\m@ne%
13014         \if@mainmatter\thechapter%
13015         \fi\fi
13016       \par\nobreak}%
13017     {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10em
13018     \nobreak\chapterheadendvskip}}
13019 \renewcommand*{@iprintcites}{%
13020   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
13021   \global\let\@printcites\relax}
```

7.92 ragged2e-xetex-bidi.def

```
13022 \ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package for
13023 \renewcommand{\Centering}{%
13024   \ifx\\ \@raggedtwoe@savedcr
13025     \let\\ \@centercr
13026   \fi
13027   \let\@gnewline\@raggedtwoe@gnewline
13028   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
13029   \@rightskip\CenteringRightskip
13030   \if@RTL\leftskip\else\rightskip\fi\@rightskip
13031   \parfillskip\CenteringParfillskip
13032   \parindent\CenteringParindent
13033   \@raggedtwoe@spaceskiptrue
13034   \@raggedtwoe@everyselectfont
13035 }
13036 \renewcommand{\RaggedLeft}{%
13037   \ifx\\ \@raggedtwoe@savedcr
13038     \let\\ \@centercr
13039   \fi
13040   \let\@gnewline\@raggedtwoe@gnewline
13041   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
13042   \@rightskip\RaggedLeftRightskip
13043   \if@RTL\leftskip\else\rightskip\fi\@rightskip
13044   \parfillskip\RaggedLeftParfillskip
13045   \parindent\RaggedLeftParindent
13046   \@raggedtwoe@spaceskiptrue
13047   \@raggedtwoe@everyselectfont
13048 }
13049 \renewcommand{\RaggedRight}{%
13050   \ifx\\ \@raggedtwoe@savedcr
13051     \let\\ \@centercr
```



```

13052 \fi
13053 \let\@gnewline\@raggedtwoe@gnewline
13054 \if@RTL\rightright\else\leftskip\fi\RaggedRightLeftskip
13055 \@rightskip\RaggedRightRightskip
13056 \if@RTL\leftskip\else\rightright\fi\@rightskip
13057 \parfillskip\RaggedRightParfillskip
13058 \parindent\RaggedRightParindent
13059 \@raggedtwoe@spaceskiptrue
13060 \@raggedtwoe@everyselectfont
13061 }
13062 \renewcommand{\justifying}{%
13063 \let\\@raggedtwoe@savetcr
13064 \let\@gnewline\@raggedtwoe@savet@gnewline
13065 \if@RTL\rightright\else\leftskip\fi\z@
13066 \@rightskip\z@
13067 \if@RTL\leftskip\else\rightright\fi\@rightskip
13068 \parfillskip\JustifyingParfillskip
13069 \parindent\JustifyingParindent
13070 \@raggedtwoe@spaceskipfalse
13071 \@raggedtwoe@everyselectfont
13072 }
13073 \renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{%
13074 \CheckCommand*{\arrayparboxrestore}{%
13075 \let\if@nbreak\iffalse
13076 \let\if@noskipsec\iffalse
13077 \let\par\@par
13078 \let\-\@dischyph
13079 \let\'@acci\let\'@accii\let\=\@acciii
13080 \parindent\z@ \parskip\z@skip
13081 \everypar{}%
13082 \linewidth\hsize
13083 \@totalleftmargin\z@
13084 \if@RTL\rightright\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightright\fi\z@skip \@rightskip\z@
13085 \parfillskip\@flushglue \lineskip\normallineskip
13086 \baselineskip\normalbaselineskip
13087 \sloppy}%
13088 \renewcommand{\arrayparboxrestore}{%
13089 \let\if@nbreak\iffalse
13090 \let\if@noskipsec\iffalse
13091 \let\par\@par
13092 \let\-\@dischyph
13093 \let\'@acci\let\'@accii\let\=\@acciii
13094 \parskip\z@skip
13095 \everypar{}%
13096 \linewidth\hsize
13097 \@totalleftmargin\z@
13098 \RaggedRight
13099 \lineskip\normallineskip
13100 \baselineskip\normalbaselineskip
13101 \sloppy}%

```



```

13102 \let\@raggedtwoe@raggedrightboxes@opt\relax
13103 }
13104 \let\origin@RaggedLeft=\RaggedLeft
13105 \let\origin@RaggedRight=\RaggedRight
13106 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
13107 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

7.93 rapport1-xetex-bidi.def

```

13108 \ProvidesFile{rapport1-xetex-bidi.def}[2011/08/26 v0.2 bidi adaptations for rapport1 class for X
13109 \renewenvironment{theindex}{%
13110   \if@twocolumn
13111     \@restonecolfalse
13112   \else
13113     \@restonecoltrue
13114   \fi
13115   \columnseprule \z@
13116   \columnsep 35\p@
13117   \twocolumn[\@makeschapterhead{\indexname}]%
13118   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
13119   \thispagestyle{plain}\parindent\z@
13120   \parskip\z@ \@plus .3\p@\relax
13121   \let\item\@idxitem
13122 }{%
13123   \if@restonecol\onecolumn\else\clearpage\fi}
13124 \renewcommand*{\head@style}{%
13125   \interlinepenalty \@M
13126   \hyphenpenalty=\@M \exhyphenpenalty=\@M
13127   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
13128 \if@titlepage
13129   \renewenvironment{abstract}{%
13130     \titlepage
13131     \null\vfil
13132     \section*{\SectFont\abstractname}%
13133     \noindent\ignorespaces}
13134     {\par\vfil\null\endtitlepage}
13135 \else
13136   \renewenvironment{abstract}{%
13137     \if@twocolumn
13138       \section*{\abstractname}%
13139     \else
13140       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
13141       \section*{\small\SectFont\abstractname}%
13142       \noindent\ignorespaces
13143     \fi}
13144     {\if@twocolumn\else\par\egroup\fi}
13145 \fi
13146 \renewcommand*{\@regtocline}[3]{%
13147   \ifnum #1>\c@tocdepth
13148   \else

```




```

13149 \vskip\z@\@plus.2\p@
13150 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
13151 \if@RTL\rightskip\else\leftskip\fi\unitindent
13152 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
13153 \parfillskip\z@
13154 \@tempdima\unitindent
13155 \parindent\z@
13156 \leavevmode
13157 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
13158 \hskip 1em \nobreak{\slshape #3}\par
13159 }%
13160 \fi}
13161 \if@oldtoc
13162 \renewcommand*\l@part[2]{%
13163 \ifnum \c@tocdepth >-2\relax
13164 \addpenalty{-\@highpenalty}%
13165 \addvspace{2.25em \@plus\p@}%
13166 \begingroup
13167 \setlength\@tempdima{3em}%
13168 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13169 \parfillskip -\@pnumwidth
13170 {\leavevmode
13171 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13172 \nobreak
13173 \global\@nobreaktrue
13174 \everypar{\global\@nobreakfalse\everypar{}}%
13175 \endgroup
13176 \fi}
13177 \else
13178 \renewcommand*\l@part{%
13179 \ifnum \c@tocdepth >-2\relax
13180 \addpenalty{-\@highpenalty}%
13181 \addvspace{2.25em \@plus \p@}%
13182 \@regtocline{0}%
13183 \fi}
13184 \fi
13185 \if@oldtoc
13186 \renewcommand*\l@chapter[2]{%
13187 \addpenalty{-\@highpenalty}%
13188 \vskip 1.0em \@plus\p@
13189 \setlength\@tempdima{1.5em}%
13190 \begingroup
13191 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13192 \parfillskip -\@pnumwidth
13193 \leavevmode \bfseries
13194 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13195 \hskip -\if@RTL\rightskip\else\leftskip\fi
13196 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13197 \penalty\@highpenalty
13198 \endgroup}

```



```

13199 \else
13200   \renewcommand*\l@chapter{\@regtocline{0}}
13201 \fi
13202 \renewcommand*\left@footnoterule{%
13203   \kern-3\p@
13204   \kern.5\baselineskip
13205   \hrule\@width\unitindent
13206   \kern.4\baselineskip
13207 }
13208 \renewcommand*\right@footnoterule{%
13209   \hbox to \columnwidth
13210   {\beginR \vbox{%
13211     \kern-3\p@
13212     \kern.5\baselineskip
13213     \hrule\@width\unitindent
13214     \kern.4\baselineskip}\hfil\endR}
13215 }
13216 \renewenvironment{thebibliography}[1]
13217   {\chapter*\bibname}%
13218   \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
13219   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13220   \list{\@biblabel{\@arabic\c@enumiv}}%
13221     {\settowidth\labelwidth{\@biblabel{#1}}%
13222     \leftmargin\labelwidth
13223     \advance\leftmargin\labelsep
13224     \@openbib@code
13225     \usecounter{enumiv}%
13226     \let\p@enumiv\@empty
13227     \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
13228   \sloppy\clubpenalty4000\widowpenalty4000%
13229   \sfcode`..\@m}
13230   {\def\@noitemerr
13231     {\@latex@warning{Empty `thebibliography' environment}}%
13232   \endlist}
13233 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
13234 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\csubsection}
13235 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\csubsubsection}
13236 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13237 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\csubparagraph}
13238 \renewcommand*\theequation{%
13239   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13240 \renewcommand*\thefigure{%
13241   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
13242 \renewcommand*\thetable{%
13243   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
13244 \if@titlepage
13245 \renewcommand*\TitleFont{\rmfamily}
13246 \renewcommand*\maketitle{%
13247   \begin{titlepage}%
13248     \let\footnotesize\small

```



```

13249 \let\right@footnoterule\relax
13250 \let\left@footnoterule\relax
13251 \let\textwidth@footnoterule\relax
13252 \let \footnote \thanks
13253 \long\def\@makefnctext##1{\parindent\z@
13254     \def\labelitemi{\textendash}\@revlabeltrue
13255     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
13256 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13257 \if@compatibility\setcounter{page}{0}\fi
13258 \null\vfil
13259 \vskip 60\p@
13260 \begin{center}%
13261     \TitleFont
13262     {\LARGE \def\\{\penalty -\@M}
13263         \if@allcaps
13264             \expandafter\uc@nothanks\@title\thanks\relax
13265         \else
13266             \@title
13267         \fi\par}%
13268     \vskip 3em%
13269     {\large
13270         \lineskip .75em \parindent\z@
13271         \begin{tabular}[t]{c}%
13272             \if@allcaps
13273                 \expandafter\uc@authornothanks\@author\and\relax
13274             \else
13275                 \@author
13276             \fi
13277         \end{tabular}\par}%
13278     \vskip 1.5em%
13279     {\large
13280         \if@allcaps
13281             \uppercase\expandafter{\@date}%
13282         \else
13283             \@date
13284         \fi\par}%
13285     \end{center}\par
13286     \@thanks
13287     \vfil\null
13288 \end{titlepage}%
13289 \setcounter{footnote}{0}%
13290 \global\let\thanks\relax
13291 \global\let\maketitle\relax
13292 \global\let\@thanks\@empty
13293 \global\let\@author\@empty
13294 \global\let\@title\@empty
13295 \global\let\@date\@empty
13296 \global\let\title\relax
13297 \global\let\author\relax
13298 \global\let\date\relax

```



```

13299 \global\let\and\relax
13300 }
13301 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
13302 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
13303 \futurelet\@tempa\uc@ax}
13304 \def\uc@ax{%
13305 \ifx\@tempa\relax
13306 \else
13307 \\\andname \\\expandafter\uc@authornothanks
13308 \fi}
13309 \def\uc@tx{\ifx\@tempa\relax
13310 \else \expandafter\uc@ty \fi}
13311 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
13312 \else
13313 \renewcommand*\maketitle{\par
13314 \beginingroup
13315 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13316 \def\@makefnmark{\rlap{%
13317 \@textsuperscript{\normalfont\@thefnmark}}}%
13318 \long\def\@makefntext{\@xmakefntext{%
13319 \@textsuperscript{\normalfont\@thefnmark}}}%
13320 \if@twocolumn
13321 \ifnum \col@number=\@ne
13322 \@maketitle
13323 \else
13324 \twocolumn[\@maketitle]%
13325 \fi
13326 \else
13327 \newpage
13328 \global\@topnum\z@
13329 \@maketitle
13330 \fi
13331 \thispagestyle{plain}\@thanks
13332 \endgroup
13333 \setcounter{footnote}{0}%
13334 \global\let\thanks\relax
13335 \global\let\maketitle\relax
13336 \global\let\@maketitle\relax
13337 \global\let\@thanks\@empty
13338 \global\let\@author\@empty
13339 \global\let\@title\@empty
13340 \global\let\@date\@empty
13341 \global\let\title\relax
13342 \global\let\author\relax
13343 \global\let\date\relax
13344 \global\let\and\relax
13345 }
13346 \def\@maketitle{%
13347 \newpage
13348 \null

```



```

13349 \vskip 2em%
13350 \begin{center}%
13351   \let \footnote \thanks
13352   {\LARGE \TitleFont \@title \par}%
13353   \vskip 1.5em%
13354   {\large \TitleFont
13355     \lineskip .5em%
13356     \begin{tabular}[t]{c}%
13357       \@author
13358     \end{tabular}\par}%
13359   \vskip 1em%
13360   {\large \TitleFont \@date}%
13361 \end{center}%
13362 \par
13363 \vskip 1.5em}
13364 \fi

```

7.94 rapport3-xetex-bidi.def

```

13365 \ProvidesFile{rapport3-xetex-bidi.def}[2011/08/26 v0.4 bidi adaptations for rapport3 class for X
13366 \renewenvironment{theindex}{%
13367   \if@twocolumn
13368     \@restonecolfalse
13369   \else
13370     \@restonecoltrue
13371   \fi
13372   \columnseprule \z@
13373   \columnsep 35\p@
13374   \twocolumn[\@makeschapterhead{\indexname}]{%
13375     \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
13376   \thispagestyle{plain}\parindent\z@
13377   \parskip\z@ \@plus .3\p@\relax
13378   \let\item\@idxitem
13379   }{%
13380   \if@restonecol\onecolumn\else\clearpage\fi}
13381 \if@titlepage
13382 \renewcommand*\TitleFont{\rmfamily}
13383 \renewcommand*\maketitle{%
13384   \begin{titlepage}%
13385     \let\footnotesize\small
13386     \let\right@footnoterule\relax
13387     \let\left@footnoterule\relax
13388     \let\textwidth@footnoterule\relax
13389     \let \footnote \thanks
13390     \let \LTRfootnote \LTRthanks
13391     \let \RTLfootnote \RTLthanks
13392     \long\def\@makefnmark##1{\parindent\z@
13393       \def\labelitemi{\textendash}\@revlabeltrue
13394       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
13395     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%

```



```

13396 \ifcompatibility\setcounter{page}{0}\fi
13397 \null\vfil
13398 \vskip 60\p@
13399 \begin{center}%
13400 \TitleFont
13401 {\LARGE \def\{\{\penalty -\@M}
13402 \if@allcaps
13403 \expandafter\uc@nothanks\@title\thanks\relax
13404 \else
13405 \@title
13406 \fi\par}%
13407 \vskip 3em%
13408 {\large
13409 \lineskip .75em \parindent\z@
13410 \begin{tabular}[t]{c}%
13411 \if@allcaps
13412 \expandafter\uc@authornothanks\@author\and\relax
13413 \else
13414 \@author
13415 \fi
13416 \end{tabular}\par}%
13417 \vskip 1.5em%
13418 {\large
13419 \if@allcaps
13420 \uppercase\expandafter{\@date}%
13421 \else
13422 \@date
13423 \fi\par}%
13424 \end{center}\par
13425 \@thanks
13426 \vfil\null
13427 \end{titlepage}%
13428 \setcounter{footnote}{0}%
13429 \global\let\thanks\relax
13430 \global\let\LTRthanks\relax
13431 \global\let\RTLthanks\relax
13432 \global\let\maketitle\relax
13433 \global\let\@thanks\@empty
13434 \global\let\@author\@empty
13435 \global\let\@title\@empty
13436 \global\let\@date\@empty
13437 \global\let\title\relax
13438 \global\let\author\relax
13439 \global\let\date\relax
13440 \global\let\and\relax
13441 }
13442 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
13443 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
13444 \futurelet\@tempa\uc@ax}
13445 \def\uc@ax{%

```



```

13446 \ifx\@tempa\relax
13447 \else
13448   \\\ \andname \\\ \expandafter\uc@authornothanks
13449 \fi}
13450 \def\uc@tx{\ifx\@tempa\relax
13451   \else \expandafter\uc@ty \fi}
13452 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
13453 \else
13454 \renewcommand*\maketitle{\par
13455   \begingroup
13456     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
13457     \def\@makefnmark{\rlap{%
13458       \@textsuperscript{\normalfont\@thefnmark}}}%
13459     \long\def\@makefntext{\@xmakefntext{%
13460       \@textsuperscript{\normalfont\@thefnmark}}}%
13461     \if@twocolumn
13462       \ifnum \col@number=\@ne
13463         \@maketitle
13464       \else
13465         \twocolumn[\@maketitle]%
13466       \fi
13467     \else
13468       \newpage
13469       \global\@topnum\z@
13470       \@maketitle
13471     \fi
13472     \thispagestyle{plain}\@thanks
13473   \endgroup
13474   \setcounter{footnote}{0}%
13475   \global\let\thanks\relax
13476   \global\let\LTRthanks\relax
13477   \global\let\RTLthanks\relax
13478   \global\let\maketitle\relax
13479   \global\let\@maketitle\relax
13480   \global\let\@thanks\@empty
13481   \global\let\@author\@empty
13482   \global\let\@title\@empty
13483   \global\let\@date\@empty
13484   \global\let\title\relax
13485   \global\let\author\relax
13486   \global\let\date\relax
13487   \global\let\and\relax
13488 }
13489 \def\@maketitle{%
13490   \newpage
13491   \null
13492   \vskip 2em%
13493   \if@titlecentered
13494     \begin{center}%
13495     \let \footnote \thanks

```



```

13496 \let \LTRfootnote \LTRthanks
13497 \let \RTLfootnote \RTLthanks
13498 {\LARGE \TitleFont \@title \par}%
13499 \vskip 1.5em%
13500 {\large \TitleFont
13501 \lineskip .5em%
13502 \begin{tabular}[t]{c}%
13503 \author
13504 \end{tabular}\par}%
13505 \vskip 1em%
13506 {\large \TitleFont \@date}%
13507 \end{center}}%
13508 \else
13509 {\LARGE \TitleFont \headstyle \@title \par} \vskip 1.5em
13510 {\large \TitleFont \lineskip .5em \tabcolsep\z@
13511 \def\and{%% \begin{tabular} has already started
13512 \end{tabular}\hskip 1em plus .17fil
13513 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular} will
13514 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
13515 \vskip 1em {\large \TitleFont \@date}
13516 \fi
13517 \par
13518 \vskip 1.5em}
13519 \fi
13520 \renewcommand*\@regtocline[3]{%
13521 \ifnum #1>\c@tocdepth
13522 \else
13523 \vskip\z@\@plus.2\p@
13524 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
13525 \if@RTL\righskip\else\leftskip\fi\unitindent
13526 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
13527 \parfillskip\z@
13528 \@tempdima\unitindent
13529 \parindent\z@
13530 \leavevmode
13531 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
13532 \hskip 1em \nobreak{\slshape #3}\par
13533 }%
13534 \fi}
13535 \if@oldtoc
13536 \renewcommand*\l@part[2]{%
13537 \ifnum \c@tocdepth >-2\relax
13538 \addpenalty{-\@highpenalty}%
13539 \addvspace{2.25em \@plus\p@}%
13540 \begingroup
13541 \setlength\@tempdima{3em}%
13542 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
13543 \parfillskip -\@pnumwidth
13544 {\leavevmode
13545 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par

```




```

13546         \nobreak
13547         \global\@nobreaktrue
13548         \everypar{\global\@nobreakfalse\everypar{}}%
13549     \endgroup
13550 \fi}
13551 \else
13552     \renewcommand*\l@part{%
13553         \ifnum \c@tocdepth >-2\relax
13554             \addpenalty{-\@highpenalty}%
13555             \addvspace{2.25em \@plus \p@}%
13556             \@regtocline{0}%
13557         \fi}
13558 \fi
13559 \if@oldtoc
13560 \renewcommand*\l@chapter[2]{%
13561     \addpenalty{-\@highpenalty}%
13562     \vskip 1.0em \@plus\p@
13563     \setlength\@tempdima{1.5em}%
13564     \begingroup
13565     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13566     \parfillskip -\@pnumwidth
13567     \leavevmode \bfseries
13568     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13569     \hskip -\if@RTL\rightskip\else\leftskip\fi
13570     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13571     \penalty\@highpenalty
13572 \endgroup}
13573 \else
13574     \renewcommand*\l@chapter{\@regtocline{0}}
13575 \fi
13576 \renewcommand*\head@style{%
13577     \interlinepenalty \@M
13578     \hyphenpenalty=\@M \exhyphenpenalty=\@M
13579     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
13580 \if@titlepage
13581     \renewenvironment{abstract}{%
13582         \titlepage
13583         \null\vfil
13584         \section*{\SectFont\abstractname}%
13585         \noindent\ignorespaces}
13586     {\par\vfil\null\endtitlepage}
13587 \else
13588     \renewenvironment{abstract}{%
13589         \if@twocolumn
13590             \section*{\abstractname}%
13591         \else
13592             \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
13593             \section*{\small\SectFont\abstractname}%
13594             \noindent\ignorespaces
13595         \fi}

```



```

13596      {\if@twocolumn\else\par\egroup\fi}
13597 \fi
13598 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
13599 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
13600 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
13601 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13602 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
13603 \renewcommand*\thefigure{%
13604   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
13605 \renewcommand*\thetable{%
13606   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
13607 \renewcommand*\theequation{%
13608   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13609 \renewenvironment{thebibliography}[1]
13610   {\chapter*{\bibname}%
13611    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
13612    \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
13613    \list{\@biblabel{\@arabic\c@enumiv}}%
13614      {\settowidth\labelwidth{\@biblabel{#1}}%
13615       \leftmargin\labelwidth
13616       \advance\leftmargin\labelsep
13617       \@openbib@code
13618       \usecounter{enumiv}%
13619       \let\p@enumiv\@empty
13620       \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
13621     \sloppy\clubpenalty4000\widowpenalty4000%
13622     \sfcode`\.\@m}
13623   {\def\@noitemerr
13624     {\@latex@warning{Empty `thebibliography' environment}}%
13625     \endlist}
13626 \renewcommand*\left@footnoterule{%
13627   \kern-3\p@
13628   \kern.5\baselineskip
13629   \hrule\@width\unitindent
13630   \kern.4\baselineskip
13631 }
13632 \renewcommand*\right@footnoterule{%
13633   \hbox to \columnwidth
13634   {\beginR \vbox{%
13635     \kern-3\p@
13636     \kern.5\baselineskip
13637     \hrule\@width\unitindent
13638     \kern.4\baselineskip}\hfil\endR}
13639 }
13640 \renewcommand*\head@style{%
13641   \interlinepenalty \@M
13642   \hyphenpenalty=\@M \exhyphenpenalty=\@M
13643   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```



7.95 refrep-xetex-bidi.def

```

13644 \ProvidesFile{refrep-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for refrep class for XeTeX]
13645 \if@titlepage
13646   \renewcommand\maketitle{\begin{titlepage}%
13647     \let\footnotesize\small
13648     \let\right@footnoterule\relax
13649     \let\left@footnoterule\relax
13650     \let\textwidth@footnoterule\relax
13651     \let\footnote\thanks
13652     \let\LTRfootnote\LTRthanks
13653     \let\RTLfootnote\RTLthanks
13654     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13655     \def\@makefnmark%
13656       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13657     \long\def\@makefntext##1{%
13658       \@setpar{\@par
13659         \@tempdima = \hspace
13660         \advance\@tempdima -1em
13661         \parshape \@ne 1em \@tempdima}%
13662       \par\parindent 1em \noindent
13663       \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\},##1}
13664     \null\vfil
13665     \vskip 60\p@
13666     \begin{center}%
13667       {\LARGE \@title \par}%
13668       \vskip 3em%
13669       {\large
13670         \lineskip .75em%
13671         \begin{tabular}[t]{c}%
13672           \@author
13673         \end{tabular}\par}%
13674       \vskip 1.5em%
13675       {\large \@date \par}%           % Set date in \large size.
13676     \end{center}\par
13677     \@thanks
13678     \vfil\null
13679     \end{titlepage}%
13680     \setcounter{footnote}{0}%
13681     \global\let\thanks\relax
13682     \global\let\LTRthanks\relax
13683     \global\let\RTLthanks\relax
13684     \global\let\maketitle\relax
13685     \global\let\@thanks\@empty
13686     \global\let\@author\@empty
13687     \global\let\@date\@empty
13688     \global\let\@title\@empty
13689     \global\let\title\relax
13690     \global\let\author\relax
13691     \global\let\date\relax

```



```

13692 \global\let\and\relax
13693 }
13694 \else
13695 \renewcommand\maketitle{\par
13696 \begingroup
13697 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13698 \def\@makefnmark%
13699 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13700 \long\def\@makefntext##1{%
13701 \setpar{\@par
13702 \@tempdima = \hsize
13703 \advance\@tempdima -1em
13704 \parshape \@ne 1em \@tempdima}%
13705 \par\parindent 1em \noindent
13706 \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
13707 \if@twocolumn
13708 \ifnum \col@number=\@ne
13709 \maketitle
13710 \else
13711 \twocolumn[\maketitle]%
13712 \fi
13713 \else
13714 \newpage
13715 \global\@topnum\z@ % Prevents figures from going at top of page.
13716 \maketitle
13717 \fi
13718 \thispagestyle{empty}\@thanks
13719 \endgroup
13720 \setcounter{footnote}{0}%
13721 \global\let\thanks\relax
13722 \global\let\LTRthanks\relax
13723 \global\let\RTLthanks\relax
13724 \global\let\maketitle\relax
13725 \global\let\@maketitle\relax
13726 \global\let\@thanks\@empty
13727 \global\let\@author\@empty
13728 \global\let\@date\@empty
13729 \global\let\@title\@empty
13730 \global\let\title\relax
13731 \global\let\author\relax
13732 \global\let\date\relax
13733 \global\let\and\relax
13734 }
13735 \def\@maketitle{%
13736 \newpage
13737 \null
13738 \longthickrule\vskip1.5em%
13739 \let \footnote \thanks
13740 \let \LTRfootnote \LTRthanks
13741 \let \RTLfootnote \RTLthanks

```



```

13742 {\secshape \parskip\z@ \parindent\z@
13743 \Large\bfseries \@title \par}%
13744 \vskip1.5em\longthickrule\vskip1.5em%
13745 {\normalsize
13746 \lineskip .5em%
13747 \begin{flushright}%
13748 {\slshape\@author\par}
13749 \vskip 1em%
13750 {\@date}%
13751 \end{flushright}\par}%
13752 \vskip 1.5em}
13753 \fi
13754 \renewcommand*\l@part[2]{%
13755 \ifnum \c@tocdepth >-2\relax
13756 \addpenalty{-\@highpenalty}%
13757 \addvspace{2.25em \@plus\p@}%
13758 \begingroup
13759 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13760 \parfillskip -\@pnumwidth
13761 {\leavevmode
13762 \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
13763 \nobreak
13764 \global\@nbreaktrue
13765 \everypar{\global\@nbreakfalse\everypar{}}%
13766 \endgroup
13767 \fi}
13768 \renewcommand*\l@chapter[2]{%
13769 \ifnum \c@tocdepth >\m@ne
13770 \addpenalty{-\@highpenalty}%
13771 \vskip 1.0em \@plus\p@
13772 \setlength\@tempdima{1.5em}%
13773 \begingroup
13774 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13775 \parfillskip -\@pnumwidth
13776 \leavevmode \bfseries
13777 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13778 \hskip -\if@RTL\rightskip\else\leftskip\fi
13779 #1\nobreak\hfil \nobreak\hbexto\@pnumwidth{\hss #2}\par
13780 \penalty\@highpenalty
13781 \endgroup
13782 \fi}
13783 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
13784 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
13785 \hyphenpenalty=2000}
13786 \renewcommand\left@footnoterule{%
13787 \kern-3\p@
13788 \hrule\@width.4\columnwidth
13789 \kern 2.6\p@}
13790 \renewcommand\right@footnoterule{%
13791 \hbox to \columnwidth

```



```

13792 {\beginR \vbox{%
13793 \kern-3\p@
13794 \hrule\@width.4\columnwidth
13795 \kern 2.6\p@\hfil\endR}}
13796 \renewcommand\theequation
13797 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13798 \renewcommand\thefigure
13799 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13800 \renewcommand\thetable%
13801 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13802 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
13803 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13804 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
13805 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13806 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13807 \renewenvironment{thebibliography}[1]
13808 {\chapter*{\bibname
13809 \@mkboth{\bibname}{\bibname}}%
13810 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13811 \list{\@biblabel{\@arabic\c@enumiv}}%
13812 {\settowidth\labelwidth{\@biblabel{#1}}%
13813 \leftmargin\labelwidth
13814 \advance\leftmargin\labelsep
13815 \@openbib@code
13816 \usecounter{enumiv}%
13817 \let\p@enumiv\@empty
13818 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13819 \sloppy
13820 \clubpenalty4000
13821 \@clubpenalty \clubpenalty
13822 \widowpenalty4000%
13823 \sfcode`\.=\@m}
13824 {\def\@noitemerr
13825 {\@latex@warning{Empty `thebibliography' environment}}}%
13826 \endlist}

```

7.96 report-xetex-bidi.def

```

13827 \ProvidesFile{report-xetex-bidi.def}[2011/08/26 v0.6 bidi adaptations for standard report class]
13828 \renewenvironment{theindex}
13829 {\if@twocolumn
13830 \@restonecolfalse
13831 \else
13832 \@restonecoltrue
13833 \fi
13834 \columnseprule \z@
13835 \columnsep 35\p@
13836 \twocolumn[\@makeschapterhead{\indexname}]%
13837 \@mkboth{\MakeUppercase\indexname}%
13838 {\MakeUppercase\indexname}%

```



```

13839             \thispagestyle{plain}\parindent\z@
13840             \parskip\z@ \@plus .3\p@\relax
13841             \let\item\@idxitem}
13842         {\if@restonecol\onecolumn\else\clearpage\fi}
13843 \if@titlepage
13844 \renewcommand\maketitle{\begin{titlepage}%
13845 \let\footnotesize\small
13846 \let\right@footnoterule\relax
13847 \let\left@footnoterule\relax
13848 \let\textwidth\footnoterule\relax
13849 \let \footnote \thanks
13850 \let \LTRfootnote \LTRthanks
13851 \let \RTLfootnote \RTLthanks
13852 \null\vfil
13853 \vskip 60\p@
13854 \begin{center}%
13855     {\LARGE \@title \par}%
13856     \vskip 3em%
13857     {\large
13858       \lineskip .75em%
13859       \begin{tabular}[t]{c}%
13860         \@author
13861       \end{tabular}\par}%
13862       \vskip 1.5em%
13863       {\large \@date \par}%           % Set date in \large size.
13864 \end{center}\par
13865 \@thanks
13866 \vfil\null
13867 \end{titlepage}%
13868 \setcounter{footnote}{0}%
13869 \global\let\thanks\relax
13870 \global\let\LTRthanks\relax
13871 \global\let\RTLthanks\relax
13872 \global\let\maketitle\relax
13873 \global\let\@thanks\@empty
13874 \global\let\@author\@empty
13875 \global\let\@date\@empty
13876 \global\let\@title\@empty
13877 \global\let\title\relax
13878 \global\let\author\relax
13879 \global\let\date\relax
13880 \global\let\and\relax
13881 }
13882 \else
13883 \renewcommand\maketitle{\par
13884 \begingroup
13885   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13886   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13887   \long\def\@makeintext##1{\parindent 1em\noindent
13888     \hb@xt@1.8em{

```



```

13889         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
13890     \if@twocolumn
13891         \ifnum \col@number=\@ne
13892             \@maketitle
13893         \else
13894             \twocolumn[\@maketitle]%
13895         \fi
13896     \else
13897         \newpage
13898         \global\@topnum\z@    % Prevents figures from going at top of page.
13899         \@maketitle
13900     \fi
13901     \thispagestyle{plain}\@thanks
13902 \endgroup
13903 \setcounter{footnote}{0}%
13904 \global\let\thanks\relax
13905 \global\let\LTRthanks\relax
13906 \global\let\RTLthanks\relax
13907 \global\let\maketitle\relax
13908 \global\let\@maketitle\relax
13909 \global\let\@thanks\@empty
13910 \global\let\@author\@empty
13911 \global\let\@date\@empty
13912 \global\let\@title\@empty
13913 \global\let\title\relax
13914 \global\let\author\relax
13915 \global\let\date\relax
13916 \global\let\and\relax
13917 }
13918 \def\@maketitle{%
13919     \newpage
13920     \null
13921     \vskip 2em%
13922     \begin{center}%
13923         \let \footnote \thanks
13924         \let \LTRfootnote \LTRthanks
13925         \let \RTLfootnote \RTLthanks
13926         {\LARGE \@title \par}%
13927         \vskip 1.5em%
13928         {\large
13929             \lineskip .5em%
13930             \begin{tabular}[t]{c}%
13931                 \@author
13932             \end{tabular}\par}%
13933         \vskip 1em%
13934         {\large \@date}%
13935     \end{center}%
13936     \par
13937     \vskip 1.5em}
13938 \fi

```




```

13939 \renewcommand*\l@part[2]{%
13940   \ifnum \c@tocdepth >-2\relax
13941     \addpenalty{-\@highpenalty}%
13942     \addvspace{2.25em \@plus\p@}%
13943     \setlength\@tempdima{3em}%
13944     \begingroup
13945       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13946       \parfillskip -\@pnumwidth
13947       {\leavevmode
13948         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13949       \nobreak
13950       \global\@nbreaktrue
13951       \everypar{\global\@nbreakfalse\everypar{}}%
13952     \endgroup
13953   \fi}
13954 \renewcommand*\l@chapter[2]{%
13955   \ifnum \c@tocdepth >\m@ne
13956     \addpenalty{-\@highpenalty}%
13957     \vskip 1.0em \@plus\p@
13958     \setlength\@tempdima{1.5em}%
13959     \begingroup
13960       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13961       \parfillskip -\@pnumwidth
13962       \leavevmode \bfseries
13963       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13964       \hskip -\if@RTL\rightskip\else\leftskip\fi
13965       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13966       \penalty\@highpenalty
13967     \endgroup
13968   \fi}
13969 \renewcommand\left@footnoterule{%
13970   \kern-3\p@
13971   \hrule\@width.4\columnwidth
13972   \kern2.6\p@}
13973 \renewcommand\right@footnoterule{%
13974   \hbox to \columnwidth
13975   {\beginR \vbox{%
13976     \kern-3\p@
13977     \hrule\@width.4\columnwidth
13978     \kern2.6\p@}\hfil\endR}}
13979 \renewcommand\theequation
13980   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
13981 \renewcommand \thefigure
13982   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13983 \renewcommand \thetable
13984   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
13985 \renewcommand \thechapter {\@arabic\c@chapter}
13986 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
13987 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13988 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}

```



```

13989 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13990 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13991 \def\@makechapterhead#1{%
13992   \vspace*{50\p@}%
13993   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
13994     \ifnum \c@secnumdepth >\m@ne
13995       \huge\bfseries \@chapapp\space \thechapter
13996       \par\nobreak
13997       \vskip 20\p@
13998     \fi
13999     \interlinepenalty\@M
14000     \Huge \bfseries #1\par\nobreak
14001     \vskip 40\p@
14002   }}
14003 \def\@makeschapterhead#1{%
14004   \vspace*{50\p@}%
14005   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
14006     \normalfont
14007     \interlinepenalty\@M
14008     \Huge \bfseries #1\par\nobreak
14009     \vskip 40\p@
14010   }}
14011 \renewenvironment{thebibliography}[1]
14012   {\chapter*{\bibname}%
14013    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
14014    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14015    \list{\@biblabel{\@arabic\c@enumiv}}%
14016      {\settowidth\labelwidth{\@biblabel{#1}}%
14017       \leftmargin\labelwidth
14018       \advance\leftmargin\labelsep
14019       \@openbib@code
14020       \usecounter{enumiv}%
14021       \let\p@enumiv\@empty
14022       \renewcommand\theenumiv{\@arabic\c@enumiv}}%
14023   \sloppy
14024   \clubpenalty4000
14025   \@clubpenalty \clubpenalty
14026   \widowpenalty4000%
14027   \sfcode\.\@m}
14028   {\def\@noitemerr
14029    {\@latex@warning{Empty `thebibliography' environment}}}%
14030   \endlist}

```

7.97 rotating-xetex-bidi.def

```

14031 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package for
14032 \def\end@rotfloat{%
14033   \end{minipage}\end{lrbox}%
14034   \stepcounter{r@tfl@t}%
14035   \rot@label{RF\ther@tfl@t}%

```



```

14036 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
14037 \edef\@tempa{Adding sideways \@capytype\space on page \R@@page\space}
14038 \rot@mess@toks\expandafter{\@tempa}
14039 \wd\rot@float@box\z@
14040 \ht\rot@float@box\z@
14041 \dp\rot@float@box\z@
14042 \vboxL to \textheight{%
14043 \setkeys{Grot}{units=360}%
14044 \if@rot@twoside
14045 \else
14046 \let\R@@page\rot@LR
14047 \fi
14048 \ifthenelse{\isodd{\R@@page}}{%
14049 \if@rot@twoside
14050 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}}%
14051 \fi
14052 \vfill
14053 \@@line{%
14054 \hskip\rotFPtop
14055 \rotatebox{90}{\box\rot@float@box}%
14056 \hskip\rotFPbot
14057 }%
14058 }{%
14059 \if@rot@twoside
14060 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
14061 \fi
14062 \@@line{%
14063 \hskip\rotFPbot
14064 \rotatebox{-90}{\box\rot@float@box}%
14065 \hskip\rotFPtop
14066 }%
14067 \vfill
14068 }%
14069 \rot@message{\the\rot@mess@toks}
14070 }%
14071 \end@float
14072 }
14073 \let\endsidewaysfigure\end@rotfloat
14074 \let\endsidewaysstable\end@rotfloat
14075 \def\end@rotdblfloat{%
14076 \end{minipage}\end{lrbox}%
14077 \stepcounter{r@tfl@t}%
14078 \rot@label{RF\ther@tfl@t}{\R@@page}%
14079 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
14080 \edef\@tempa{Adding sideways \@capytype\space on page \R@@page\space}
14081 \rot@mess@toks\expandafter{\@tempa}
14082 \@tempdima\ht\rot@float@box
14083 \advance\@tempdima by \dp\rot@float@box
14084 \wd\rot@float@box\z@
14085 \ht\rot@float@box\z@

```



```

14086 \dp\rot@float@box\z@
14087 \vboxL to \textheight{%
14088   \setkeys{Grot}{units=360}%
14089   \if@rot@twoside
14090   \else
14091     \let\R@@page\rot@LR
14092   \fi
14093   \ifthenelse{\isodd{\R@@page}}{%
14094     \ifrot@messages
14095     \if@rot@twoside
14096     \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}}%
14097 \fi
14098   \fi
14099   \vfill
14100   \@@line{%
14101     \hskip\rotFPtop
14102     \rotatebox{90}{\box\rot@float@box}%
14103     \hskip\rotFPbot
14104   }%
14105 }{%
14106   \ifrot@messages
14107   \if@rot@twoside
14108   \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}}%
14109 \fi
14110   \fi%
14111   \@@line{%
14112     \hskip\rotFPbot
14113     \rotatebox{-90}{\box\rot@float@box}%
14114     \hskip\rotFPtop
14115   }%
14116   \vfill
14117 }%
14118 \rot@message{\the\rot@mess@toks}%
14119 }%
14120 \end@dblfloat
14121 }
14122 \def\turn#1{%
14123   \Grot@setangle{#1}%
14124   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14125 \def\endturn{%
14126   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14127   \unskip\color@endbox
14128   \Grot@x\z@
14129   \Grot@y\z@
14130   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14131 }
14132 \def\rotate#1{%
14133   \Grot@setangle{#1}%
14134   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14135 \def\endrotate{%

```



```

14136 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14137 \unskip\color@endbox
14138 \Grot@x\z@
14139 \Grot@y\z@
14140 \wd0\z@\dp0\z@\ht0\z@
14141 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14142 }
14143 \def\turnbox#1#2{%
14144 \Grot@setangle{#1}%
14145 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
14146 \Grot@x\z@\Grot@y\z@
14147 \wd0\z@\dp0\z@\ht0\z@
14148 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14149 }
14150 \def\sideways{%
14151 \Grot@setangle{90}%
14152 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
14153 \def\endsideways{%
14154 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
14155 \unskip\color@endbox
14156 \Grot@x\z@
14157 \Grot@y\z@
14158 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14159 }

```

7.98 scrartcl-xetex-bidi.def

```

14160 \ProvidesFile{scrartcl-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrartcl class for Xe
14161 \newcommand{\scr@saved@LTRfootnotetext}{}
14162 \newcommand{\scr@saved@RTLfootnotetext}{}
14163 \let\scr@saved@footnotetext\@footnotetext
14164 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14165 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14166 \renewcommand{\@footnotetext}[1]{%
14167 \scr@saved@footnotetext{#1}%
14168 \csname FN@mfp@prepare\endcsname
14169 }
14170 \renewcommand{\@LTRfootnotetext}[1]{%
14171 \scr@saved@LTRfootnotetext{#1}%
14172 \csname FN@mfp@prepare\endcsname
14173 }
14174 \renewcommand{\@RTLfootnotetext}[1]{%
14175 \scr@saved@RTLfootnotetext{#1}%
14176 \csname FN@mfp@prepare\endcsname
14177 }
14178 \renewcommand\deffootnote[4][1]{%
14179 \long\def\@makefntext##1{%
14180 \setlength{\@tempdimc}{#3}%
14181 \def\@tempa{#1}\ifx\@tempa\@empty
14182 \setpar{\@par

```



```

14183     \@tempdima = \hsize
14184     \addtolength{\@tempdima}{-#2}%
14185     \ifRTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
14186   \else
14187     \addtolength{\@tempdimc}{#2}%
14188     \addtolength{\@tempdimc}{-#1}%
14189     \@setpar{\@par
14190       \@tempdima = \hsize
14191       \addtolength{\@tempdima}{-#1}%
14192       \@tempdimb = \hsize
14193       \addtolength{\@tempdimb}{-#2}%
14194       \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
14195     }%
14196   \fi
14197   \par
14198   \parindent\@tempdimc\noindent
14199   \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14200 }%
14201 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14202 }
14203 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14204 \renewcommand*\left@footnoterule{%
14205   \normalsize\ftn@rule@test@values
14206   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14207   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14208   {\usekomafont{footnoterule}{%
14209     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14210   \kern 2.6\p@}
14211 \renewcommand*\right@footnoterule{%
14212   \hbox to \columnwidth
14213   {\beginR \vbox{\kern -3\p@
14214     \normalsize\ftn@rule@test@values
14215     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14216     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14217     {\usekomafont{footnoterule}{%
14218       \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14219     \kern 2.6\p@}\hfil\endR}}
14220 \renewcommand*\maketitle[1][1]{%
14221   \if@titlepage
14222     \begin{titlepage}
14223       \setcounter{page}{%
14224         #1%
14225       }%
14226       \let\footnotesize\small
14227       \let\right@footnoterule\relax
14228       \let\left@footnoterule\relax
14229       \let\textwidth\footnoterule\relax
14230       \let\footnote\thanks
14231       \let\LTRfootnote\LTRthanks
14232       \let\RTLfootnote\RTLthanks

```



```

14233 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14234 \let\@oldmakefnmark\@makefnmark
14235 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
14236 \ifx\@extratitle\@empty \else
14237 \noindent\@extratitle\next@tpage\cleardoubleemptypage
14238 \thispagestyle{empty}%
14239 \fi
14240 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14241 \ifx\@titlehead\@empty \else
14242 \begin{minipage}[t]{\textwidth}%
14243 \@titlehead
14244 \end{minipage}\par
14245 \fi
14246 \null\vfill
14247 \begin{center}
14248 \ifx\@subject\@empty \else
14249 {\subject@font \@subject \par}%
14250 \vskip 3em
14251 \fi
14252 {\titlefont\huge \@title\par}%
14253 \vskip 1em
14254 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14255 \vskip 2em
14256 {\Large \lineskip 0.75em
14257 \begin{tabular}[t]{c}
14258 \@author
14259 \end{tabular}\par
14260 }%
14261 \vskip 1.5em
14262 {\Large \@date \par}%
14263 \vskip \z@ \@plus3fill
14264 {\Large \@publishers \par}%
14265 \vskip 3em
14266 \end{center}\par
14267 \@thanks
14268 \vfill\null
14269 \if@twoside\next@tpage
14270 \begin{minipage}[t]{\textwidth}
14271 \uppertitleback
14272 \end{minipage}\par
14273 \vfill
14274 \begin{minipage}[b]{\textwidth}
14275 \lowertitleback
14276 \end{minipage}
14277 \fi
14278 \ifx\@dedication\@empty \else
14279 \next@tpage\null\vfill
14280 {\centering \Large \@dedication \par}%
14281 \vskip \z@ \@plus3fill
14282 \if@twoside \next@tpage\cleardoubleemptypage \fi

```



```

14283     \fi
14284     \end{titlepage}
14285 \else
14286     \par
14287     \@tempcnta=%
14288     #1%
14289     \relax\ifnum\@tempcnta=1\else
14290         \ClassWarning{\KOMAClassName}{%
14291             Optional argument of \string\maketitle\space ignored
14292             at\MessageBreak
14293             notitlepage-mode%
14294         }%
14295     \fi
14296     \begingroup
14297         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14298         \let\@oldmakefnmark\@makefnmark
14299         \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
14300         \if@twocolumn
14301             \ifnum \col@number=\@one
14302                 \@maketitle
14303             \else
14304                 \twocolumn[\@maketitle]%
14305             \fi
14306         \else
14307             \newpage
14308             \global\@topnum\z@
14309             \@maketitle
14310         \fi
14311         \thispagestyle{\titlepagestyle}\@thanks
14312     \endgroup
14313 \fi
14314 \setcounter{footnote}{0}%
14315 \let\thanks\relax
14316 \let\LTRthanks\relax
14317 \let\RTLthanks\relax
14318 \let\maketitle\relax
14319 \let\@maketitle\relax
14320 \global\let\@thanks\@empty
14321 \global\let\@author\@empty
14322 \global\let\@date\@empty
14323 \global\let\@title\@empty
14324 \global\let\@subtitle\@empty
14325 \global\let\@extratitle\@empty
14326 \global\let\@titlehead\@empty
14327 \global\let\@subject\@empty
14328 \global\let\@publishers\@empty
14329 \global\let\@uppertitleback\@empty
14330 \global\let\@lowertitleback\@empty
14331 \global\let\@dedication\@empty
14332 \global\let\author\relax

```




```

14333 \global\let\title\relax
14334 \global\let\extratitle\relax
14335 \global\let\titlehead\relax
14336 \global\let\subject\relax
14337 \global\let\publishers\relax
14338 \global\let\uppertitleback\relax
14339 \global\let\lowertitleback\relax
14340 \global\let\dedication\relax
14341 \global\let\date\relax
14342 \global\let\and\relax
14343 }%
14344 \renewcommand*{\@maketitle}{%
14345 \clearpage
14346 \let\footnote\thanks
14347 \let\LTRfootnote\LTRthanks
14348 \let\RTLfootnote\RTLthanks
14349 \ifx\@extratitle\@empty \else
14350 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14351 \fi
14352 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updateerelative
14353 \ifx\@titlehead\@empty \else
14354 \begin{minipage}[t]{\textwidth}
14355 \@titlehead
14356 \end{minipage}\par
14357 \fi
14358 \null
14359 \vskip 2em%
14360 \begin{center}%
14361 \ifx\@subject\@empty \else
14362 {\subject@font \@subject \par}
14363 \vskip 1.5em
14364 \fi
14365 {\titlefont\huge \@title \par}%
14366 \vskip .5em
14367 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14368 \vskip 1em
14369 {\Large
14370 \lineskip .5em%
14371 \begin{tabular}[t]{c}
14372 \@author
14373 \end{tabular}\par
14374 }%
14375 \vskip 1em%
14376 {\Large \@date \par}%
14377 \vskip \z@ \@plus 1em
14378 {\Large \@publishers \par}
14379 \ifx\@dedication\@empty \else
14380 \vskip 2em
14381 {\Large \@dedication \par}
14382 \fi

```



```

14383 \end{center}%
14384 \par
14385 \vskip 2em
14386 }%
14387 \renewcommand*\l@part[2]{%
14388 \ifnum \c@tocdepth >\m@ne\relax
14389 \addpenalty{\@secpenalty}%
14390 \addvspace{2.25em \@plus\p@}%
14391 \setlength{\@tempdima}{2em}%
14392 \if@tocleft
14393 \ifx\toc@l@number\@empty\else
14394 \setlength{\@tempdima}{0\toc@l@number}%
14395 \fi
14396 \fi
14397 \begingroup
14398 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14399 \parfillskip -\@pnumwidth
14400 \leavevmode
14401 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14402 \hskip -\if@RTL\rightskip\else\leftskip\fi
14403 {\usekomafont{partentry}{#1\nobreak
14404 \usekomafont{partentrypagenumber}{\hfil\nobreak
14405 \hb@xt@\@pnumwidth{\hss#2}}}\par
14406 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14407 \endgroup
14408 \penalty20010
14409 \else
14410 \if@compatibility
14411 \global\@nobreaktrue
14412 \everypar{\global\@nobreakfalse\everypar{}}%
14413 \else
14414 \penalty\@highpenalty
14415 \fi
14416 \endgroup
14417 \fi
14418 \fi
14419 }
14420 \renewcommand*\l@section[2]{%
14421 \ifnum \c@tocdepth >\z@
14422 \ifnum \lastpenalty<20009
14423 \addpenalty{\@secpenalty}%
14424 \fi
14425 \addvspace{1.0em \@plus\p@}%
14426 \setlength{\@tempdima}{1.5em}%
14427 \if@tocleft
14428 \ifx\toc@l@number\@empty\else
14429 \setlength{\@tempdima}{0\toc@l@number}%
14430 \fi
14431 \fi
14432 \begingroup

```



```

14433     \raggedsectionentry
14434     \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14435     \parfillskip -\@pnumwidth
14436     \interlinepenalty\@M
14437     \leavevmode
14438     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
14439     {\usekomafont{sectionentry}{#1\nobreak
14440     \usekomafont{sectionentrypagenumber}{%
14441     \hfill\nobreak
14442     \hb@xt@\@pnumwidth{\hss#2}}}\par
14443     \endgroup
14444     \ifnum \scr@compatibility>\@nameuse{scr@v2.96}\relax
14445     \penalty20008
14446     \fi
14447 \fi
14448 }
14449 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14450 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
14451 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14452 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
14453 \renewcommand*{\thesubsubsection}{%
14454 \thesubsection\@SepMark\@arabic\c@subsubsection
14455 }
14456 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
14457 \renewcommand*{\thesubparagraph}{%
14458 \theparagraph\@SepMark\@arabic\c@subparagraph
14459 }
14460 \renewenvironment{thebibliography}[1]{%
14461 \if@bib@break@
14462 \bib@beginhook
14463 \else
14464 \bib@heading
14465 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
14466 \noindent\bibpreamble\par\nobreak
14467 \fi\fi
14468 \bib@beginhook
14469 \bib@before@hook
14470 \fi
14471 \renewcommand{\BreakBibliography}[1]{%
14472 \@bib@break
14473 \end{thebibliography}%
14474 \begingroup ##1\endgroup
14475 \begin{thebibliography}{#1}
14476 }%
14477 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14478 \list{}
14479 \biblabel{\@arabic\c@enumiv}%
14480 }{}%
14481 \settowidth\labelwidth{\biblabel{#1}}%
14482 \leftmargin\labelwidth

```



```

14483 \advance\leftmargin\labelsep
14484 \@openbib@code
14485 \if@bib@break@
14486 \edef\@tempa{%
14487 \noexpand\usecounter{enumiv}%
14488 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
14489 }\@tempa
14490 \no@bib@break
14491 \else
14492 \usecounter{enumiv}%
14493 \fi
14494 \let\p@enumiv\@empty
14495 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
14496 }%
14497 \sloppy\clubpenalty4000 \widowpenalty4000
14498 \sfcode`\.=\@m
14499 }{f%
14500 \if@bib@break@
14501 \def\@noitemerr{%
14502 \@latex@warning{%
14503 \string\BreakBibliography\space at begin of `thebibliography'
14504 environment\MessageBreak
14505 or following \string\BreakBibliography}%
14506 }%
14507 \else
14508 \def\@noitemerr{%
14509 \@latex@warning{%
14510 Empty `thebibliography' environment or
14511 \string\BreakBibliography\MessageBreak
14512 before end of `thebibliography' environment}%
14513 }%
14514 \fi
14515 \endlist
14516 \if@bib@break@
14517 \else
14518 \bib@after@hook
14519 \let\bib@before@hook\@empty
14520 \let\bib@after@hook\@empty
14521 \fi
14522 \bib@endhook
14523 }
14524 \renewcommand*\left@footnoterule{%
14525 \kern-3\p@
14526 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14527 \hrule\@width.4\columnwidth
14528 \kern 2.6\p@}
14529 \renewcommand*\right@footnoterule{%
14530 \hbox to \columnwidth
14531 {\beginR \vbox{%
14532 \kern-3\p@

```



```

14533 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14534 \hrule\@width.4\columnwidth
14535 \kern 2.6\p@\hfil\endR}}
14536 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
14537 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
14538 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
14539 \renewcommand\marginline[1]{%
14540 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
14541 }
14542 \renewcommand{\@makecaption}[3]{%
14543 \cap@margin
14544 \ifonelinecaptions
14545 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
14546 \let\scr@tmp@footnotetext=\@footnotetext
14547 \let\@footnotetext=\@gobble
14548 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
14549 \let\@LTRfootnotetext=\@gobble
14550 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
14551 \let\@RTLfootnotetext=\@gobble
14552 \sbox\@tempboxa{%
14553 {\capfont{\strut\ignorespaces
14554 #1{\caplabelfont{#2\captionformat}}}%
14555 #3\unskip\strut}}%
14556 }%
14557 \let\@footnotetext=\scr@tmp@footnotetext
14558 \let\scr@tmp@footnotetext=\undefined
14559 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
14560 \let\scr@tmp@LTRfootnotetext=\undefined
14561 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
14562 \let\scr@tmp@RTLfootnotetext=\undefined
14563 \setcounter{footnote}{\@tempcntb}%
14564 \setcounter{mpfootnote}{\@tempcnta}%
14565 \else
14566 \sbox\@tempboxa{\hspace*{2\cap@width}}%
14567 \fi
14568 \begingroup%
14569 \setlength{\@tempdima}{\cap@width}%
14570 \ifdim \wd\@tempboxa >\@tempdima
14571 \hb@xt@\hsize{%
14572 \setbox\@tempboxa\vbox{\hsize=\cap@width
14573 \ifdofullc@p
14574 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
14575 #1{\caplabelfont{#2\captionformat}}}}}%
14576 {\#3\unskip\strut\par}}}%
14577 \else%
14578 \ifdim\cap@indent<\z@
14579 {\capfont{\strut\ignorespaces
14580 #1{\caplabelfont{#2\captionformat\par}}}%
14581 \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
14582 \else%

```



```

14583         \if@capbreak
14584         {\capfont{\strut\ignorespaces
14585           #1{\caplabelfont{#2\captionformat\par}}}%
14586           \noindent\hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
14587         \else
14588         {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
14589           {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
14590           {\caplabelfont{#2\captionformat}}}{#3\unskip\strut\par}}}%
14591         \fi
14592       \fi
14593     \fi
14594   }%
14595   \setlength{\@tempdima}{\ht\@tempboxa}%
14596   \addtolength{\@tempdima}{\dp\@tempboxa}%
14597   \addtolength{\@tempdima}{-\ht\strutbox}%
14598   \ht\@tempboxa\ht\strutbox
14599   \dp\@tempboxa\@tempdima
14600   \strut\cap@left
14601   \box\@tempboxa
14602   \cap@right\strut
14603 }%
14604 \else
14605   \global \@minipagefalse
14606   \sbox\@tempboxa{%
14607     {\capfont{\scr@smashdp{\strut\ignorespaces
14608       #1{\caplabelfont{#2\captionformat}}}%
14609       #3}}}%
14610   }%
14611   {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}
14612   \fi
14613 \endgroup
14614 }
14615 \renewcommand{\@makecaption}[2]{%
14616   \if@captionabove
14617     \vskip\belowcaptionskip
14618   \else
14619     \vskip\abovecaptionskip
14620   \fi
14621   \@@makecaption\@firstofone{#1}{#2}%
14622   \if@captionabove
14623     \vskip\abovecaptionskip
14624   \else
14625     \vskip\belowcaptionskip
14626   \fi
14627 }

```

7.99 scrbook-xetex-bidi.def

```

14628 \ProvidesFile{scrbook-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrbook class for XeT
14629 \newcommand{\scr@saved@LTRfootnotetext}{}

```



```

14630 \newcommand{\scr@saved@RTLfootnotetext}{%
14631 \let\scr@saved@footnotetext\@footnotetext
14632 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
14633 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
14634 \renewcommand{\@footnotetext}[1]{%
14635 \scr@saved@footnotetext{#1}%
14636 \csname FN@m@prepare\endcsname
14637 }
14638 \renewcommand{\@LTRfootnotetext}[1]{%
14639 \scr@saved@LTRfootnotetext{#1}%
14640 \csname FN@m@prepare\endcsname
14641 }
14642 \renewcommand{\@RTLfootnotetext}[1]{%
14643 \scr@saved@RTLfootnotetext{#1}%
14644 \csname FN@m@prepare\endcsname
14645 }
14646 \renewcommand\deffootnote[4][1]{%
14647 \long\def\@makefnmark##1{%
14648 \setlength{\@tempdimc}{#3}%
14649 \def\@tempa{#1}\ifx\@tempa\@empty
14650 \setpar{\@par
14651 \@tempdima = \hsize
14652 \addtolength{\@tempdima}{-#2}%
14653 \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
14654 \else
14655 \addtolength{\@tempdimc}{#2}%
14656 \addtolength{\@tempdimc}{-#1}%
14657 \setpar{\@par
14658 \@tempdima = \hsize
14659 \addtolength{\@tempdima}{-#1}%
14660 \@tempdimb = \hsize
14661 \addtolength{\@tempdimb}{-#2}%
14662 \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@tempdimb}%
14663 }%
14664 \fi
14665 \par
14666 \parindent\@tempdimc\noindent
14667 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
14668 }%
14669 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
14670 }
14671 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
14672 \renewcommand*\left@footnoterule{%
14673 \normalsize\ftn@rule@test@values
14674 \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
14675 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14676 {\usekomafont{footnoterule}{%
14677 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
14678 \kern 2.6\p@}
14679 \renewcommand*\right@footnoterule{%

```



```

14680 \hbox to \columnwidth
14681 {\beginR \vbox{\kern -3\p@
14682 \normalsize\ftn@rule@test@values
14683 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
14684 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
14685 {\usekomafont{footnoterule}{%
14686 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}}%
14687 \kern 2.6\p@}\hfil\endR}}
14688 \renewcommand*\maketitle[1][1]{%
14689 \if@titlepage
14690 \begin{titlepage}
14691 \setcounter{page}{%
14692 #1%
14693 }%
14694 \let\footnotesize\small
14695 \let\right@footnoterule\relax
14696 \let\left@footnoterule\relax
14697 \let\textwidth@footnoterule\relax
14698 \let\footnote\thanks
14699 \let\LTRfootnote\LTRthanks
14700 \let\RTLfootnote\RTLthanks
14701 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14702 \let\@oldmakefnmark\@makefnmark
14703 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
14704 \ifx\@extratitle\@empty \else
14705 \noindent\@extratitle\next@tpage\cleardoubleemptypage
14706 \thispagestyle{empty}%
14707 \fi
14708 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14709 \ifx\@titlehead\@empty \else
14710 \begin{minipage}[t]{\textwidth}%
14711 \@titlehead
14712 \end{minipage}\par
14713 \fi
14714 \null\vfill
14715 \begin{center}
14716 \ifx\@subject\@empty \else
14717 {\subject@font \@subject \par}%
14718 \vskip 3em
14719 \fi
14720 {\titlefont\huge \@title\par}%
14721 \vskip 1em
14722 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14723 \vskip 2em
14724 {\Large \lineskip 0.75em
14725 \begin{tabular}[t]{c}
14726 \@author
14727 \end{tabular}\par
14728 }%
14729 \vskip 1.5em

```




```

14730      {\Large \@date \par}%
14731      \vskip \z@ \@plus3fill
14732      {\Large \@publishers \par}%
14733      \vskip 3em
14734      \end{center}\par
14735      \@thanks
14736      \vfill\null
14737      \if@twoside\next@tpage
14738      \begin{minipage}[t]{\textwidth}
14739      \uppertitleback
14740      \end{minipage}\par
14741      \vfill
14742      \begin{minipage}[b]{\textwidth}
14743      \lowertitleback
14744      \end{minipage}
14745      \fi
14746      \ifx\@dedication\@empty \else
14747      \next@tpage\null\vfill
14748      {\centering \Large \@dedication \par}%
14749      \vskip \z@ \@plus3fill
14750      \if@twoside \next@tpage\cleardoubleemptypage \fi
14751      \fi
14752      \end{titlepage}
14753      \else
14754      \par
14755      \@tempcnta=
14756      #1%
14757      \relax\ifnum\@tempcnta=1\else
14758      \ClassWarning{KOMAClassName}{%
14759      Optional argument of \string\maketitle\space ignored
14760      at\MessageBreak
14761      notitlepage-mode%
14762      }%
14763      \fi
14764      \begingroup
14765      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
14766      \let\@oldmakefnmark\@makefnmark
14767      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
14768      \if@twocolumn
14769      \ifnum \col@number=\@ne
14770      \maketitle
14771      \else
14772      \twocolumn[\maketitle]%
14773      \fi
14774      \else
14775      \newpage
14776      \global\@topnum\z@
14777      \maketitle
14778      \fi
14779      \thispagestyle{\titlepagestyle}\@thanks

```



```

14780 \endgroup
14781 \fi
14782 \setcounter{footnote}{0}%
14783 \let\thanks\relax
14784 \let\LTRthanks\relax
14785 \let\RTLthanks\relax
14786 \let\maketitle\relax
14787 \let\@maketitle\relax
14788 \global\let\@thanks\@empty
14789 \global\let\@author\@empty
14790 \global\let\@date\@empty
14791 \global\let\@title\@empty
14792 \global\let\@subtitle\@empty
14793 \global\let\@extratitle\@empty
14794 \global\let\@titlehead\@empty
14795 \global\let\@subject\@empty
14796 \global\let\@publishers\@empty
14797 \global\let\@uppertitleback\@empty
14798 \global\let\@lowertitleback\@empty
14799 \global\let\@dedication\@empty
14800 \global\let\author\relax
14801 \global\let\title\relax
14802 \global\let\extratitle\relax
14803 \global\let\titlehead\relax
14804 \global\let\subject\relax
14805 \global\let\publishers\relax
14806 \global\let\uppertitleback\relax
14807 \global\let\lowertitleback\relax
14808 \global\let\dedication\relax
14809 \global\let\date\relax
14810 \global\let\and\relax
14811 }%
14812 \renewcommand*{\@maketitle}{%
14813 \clearpage
14814 \let\footnote\thanks
14815 \let\LTRfootnote\LTRthanks
14816 \let\RTLfootnote\RTLthanks
14817 \ifx\@extratitle\@empty \else
14818 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
14819 \fi
14820 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
14821 \ifx\@titlehead\@empty \else
14822 \begin{minipage}[t]{\textwidth}
14823 \@titlehead
14824 \end{minipage}\par
14825 \fi
14826 \null
14827 \vskip 2em%
14828 \begin{center}%
14829 \ifx\@subject\@empty \else

```



```

14830      {\subject@font \@subject \par}
14831      \vskip 1.5em
14832      \fi
14833      {\titlefont\huge \@title \par}%
14834      \vskip .5em
14835      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
14836      \vskip 1em
14837      {\Large
14838       \lineskip .5em%
14839       \begin{tabular}[t]{c}
14840         \@author
14841       \end{tabular}\par
14842      }%
14843      \vskip 1em%
14844      {\Large \@date \par}%
14845      \vskip \z@ \@plus 1em
14846      {\Large \@publishers \par}
14847      \ifx\@dedication\@empty \else
14848        \vskip 2em
14849        {\Large \@dedication \par}
14850      \fi
14851      \end{center}}%
14852      \par
14853      \vskip 2em
14854    }%
14855    \renewcommand*{\l@part[2]}{%
14856      \ifnum \c@tocdepth >-2\relax
14857        \addpenalty{-\@highpenalty}%
14858        \addvspace{2.25em \@plus\p@}%
14859        \setlength{\@tempdima}{2em}%
14860        \if@tocleft
14861          \ifx\toc@l@number\@empty\else
14862            \setlength{\@tempdima}{0\toc@l@number}%
14863          \fi
14864        \fi
14865        \begingroup
14866          \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14867          \parfillskip -\@pnumwidth
14868          \leavevmode
14869          \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14870          \hskip -\if@RTL\rightskip\else\leftskip\fi
14871          {\usekomafont{partentry}{#1\nobreak
14872           \usekomafont{partentrypagenumber}{\hfil\nobreak
14873            \hb@xt@\@pnumwidth{\hss#2}}}\par
14874          \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14875          \endgroup
14876          \penalty20010
14877        \else
14878          \penalty\@highpenalty
14879        \endgroup

```



```

14880 \fi
14881 \fi
14882 }\renewcommand*\l@part[2]{%
14883 \ifnum \c@tocdepth >-2\relax
14884 \addpenalty{-\@highpenalty}%
14885 \addvspace{2.25em \@plus\p@}%
14886 \setlength{\@tempdima}{2em}%
14887 \if@tocleft
14888 \ifx\toc@l@number\@empty\else
14889 \setlength\@tempdima{0\toc@l@number}%
14890 \fi
14891 \fi
14892 \begingroup
14893 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14894 \parfillskip -\@pnumwidth
14895 \leavevmode
14896 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
14897 \hskip -\if@RTL\rightskip\else\leftskip\fi
14898 {\usekomafont{partentry}{#1\nobreak
14899 \usekomafont{partentrypagenumber}{\hfil\nobreak
14900 \hb@xt@\@pnumwidth{\hss#2}}}\par
14901 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14902 \endgroup
14903 \penalty20010
14904 \else
14905 \penalty\@highpenalty
14906 \endgroup
14907 \fi
14908 \fi
14909 }
14910 \renewcommand*\l@chapter[2]{%
14911 \ifnum \c@tocdepth >\m@ne
14912 \ifnum \lastpenalty<20010
14913 \addpenalty{-\@highpenalty}%
14914 \fi
14915 \vskip 1.0em \@plus\p@
14916 \setlength\@tempdima{1.5em}%
14917 \if@tocleft
14918 \ifx\toc@l@number\@empty\else
14919 \setlength\@tempdima{0\toc@l@number}%
14920 \fi
14921 \fi
14922 \begingroup
14923 \raggedchapterentry
14924 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
14925 \parfillskip -\@pnumwidth
14926 \interlinepenalty\@M
14927 \leavevmode
14928 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
14929 {\usekomafont{chapterentry}{#1\nobreak

```



```

14930         \usekomafont{chapterentrypagenumber}{%
14931             \hfill\nobreak
14932             \hb@xt@{\pnumwidth{\hss#2}}{\par
14933                 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
14934                 \endgroup
14935                 \penalty20009
14936             \else
14937                 \penalty\@highpenalty
14938             \endgroup
14939         \fi
14940     \fi
14941 }
14942 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
14943 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
14944 \renewcommand*\thesection{%
14945     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14946     \if@mainmatter\thechapter\@SepMark\fi
14947 \else
14948     \thechapter\@SepMark%
14949 \fi
14950 \@arabic\c@section
14951 }
14952 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
14953 \renewcommand*\thesubsubsection{%
14954     \thesubsection\@SepMark\@arabic\c@subsubsection
14955 }
14956 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
14957 \renewcommand*\thesubparagraph{%
14958     \theparagraph\@SepMark\@arabic\c@subparagraph
14959 }
14960 \renewcommand*\thefigure{%
14961     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14962     \if@mainmatter\thechapter\@SepMark\fi
14963 \else
14964     \thechapter\@SepMark%
14965 \fi
14966 \@arabic\c@figure
14967 }
14968 \renewcommand*\thetable{%
14969     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14970     \if@mainmatter\thechapter\@SepMark\fi
14971 \else
14972     \thechapter\@SepMark%
14973 \fi
14974 \@arabic\c@table
14975 }
14976 \renewcommand*\theequation{%
14977     \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
14978     \if@mainmatter\thechapter\@SepMark\fi
14979 \else

```



```

14980 \thechapter\@SepMark%
14981 \fi
14982 \@arabic\c@equation
14983 }
14984 \renewenvironment{thebibliography}[1]{%
14985 \if@bib@break@
14986 \bib@beginhook
14987 \else
14988 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
14989 \setchapterpreamble{\bibpreamble}%
14990 \fi\fi
14991 \bib@heading
14992 \bib@beginhook
14993 \bib@before@hook
14994 \fi
14995 \renewcommand{\BreakBibliography}[1]{%
14996 \@bib@break
14997 \end{thebibliography}%
14998 \begingroup ##1\endgroup
14999 \begin{thebibliography}{#1}
15000 }%
15001 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15002 \list{%
15003 \@biblabel{\@arabic\c@enumiv}%
15004 }{%
15005 \settowidth\labelwidth{\@biblabel{#1}}%
15006 \leftmargin\labelwidth
15007 \advance\leftmargin\labelsep
15008 \@openbib@code
15009 \if@bib@break@
15010 \edef\@tempa{%
15011 \noexpand\usecounter{enumiv}%
15012 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
15013 }\@tempa
15014 \no@bib@break
15015 \else
15016 \usecounter{enumiv}%
15017 \fi
15018 \let\p@enumiv\@empty
15019 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
15020 }%
15021 \sloppy\clubpenalty4000 \widowpenalty4000
15022 \sfcode`\.=\@m
15023 }{%
15024 \if@bib@break@
15025 \def\@noitemerr{%
15026 \@latex@warning{%
15027 \string\BreakBibliography\space at begin of `thebibliography'
15028 environment\MessageBreak
15029 or following \string\BreakBibliography}%

```



```

15030 }%
15031 \else
15032   \def\@noitemerr{%
15033     \@latex@warning{%
15034       Empty `thebibliography' environment or
15035       \string\BreakBibliography\MessageBreak
15036       before end of `thebibliography' environment}%
15037   }%
15038 \fi
15039 \endlist
15040 \if@bib@break@
15041 \else
15042   \bib@after@hook
15043   \let\bib@before@hook\@empty
15044   \let\bib@after@hook\@empty
15045 \fi
15046 \bib@endhook
15047 }
15048 \renewcommand*\left@footnoterule{%
15049   \kern-3\p@
15050   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15051   \hrule\@width.4\columnwidth
15052   \kern 2.6\p@}
15053 \renewcommand*\right@footnoterule{%
15054   \hbox to \columnwidth
15055   {\beginR \vbox{%
15056     \kern-3\p@
15057     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15058     \hrule\@width.4\columnwidth
15059     \kern 2.6\p@}\hfil\endR}}
15060 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
15061 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
15062 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
15063 \renewcommand\marginline[1]{%
15064   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
15065 }
15066 \renewcommand{\@@makecaption}[3]{%
15067   \cap@margin
15068   \ifonelinecaptions
15069     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
15070     \let\scr@tmp@footnotetext=\@footnotetext
15071     \let\@footnotetext=\@gobble
15072     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
15073     \let\@LTRfootnotetext=\@gobble
15074     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
15075     \let\@RTLfootnotetext=\@gobble
15076     \sbox\@tempboxa{%
15077       {\capfont{\strut\ignorespaces
15078         #1{\caplabelfont{#2\captionformat}}}%
15079       #3\unskip\strut}}%

```



```

15080 }%
15081 \let\@footnotetext=\scr@tmp@footnotetext
15082 \let\scr@tmp@footnotetext=\undefined
15083 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
15084 \let\scr@tmp@LTRfootnotetext=\undefined
15085 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
15086 \let\scr@tmp@RTLfootnotetext=\undefined
15087 \setcounter{footnote}{\@tempcntb}%
15088 \setcounter{mpfootnote}{\@tempcnta}%
15089 \else
15090 \sbox\@tempboxa{\hspace*{2\cap@width}}%
15091 \fi
15092 \begingroup%
15093 \setlength{\@tempdima}{\cap@width}%
15094 \ifdim \wd\@tempboxa >\@tempdima
15095 \hb@xt@\hsize{%
15096 \setbox\@tempboxa\vbox{\hsize=\cap@width
15097 \ifdoofullc@p
15098 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
15099 #1{\caplabelfont{#2\captionformat}}}}}%
15100 {#3\unskip\strut\par}}}%
15101 \else%
15102 \ifdim\cap@indent<\z@
15103 {\capfont{\strut\ignorespaces
15104 #1{\caplabelfont{#2\captionformat\par}}}%
15105 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
15106 \else%
15107 \if@capbreak
15108 {\capfont{\strut\ignorespaces
15109 #1{\caplabelfont{#2\captionformat\par}}}%
15110 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
15111 \else
15112 {\capfont{\@hangfrom{\scr@smashdp{\strut\hspace*{\cap@indent}}}%
15113 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
15114 {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
15115 \fi
15116 \fi
15117 \fi
15118 }%
15119 \setlength{\@tempdima}{\ht\@tempboxa}%
15120 \addtolength{\@tempdima}{\dp\@tempboxa}%
15121 \addtolength{\@tempdima}{-\ht\strutbox}%
15122 \ht\@tempboxa\ht\strutbox
15123 \dp\@tempboxa\@tempdima
15124 \strut\cap@left
15125 \box\@tempboxa
15126 \cap@right\strut
15127 }%
15128 \else
15129 \global \@minipagefalse

```




```

15130     \sbox\@tempboxa{%
15131         {\capfont{\scr@smashdp{\strut\ignorespaces
15132             #1{\caplabelfont{#2\captionformat}}}}}%
15133         #3}}%
15134     }%
15135     {\capfont{\hb@xt@\hsize{\strut\cap@left@if@RTL\beginR\fi\box\@tempboxa@if@RTL\endR\fi\cap
15136     \fi
15137 \endgroup
15138 }
15139 \renewcommand{\@makecaption}[2]{%
15140     \if@captionabove
15141         \vskip\belowcaptionskip
15142     \else
15143         \vskip\abovecaptionskip
15144     \fi
15145     \@makecaption\@firstofone{#1}{#2}%
15146     \if@captionabove
15147         \vskip\abovecaptionskip
15148     \else
15149         \vskip\belowcaptionskip
15150     \fi
15151 }

```

7.100 scrlettr-xetex-bidi.def

```

15152 \ProvidesFile{scrlettr-xetex-bidi.def}[2011/09/24 v0.2 bidi adaptations for scrlettr class for X
15153 \renewcommand\deffootnote[4] []{%
15154     \long\def\@makefnmark##1{%
15155         \edef\@tempa{#1}\ifx\@tempa\@empty
15156             \setpar{\@par
15157                 \@tempdima = \hsize
15158                 \addtolength{\@tempdima}{-#2}
15159                 \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
15160         \else
15161             \setpar{\@par
15162                 \@tempdima = \hsize
15163                 \addtolength{\@tempdima}{-#1}
15164                 \@tempdimb = \hsize
15165                 \addtolength{\@tempdimb}{-#2}
15166                 \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
15167             \fi
15168             \par
15169             \parindent #3\noindent
15170             \hbox to \z@{\hss\@makefnmark}##1}
15171     \def\@makefnmark{\hbox{#4}}
15172 }
15173 \deffootnote[1em]{1.5em}{1em}
15174     {\textsuperscript{\thefootnotemark}}
15175 \def\left@footnoterule{\kern-1\p@
15176     \hrule width 0.4\columnwidth

```



```

15177 \kern .6\p@}
15178 \def\right@footnoterule{%
15179 \hbox to \columnwidth
15180 {\beginR \vbox{\kern -3\p@
15181 \kern-1\p@
15182 \hrule width 0.4\columnwidth
15183 \kern .6\p@}\hfil\endR}}
15184 \def\@datefield{\@reffalse
15185 \ifx\varyourref\@empty \else \@reftrue \fi
15186 \ifx\varyourmail\@empty \else \@reftrue \fi
15187 \ifx\varmyref\@empty \else \@reftrue \fi
15188 \ifx\varcustomer\@empty \else \@reftrue \fi
15189 \ifx\varinvoice\@empty \else \@reftrue \fi
15190 \ifx\varrefitemi\@empty \else \@reftrue \fi
15191 \ifx\varrefitemii\@empty \else \@reftrue \fi
15192 \ifx\varrefitemiii\@empty \else \@reftrue \fi
15193 \vskip -\parskip
15194 \vskip \refvskip
15195 \if@ref
15196 \ifx\varyourref\@empty \else
15197 \settowidth{\sc@temp}{\varyourref}
15198 \setbox0\hbox{\scriptsize \sf \yourrefname}
15199 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15200 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
15201 \fi
15202 \ifx\varyourmail\@empty \else
15203 \settowidth{\sc@temp}{\varyourmail}
15204 \setbox0\hbox{\scriptsize \sf \yourmailname}
15205 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15206 \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
15207 \fi
15208 \ifx\varmyref\@empty \else
15209 \settowidth{\sc@temp}{\varmyref}
15210 \setbox0\hbox{\scriptsize \sf \myrefname}
15211 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15212 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
15213 \fi
15214 \ifx\varcustomer\@empty \else
15215 \settowidth{\sc@temp}{\varcustomer}
15216 \setbox0\hbox{\scriptsize \sf \customername}
15217 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15218 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
15219 \fi
15220 \ifx\varinvoice\@empty \else
15221 \settowidth{\sc@temp}{\varinvoice}
15222 \setbox0\hbox{\scriptsize \sf \invoicename}
15223 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
15224 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
15225 \fi
15226 \ifx\varrefitemi\@empty \else

```



```

15227 \settowidth{\sc@temp}{\varrefitemi}
15228 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
15229 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15230 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemi}\hfill
15231 \fi
15232 \ifx\varrefitemii\@empty \else
15233 \settowidth{\sc@temp}{\varrefitemii}
15234 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
15235 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15236 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemii}\hfill
15237 \fi
15238 \ifx\varrefitemiii\@empty \else
15239 \settowidth{\sc@temp}{\varrefitemiii}
15240 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
15241 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15242 \parbox[t]{\sc@temp}{\noindent \box0\par \varrefitemiii}\hfill
15243 \fi
15244 \ifx\@date\@empty \else
15245 \settowidth{\sc@temp}{\@date}
15246 \setbox0\hbox{\scriptsize \sf \datename}
15247 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
15248 \parbox[t]{\sc@temp}{\noindent \box0\par \@date}
15249 \fi
15250 \par
15251 \vspace{2.5\baselineskip}
15252 \else
15253 {\ifx\@date\@empty \else \ifRTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
15254 \vspace{1.5\baselineskip}
15255 \fi}
15256 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
15257 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
15258 -\sigindent \hspace{\sigindent}}%
15259 \parbox{\sc@temp}{\ifRTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}}\[\presig@ski
15260 \fromsig\strut}\par
15261 \vspace{1.5\baselineskip}}

```

7.101 scrreprt-xetex-bidi.def

```

15262 \ProvidesFile{scrreprt-xetex-bidi.def}[2012/01/01 v0.6 bidi adaptations for scrreprt class for X
15263 \newcommand{\scr@saved@LTRfootnotetext}{}
15264 \newcommand{\scr@saved@RTLfootnotetext}{}
15265 \let\scr@saved@footnotetext\@footnotetext
15266 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
15267 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
15268 \renewcommand{\@footnotetext}[1]{%
15269 \scr@saved@footnotetext{#1}%
15270 \csname FN@mf@prepare\endcsname
15271 }
15272 \renewcommand{\@LTRfootnotetext}[1]{%
15273 \scr@saved@LTRfootnotetext{#1}%

```



```

15274 \csname FN@mf@prepare\endcsname
15275 }
15276 \renewcommand{\@RTLfootnotetext}[1]{%
15277 \scr@saved@RTLfootnotetext{#1}%
15278 \csname FN@mf@prepare\endcsname
15279 }
15280 \renewcommand\deffootnote[4] [] {%
15281 \long\def\@makefnmark##1{%
15282 \setlength{\@tempdimc}{#3}%
15283 \def\@tempa{#1}\ifx\@tempa\@empty
15284 \setpar{\@par
15285 \@tempdima = \hsize
15286 \addtolength{\@tempdima}{-#2}%
15287 \if@RTL\parshape \@one Opt \@tempdima\else\parshape \@one #2 \@tempdima\fi}%
15288 \else
15289 \addtolength{\@tempdimc}{#2}%
15290 \addtolength{\@tempdimc}{-#1}%
15291 \setpar{\@par
15292 \@tempdima = \hsize
15293 \addtolength{\@tempdima}{-#1}%
15294 \@tempdimb = \hsize
15295 \addtolength{\@tempdimb}{-#2}%
15296 \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
15297 }%
15298 \fi
15299 \par
15300 \parindent\@tempdimc\noindent
15301 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
15302 }%
15303 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
15304 }
15305 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
15306 \renewcommand*\left@footnoterule{%
15307 \normalsize\ftn@rule@test@values
15308 \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
15309 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15310 {\usekomafont{footnoterule}{%
15311 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
15312 \kern 2.6\p@}
15313 \renewcommand*\right@footnoterule{%
15314 \hbox to \columnwidth
15315 {\beginR \vbox{\kern -3\p@
15316 \normalsize\ftn@rule@test@values
15317 \kern-\dimexpr 2.6\p+ \ftn@rule@height\relax
15318 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15319 {\usekomafont{footnoterule}{%
15320 \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
15321 \kern 2.6\p@}\hfil\endR}}
15322 \renewcommand*\maketitle[1] [1]{%
15323 \if@titlepage

```



```

15324 \begin{titlepage}
15325   \setcounter{page}{%
15326     #1%
15327   }%
15328   \let\footnotesize\small
15329   \let\right@footnoterule\relax
15330   \let\left@footnoterule\relax
15331   \let\textwidth@footnoterule\relax
15332   \let\footnote\thanks
15333   \let\LTRfootnote\LTRthanks
15334   \let\RTLfootnote\RTLthanks
15335   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15336   \let\@oldmakefnmark\@makefnmark
15337   \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
15338   \ifx\@extratitle\@empty \else
15339     \noindent\@extratitle\next@tpage\cleardoubleemptypage
15340     \thispagestyle{empty}%
15341   \fi
15342   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
15343   \ifx\@titlehead\@empty \else
15344     \begin{minipage}[t]{\textwidth}%
15345       \@titlehead
15346     \end{minipage}\par
15347   \fi
15348   \null\vfill
15349   \begin{center}
15350     \ifx\@subject\@empty \else
15351       {\subject@font \@subject \par}%
15352       \vskip 3em
15353     \fi
15354     {\titlefont\huge \@title\par}%
15355     \vskip 1em
15356     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15357     \vskip 2em
15358     {\Large \lineskip 0.75em
15359       \begin{tabular}[t]{c}
15360         \@author
15361       \end{tabular}\par
15362     }%
15363     \vskip 1.5em
15364     {\Large \@date \par}%
15365     \vskip \z@ \@plus3fill
15366     {\Large \@publishers \par}%
15367     \vskip 3em
15368   \end{center}\par
15369   \@thanks
15370   \vfill\null
15371   \if@twoside\next@tpage
15372     \begin{minipage}[t]{\textwidth}
15373       \uppertitleback

```



```

15374         \end{minipage}\par
15375         \vfill
15376         \begin{minipage}[b]{\textwidth}
15377             \@lowertitleback
15378         \end{minipage}
15379     \fi
15380     \ifx\@dedication\@empty \else
15381         \next@tpage\null\vfill
15382         {\centering \Large \@dedication \par}%
15383         \vskip \z@ \@plus3fill
15384         \if@twoside \next@tpage\cleardoubleemptypage \fi
15385     \fi
15386 \end{titlepage}
15387 \else
15388     \par
15389     \@tempcnta=%
15390     #1%
15391     \relax\ifnum\@tempcnta=1\else
15392         \ClassWarning{KOMAClassName}{%
15393             Optional argument of \string\maketitle\space ignored
15394             at\MessageBreak
15395             notitlepage-mode%
15396         }%
15397     \fi
15398     \begingroup
15399         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15400         \let\@oldmakefnmark\@makefnmark
15401         \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
15402         \if@twocolumn
15403             \ifnum \col@number=\@one
15404                 \@maketitle
15405             \else
15406                 \twocolumn[\@maketitle]%
15407             \fi
15408         \else
15409             \newpage
15410             \global\@topnum\z@
15411             \@maketitle
15412         \fi
15413         \thispagestyle{\titlepagestyle}\@thanks
15414     \endgroup
15415 \fi
15416 \setcounter{footnote}{0}%
15417 \let\thanks\relax
15418 \let\LTRthanks\relax
15419 \let\RTLthanks\relax
15420 \let\maketitle\relax
15421 \let\@maketitle\relax
15422 \global\let\@thanks\@empty
15423 \global\let\@author\@empty

```



```

15424 \global\let\@date\@empty
15425 \global\let\@title\@empty
15426 \global\let\@subtitle\@empty
15427 \global\let\@extratitle\@empty
15428 \global\let\@titlehead\@empty
15429 \global\let\@subject\@empty
15430 \global\let\@publishers\@empty
15431 \global\let\@uppertitleback\@empty
15432 \global\let\@lowertitleback\@empty
15433 \global\let\@dedication\@empty
15434 \global\let\author\relax
15435 \global\let\title\relax
15436 \global\let\extratitle\relax
15437 \global\let\titlehead\relax
15438 \global\let\subject\relax
15439 \global\let\publishers\relax
15440 \global\let\uppertitleback\relax
15441 \global\let\lowertitleback\relax
15442 \global\let\dedication\relax
15443 \global\let\date\relax
15444 \global\let\and\relax
15445 }%
15446 \renewcommand*{\@maketitle}{%
15447 \clearpage
15448 \let\footnote\thanks
15449 \let\LTRfootnote\LTRthanks
15450 \let\RTLfootnote\RTLthanks
15451 \ifx\@extratitle\@empty \else
15452 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
15453 \fi
15454 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updateerelative
15455 \ifx\@titlehead\@empty \else
15456 \begin{minipage}[t]{\textwidth}
15457 \@titlehead
15458 \end{minipage}\par
15459 \fi
15460 \null
15461 \vskip 2em%
15462 \begin{center}%
15463 \ifx\@subject\@empty \else
15464 {\subject@font \@subject \par}
15465 \vskip 1.5em
15466 \fi
15467 {\titlefont\huge \@title \par}%
15468 \vskip .5em
15469 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
15470 \vskip 1em
15471 {\Large
15472 \lineskip .5em%
15473 \begin{tabular}[t]{c}

```



```

15474         \@author
15475         \end{tabular}\par
15476     }%
15477     \vskip 1em%
15478     {\Large \@date \par}%
15479     \vskip \z@ \@plus 1em
15480     {\Large \@publishers \par}
15481     \ifx\@dedication\@empty \else
15482         \vskip 2em
15483         {\Large \@dedication \par}
15484     \fi
15485 \end{center}%
15486 \par
15487 \vskip 2em
15488 }%
15489 \renewcommand*\l@part[2]{%
15490     \ifnum \c@tocdepth >-2\relax
15491         \addpenalty{-\@highpenalty}%
15492         \addvspace{2.25em \@plus\p@}%
15493         \setlength{\@tempdima}{2em}%
15494         \if@tocleft
15495             \ifx\toc@l@number\@empty\else
15496                 \setlength{\@tempdima}{0\toc@l@number}%
15497             \fi
15498         \fi
15499         \begingroup
15500             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15501             \parfillskip -\@pnumwidth
15502             \leavevmode
15503             \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
15504             \hskip -\if@RTL\rightskip\else\leftskip\fi
15505             {\usekomafont{partentry}{#1\nobreak
15506                 \usekomafont{partentrypagenumber}{\hfil\nobreak
15507                     \hb@xt@{\@pnumwidth}{\hss#2}}}\par
15508             \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15509             \endgroup
15510             \penalty20010
15511         \else
15512             \penalty\@highpenalty
15513         \endgroup
15514     \fi
15515 \fi
15516 }
15517 \renewcommand*\l@chapter[2]{%
15518     \ifnum \c@tocdepth >\m@ne
15519         \ifnum \lastpenalty<20010
15520             \addpenalty{-\@highpenalty}%
15521         \fi
15522         \vskip 1.0em \@plus\p@
15523         \setlength{\@tempdima}{1.5em}%

```




```

15524 \if@tocleft
15525 \ifx\toc@l@number\@empty\else
15526 \setlength\@tempdima{0\toc@l@number}%
15527 \fi
15528 \fi
15529 \begingroup
15530 \raggedchapterentry
15531 \parindent \z@ \advance\if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15532 \parfillskip -\@pnumwidth
15533 \interlinepenalty\@M
15534 \leavevmode
15535 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip
15536 {\usekomafont{chapterentry}{#1\nobreak
15537 \usekomafont{chapterentrypagenumber}{%
15538 \hfill\nobreak
15539 \hb@xt@\@pnumwidth{\hss#2}}}\par
15540 \ifnum \scr@compatibility>\@nameuse{scr@v@2.96}\relax
15541 \endgroup
15542 \penalty20009
15543 \else
15544 \penalty\@highpenalty
15545 \endgroup
15546 \fi
15547 \fi
15548 }
15549 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
15550 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
15551 \renewcommand*\thesection{%
15552 \thechapter\@SepMark%
15553 \@arabic\c@section
15554 }
15555 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
15556 \renewcommand*{\thesubsubsection}{%
15557 \thesubsection\@SepMark\@arabic\c@subsubsection
15558 }
15559 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15560 \renewcommand*{\thesubparagraph}{%
15561 \theparagraph\@SepMark\@arabic\c@subparagraph
15562 }
15563 \renewcommand*\thefigure{%
15564 \thechapter\@SepMark%
15565 \@arabic\c@figure
15566 }
15567 \renewcommand*\thetable{%
15568 \thechapter\@SepMark%
15569 \@arabic\c@table
15570 }
15571 \renewcommand*\theequation{%
15572 \thechapter\@SepMark%
15573 \@arabic\c@equation

```



```

15574 }
15575 \renewenvironment{thebibliography}[1]{%
15576   \if@bib@break@
15577     \bib@beginhook
15578   \else
15579     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
15580       \setchapterpreamble{\bibpreamble}%
15581     \fi\fi
15582     \bib@heading
15583     \bib@beginhook
15584     \bib@before@hook
15585   \fi
15586   \renewcommand{\BreakBibliography}[1]{%
15587     \@bib@break
15588     \end{thebibliography}%
15589     \begingroup ##1\endgroup
15590     \begin{thebibliography}{#1}
15591   }%
15592   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15593   \list{%
15594     \@biblabel{\@arabic{c@enumiv}}%
15595   }{%
15596     \settowidth\labelwidth{\@biblabel{#1}}%
15597     \leftmargin\labelwidth
15598     \advance\leftmargin\labelsep
15599     \@openbib@code
15600     \if@bib@break@
15601       \edef\@tempa{%
15602         \noexpand\usecounter{enumiv}%
15603         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
15604       }\@tempa
15605       \no@bib@break
15606     \else
15607       \usecounter{enumiv}%
15608     \fi
15609     \let\p@enumiv\@empty
15610     \renewcommand*\theenumiv{\@arabic{c@enumiv}}%
15611   }%
15612   \sloppy\clubpenalty4000 \widowpenalty4000
15613   \sfcode`\.=\@m
15614 }{%
15615   \if@bib@break@
15616     \def\@noitemerr{%
15617       \@latex@warning{%
15618         \string\BreakBibliography\space at begin of `thebibliography'
15619         environment\MessageBreak
15620         or following \string\BreakBibliography}%
15621     }%
15622   \else
15623     \def\@noitemerr{%

```



```

15624 \latex@warning{%
15625     Empty `thebibliography' environment or
15626     \string\BreakBibliography\MessageBreak
15627     before end of `thebibliography' environment}%
15628 }%
15629 \fi
15630 \endlist
15631 \if@bib@break@
15632 \else
15633     \bib@after@hook
15634     \let\bib@before@hook\@empty
15635     \let\bib@after@hook\@empty
15636 \fi
15637 \bib@endhook
15638 }
15639 \renewcommand*\left@footnoterule{%
15640     \kern-3\p@
15641     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15642     \hrule\@width.4\columnwidth
15643     \kern 2.6\p@}
15644 \renewcommand*\right@footnoterule{%
15645     \hbox to \columnwidth
15646     {\beginR \vbox{%
15647         \kern-3\p@
15648         \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
15649         \hrule\@width.4\columnwidth
15650         \kern 2.6\p@}\hfil\endR}}
15651 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
15652 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
15653 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
15654 \renewcommand\marginline[1]{%
15655     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
15656 }
15657 \renewcommand{\@@makecaption}[3]{%
15658     \cap@margin
15659     \ifonelinecaptions
15660         \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
15661         \let\scr@tmp@footnotetext=\@footnotetext
15662         \let\@footnotetext=\@gobble
15663         \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
15664         \let\@LTRfootnotetext=\@gobble
15665         \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
15666         \let\@RTLfootnotetext=\@gobble
15667         \sbox\@tempboxa{%
15668             {\capfont{\strut\ignorespaces
15669                 #1{\caplabelfont{#2\captionformat}}}%
15670                 #3\unskip\strut}}%
15671     }%
15672     \let\@footnotetext=\scr@tmp@footnotetext
15673     \let\scr@tmp@footnotetext=\undefined

```



```

15674 \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
15675 \let\scr@tmp@LTRfootnotetext=\undefined
15676 \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
15677 \let\scr@tmp@RTLfootnotetext=\undefined
15678 \setcounter{footnote}{\@tempcntb}%
15679 \setcounter{mpfootnote}{\@tempcnta}%
15680 \else
15681 \sbox\@tempboxa{\hspace*{2\cap@width}}%
15682 \fi
15683 \beginingroup%
15684 \setlength{\@tempdima}{\cap@width}%
15685 \ifdim \wd\@tempboxa >\@tempdima
15686 \hb@xt@\hsize{%
15687 \setbox\@tempboxa\vbox{\hsize=\cap@width
15688 \ifdofullc@p
15689 {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
15690 #1{\caplabelfont{#2\captionformat}}}}}%
15691 {\#3\unskip\strut\par}}}%
15692 \else%
15693 \ifdim\cap@indent<\z@
15694 {\capfont{\strut\ignorespaces
15695 #1{\caplabelfont{#2\captionformat\par}}}%
15696 \noindent\hspace*{-\cap@indent}\#3\unskip\strut\par}}%
15697 \else%
15698 \if@capbreak
15699 {\capfont{\strut\ignorespaces
15700 #1{\caplabelfont{#2\captionformat\par}}}%
15701 \noindent\@hangfrom{\hspace*{\cap@indent}}{\#3\par}}}%
15702 \else
15703 {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}}%
15704 {\hspace*{-\cap@indent}\scr@smashdp{\ignorespaces#1%
15705 {\caplabelfont{#2\captionformat}}}\#3\unskip\strut\par}}}%
15706 \fi
15707 \fi
15708 \fi
15709 }%
15710 \setlength{\@tempdima}{\ht\@tempboxa}%
15711 \addtolength{\@tempdima}{\dp\@tempboxa}%
15712 \addtolength{\@tempdima}{-\ht\strutbox}%
15713 \ht\@tempboxa\ht\strutbox
15714 \dp\@tempboxa\@tempdima
15715 \strut\cap@left
15716 \box\@tempboxa
15717 \cap@right\strut
15718 }%
15719 \else
15720 \global \@minipagefalse
15721 \sbox\@tempboxa{%
15722 {\capfont{\scr@smashdp{\strut\ignorespaces
15723 #1{\caplabelfont{#2\captionformat}}}}}%

```



```

15724         #3}}%
15725     }%
15726     {\capfont{\hb@xt@\hsize{\strut\cap@left@if@RTL\beginR\fi\box\@tempboxa@if@RTL\endR\fi\cap
15727     \fi
15728 \endgroup
15729 }
15730 \renewcommand{\@makecaption}[2]{%
15731 \if@captionabove
15732 \vskip\belowcaptionskip
15733 \else
15734 \vskip\abovecaptionskip
15735 \fi
15736 \@makecaption\@firstofone{#1}{#2}%
15737 \if@captionabove
15738 \vskip\abovecaptionskip
15739 \else
15740 \vskip\belowcaptionskip
15741 \fi
15742 }

```

7.102 sidecap-xetex-bidi.def

```

15743 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for X
15744 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
15745 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
15746 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
15747 \renewcommand*{\SC@justify@caption}{\if@RTL%
15748 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
15749 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

7.103 stabular-xetex-bidi.def

```

15750 \ProvidesFile{stabular-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for stabular package for
15751 \def\@stabular{\if@RTL\@RTLtabtrue\fi
15752 \leavevmode \bgroup \if@RTLtab\beginR \fi
15753 \let\@acol\@tabacol
15754 \let\@classz\@tabclassz
15755 \let\@classiv\@tabclassiv \let\\\@tabularcrr\@stabarray}
15756 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
15757 \egroup \if@RTLtab\endR\fi\egroup
15758 \@RTLtabfalse}
15759 \expandafter \let \csname endstabular*\endcsname = \endstabular
15760 \def\@sarray[#1]#2{%
15761 \bgroup
15762 \setbox\@arstrutbox\hbox{%
15763 \vrule \@height\arraystretch\ht\strutbox
15764 \@depth\arraystretch \dp\strutbox
15765 \@width\z@}%
15766 \@mkpream{#2}%
15767 \edef\@preamble{%
15768 \ialign \noexpand\@halignto

```



```

15769      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
15770      \let\@startpbox\@startpbox \let\@endpbox\@endpbox
15771      \let\tabularnewline\%
15772      \let\@sharp##%
15773      \set@typeset@protect
15774      \lineskip\z@skip\baselineskip\z@skip
15775      \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
15776      \@preamble}

```

7.104 subfigure-xetex-bidi.def

```

15777 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
15778 \AtBeginDocument{%
15779 \let\p@subfigure=\thefigure
15780 \let\p@subtable=\thetable%
15781 }

```

7.105 tabs-xetex-bidi.def

```

15782 \ProvidesFile{tabs-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for tabs package for XeTeX]
15783 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup
15784      \@RTLtabfalse}
15785
15786 \expandafter\let\csname endtabular*\endcsname=\endtabular
15787
15788 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
15789 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
15790 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
15791
15792 \def\@array[#1]#2{% remember global variables to allow recursion:
15793 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
15794 \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
15795 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
15796 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
15797 \else \let\@tarlinesep\tablinesep \fi
15798 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
15799 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
15800 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
15801 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
15802 \def\@rememsize{\protect\@r@m@size}\let\@seesize\@s@size
15803 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
15804 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
15805 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
15806 \let\protect\noexpand
15807 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
15808 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
15809 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
15810 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
15811 \bgroup \let\par\empty
15812 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
15813 \advance\extrarulesep.5\arrayrulewidth

```



```

15814 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
15815 \if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi
15816 \@preamble}

```

7.106 tabularx-xetex-bidi.def

```

15817 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package for
15818 \def\TX@endtabularx{%
15819   \expandafter\expandafter\expandafter
15820     \TX@find@endtabularxa\csname end\TX@\endcsname
15821     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
15822   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
15823   \let\verb\TX@verb
15824   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
15825   \edef\TX@ckpt{\cl@ckpt}%
15826   \let\@elt\relax
15827   \TX@old@table\maxdimen
15828   \TX@col@width\TX@target
15829   \global\TX@cols@one
15830   \TX@typeout@
15831     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
15832   \TX@trial{\def\NC@rewriteX{%
15833     \global\advance\TX@cols\@one\NC@find p{\TX@col@width}}}%
15834   \loop
15835     \TX@arith
15836     \ifTX@
15837       \TX@trial{}%
15838     \repeat
15839     {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
15840     \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
15841     \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
15842     \csname tabular*\expandafter\endcsname\expandafter\TX@target
15843       \the\toks@
15844     \csname endtabular*\endcsname}%
15845   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
15846   \ifnum0=^{\fi}%
15847   \expandafter\expandafter\expandafter
15848     \TX@find@endtabularxbb
15849     \expandafter\end\expandafter{\TX@}%
15850   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
15851 }
15852
15853 \def\TX@trial#1{%
15854   \setbox\@tempboxa\hbox{%
15855     #1\relax
15856   \let\@footnotetext\TX@trial@ftn
15857   \let\@LTRfootnotetext\TX@trial@ftn
15858   \let\@RTLfootnotetext\TX@trial@ftn
15859   \let\TX@vwarn\@empty
15860   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname

```



```

15861 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
15862 \def\write{\begingroup
15863   \def\let{\afterassignment\endgroup\toks@}%
15864   \afterassignment\let\count@}%
15865   \hbadness\@M
15866   \hfuzz\maxdimen
15867   \let\hbadness\@tempcnta
15868   \let\hfuzz\@tempdima
15869   \expandafter\tabular\the\toks@
15870   \endtabular}%
15871 \TX@ckpt
15872 \TX@typeout@{\@spaces
15873   \expandafter\TX@align
15874   \the\wd\@tempboxa\space\space\space\space\space\@
15875   \expandafter\TX@align
15876   \the\TX@col@width\space\space\space\space\space\@
15877   \@spaces\the\TX@cols}}
15878
15879 \long\def\TX\LTRftntext#1{%
15880   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
15881     [\the\csname c@\@mpfn\endcsname]}}%
15882   \global\TX@ftn\expandafter{\@tempa{#1}}}%
15883 \long\def\TX@xLTRftntext[#1]#2{%
15884   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
15885
15886 \long\def\TX@RTLftntext#1{%
15887   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
15888     [\the\csname c@\@mpfn\endcsname]}}%
15889   \global\TX@ftn\expandafter{\@tempa{#1}}}%
15890 \long\def\TX@xRTLftntext[#1]#2{%
15891   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

7.107 tabulary-xetex-bidi.def

```

15892 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package for
15893 \def\@testpach{\@chclass
15894   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
15895   \ifnum \@lastchclass=7 5 \else
15896   \ifnum \@lastchclass=8 \tw@ \else
15897   \ifnum \@lastchclass=9 \thr@@
15898   \else \@z@
15899   \ifnum \@lastchclass = 10 \else
15900   \edef\@nextchar{\expandafter\string\@nextchar}%
15901   \@chnum
15902   \if \@nextchar c\@z@ \else
15903   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
15904   \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
15905   \if \@nextchar C7 \else
15906   \if \@nextchar L8 \else
15907   \if \@nextchar R9 \else

```




```

15908     \if \@nextchar J10 \else
15909     \z@ \@chclass
15910     \if \@nextchar | \@ne \else
15911     \if \@nextchar !6 \else
15912     \if \@nextchar @7 \else
15913     \if \@nextchar <8 \else
15914     \if \@nextchar >9 \else
15915     10
15916     \@chnum
15917     \if \@nextchar m\thr@@\else
15918     \if \@nextchar p4 \else
15919     \if \@nextchar b5 \else
15920     \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
15921     \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi

```

7.108 tc-xetex-bidi.def

```

15922 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX]
15923 \def\@cliptoboxdim#1{%
15924     \setbox#1=\hbox{%
15925         \Gin@defaultbp\WIDTH{\wd#1}%
15926         \Gin@defaultbp\DEPTH{\dp#1}%
15927         \@tempdima\ht#1%
15928         \advance\@tempdima\dp#1%
15929         \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
15930         \beginL\special{pdf:bcontent }%
15931         \special{%
15932             pdf:literal direct
15933             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
15934         }%
15935         \special{pdf:literal direct W }%
15936         \special{pdf:literal direct n }%
15937         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
15938         \special{pdf:econtent }\endL%
15939     }%
15940 }

```

7.109 tikz-xetex-bidi.def

```

15941 \ProvidesFile{tikz-xetex-bidi.def}[2014/11/20 v0.1 bidi adaptations for tikz package for XeTeX]
15942 \def\bidi@tikzpicture{%
15943     \begingroup%
15944     \tikz@startup@env%
15945     \pgfutil@ifnextchar[\bidi@tikz@picture{\bidi@tikz@picture[]}]%
15946 \def\bidi@tikz@picture[#1]{%
15947     \bidi@pgfpicture%
15948     \let\tikz@atbegin@picture=\pgfutil@empty%
15949     \let\tikz@atend@picture=\pgfutil@empty%
15950     \let\tikz@transform=\relax%
15951     \def\tikz@time{.5}%
15952     \tikz@installcommands%

```



```

15953 \scope[every picture,#1]%
15954 \iftikz@handle@active@code%
15955   \tikz@switchoff@shorthands%
15956 \fi%
15957 \expandafter\tikz@atbegin@picture%
15958 \tikz@lib@scope@check%
15959 }
15960 \def\endbidi@tikzpicture{%
15961   \tikz@atend@picture%
15962   \global\let\pgf@shift@baseline@smuggle=\pgf@baseline%
15963   \global\let\pgf@trimleft@final@smuggle=\pgf@trimleft%
15964   \global\let\pgf@trimright@final@smuggle=\pgf@trimright%
15965   \global\let\pgf@remember@smuggle=\ifpgfrememberpicturepositiononpage%
15966 \pgf@remember@layerlist@globally
15967   \endscope%
15968   \let\pgf@baseline=\pgf@shift@baseline@smuggle%
15969   \let\pgf@trimleft=\pgf@trimleft@final@smuggle%
15970   \let\pgf@trimright=\pgf@trimright@final@smuggle%
15971   \let\ifpgfrememberpicturepositiononpage=\pgf@remember@smuggle%
15972 \pgf@restore@layerlist@from@global
15973 \endbidi@pgfpicture\endgroup}

```

7.110 titlesec-xetex-bidi.def

```

15974 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package for
15975 \renewcommand\filright{%
15976   \gdef\ttl@filleft##1{\hskip##1}%
15977   \gdef\ttl@filright##1{\hfill}%
15978   \let\\\@centercr
15979   \advance\rightskip\z@ \@plus 1fil
15980 \parfillskip\z@}
15981 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
15982   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
15983   \setlength\leftskip{#6}%
15984   \setlength\rightskip{#7}%
15985   \interlinepenalty\@M
15986   \ttl@change@centercr
15987   \ttl@begin@longest
15988   #1{\ifhmode\ttl@hmode@error\fi
15989     \ttl@glcmds
15990     \parindent\z@
15991     \leavevmode
15992     \begin@group
15993     \ifttl@label
15994       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
15995       \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
15996       \llap{\box\z@}%
15997     \fi
15998     #4{#8}%
15999     \kern\z@\strut\@par

```



```

16000      \endgroup
16001      \nobreak\ttl@midlongest#5\@@par}%
16002      \ttl@endlongest}

```

7.111 titletoc-xetex-bidi.def

```

16003 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package for
16004 \renewcommand\filright{%
16005   \gdef\ttl@filleft##1{\hskip##1}%
16006   \gdef\ttl@filright##1{\hfill}%
16007   \let\\\@centercr
16008   \advance\rightskip\z@ \@plus 1fil
16009   \parfillskip\z@}
16010 \renewcommand\contentspush[1]{%
16011   \sbox\z@{#1}%
16012   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
16013   \aftergroup\ttl@b
16014   \leavevmode\llap{\box\z@}}
16015 \def\ttl@outnoblock#1#2#3{%
16016   \begingroup
16017   \ifnum\ttl@b>\ttl@a
16018     \nobreak
16019   \else\ifnum\ttl@b<\ttl@a
16020     \addpenalty{\@secpenalty}%
16021   \else
16022     \addpenalty{\z@}%
16023   \fi\fi
16024   \ttl@contentsstretch
16025   \nobreak
16026   \ifcase#1\relax\else\interlinepenalty\@M\fi
16027   \parindent\z@
16028   \ifx\@nil#2%
16029     \PackageError{titletoc}{Unimplemented}%
16030     {The optional argument is currently mandatory}%
16031   \else
16032     \if@RTL\setlength\rightskip{#2}\else
16033       \setlength\leftskip{#2}\fi%
16034   \fi
16035   \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
16036   \let\contentsmargin\ttl@margin
16037   \def\ttl@makeline##1{##1}%
16038   #3%
16039   \addtolength{\parfillskip}{-\ttl@corr}%
16040   \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
16041   \let\ttl@leaders\leaders}
16042 \renewcommand\ttl@margin[2][\z@]{%
16043   \def\ttl@corr{#1}%
16044   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
16045   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
16046   \def\@pnumwidth{#2}}

```



```

16047 \let\ttl@savel@part\l@part
16048 \def\l@part{\ttl@lselect{part}}
16049
16050 \let\ttl@savel@chapter\l@chapter
16051 \def\l@chapter{\ttl@lselect{chapter}}

```

7.112 tocibind-xetex-bidi.def

```

16052 \ProvidesFile{tocibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocibind package f
16053 \if@dotocbib
16054   \ifpackageloaded{natbib}{\% natbib not loaded
16055     \renewcommand{\bibsection}{\tcb@bchapsec}
16056     \renewenvironment{thebibliography}[1]{%
16057       \bibsection
16058       \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}
16059   \renewenvironment{thebibitemlist}[1]{
16060     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
16061     \list{\@biblabel{\@arabic\c@enumiv}}{%
16062       {\settowidth\labelwidth{\@biblabel{#1}}%
16063         \leftmargin\labelwidth
16064         \advance\leftmargin\labelsep
16065         \@openbib@code
16066         \usecounter{enumiv}%
16067         \let\p@enumiv\empty
16068         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
16069     \sloppy
16070     \clubpenalty4000
16071     \@clubpenalty \clubpenalty
16072     \widowpenalty4000%
16073     \sfcode`\.\@m}
16074   {\def\@noitemerr
16075     {\@latex@warning{Empty `thebibliography' environment}}%
16076     \endlist}
16077
16078   \ifpackagewith{chapterbib}{sectionbib}%
16079     {\renewcommand{\sectionbib}[2]{}}%
16080     {}
16081
16082 \fi
16083 \if@inltxdoc\else
16084   \renewenvironment{theindex}%
16085     {\if@twocolumn
16086       \@restonecolfalse
16087     \else
16088       \@restonecoltrue
16089     \fi
16090     \if@bibchapter
16091       \if@donumindex
16092         \refstepcounter{chapter}
16093         \twocolumn[\vspace*{2\topskip}%

```



```

16094         \@makechapterhead{\indexname}}%
16095 \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
16096         \chaptermark{\indexname}
16097     \else
16098         \if@dotocind
16099             \twocolumn[\vspace*{2\topskip}%
16100                 \@makeschapterhead{\indexname}}%
16101             \prw@mkboth{\indexname}
16102             \addcontentsline{toc}{chapter}{\indexname}
16103         \else
16104             \twocolumn[\vspace*{2\topskip}%
16105                 \@makeschapterhead{\indexname}}%
16106             \prw@mkboth{\indexname}
16107         \fi
16108     \fi
16109 \else
16110     \if@donumindex
16111         \twocolumn[\vspace*{-1.5\topskip}%
16112             \@nameuse{\@tocextra}{\indexname}}%
16113         \csname \@tocextra mark\endcsname{\indexname}
16114     \else
16115         \if@dotocind
16116             \twocolumn[\vspace*{-1.5\topskip}%
16117                 \toc@headstar{\@tocextra}{\indexname}}%
16118             \prw@mkboth{\indexname}
16119             \addcontentsline{toc}{\@tocextra}{\indexname}
16120         \else
16121             \twocolumn[\vspace*{-1.5\topskip}%
16122                 \toc@headstar{\@tocextra}{\indexname}}%
16123             \prw@mkboth{\indexname}
16124         \fi
16125     \fi
16126 \fi
16127 \thispagestyle{plain}\parindent\z@
16128 \parskip\z@ \@plus .3\p@\relax
16129 \let\item\@idxitem}
16130 {\if@restonecol\onecolumn\else\clearpage\fi}
16131 \fi

```

7.113 tocloft-xetex-bidi.def

```

16132 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for X
16133 \let\cftdot\@SepMark
16134 \if@cfthaspart
16135 \renewcommand*{\l@part}[2]{
16136     \cftdopartfalse
16137     \ifnum \c@tocdepth >-2\relax
16138         \if@cfthaschapter
16139             \cftdoparttrue
16140         \fi

```



```

16141 \ifnum \c@tocdepth >\m@ne
16142 \if@cfthaschapter\else
16143 \@cftdoparttrue
16144 \fi
16145 \fi
16146 \fi
16147 \if@cftdopart
16148 \if@cfthaschapter
16149 \addpenalty{-\@highpenalty}
16150 \else
16151 \addpenalty\@secpenalty
16152 \fi
16153 \addvspace{\cftbeforepartskip}
16154 \begingroup
16155 {\if@RTL\rightright\else\leftskip\fi \cftpartindent\relax
16156 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16157 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16158 \parindent \cftpartindent\relax\@afterindenttrue
16159 \interlinepenalty\@M
16160 \leavevmode
16161 \@tempdima \cftpartnumwidth\relax
16162 \let\@cftbsnum \cftpartpresnum
16163 \let\@cftasnum \cftpartaftersnum
16164 \let\@cftasnumb \cftpartaftersnumb
16165 \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
16166 {\cftpartfont \cftpartpresnum #1}
16167 \cftpartfillnum{#2}}
16168 \nobreak
16169 \if@cfthaschapter
16170 \global\@nobreaktrue
16171 \everypar{\global\@nobreakfalse\everypar{}}
16172 \else
16173 \if@compatibility
16174 \global\@nobreaktrue
16175 \everypar{\global\@nobreakfalse\everypar{}}
16176 \fi
16177 \fi
16178 \endgroup
16179 \fi}
16180 \fi
16181 \if@cfthaschapter
16182 \renewcommand*{\l@chapter}[2]{
16183 \ifnum \c@tocdepth >\m@ne
16184 \addpenalty{-\@highpenalty}
16185 \vskip \cftbeforechapskip
16186 {\if@RTL\rightright\else\leftskip\fi \cftchapindent\relax
16187 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16188 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16189 \parindent \cftchapindent\relax\@afterindenttrue
16190 \interlinepenalty\@M

```



```

16191 \leavevmode
16192 \@tempdima \cftchapnumwidth\relax
16193 \let\@cftbsnum \cftchappresnum
16194 \let\@cftasnum \cftchapaftersnum
16195 \let\@cftasnumb \cftchapaftersnumb
16196 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16197 {\cftchapfont #1}\nobreak
16198 \cftchapfillnum{#2}}
16199 \fi}
16200 \fi
16201 \renewcommand*{\l@section}[2]{%
16202 \ifnum \c@tocdepth >\z@
16203 \if@cfthaschapter
16204 \vskip \cftbeforesecskip
16205 \else
16206 \addpenalty\@secpenalty
16207 \addvspace{\cftbeforesecskip}
16208 \fi
16209 {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
16210 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16211 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16212 \parindent \cftsecindent\relax\@afterindenttrue
16213 \interlinepenalty\@M
16214 \leavevmode
16215 \@tempdima \cftsecnumwidth\relax
16216 \let\@cftbsnum \cftsecpresnum
16217 \let\@cftasnum \cftsecaftersnum
16218 \let\@cftasnumb \cftsecaftersnumb
16219 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16220 {\cftsecfont #1}\nobreak
16221 \cftsecfillnum{#2}}
16222 \fi}
16223 \renewcommand*{\l@subsection}[2]{%
16224 \ifnum \c@tocdepth >\@ne
16225 \vskip \cftbeforesubsecskip
16226 {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
16227 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16228 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16229 \parindent \cftsubsecindent\relax\@afterindenttrue
16230 \interlinepenalty\@M
16231 \leavevmode
16232 \@tempdima \cftsubsecnumwidth\relax
16233 \let\@cftbsnum \cftsubsecpresnum
16234 \let\@cftasnum \cftsubsecaftersnum
16235 \let\@cftasnumb \cftsubsecaftersnumb
16236 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16237 {\cftsubsecfont #1}\nobreak
16238 \cftsubsecfillnum{#2}}
16239 \fi}
16240 \renewcommand*{\l@subsubsection}[2]{%

```



```

16241 \ifnum \c@tocdepth >\tw@
16242   \vskip \cftbeforesubsubsecskip
16243   {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
16244    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16245    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16246    \parindent \cftsubsubsecindent\relax\@afterindenttrue
16247    \interlinepenalty\@M
16248    \leavevmode
16249    \@tempdima \cftsubsubsecnumwidth\relax
16250    \let\@cftbsnum \cftsubsubsecpresnum
16251    \let\@cftasnum \cftsubsubsecaftersnum
16252    \let\@cftasnumb \cftsubsubsecaftersnumb
16253    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16254    {\cftsubsubsecfont #1}\nobreak
16255    \cftsubsubsecfillnum{#2}}
16256   \fi}
16257 \renewcommand*{\l@paragraph}[2]{%
16258   \ifnum \c@tocdepth >3\relax
16259     \vskip \cftbeforeparaskip
16260     {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
16261      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16262      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16263      \parindent \cftparaindent\relax\@afterindenttrue
16264      \interlinepenalty\@M
16265      \leavevmode
16266      \@tempdima \cftparanumwidth\relax
16267      \let\@cftbsnum \cftparapresnum
16268      \let\@cftasnum \cftparaaftersnum
16269      \let\@cftasnumb \cftparaaftersnumb
16270      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16271      {\cftparafont #1}\nobreak
16272      \cftparafillnum{#2}}
16273   \fi}
16274 \renewcommand*{\l@subparagraph}[2]{%
16275   \ifnum \c@tocdepth >4\relax
16276     \vskip \cftbeforesubparaskip
16277     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
16278      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16279      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16280      \parindent \cftsubparaindent\relax\@afterindenttrue
16281      \interlinepenalty\@M
16282      \leavevmode
16283      \@tempdima \cftsubparanumwidth\relax
16284      \let\@cftbsnum \cftsubparapresnum
16285      \let\@cftasnum \cftsubparaaftersnum
16286      \let\@cftasnumb \cftsubparaaftersnumb
16287      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
16288      {\cftsubparafont #1}\nobreak
16289      \cftsubparafillnum{#2}}
16290   \fi}

```




```

16291 \renewcommand*{\l@figure}[2]{%
16292   \ifnum \c@lofdepth >\z@
16293     \vskip \cftbeforefigskip
16294     {\ifRTL\rightskip\else\leftskip\fi \cftfigindent\relax
16295     \ifRTL\leftskip\else\rightskip\fi \@tocrmarg
16296     \parfillskip -\ifRTL\leftskip\else\rightskip\fi
16297     \parindent \cftfigindent\relax\@afterindenttrue
16298     \interlinepenalty\@M
16299     \leavevmode
16300     \@tempdima \cftfignumwidth\relax
16301     \let\@cftbsnum \cftfigpresnum
16302     \let\@cftasnum \cftfigaftersnum
16303     \let\@cftasnumb \cftfigaftersnumb
16304     \advance\ifRTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\ifRTL\rightski
16305     {\cftfigfont #1}\nobreak
16306     \cftfigfillnum{#2}}
16307   \fi
16308 }
16309 \renewcommand*{\l@table}[2]{%
16310   \ifnum\c@lotdepth >\z@
16311     \vskip \cftbeforetabskip
16312     {\ifRTL\rightskip\else\leftskip\fi \cfttabindent\relax
16313     \ifRTL\leftskip\else\rightskip\fi \@tocrmarg
16314     \parfillskip -\ifRTL\leftskip\else\rightskip\fi
16315     \parindent \cfttabindent\relax\@afterindenttrue
16316     \interlinepenalty\@M
16317     \leavevmode
16318     \@tempdima \cfttabnumwidth\relax
16319     \let\@cftbsnum \cfttabpresnum
16320     \let\@cftasnum \cfttabaftersnum
16321     \let\@cftasnumb \cfttabaftersnumb
16322     \advance\ifRTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\ifRTL\rightski
16323     {\cfttabfont #1}\nobreak
16324     \cfttabfillnum{#2}}
16325   \fi
16326 }
16327 \renewcommand{\@cftl@subfig}{
16328 \renewcommand*{\l@subfigure}[2]{%
16329   \ifnum \c@lofdepth > \toclevel@subfigure
16330     \vskip \cftbeforesubfigskip
16331     {\ifRTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
16332     \ifRTL\leftskip\else\rightskip\fi \@tocrmarg
16333     \parfillskip -\ifRTL\leftskip\else\rightskip\fi
16334     \parindent \cftsubfigindent\relax\@afterindenttrue
16335     \interlinepenalty\@M
16336     \leavevmode
16337     \@tempdima \cftsubfignumwidth\relax
16338     \let\@cftbsnum \cftsubfigpresnum
16339     \let\@cftasnum \cftsubfigaftersnum
16340     \let\@cftasnumb \cftsubfigaftersnumb

```



```

16341 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip
16342 {\cftsubfigfont ##1}\nobreak
16343 \cftsubfigfillnum{##2}}
16344 \fi
16345 }
16346 }
16347 \renewcommand{\@cftl@subtab}{
16348 \renewcommand*{\l@subtable}[2]{%
16349 \ifnum \c@lotdepth > \toclevel@subtable
16350 \vskip \cftbeforestabskip
16351 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubtabindent\relax
16352 \if@RTL\leftskip\else\rightrightskip\fi \@tocrmarg
16353 \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
16354 \parindent \cftsubtabindent\relax\@afterindenttrue
16355 \interlinepenalty\@M
16356 \leavevmode
16357 \@tempdima \cftsubtabnumwidth\relax
16358 \let\@cftbsnum \cftsubtabpresnum
16359 \let\@cftasnum \cftsubtabaftersnum
16360 \let\@cftasnumb \cftsubtabaftersnumb
16361 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightrightskip
16362 {\cftsubtabfont ##1}\nobreak
16363 \cftsubtabfillnum{##2}}
16364 \fi
16365 }
16366 }
16367 \renewcommand{\newlistentry}[4][\@empty]{%
16368 \@ifundefined{c@#2}{% check & set the counter
16369 \ifx \@empty#1\relax
16370 \newcounter{#2}
16371 \else
16372 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
16373 \#1 has no counter for use as a `within'}
16374 \newcounter{#2}}%
16375 {\newcounter{#2}[#1}%
16376 \expandafter\edef\csname the#2\endcsname{%
16377 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}%
16378 \fi
16379 \setcounter{#2}{0}
16380 }
16381 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
16382
16383 \@namedef{l@#2}##1##2{%
16384 \ifnum \@nameuse{c@#3depth} > #4\relax
16385 \vskip \@nameuse{cftbefore#2skip}
16386 {\if@RTL\rightrightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
16387 \if@RTL\leftskip\else\rightrightskip\fi \@tocrmarg
16388 \parfillskip -\if@RTL\leftskip\else\rightrightskip\fi
16389 \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
16390 \interlinepenalty\@M

```



```

16391 \leavevmode
16392 \@tempdima \@nameuse{cft#2numwidth}\relax
16393 \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
16394 \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
16395 \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
16396 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\rightsk
16397 {\@nameuse{cft#2font}##1}\nobreak
16398 \@nameuse{cft#2fillnum}{##2}}
16399 \fi
16400 } % end of \l@#2
16401
16402 \expandafter\newlength\csname cftbefore#2skip\endcsname
16403 \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
16404 \expandafter\newlength\csname cft#2indent\endcsname
16405 \expandafter\newlength\csname cft#2numwidth\endcsname
16406 \ifcase #4\relax % 0
16407 \setlength{\@nameuse{cft#2indent}}{0em}
16408 \setlength{\@nameuse{cft#2numwidth}}{1.5em}
16409 \or % 1
16410 \setlength{\@nameuse{cft#2indent}}{1.5em}
16411 \setlength{\@nameuse{cft#2numwidth}}{2.3em}
16412 \or % 2
16413 \setlength{\@nameuse{cft#2indent}}{3.8em}
16414 \setlength{\@nameuse{cft#2numwidth}}{3.2em}
16415 \or % 3
16416 \setlength{\@nameuse{cft#2indent}}{7.0em}
16417 \setlength{\@nameuse{cft#2numwidth}}{4.1em}
16418 \else % anything else
16419 \setlength{\@nameuse{cft#2indent}}{10.0em}
16420 \setlength{\@nameuse{cft#2numwidth}}{5.0em}
16421 \fi
16422 \@namedef{cft#2font}{\normalfont}
16423 \@namedef{cft#2presnum}{\}
16424 \@namedef{cft#2aftersnum}{\}
16425 \@namedef{cft#2aftersnumb}{\}
16426 \@namedef{cft#2dotsep}{\cftdotsep}
16427 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
16428 \@namedef{cft#2pagefont}{\normalfont}
16429 \@namedef{cft#2afterpnum}{\}
16430 \@namedef{toclevel@#2}{#4}
16431 \@namedef{cft#2fillnum}##1{%
16432 {\@nameuse{cft#2leader}}\nobreak
16433 \hb@xt@{\@pnumwidth}{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
16434 } % end \newlistentry
16435 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
16436 {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
16437 \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
16438 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
16439 \textit{#1}\protect\par}}}

```



7.114 tocstyle-xetex-bidi.def

```

16440 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package for
16441 \renewcommand*{\tocstyle@dottedtocline}[5]{%
16442   \let\numberline\tocstyle@numberline
16443   \ifnum #1>\c@tocdepth \else
16444     \if@tocstyle@penalties
16445       \begingroup
16446         \@tempcnta 20010
16447         \advance \@tempcnta by -#1
16448         \ifnum \@tempcnta>\lastpenalty
16449           \aftergroup\penalty\aftergroup\@lowpenalty
16450         \fi
16451       \endgroup
16452     \fi
16453     \edef\tocstyledepth{#1}%
16454     \tocstyle@activate@features
16455     \ifx\tocstyle@feature@entryvskip\relax
16456       \vskip \z@ \@plus.2\p@
16457     \else
16458       \addvspace{\tocstyle@feature@entryvskip}%
16459     \fi
16460   }%
16461   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\rightskip\fi
16462   \tocstyle@feature@raggedhook
16463   \@tempdima #3\relax
16464   \@tempdimb #2\relax
16465   \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16466   \ifnum #1>\z@\relax
16467     \@tempcnta #1\relax \advance\@tempcnta \m@ne
16468     \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16469       \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16470         \@tempdimb
16471         \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16472         \advance\@tempdimb
16473         \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
16474       \fi
16475     \fi
16476   \fi
16477   \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16478   \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
16479     \ifdim \@tempdimb>
16480       \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
16481       \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
16482         @#1\endcsname{\the\@tempdimb}%
16483     \fi
16484   \else
16485     \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
16486       @#1\endcsname{\the\@tempdimb}%
16487   \fi

```



```

16488 \iftocstyle@autolength
16489 \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
16490 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
16491 \relax
16492 \fi
16493 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
16494 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
16495 \relax
16496 \fi
16497 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16498 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16499 \else
16500 \@tempdimb #2\relax
16501 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16502 \fi
16503 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
16504 \ifdim \@tempdima>
16505 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
16506 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
16507 @\endcsname{\the\@tempdima}%
16508 \fi
16509 \else
16510 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
16511 @\endcsname{\the\@tempdima}%
16512 \fi
16513 \ifcase\tocstyle@indentstyle\relax\else
16514 \@tempdimb \z@
16515 \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
16516 \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
16517 \relax
16518 \fi
16519 \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
16520 \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
16521 \fi
16522 \advance\parindent \@tempdimb\@afterindenttrue
16523 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
16524 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16525 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
16526 \ifx\tocstyle@feature@parfillskip\relax\else
16527 \advance\parfillskip \tocstyle@feature@parfillskip\relax
16528 \fi
16529 \interlinepenalty\@M
16530 \leavevmode
16531 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
16532 \null\nobreak
16533 \iftocstyle@indentnotnumbered\else
16534 \hskip -\if@RTL\rightskip\else\leftskip\fi
16535 \fi
16536 \tocstyle@feature@entryhook
16537 {#4}\nobreak

```



```

16538 \ifx\tocstyle@feature@leaders\relax
16539 \leaders\hbox{$\m@th
16540 \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
16541 \mkern \@dotsep mu$}\hfill
16542 \else
16543 \tocstyle@feature@leaders
16544 \fi
16545 \nobreak
16546 \ifx\tocstyle@feature@pagenumberbox\relax
16547 \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
16548 \else
16549 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
16550 \fi
16551 \par
16552 }%
16553 \if@tocstyle@penalties
16554 \bgroup
16555 \@tempcnta 20009
16556 \advance\@tempcnta by -#1
16557 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
16558 \reserved@a
16559 \fi
16560 \fi}
16561 \renewcommand*{\tocstyle@numberline}[1]{%
16562 \begingroup
16563 \ifx\tocstyle@feature@spaceafternumber\relax
16564 \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
16565 \else
16566 \settowidth\@tempdima{\tocstyle@numberline{#1}}%
16567 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
16568 \fi
16569 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
16570 \ifdim \@tempdima >
16571 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
16572 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
16573 @\tocstyledepth\endcsname{\the\@tempdima}%
16574 \fi
16575 \else
16576 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
16577 @\tocstyledepth\endcsname{\the\@tempdima}%
16578 \fi
16579 \endgroup
16580 \iftocstyle@indentnotnumbered
16581 \hskip -\if@RTL\rightskip\else\leftskip\fi
16582 \fi
16583 \ifcase \tocstyle@indentstyle
16584 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
16585 \or
16586 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
16587 \else

```



```

16588 \ifx\tocstyle@feature@spaceafternumber\relax
16589 \hbox{\tocstyle@@numberline{#1}\enskip}%
16590 \else
16591 \hbox{\tocstyle@@numberline{#1}\hskip
16592 \tocstyle@feature@spaceafternumber\relax}%
16593 \fi
16594 \fi
16595 }
16596 \AtBeginDocument{%
16597 \ifcsname l@part\endcsname
16598 \ifcsname l@chapter\endcsname
16599 \setbox\@tempboxa\vbox{\hsize\maxdimen
16600 \l@part{\tocstyle@l@define{part}{-1}}{}}%
16601 \else
16602 \setbox\@tempboxa\vbox{\hsize\maxdimen
16603 \l@part{\tocstyle@l@define{part}{0}}{}}%
16604 \fi
16605 \fi
16606 \ifcsname l@chapter\endcsname
16607 \setbox\@tempboxa\vbox{\hsize\maxdimen
16608 \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
16609 \fi
16610 \ifcsname l@section\endcsname
16611 \setbox\@tempboxa\vbox{\hsize\maxdimen
16612 \l@section{\tocstyle@l@define{section}{1}}{}}%
16613 \fi
16614 \ifcsname l@subsection\endcsname
16615 \setbox\@tempboxa\vbox{\hsize\maxdimen
16616 \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
16617 \fi
16618 \ifcsname l@subsubsection\endcsname
16619 \setbox\@tempboxa\vbox{\hsize\maxdimen
16620 \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
16621 \fi
16622 \ifcsname l@paragraph\endcsname
16623 \setbox\@tempboxa\vbox{\hsize\maxdimen
16624 \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
16625 \fi
16626 \ifcsname l@subparagraph\endcsname
16627 \setbox\@tempboxa\vbox{\hsize\maxdimen
16628 \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
16629 \fi
16630 \ifcsname l@table\endcsname
16631 \setbox\@tempboxa\vbox{\hsize\maxdimen
16632 \l@table{\tocstyle@l@define{table}{1}}{}}%
16633 \fi
16634 \ifcsname l@figure\endcsname
16635 \setbox\@tempboxa\vbox{\hsize\maxdimen
16636 \l@figure{\tocstyle@l@define{figure}{1}}{}}%
16637 \fi

```



```

16638 \def\@tempa#1#2#3#4#5{%
16639 \ifnum #1>\c@tocdepth \else
16640 \vskip \z@ \@plus.2\p@
16641 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
16642 \parindent #2\relax\@afterindenttrue
16643 \interlinepenalty\@M
16644 \leavevmode
16645 \@tempdima #3\relax
16646 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
16647 {#4}\nobreak
16648 \leaders\hbox{$\m@th
16649 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
16650 mu$}\hfill
16651 \nobreak
16652 \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
16653 \par}%
16654 \fi}%
16655 \ifx\@dottedtocline\@tempa\else
16656 \tocstyle@macrochangewarning\@dottedtocline
16657 \fi
16658 \let\tocstyle@saved@dottedtocline\@dottedtocline
16659 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
16660 \ifx\numberline\@tempa\else
16661 \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
16662 \ifx\numberline\@tempa\else
16663 \tocstyle@macrochangewarning\numberline
16664 \fi
16665 \fi
16666 \let\tocstyle@saved@numberline\numberline
16667 }
16668 \renewcommand*{\tocstyle@l@define}[2]{%
16669 \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
16670 \edef\@tempa{%
16671 \noexpand\global\noexpand\let
16672 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
16673 \expandafter\noexpand\csname l@#1\endcsname
16674 \noexpand\gdef
16675 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
16676 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
16677 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
16678 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
16679 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
16680 }%
16681 }%
16682 \PackageInfo{tocstyle}{prepare \expandafter\string
16683 \csname l@#1\endcsname\space for redefinition}%
16684 \@tempa
16685 }

```



7.115 todonotes-xetex-bidi.def

```

16686 \ProvidesFile{todonotes-xetex-bidi.def}[2015/06/17 v0.3 bidi adaptations for todonotes package]
16687 \newif\if@bidi@todonotes@textdirection@RTL
16688 \newif\if@bidi@todonotes@figposition@right
16689 \newcommand{\@bidi@todonotes@align}{}%
16690 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
16691 \newcommand{\@bidi@todonotes@textdirection}{}%
16692 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
16693 \ifcase\@bidi@todonotes@tempb\relax
16694 \@bidi@todonotes@textdirection@RTLtrue
16695 \let\@bidi@todonotes@textdirection\RL
16696 \or
16697 \@bidi@todonotes@textdirection@RTLfalse
16698 \let\@bidi@todonotes@textdirection\LR
16699 \fi}
16700 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
16701 \ifcase\@bidi@todonotes@tempb\relax
16702 \@bidi@todonotes@figposition@righttrue
16703 \or
16704 \@bidi@todonotes@figposition@rightfalse
16705 \fi}
16706 \if@todonotes@disabled%
16707 \else % \if@todonotes@disabled
16708 \renewcommand{\@todonotes@drawInlineNote}{%
16709 \if@todonotes@dviStyle%
16710 {\par\noindent\begin{tikzpicture}[remember picture]%
16711 \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
16712 \if@todonotes@authorgiven%
16713 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
16714 \else%
16715 {\noindent \@todonotes@sizecommand \@todonotes@text}%
16716 \fi
16717 {\par\noindent\begin{tikzpicture}[remember picture]%
16718 \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
16719 \else%
16720 {\par\noindent\begin{bidi@tikzpicture}[remember picture]%
16721 \if@bidi@todonotes@textdirection@RTL\else\setLTR\fi%
16722 \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]{}%
16723 \if@todonotes@authorgiven%
16724 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
16725 \else%
16726 {\noindent \@todonotes@sizecommand \@todonotes@text}%
16727 \fi};%
16728 \end{bidi@tikzpicture}\par}%
16729 \fi}%
16730 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
16731 \begin{bidi@tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
16732 \node [coordinate] (inText) {};%
16733 \end{bidi@tikzpicture}%

```



```

16734 \marginpar[{\% Draw note in left margin
16735     \@todonotes@drawMarginNote%
16736     \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
16737 }]{\% Draw note in right margin
16738     \@todonotes@drawMarginNote%
16739     \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
16740 }%
16741 }%
16742 \renewcommand{\@todonotes@drawMarginNote}{\%
16743 \if@todonotes@dviStyle%
16744     \begin{tikzpicture}[remember picture]%
16745         \draw node[notestyle] {};%
16746     \end{tikzpicture}\\%
16747     \begin{minipage}{\@todonotes@textwidth}%
16748         \if@todonotes@authorgiven%
16749             \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
16750         \else%
16751             \@todonotes@sizecommand \@todonotes@text%
16752         \fi%
16753     \end{minipage}\\%
16754     \begin{tikzpicture}[remember picture]%
16755         \draw node[notestyle] (inNote) {};%
16756     \end{tikzpicture}%
16757 \else%
16758     \let\originalHbadness\hbadness%
16759     \hbadness 100000%
16760     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
16761         \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
16762         \node(X){\vphantom{X}};%
16763         \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@al
16764             {\@todonotes@text};%
16765         \if@todonotes@authorgiven%
16766             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16767                 {\@todonotes@sizecommand\@todonotes@author}};%
16768             \node(Y)[below=of X]{};%
16769             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16770                 {\@todonotes@text}};%
16771         \else%
16772             \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
16773                 {\@todonotes@text}};%
16774         \fi%
16775     \end{tikzpicture}%
16776     \hbadness \originalHbadness%
16777 \fi}%
16778 \renewcommand{\missingfigure}[2][]{\%
16779 \setkeys{todonotes}{#1}%
16780 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
16781 \par
16782 \noindent
16783 \begin{tikzpicture}

```



```

16784 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
16785   (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
16786 \if@bidi@todonotes@figposition@right%
16787 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
16788 \fi%
16789 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
16790   (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
16791 \if@bidi@todonotes@figposition@right%
16792 \end{scope}
16793 \begin{scope}[xshift=-3.8cm]
16794 \fi%
16795 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
16796 \draw (2, -0.3) node[right, text
16797   width=\@todonotes@currentfigwidth-4.5cm, align=\@bidi@todonotes@align] {#2};
16798 \if@bidi@todonotes@figposition@right%
16799 \end{scope}
16800 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
16801 \fi%
16802 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
16803 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
16804 \if@bidi@todonotes@figposition@right%
16805 \end{scope}
16806 \fi%
16807 \end{tikzpicture}}\hfill
16808 }% Ending \missingfigure command
16809 \fi % Ending \@todonotes@ifdisabled
16810 \presetkeys%
16811   {todonotes}%
16812   {align=left,%
16813   textdirection=lefttoright,%
16814   figposition=left}{}%

```

7.116 wrapfig-xetex-bidi.def

```

16815 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for X
16816 \let\WF@@everypar\@everypar
16817 \def\WF@putfigmaybe{%
16818 \ifinner
16819   \vskip-\parskip \global\WF@floatfalse
16820   \let\pagetotal\maxdimen % kludge flag for "not top of page"
16821 \else % outer page
16822   \@tempdima\pagedepth % save page depth
16823   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
16824   \penalty\interlinepenalty % update pg. parameters
16825   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
16826   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
16827     \global\WF@floatfalse
16828     \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
16829   \else
16830     \ifdim\WF@size>\@tempdimb

```



```

16831     \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
16832     \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
16833     \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
16834     \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
16835     \advance\dimen@.5\baselineskip
16836     \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
16837     \global\WF@floatfalse \pagebreak
16838     \fi
16839     \else % \WF@info{Fits in \the\@tempdimb;}%
16840     \global\WF@floatfalse
16841     \fi\fi
16842     \vskip\@tempdima\relax % (return erased page depth)
16843 \fi
16844 \noindent
16845 \ifWF@float
16846   \WF@fltmes
16847 \else % putting here;
16848   \WF@info{Put \WF@wfname here;}%
16849   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
16850     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
16851     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
16852   \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
16853     \@tempdima\wd\WF@box \@tempdimb\WF@ovh
16854     \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
16855     \@tempdimb\hsize \advance\@tempdimb-\@tempdima
16856     \xdef\WF@adjlw{\the\@tempdima}%
16857     \ifnum `l=\WF@place % fig on left
16858       \if@RTL%
16859         \kern\@tempdimb \kern\columnsep
16860         \def\@tempa{\hss}% position to left of the gap
16861         \else%
16862         \hss % figure overlaps space to the left
16863         \def\@tempa{\kern\columnsep}% position to left of the gap
16864         \fi%
16865       \else % fig on right
16866         \if@RTL%
16867           \hss
16868           \@tempdima\z@
16869           \def\@tempa{\kern\columnsep}
16870           \else%
16871           \@tempdima\z@ % no left indentation
16872           \kern\@tempdimb \kern\columnsep
16873           \def\@tempa{\hss}% figure overlaps space to the right
16874           \fi%
16875         \fi
16876         \ifdim\@tempdimb<\hsize
16877         \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
16878         \xdef\WF@adjtlm{\the\@tempdima}%
16879         \else
16880         \xdef\WF@wrapil{\z@ \the\hsize}%

```



```

16881 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
16882 \fi
16883 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
16884 \global\advance\WF@size-\intextsep
16885 \else % \WF@info{Putting \WF@wfname in middle of page}%
16886 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
16887 \fi \dp\WF@box\z@ \box\WF@box \@tempa
16888 }% end \hbox to Opt
16889 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
16890 \fi}

```

7.117 xcolor-xetex-bidi.def

```

16891 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeT
16892 \long\def\color@b@x#1#2#3%
16893 {\leavevmode\ifmmode\else\ifRTL\beginL\fi\fi
16894 \setbox\z@\hbox{\kern\fbboxsep{\set@color\ifRTL\beginR\fi#3\ifRTL\endR\fi}\kern\fbboxsep}%
16895 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
16896 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
16897 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\ifRTL\endL\fi\fi}
16898 \def\normalcolor{\let\current@color\default@color\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi}
16899 \DeclareRobustCommand\color
16900 {\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
16901 \def\@undeclaredcolor[#1]#2%
16902 {\begingroup
16903 \let\@cls\@empty
16904 \XC@getmodclr12{#1}{#2}{}%
16905 {\ifblendcolors
16906 \ifx\colorblend\@empty\else
16907 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
16908 \XC@coremodel\@mod\@clr\@xcolor@{\}\@mod\@clr
16909 \fi
16910 \fi
16911 \ifconvertcolorsU
16912 \edef\@tmp{\XC@tgt@mod{\@mod}}%
16913 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
16914 \fi
16915 \ifmaskcolors
16916 \convertcolorspec\@mod\@clr\XC@mmod\@clr
16917 \let\@mod\XC@mmod
16918 \XC@inflate\@mod\XC@mclr\@clr\@tmp
16919 \expandafter\XC@mul\@tmp,\@clr
16920 \fi
16921 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
16922 \expandafter\endgroup\@tmp}}
16923 \def\@declaredcolor#1%
16924 {\XC@edef\XC@tmp{#1}\XC@tstfalse
16925 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
16926 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
16927 \ifconvertcolorsU\XC@tsttrue\fi

```



```

16928 \fi
16929 \ifXC@tst
16930 \expandafter\XC@declaredcolor\else
16931 \expandafter\XC@declaredcolor\fi}
16932 \def\XC@undeclaredcolor#1#2%
16933 {\ifundefinedmodel{#1}%
16934 {\color@error{model `#1'}}%
16935 {\@nameuse{color@#1}\current@color{#2}%
16936 \edef\XC@current@color{\noexpand\xcolor@{\current@color}{#1}{#2}}%
16937 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
16938 \def\XC@declaredcolor
16939 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
16940 \edef\current@color{\XC@current@color}%
16941 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
16942 \DeclareRobustCommand\bidicolor
16943 {\ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
16944 \def\@bidiundeclaredcolor[#1]#2%
16945 {\begingroup
16946 \let\@cls\@empty
16947 \XC@getmodclr12{#1}{#2}{}%
16948 {\ifblendcolors
16949 \ifx\colorblend\@empty\else
16950 \edef\@mix{\expandafter\gobble\colorblend}\@tempwafalse
16951 \XC@coremodel\@mod\@clr\xcolor@{\}\@mod\@clr
16952 \fi
16953 \fi
16954 \ifconvertcolorsU
16955 \edef\@tmp{\XC@tgt@mod{\@mod}}%
16956 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
16957 \fi
16958 \ifmaskcolors
16959 \convertcolorspec\@mod\@clr\XC@mmod\@clr
16960 \let\@mod\XC@mmod
16961 \XC@inflate\@mod\XC@mclr\@clr\@tmp
16962 \expandafter\XC@mul\@tmp,\@clr
16963 \fi
16964 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
16965 \expandafter\endgroup\@tmp}}
16966 \def\XC@bidiundeclaredcolor#1#2%
16967 {\ifundefinedmodel{#1}%
16968 {\color@error{model `#1'}}%
16969 {\@nameuse{color@#1}\current@color{#2}%
16970 \edef\XC@current@color{\noexpand\xcolor@{\current@color}{#1}{#2}}%
16971 \XC@display}}
16972 \def\@bidideclaredcolor#1%
16973 {\XC@edef\XC@tmp{#1}\XC@tstfalse
16974 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
16975 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
16976 \ifconvertcolorsU\XC@tsttrue\fi
16977 \fi

```



```

16978 \ifXC@tst
16979   \expandafter\XC@bidideclaredcolor\else
16980   \expandafter\XC@bidideclaredcolor\fi}
16981 \def\XC@bidideclaredcolor
16982 {\XC@split\XC@tmp
16983   \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}}%
16984   \expandafter\endgroup\@tmp}
16985 \def\XC@bidideclaredcolor
16986 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
16987   \edef\current@color{\XC@current@color}%
16988   \XC@display}
16989 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
16990 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
16991 \def\color@fbbox#1#2#3#4%
16992 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
16993   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
16994 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

7.118 latex-xetex-bidi.def

```

16995 \ProvidesFile{latex-xetex-bidi.def}[2015/02/01 v1.1.9 bidi adaptations for `latex.ltx' for XeTeX]
16996 \newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
16997 \newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
16998 \TeXXeTOn
16999 \def\bidi@RTL@everypar{\if@RTL{\setbox\z@\lastbox\beginR\ifvoid\z@\else\usebox\z@\fi}\fi}
17000 \let\bidi@o@everypar=everypar
17001 \newtoks\bidi@n@everypar
17002 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
17003 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
17004 \let\everypar=\bidi@n@everypar
17005 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
17006 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
17007 \protected\def\hboxR{\hbox\bgroup
17008   \everyhbox{%
17009     \aftergroup\egroup
17010     \everyhbox{}}%
17011   \beginR
17012   \bgroup
17013   \aftergroup\endR
17014   \aftergroup\egroup
17015   }\hbox}
17016 \protected\def\hboxL{\hbox\bgroup
17017   \everyhbox{%
17018     \aftergroup\egroup
17019     \everyhbox{}}%
17020   \beginL
17021   \bgroup
17022   \aftergroup\endL
17023   \aftergroup\egroup
17024   }\hbox}

```



```

17025 \protected\def\ vboxR{\ vbox\bgroup
17026 \everyvbox{%
17027 \aftergroup\egroup
17028 \everyvbox{}}%
17029 \@RTLtrue
17030 \bgroup
17031 \aftergroup\egroup
17032 }\ vbox}
17033 \protected\def\ vboxL{\ vbox\bgroup
17034 \everyvbox{%
17035 \aftergroup\egroup
17036 \everyvbox{}}%
17037 \@RTLfalse
17038 \bgroup
17039 \aftergroup\egroup
17040 }\ vbox}
17041 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab\
17042 \def\endLTR{\par}
17043 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
17044 \def\endRTL{\par}
17045 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
17046 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\if@bidi@list@minipage@parbox\beginL\else\if@RTLtab\
17047 \let\unsetRTL=\setLTR
17048 \let\unsetLTR=\setRTL
17049 \let\LR=\LRE
17050 \let\RL=\RLE
17051 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
17052 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
17053 \let\@ensure@RL=\@ensure@RTL
17054 \let\@ensure@LR=\@ensure@LTR
17055 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
17056 \let\@ensure@maindir=\@ensure@dir
17057 \def\@@RTL{RTL}
17058 \def\@@LTR{LTR}
17059 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
17060 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi}
17061 \let\@@TeX\TeX
17062 \def\TeX{\@ensure@LTR{\@@TeX}}
17063 \let\@@LaTeX\LaTeX
17064 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
17065 \let\@@LaTeXe\LaTeXe
17066 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
17067 \long\def\ bidi@reflect@box#1{%
17068 \leavevmode
17069 \setbox\z@\hbox{#1}%
17070 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
17071 \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
17072 }
17073 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
17074 \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}

```




```

17075 \def\XeLaTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
17076 \hbox{\kern-.125em\bidireflect@box{E}}\kern-.1667em \LaTeX}}$}}
17077 \let\setRL=\setRTL
17078 \let\setLR=\setLTR
17079 \let\unsetRL=\setLTR
17080 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
17081 \ialign{##\hfil$&\quad{##}\hfil\crr#1\crr}}\,\right\}}
17082 \def\SepMark#1{\gdef\@SepMark{\if@RTL\fi#1\if@RTL\fi}}
17083 \SepMark{.}
17084 \def\@thmcountersep{\@SepMark}
17085 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
17086 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
17087 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
17088 \def\list#1#2{%
17089 \ifnum \@listdepth >5\relax
17090 \toodeep
17091 \else
17092 \global\advance\@listdepth\@ne
17093 \fi
17094 \rightmargin\z@
17095 \listparindent\z@
17096 \itemindent\z@
17097 \csname @list\romannumeral\the\@listdepth\endcsname
17098 \def\@itemlabel{#1}%
17099 \let\makelabel\@mklab
17100 \@nmbrlistfalse
17101 #2\relax
17102 \@trivlist
17103 \parskip\parsep
17104 \parindent\listparindent
17105 \advance\linewidth -\rightmargin
17106 \advance\linewidth -\leftmargin
17107 \if@bidi@list@minipage@parbox
17108 \if@RTL
17109 \advance\@totalleftmargin \leftmargin
17110 \else
17111 \advance\@totalleftmargin \rightmargin
17112 \fi
17113 \else
17114 \if@RTLtab
17115 \if@bidi@list@minipage@parbox@not@nob
17116 \if@RTL
17117 \advance\@totalleftmargin \rightmargin
17118 \else
17119 \advance\@totalleftmargin \leftmargin
17120 \fi
17121 \else
17122 \if@RTL
17123 \advance\@totalleftmargin \leftmargin
17124 \else

```



```

17125 \advance\@totalleftmargin \rightmargin
17126 \fi\fi
17127 \else
17128 \if@RTL
17129 \advance\@totalleftmargin \rightmargin
17130 \else
17131 \advance\@totalleftmargin \leftmargin
17132 \fi\fi\fi
17133 \parshape \@ne \@totalleftmargin \linewidth
17134 \ignorespaces}
17135 \def\@item[#1]{%
17136 \if@noparitem
17137 \@donoparitem
17138 \else
17139 \if@inlabel
17140 \indent \par
17141 \fi
17142 \ifhmode
17143 \unskip\unskip \par
17144 \fi
17145 \if@newlist
17146 \if@nobreak
17147 \@nbitem
17148 \else
17149 \addpenalty\@beginparpenalty
17150 \addvspace\@topsep
17151 \addvspace{-\parskip}%
17152 \fi
17153 \else
17154 \addpenalty\@itempenalty
17155 \addvspace\itemsep
17156 \fi
17157 \global\@inlabeltrue
17158 \fi
17159 \everypar{\if@bidi@list@minipage@parbox\if@RTL\else\beginL\fi\else\if@RTLtab\if@RTL\else\beginR\fi\fi}
17160 \@minipagefalse
17161 \global\@newlistfalse
17162 \if@inlabel
17163 \global\@inlabelfalse
17164 {\setbox\z@\lastbox
17165 \ifvoid\z@
17166 \kern-\itemindent
17167 \fi}%
17168 \box\@labels
17169 \penalty\z@
17170 \fi
17171 \if@nobreak
17172 \@nobreakfalse
17173 \clubpenalty \@M
17174 \else

```



```

17175      \clubpenalty \@clubpenalty
17176      \everypar{}%
17177      \fi}%
17178    \if@noitemarg
17179      \@noitemargfalse
17180      \if@nmbrrlist
17181        \refstepcounter\@listctr
17182      \fi
17183    \fi
17184    \sbox\@tempboxa{\makelabel{#1}}%
17185    \global\setbox\@labels\hbox{%
17186      \unhbox\@labels
17187      \hskip \itemindent
17188      \hskip -\labelwidth
17189      \hskip -\labelsep
17190      \ifdim \wd\@tempboxa >\labelwidth
17191        \box\@tempboxa
17192      \else
17193        \hbox to\labelwidth {\unhbox\@tempboxa}%
17194      \fi
17195      \hskip \labelsep}%
17196    \ignorespaces}
17197  \long\def\@iiiparbox#1#2[#3]#4#5{%
17198    \leavevmode
17199    \@pboxswfalse
17200    \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
17201    \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
17202    \setlength\@tempdima{#4}%
17203    \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
17204    \ifx\relax#2\else
17205      \setlength\@tempdimb{#2}%
17206      \edef\@parboxto{\to\the\@tempdimb}%
17207    \fi
17208    \if#1b\vbox
17209    \else\if #1t\top
17210    \else\ifmmode\vcenter
17211    \else\@pboxswtrue $\vcenter
17212    \fi\fi\fi
17213    \@parboxto{\let\hss\vss\let\unhbox\unvbox
17214      \csname bm@#3\endcsname}%
17215    \if@pboxsw \m@th$\fi
17216    \@end@tempboxa}
17217  \def\bidi@lrbox#1{%
17218    \edef\reserved@a{%
17219      \endgroup
17220      \setbox#1\hbox{%
17221        \begingroup\aftergroup}%
17222      \def\noexpand\@currenvir{\@currenvir}%
17223      \def\noexpand\@currenvline{\on@line}}%
17224    \reserved@a

```



```

17225 \endpfalse
17226 \color@begingroup
17227 \ignorespaces}
17228 \def\endbidi@lrbox{\unskip\color@endgroup}
17229 \newenvironment{LTRitems}
17230 {\par\@RTLfalse
17231 \if@bidi@list@minipage@parbox
17232 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
17233 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17234 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
17235 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
17236 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
17237 \ignorespaces}{\vskip\z@}
17238 \newenvironment{RTLitems}
17239 {\par\@RTLtrue
17240 \if@bidi@list@minipage@parbox
17241 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
17242 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17243 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
17244 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
17245 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
17246 \ignorespaces}{\vskip\z@}
17247 \newenvironment{LTRbibitems}
17248 {\par\@RTLfalse
17249 \if@bidi@list@minipage@parbox
17250 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
17251 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17252 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
17253 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
17254 \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
17255 \ignorespaces}{\vskip\z@}
17256 \newenvironment{RTLbibitems}
17257 {\par\@RTLtrue
17258 \if@bidi@list@minipage@parbox
17259 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
17260 \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
17261 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
17262 \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
17263 \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
17264 \ignorespaces}{\vskip\z@}
17265 \def\raggedright{%
17266 \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
17267 \leftskip\z@skip
17268 \parindent\z@\parfillskip\z@skip}
17269 \let\bidi@orig@raggedleft\raggedleft
17270 \let\bidi@orig@raggedright\raggedright
17271 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@RTLtab\b
17272 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@RTLtab\b
17273 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
17274 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}

```



```

17275 \def\centerline#1{%
17276 \if@RTL\@@line{\hss\beginR#1\endR\hss}
17277 \else\@@line{\hss#1\hss}\fi}
17278 \def\leftline#1{%
17279 \if@RTL\@@line{\beginR#1\endR\hss}
17280 \else\@@line{#1\hss}\fi}
17281 \def\rightline#1{%
17282 \if@RTL\@@line{\hss\beginR#1\endR}
17283 \else\@@line{\hss#1}\fi}
17284 \let\bidiorig@leftline\leftline
17285 \let\bidiorig@rightline\rightline
17286 \def\leftline#1{\ifhmode\if@RTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\i.
17287 \def\rightline#1{\ifhmode\if@RTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else#.
17288 \def\bidirlap#1{\hb@xt@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
17289 \def\bidillap#1{\hb@xt@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
17290 \def\hangfrom#1{\setbox@tempboxa\hbox{#1}}%
17291 \hangindent \if@RTL-\else\fi\wd@tempboxa\noindent\box@tempboxa}
17292 \def\narrower{%
17293 \advance\if@RTL\rightright\else\leftskip\fi\parindent
17294 \advance\if@RTL\leftskip\else\rightright\fi\parindent}
17295 \def\underline#1{%
17296 \relax
17297 \ifmmode\@underline{#1}%
17298 \else
17299 \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
17300 \else
17301 $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
17302 \ifcompatibility
17303 \let\undertext=\underline
17304 \fi
17305 \global\@RTLtabfalse
17306 \def\@tabular{\if@RTL\@RTLtabtrue\fi
17307 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
17308 $\let\@acol\@tabacol
17309 \let\@classz\@tabclassz
17310 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
17311 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
17312 \egroup $\if@RTLtab\endR\fi\egroup
17313 \@RTLtabfalse}
17314 \expandafter \let \csname endtabular*\endcsname = \endtabular
17315 \def\@array[#1]#2{%
17316 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
17317 \bgroup
17318 \setbox\@arstrutbox\hbox{%
17319 \vrule \@height\arraystretch\ht\strutbox
17320 \@depth\arraystretch \dp\strutbox
17321 \@width\z@}%
17322 \mkpream{#2}%
17323 \edef\@preamble{%
17324 \ialign \noexpand\@halignto

```



```

17325     \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
17326 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
17327 \let\tabularnewline\%
17328 \let\par\@empty
17329 \let\@sharp##%
17330 \set@typeset@protect
17331 \lineskip\z@skip\baselineskip\z@skip
17332 \ifhmode \@preamerr\z@ \@@par\fi
17333 \if@RTLtab\hbox\bgroup\beginR\ vbox\bgroup\fi
17334 \@preamble}
17335 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
17336 \let\@classiv\@arrayclassiv
17337 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
17338 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
17339 \ifnum \@lastchclass=3 5 \else
17340 \z@ \if #1c\@chnum \z@ \else
17341 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
17342 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
17343 \@chclass \if #1l\@ne \else
17344 \if #1\@tw@ \else
17345 \if #1p3 \else \z@ \@preamerr 0\fi
17346 \fi \fi \fi \fi \fi \fi
17347 \fi}
17348 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
17349 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
17350 \def\bm@t{\unhbox\@tempboxa\hss}
17351 \def\bm@b{\hss\unhbox\@tempboxa}
17352 \def\@dottedtocline#1#2#3#4#5{%
17353 \ifnum #1>\c@tocdepth \else
17354 \vskip \z@ \@plus.2\p@
17355 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
17356 \parindent #2\relax\@afterindenttrue
17357 \interlinepenalty\@M
17358 \leavevmode
17359 \@tempdima #3\relax
17360 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
17361 {#4}\nobreak
17362 \leaders\hbox{$\m@th
17363 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
17364 mu$}\hfill
17365 \nobreak
17366 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
17367 \par}%
17368 \fi}
17369 \def\RTL@outputdblcol{%
17370 \if@firstcolumn \global\@firstcolumnfalse
17371 \global\setbox\@leftcolumn \box\@outputbox
17372 \else \global\@firstcolumntrue
17373 \setbox\@outputbox \vbox {\hbox to\textwidth {%
17374 \hskip \columnwidth

```



```

17375 \hfil \vrule width\columnseprule \hfil
17376 \hbox to\columnwidth {\box\@leftcolumn \hss}%
17377 \hskip -\textwidth
17378 \hbox to\columnwidth{\box\@outputbox \hss}%
17379 \hskip \columnsep
17380 \hskip \columnwidth }}%
17381 \@combinedblfloats \@outputpage
17382 \begingroup \@dblfloatplacement \@startdblcolumn
17383 \@whiles\if@fcolmade \fi
17384 {\@outputpage \@startdblcolumn }\endgroup
17385 \fi}
17386 \def\LTR@outputdblcol{%
17387   \if@firstcolumn
17388     \global \@firstcolumnfalse
17389     \global \setbox\@leftcolumn \box\@outputbox
17390   \else
17391     \global \@firstcolumntrue
17392     \setbox\@outputbox \vbox {%
17393       \hb@xt@\textwidth {%
17394         \hb@xt@\columnwidth {%
17395           \box\@leftcolumn \hss}%
17396       \hfil
17397       {\normalcolor\vrule \@width\columnseprule}%
17398       \hfil
17399       \hb@xt@\columnwidth {%
17400         \box\@outputbox \hss}%
17401       }%
17402     }%
17403   \@combinedblfloats
17404   \@outputpage
17405   \begingroup
17406     \@dblfloatplacement
17407     \@startdblcolumn
17408     \@whiles\if@fcolmade \fi
17409     {\@outputpage
17410       \@startdblcolumn}%
17411   \endgroup
17412 \fi
17413 }
17414 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
17415 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
17416 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
17417 \def\LTRmarginpar{%
17418   \ifhmode
17419     \bsphack
17420     \@floatpenalty -\@Mii
17421   \else
17422     \@floatpenalty-\@Miii
17423   \fi
17424   \ifinner

```



```

17425 \@parmoderr
17426 \@floatpenalty\z@
17427 \else
17428 \@next\@currbox\@freelist{}\}%
17429 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
17430 {\@floatpenalty\z@
17431 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
17432 \fi
17433 \@ifnextchar [\@LTRxmpar\@LTRympar}
17434 \long\def\@LTRxmpar[#1]#2{%
17435 \@LTRsavemarbox\@marbox{#1}%
17436 \@LTRsavemarbox\@currbox{#2}%
17437 \@xympar}
17438 \long\def\@LTRympar#1{%
17439 \@LTRsavemarbox\@marbox{#1}%
17440 \global\setbox\@currbox\copy\@marbox
17441 \@xympar}
17442 \long\def \@LTRsavemarbox #1#2{%
17443 \global\setbox #1%
17444 \color@vbox
17445 \vtop{%
17446 \hsize\marginparwidth
17447 \@parboxrestore
17448 \@LTRmarginparreset
17449 #2%
17450 \@minipagefalse
17451 \outer@nobreak
17452 }%
17453 \color@endbox
17454 }
17455 \def \@LTRmarginparreset {%
17456 \reset@font
17457 \normalsize
17458 \@minipagetrue
17459 \everypar{\@minipagefalse\everypar{}\beginL}%
17460 }
17461 \def\RTLmarginpar{%
17462 \ifhmode
17463 \@bsphack
17464 \@floatpenalty -\@Mii
17465 \else
17466 \@floatpenalty-\@Miii
17467 \fi
17468 \ifinner
17469 \@parmoderr
17470 \@floatpenalty\z@
17471 \else
17472 \@next\@currbox\@freelist{}\}%
17473 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
17474 {\@floatpenalty\z@

```




```

17475      \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
17476      \fi
17477      \@ifnextchar [\@RTLxmpar\@RTLympar}
17478 \long\def\@RTLxmpar[#1]#2{%
17479   \@RTLSavemarbox\@marbox{#1}%
17480   \@RTLSavemarbox\@currbox{#2}%
17481   \@xympar}
17482 \long\def\@RTLympar#1{%
17483   \@RTLSavemarbox\@marbox{#1}%
17484   \global\setbox\@currbox\copy\@marbox
17485   \@xympar}
17486 \long\def \@RTLSavemarbox #1#2{%
17487   \global\setbox #1%
17488     \color@vbox
17489     \vtop{%
17490       \hsize\marginparwidth
17491       \@parboxrestore
17492       \@RTLmarginparreset
17493       #2%
17494       \@minipagefalse
17495       \outer@nobreak
17496     }%
17497   \color@endbox
17498 }
17499 \def \@RTLmarginparreset {%
17500   \reset@font
17501   \normalsize
17502   \@minipagetrue
17503   \everypar{\@minipagefalse\everypar{}\beginR}%
17504 }
17505 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
17506   \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
17507   \if@twocolumn
17508     \if@firstcolumn \@tempcnta\m@ne \fi
17509   \else
17510     \if@mparswitch
17511       \ifodd\c@page \else\@tempcnta\m@ne \fi
17512     \fi
17513     \if@reversemargin \@tempcnta -\@tempcnta \fi
17514   \fi
17515   \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
17516   \@tempdima\@mparbottom
17517   \advance\@tempdima -\@pageht
17518   \advance\@tempdima\ht\@marbox
17519   \ifdim\@tempdima >\z@
17520     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
17521   \else
17522     \@tempdima\z@
17523   \fi
17524   \global\@mparbottom\@pageht

```



```

17525 \global\advance\@mparbottom\@tempdima
17526 \global\advance\@mparbottom\dp\@marbox
17527 \global\advance\@mparbottom\marginparpush
17528 \advance\@tempdima -\ht\@marbox
17529 \global\setbox \@marbox
17530 \vbox {\vskip \@tempdima
17531 \box \@marbox}%
17532 \global \ht\@marbox \z@
17533 \global \dp\@marbox \z@
17534 \kern -\@pagedp
17535 \nointerlineskip
17536 \hb@xt@\columnwidth
17537 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
17538 \hskip\columnwidth \hskip\marginparsep
17539 \else
17540 \hskip -\marginparsep \hskip -\marginparwidth
17541 \fi
17542 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else
17543 \nointerlineskip
17544 \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
17545 \long\def\@ympar#1{%
17546 \savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
17547 \global\setbox\@currbox\copy\@marbox
17548 \@ympar}
17549 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
17550 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
17551 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
17552 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
17553 \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
17554 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
17555 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
17556 \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
17557 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
17558 \fi}
17559 \def\@outputpage{%
17560 \begingroup % the \endgroup is put in by \aftergroup
17561 \let \protect \noexpand
17562 \@resetactivechars
17563 \global\let\@if@newlist\if@newlist
17564 \global\@newlistfalse
17565 \@parboxrestore
17566 \shipout \vbox{%
17567 \set@typeset@protect
17568 \aftergroup \endgroup
17569 \aftergroup \set@typeset@protect
17570 % correct? or just restore by ending
17571 % the group?
17572 \if@specialpage
17573 \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
17574 \fi

```



```

17575 \if@twoside
17576 \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
17577 \let\@themargin\oddsidemargin
17578 \else \let\@thehead\@evenhead
17579 \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
17580 \fi
17581 \ifx\@thehead\@empty \let\@thehead\hfil \fi
17582 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
17583 \else %% not @twoside
17584 \ifx\@oddhead\@empty \let\@thehead\hfil \fi
17585 \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
17586 \fi
17587 \reset@font
17588 \normalsize
17589 \normalsfcodes
17590 \let\label\@gobble
17591 \let\index\@gobble
17592 \let\glossary\@gobble
17593 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
17594 \@beginndvi
17595 \vskip \topmargin
17596 \moveright\@themargin \vbox {%
17597 \setbox\@tempboxa \vbox to\headheight{%
17598 \vfil
17599 \color@hbox
17600 \normalcolor
17601 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTLma
17602 \color@endbox
17603 }% %% 22 Feb 87
17604 \dp\@tempboxa \z@
17605 \box\@tempboxa
17606 \vskip \headsep
17607 \box\@outputbox
17608 \baselineskip \footskip
17609 \color@hbox
17610 \normalcolor
17611 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLma
17612 \color@endbox
17613 }%
17614 }%
17615 \global\let\if@newlist\@if@newlist
17616 \global \colht \textheight
17617 \stepcounter{page}%
17618 \let\firstmark\botmark
17619 }
17620 \long\def\@makecaption#1#2{%
17621 \vskip\abovecaptionskip
17622 \sbox\@tempboxa{#1: #2}%
17623 \ifdim \wd\@tempboxa >\hspace
17624 \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par

```



```

17625 \else
17626   \global \@minipagefalse
17627   \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
17628   \fi
17629   \vskip\belowcaptionskip}
17630 \let\bidisaved@eqno=\eqno
17631 \let\bidisaved@leqno=\leqno
17632 \def\eqno{\ifnum\predisplaydirection<\z@ \bidisaved@leqno \else \bidisaved@eqno \fi}
17633 \def\leqno{\ifnum\predisplaydirection<\z@ \bidisaved@eqno \else \bidisaved@leqno \fi}
17634 \@ifpackageloaded{amsmath}{-}{-}
17635 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
17636 }
17637 \input{footnote-xetex-bidi.def}
17638 \if@twocolumn
17639   \let\autofooterule\relax
17640   \let\leftfootnoterule\relax
17641   \let\rightfootnoterule\relax
17642   \textwidthfootnoterule
17643 \fi
17644 \if@bidi@csundef{@idxitem}{-}{-}%
17645 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p}%
17646 }
17647 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{-}{\input{article-xetex-bidi.def}}{-}
17648 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{-}
17649 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{-}
17650 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{-}
17651 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{-}
17652 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{-}
17653 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{-}
17654 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{-}
17655 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{-}
17656 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{-}
17657 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{-}
17658 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{-}
17659 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{-}{\input{report-xetex-bidi.def}}{-}
17660 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{-}
17661 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{-}
17662 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{-}
17663 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{-}
17664 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{-}
17665 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{-}
17666 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{-}
17667 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{-}
17668 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{-}
17669 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}}{-}{\input{book-xetex-bidi.def}}{-}
17670 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{-}
17671 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{-}
17672 \@ifpackageloaded{amsmath}{-}{-}%
17673 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{-}
17674 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{-}

```



```

17675 }
17676 \@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}
17677 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
17678 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
17679 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
17680 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
17681 \@ifpackagewith{algorithm2e}{algonl}{%
17682 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{AlgoLine}}
17683 }{}
17684 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
17685 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
17686 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
17687 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
17688 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
17689 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
17690 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
17691 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
17692 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
17693 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
17694 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
17695 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{\input{crop-xetex-bidi.def}}{}}{}
17696 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
17697 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
17698 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
17699 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
17700 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
17701 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\input{float-xetex-bidi.def}}{}}{}
17702 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
17703 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
17704 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
17705 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
17706 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
17707 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
17708 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
17709 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
17710 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
17711 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
17712 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
17713 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
17714 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
17715 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
17716 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
17717 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
17718 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
17719 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
17720 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
17721 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
17722 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
17723 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
17724 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}

```



```

17725 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
17726 \@ifpackageloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
17727 \@ifpackageloaded{pgf}{\input{pgf-xetex-bidi.def}}{}
17728 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
17729 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
17730 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
17731 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
17732 \@ifpackagewith{sidecap}{innercaption}{%
17733 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
17734 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {\#1}\hspace{\sidecaptionsep}{#2}}
17735 \renewcommand*{\SC@justify@caption}{%
17736 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
17737 \renewcommand*{\SC@FLOAT}[2]{%
17738 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {\#2}\hspace{\sidecaptionsep}{#1}}
17739 \renewcommand*{\SC@justify@caption}{%
17740 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
17741 }{}
17742 \@ifpackagewith{sidecap}{rightcaption}{%
17743 \if@RTL\renewcommand*{\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{#2}}
17744 \def\SC@justify@caption{\RaggedLeft}\else%
17745 \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{#1}}
17746 \def\SC@justify@caption{\RaggedRight}\fi%
17747 }{}
17748 \@ifpackagewith{sidecap}{leftcaption}{%
17749 \if@RTL \renewcommand*{\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{#1}}
17750 \def\SC@justify@caption{\RaggedRight}\else%
17751 \renewcommand*{\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{#2}}
17752 \def\SC@justify@caption{\RaggedLeft}\fi%
17753 }{}
17754 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
17755 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
17756 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
17757 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
17758 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
17759 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
17760 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
17761 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
17762 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
17763 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
17764 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
17765 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
17766 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
17767 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
17768 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
17769 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
17770 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
17771 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{\input{tocbibind-xetex-bidi.def}}{}}{}
17772 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{\input{tocloft-xetex-bidi.def}}{}}{}
17773 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
17774 \@ifpackageloaded{tikz}{\input{tikz-xetex-bidi.def}}{}

```



```
17775 \@ifpackage{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

7.119 xltextra-xetex-bidi.def

```
17776 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for X
17777 \let\@XeTeX\XeTeX
17778 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
17779 \let\@XeLaTeX\XeLaTeX
17780 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}
```

8 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# 2618, 2664, 2773, 2781, 11376	\@LaTeXe . 17065, 17066	17277, 17279, 17280, 17282, 17283
\\$ 11375	\@RTL 12977, 12980, 17057, 17060	\@makecaption 14542, 14621, 15066, 15145, 15657, 15736
\% 10318	\@TeX 12981, 12982, 17061, 17062	\@makefnmark . 14199, 14201, 14667, 14669, 15170, 15171, 15301, 15303
\' 10438, 11979, 13079, 13093	\@XeLaTeX . 17779, 17780	\@math 6073
\, 4342, 10515, 13663, 13706, 16713, 16724, 17081	\@XeTeX . . . 17777, 17778	\@mix 16907, 16950
\- 10437, 11978, 13078, 13092	\@author 4955, 4958, 4961	\@mod . . 16908, 16912,
\. 89, 298, 582, 713, 981, 1233, 5532, 5725, 6038, 7376, 7651, 9564, 12641, 13229, 13622, 13823, 14027, 14498, 15022, 15613, 16073	\@bidi@AfterClass 3023, 3040	\@mod . . 16908, 16912, 16913, 16916, 16917, 16918, 16921, 16951, 16955, 16956, 16959, 16960, 16961, 16964, 16983
\/. 1777	\@bidi@AfterPackage 3068, 3083	\@par . . 11977, 13077, 13091, 13658, 13701, 14182, 14189, 14650, 14657, 15156, 15161, 15284, 15291, 15999, 16001, 17203, 17332
\; 180, 199	\@bidi@PreventPackageFromLoading . . . 3114, 3116, 3118	\@protect 2549
\= 10438, 11979, 13079, 13093	\@clr . . 16908, 16913, 16916, 16918, 16919, 16921, 16951, 16956, 16959, 16961, 16962, 16964, 16983	\@startpbox . . 11912, 15770, 15809, 17326
\@ 2688	\@cls 16903, 16946	\@title 4954, 4957, 4960
\@@ 15874, 15876	\@date 4956, 4959, 4962	\@tmp 16912, 16913, 16918, 16919, 16921,
\@@@bidi@AfterClass 3024, 3029	\@end 2862, 2863	
\@@@bidi@AfterPackage 3069, 3073	\@endpbox . . . 11913, 15770, 15809, 17326	
\@LTR 12978, 12980, 17058, 17060	\@ifnewlist . 9874, 9894, 17563, 17615	
\@LaTeX . . . 17063, 17064	\@input 2922, 2939	
	\@italiccorr . 338, 6082	
	\@line 7894, 7898, 14053, 14062, 14100, 14111, 17276,	



16922, 16955,	15663, 15664,	\@Mi 2098, 6073
16956, 16961,	15674, 15840, 15857	\@Mii 1989, 4021, 4065,
16962, 16964,	\@LTRmarginparfalse	4109, 6499, 6508,
16965, 16983, 16984 17549, 17551	6518, 6663, 6672,
\@underline	\@LTRmarginparreset	6682, 17420, 17464
17297, 17299, 17301 17448, 17455	\@Miii 1991, 4023, 4067,
\@DEBUGfalse 2127	\@LTRmarginpartrue 17550	4111, 17422, 17466
\@False 6061, 6063	\@LTRsavemabox . . .	\@RTLfootnotefalse
\@LTRbibitemfalse 17435,	. . . 1600, 9957,
. 17085, 17087	17436, 17439, 17442	10124, 12961,
\@LTRbibitemtrue 17086	\@LTRxmpar . 17433, 17434	12966, 17041, 17046
\@LTRbiditufesidenote@sidenote	\@LTRympar . 17433, 17438	\@RTLfootnotetrue
. . 4455, 4514, 4518	\@MM 6, 88, 101,	. . . 1598, 9957,
\@LTRbiditufesidenotemarginparreset	207, 231, 297,	10123, 12963,
. 4093, 4100	555, 618, 619,	12965, 17043, 17045
\@LTRbiditufesidenotesavemabox	643, 749, 872,	\@RTLbibitemfalse
. 4080,	927, 928, 1003, 17086, 17087
4081, 4084, 4087	1123, 1124, 1130,	\@RTLbibitemtrue 17085
\@LTRbiditufesidenotexmpar	1255, 1840, 1845,	\@RTLbiditufesidenote@sidenote
. 4078, 4079	4686, 5454, 5455,	. . 4484, 4515, 4519
\@LTRbiditufesidenoteympar	5461, 5577, 5633,	\@RTLbiditufesidenotemarginparreset
. 4078, 4083	5634, 5640, 5756, 4137, 4144
\@LTRfootnotetext 62,	5806, 6003, 6011,	\@RTLbiditufesidenotesavemabox
78, 151, 152,	6077, 7344, 7357, 4124,
153, 270, 287,	7615, 7624, 7894,	4125, 4128, 4131
1913, 2036, 4386,	7898, 9529, 9537,	\@RTLbiditufesidenotexmpar
4467, 4474, 5190,	9847, 12402, 4122, 4123
5201, 5414, 5428,	12414, 12426,	\@RTLbiditufesidenoteympar
6968, 6969, 7732,	13017, 13125, 4122, 4127
7788, 7795, 7909,	13126, 13150,	\@RTLcolumnfootnotesfalse
8056, 8196, 8343,	13262, 13401, 7802
8490, 8637, 8784,	13524, 13577,	\@RTLcolumnfootnotetrue
8931, 9078, 9267,	13578, 13641, 7801
10114, 10120,	13642, 13999,	\@RTLfalse 36,
10158, 10183,	14007, 14436,	64, 84, 245,
10238, 10263,	14926, 15533,	272, 293, 569,
10269, 10985,	15865, 15985,	703, 971, 1223,
11013, 11092,	16026, 16159,	1576, 1582, 2353,
11128, 11322,	16190, 16213,	5522, 5715, 6025,
11326, 11346,	16230, 16247,	6043, 6055, 6068,
11347, 11952,	16264, 16281,	7366, 7638, 7702,
12035, 12533,	16298, 16316,	7734, 7749, 7762,
12534, 12535,	16335, 16355,	7920, 7930, 7965,
14164, 14170,	16390, 16529,	7977, 8067, 8076,
14548, 14549,	16643, 17173, 17357	8109, 8120, 8207,
14559, 14632,	\@MM . . 40, 53, 68, 249,	8217, 8252, 8264,
14638, 15072,	262, 276, 6966,	8354, 8364, 8399,
15073, 15083,	6987, 7034, 7041,	8411, 8501, 8511,
15266, 15272,	7086, 7093, 7848,	8545, 8557, 8648,
	10132, 10148, 10163	8658, 8692, 8704,



8795, 8805, 8840,	15676, 15841, 15858	14477, 15001,
8852, 8942, 8952,	\@RTLmainfalse 1555,	15592, 16060,
8987, 8999, 9089,	1559, 1657, 1661	17006, 17029,
9099, 9134, 9146,	\@RTLmaintrue 1558, 1660	17043, 17045,
9242, 9253, 9283,	\@RTLmarginparfalse	17239, 17257,
9294, 9305, 9329, 17550, 17551	17546, 17601, 17611
9342, 9355, 9554,	\@RTLmarginparreset	\@RTLxmpar . 17477, 17478
10128, 10159, 17492, 17499	\@RTLympar . 17477, 17482
10200, 10213,	\@RTLmarginpartrue 17549	\@SepMark 19,
11580, 11600,	\@RTLsavemarbox ...	20, 21, 22, 164,
11968, 12192, 17479,	220, 221, 222,
12633, 12736,	17480, 17483, 17486	223, 336, 345,
12925, 12957,	\@RTLtabfalse	543, 544, 545,
12961, 12966,	. 377, 404, 1370,	546, 696, 697,
13219, 13612,	1929, 2096, 6122,	698, 699, 952,
13810, 14014,	15758, 15784,	953, 954, 955,
14477, 15001,	17305, 17313, 17337	1216, 1217, 1218,
15592, 16060,	\@RTLtabtrue	1219, 5550, 5551,
17005, 17037,	372, 1910, 2057,	5552, 5553, 5554,
17041, 17046,	6099, 15751, 17306	5556, 5558, 5560,
17230, 17248,	\@RTLtrue	5729, 5730, 5731,
17546, 17601, 17611	36,	5732, 5733, 5735,
\@RTLfootnotetext 47,	49, 84, 245, 258,	5737, 5739, 5982,
77, 155, 156,	293, 569, 703,	5984, 5986, 5988,
157, 256, 286,	971, 1223, 1574,	5989, 5990, 5991,
1914, 2037, 4403,	1580, 2353, 5522,	5992, 7478, 7479,
4496, 4503, 5191,	5715, 6025, 6082,	7480, 7481, 7594,
5202, 5415, 5429,	6084, 7366, 7638,	7596, 7598, 7600,
6989, 6990, 7716,	7702, 7718, 7749,	7601, 7602, 7603,
7789, 7796, 7910,	7775, 7920, 7940,	7604, 9656, 9657,
8057, 8197, 8344,	7965, 7990, 8067,	9658, 9659, 9660,
8491, 8638, 8785,	8085, 8109, 8132,	9662, 9664, 9666,
8932, 9079, 9268,	8207, 8227, 8252,	9814, 9820, 9927,
10105, 10111,	8277, 8354, 8374,	9929, 9931, 9933,
10143, 10182,	8399, 8424, 8501,	9934, 9935, 9936,
10239, 10278,	8521, 8545, 8570,	9937, 9940, 9942,
10284, 10984,	8648, 8668, 8692,	9944, 9946, 9947,
11002, 11077,	8717, 8795, 8815,	9948, 9949, 9950,
11129, 11321,	8840, 8865, 8942,	11615, 12079,
11325, 11343,	8962, 8987, 9012,	12081, 12083,
11344, 11953,	9089, 9109, 9134,	12085, 12087,
12036, 12537,	9159, 9242, 9253,	12088, 12090,
12538, 12539,	9554, 10128,	12091, 12092,
14165, 14174,	10144, 10187,	12675, 12683,
14550, 14551,	10213, 11580,	12685, 13233,
14561, 14633,	11600, 11971,	13234, 13235,
14642, 15074,	12192, 12633,	13236, 13237,
15075, 15085,	12926, 12949,	13239, 13241,
15267, 15276,	12963, 12965,	13243, 13598,
15665, 15666,	13219, 13612,	13599, 13600,
	13810, 14014,	



13601, 13602,	\@addtopreamble . . .	5739, 5982, 5984,
13604, 13606,	. . . 1410, 1473, 6147	5986, 5987, 5988,
13608, 13797,	\@addtoreset	5989, 5990, 5991,
13799, 13801, 334, 9817,	5992, 6026, 6033,
13802, 13803,	12673, 12679, 12681	7367, 7374, 7478,
13804, 13805,	\@addviper 6446	7479, 7480, 7481,
13806, 13980,	\@afterheading	7594, 7596, 7598,
13982, 13984,	565, 1823, 1833,	7599, 7600, 7601,
13986, 13987,	7354, 7362, 11991	7602, 7603, 7604,
13988, 13989,	\@afterindentfalse	7639, 7646, 9555,
13990, 14451,	. . 1823, 1833, 11990	9562, 9656, 9657,
14452, 14454,	\@afterindenttrue .	9658, 9659, 9660,
14456, 14458, 643,	9662, 9664, 9666,
14943, 14946,	872, 1130, 4685,	9927, 9929, 9931,
14948, 14952,	5461, 5640, 12401,	9932, 9933, 9934,
14954, 14956,	12413, 12425,	9935, 9936, 9937,
14958, 14962,	13150, 13524,	9940, 9942, 9944,
14964, 14970,	16158, 16189,	9945, 9946, 9947,
14972, 14978,	16212, 16229,	9948, 9949, 9950,
14980, 15550,	16246, 16263,	11615, 11617,
15552, 15555,	16280, 16297,	12079, 12081,
15557, 15559,	16315, 16334,	12083, 12085,
15561, 15564,	16354, 16389,	12087, 12090,
15568, 15572,	16522, 16642, 17356	12091, 12092,
16133, 16377,	\@algocf@finish . . . 186	13220, 13227,
17082, 17084, 17682	\@algocf@post@boxed 168	13233, 13234,
\@True . 6056, 6062, 6094	\@algocf@post@boxruled	13235, 13236,
\@Undottedtocline 12409 170	13237, 13239,
\@Undottedtoclinep 12421	\@algocf@pre@boxed 167	13241, 13243,
\@acci 10438,	\@algocf@pre@boxruled	13598, 13599,
11979, 13079, 13093 169	13600, 13601,
\@accii 10438,	\@algocf@start 171	13602, 13604,
11979, 13079, 13093	\@algoinsideskip 183, 187	13606, 13608,
\@acciii 10438,	\@algoskip 172, 195	13613, 13620,
11979, 13079, 13093	\@ampacol . . . 1437, 1445	13797, 13799,
\@acol 1439,	\@arabic 164, 543, 544,	13801, 13802,
1447, 1922, 11909,	545, 546, 570,	13803, 13804,
15753, 17308, 17335	577, 696, 697,	13805, 13806,
\@acolampacol . 1437,	698, 699, 704,	13811, 13818,
1439, 1445, 1447	711, 952, 953,	13980, 13982,
\@addamp 1438, 1446	954, 955, 972,	13984, 13985,
\@addfield 17555	979, 1216, 1217,	13986, 13987,
\@addmarginpar . . . 17505	1218, 1219, 1224,	13988, 13989,
\@address 2245, 6823,	1231, 2364, 5523,	13990, 14015,
6824, 6921, 6923	5530, 5550, 5551,	14022, 14452,
\@addresscolour 2214,	5552, 5553, 5554,	14454, 14456,
2231, 6822, 6920	5556, 5558, 5560,	14458, 14479,
\@addtofilelist . . .	5716, 5723, 5729,	14495, 14950,
. 2922, 2938	5730, 5731, 5732,	14952, 14954,
	5733, 5735, 5737,	14956, 14958,



14966, 14974,	13412, 13414,	\@bidi@info
14982, 15003,	13434, 13481,	1508, 1531, 1533,
15019, 15553,	13503, 13514,	1625, 1648, 1650
15555, 15557,	13672, 13686,	\@bidi@list@minipage@parbox@not@nobtrue
15559, 15561,	13727, 13748, 10227, 17200
15565, 15569,	13860, 13874,	\@bidi@list@minipage@parboxtrue
15573, 15594,	13910, 13931, 10228, 17201
15610, 16061, 16068	14258, 14321,	\@bidi@lst@makecaption
\@argdef 2509	14372, 14726,	. . 11578, 11593,
\@array 379, 400, 1372,	14789, 14840,	11594, 11607, 11609
1373, 15792, 17315	15360, 15423, 15474	\@bidi@mdf@RTLtrue 11967
\@arrayacol 17335	\@auxout 2080, 5361	\@bidi@replacefilewithext
\@arrayclassiv . . . 17336	\@badmath . . . 9779, 9793	. . 2986, 2990, 2993
\@arrayclassz	\@begin@tempboxa . .	\@bidi@saveprimitive
. 1437, 15796, 17335	. 10611, 10618, 17203 2375
\@arraycr 399, 11918, 17337	\@begin@dvi . 9845, 17594	\@bidi@todonotes@align
\@arrayleft 392	\@begin@parpenalty 16689,
\@arrayparboxrestore 1836, 1845,	16690, 16722,
11955, 13074, 13088	9782, 9796, 17149	16763, 16766,
\@arrayright 401	\@bib@break	16769, 16772,
\@arrayrule 1392, 1393,	14472, 14996, 15587	16797, 16802, 16803
1394, 1430, 1431, 1432	\@biblabel 85,	\@bidi@todonotes@figposition@rightfalse
\@arstdepth	294, 570, 571, 16704
15789, 15794, 15812	704, 705, 972,	\@bidi@todonotes@figposition@righttrue
\@arstheight 15794, 15812	973, 1224, 1225, 16702
\@arstrut 389,	5523, 5524, 5716,	\@bidi@todonotes@textdirection
11932, 15769, 17325	5717, 6026, 6027,	. . 16691, 16695,
\@arstrutbox . . . 382,	7367, 7368, 7639,	16698, 16802, 16803
11920, 11956,	7640, 9555, 9556,	\@bidi@todonotes@textdirection@RTLfalse
15762, 15804,	12634, 13220, 16697
15808, 15812, 17318	13221, 13613,	\@bidi@todonotes@textdirection@RTLtrue
\@author 423,	13614, 13811, 16694
437, 473, 494,	13812, 14015,	\@bidi@unreplacefilewithext
760, 762, 780,	14016, 14479,	. . 2995, 3001, 3004
825, 844, 1014,	14481, 15003,	\@bidi@declaredcolor
1016, 1034, 1079,	15005, 15594, 6199,
1098, 1266, 1268,	15596, 16061, 16062	6206, 16943, 16972
1286, 1331, 1351,	\@bibsetup 12634	\@bidi@tuft@LTR@sidenote@citation@font
1362, 1722, 4887,	\@bibtitlestyle . 81, 290	. . 4154, 4158, 4259
4889, 4958, 5588,	\@bidi@AfterClass .	\@bidi@tuft@LTR@sidenote@normal@cite
5590, 5608, 5767, 3024,	. . . 4253, 4332,
5769, 5787, 5862,	3045, 3050, 3057	4449, 4478, 4507,
5876, 5912, 5933,	\@bidi@AfterPackage	4529, 4538, 4547
7405, 7417, 7451, 3069,	\@bidi@tuft@RTL@sidenote@normal@cite
7470, 7500, 7514,	3088, 3092, 3099	. . . 4272, 4333,
7550, 7571, 9583,	\@bidi@PreventPackageFromLoading	4450, 4479, 4508,
9595, 9629, 9648,	. . . 3109, 3110, 3112	4530, 4539, 4548
12048, 13273,	\@bidi@UnPreventPackageFromLoading	\@bidi@tuft@float@caption
13275, 13293,	. . 3201, 3202, 3205 3632, 3665
13338, 13357,		



\@biditytfloat@caption@box	\@biditytfloat@margin@floatbox	4298, 4303, 4312,
..... 3624,	.. 3588, 3591, 3602	4428, 4457, 4486,
3683, 3694, 3695,	\@biditytfloat@margin@par	4525, 4534, 4543
3718, 3953, 3958 3510, 3597	\@biditytfloat@sidenote@infofootnote@cite
\@biditytfloat@caption@font	\@biditytfloat@margin@font 4326,
..... 3573, 3537, 3538	4427, 4456, 4485,
3582, 3583, 3958	\@biditytfloat@orig@caption	4524, 4533, 4542
\@biditytfloat@caption@font	.. 3663, 3685, 3715	\@biditytfloat@sidenote@justification@autodetect
..... 3538,	\@biditytfloat@orig@endfloat 4159,
3539, 3593, 3784,	.. 3626, 3698, 3949	4160, 4161, 4162
3955, 3961, 3974	\@biditytfloat@orig@float	\@biditytfloat@sidenote@margin@par
\@biditytfloat@caption@justification	.. 3625, 3672, 3948	... 4163, 4308,
.. 3471, 3596, 3784	\@biditytfloat@orig@label	4374, 4391, 4408,
\@biditytfloat@caption@vertical@offset	.. 3664,	4526, 4535, 4544
..... 3627,	3670, 3686, 3716	\@biditytfloat@sidenote@margin@font
3628, 3636,	\@biditytfloat@overhang 4150,
3694, 3695, 3722 3571,	4151, 4152, 4153, 4154
\@biditytfloat@check@page	3575, 3576, 3768,	\@biditytfloat@sidenote@margin@font
..... 3555, 3652	3769, 3808, 3809	... 4152, 4156,
\@biditytfloat@figure@box	\@biditytfloat@pkname	4526, 4535, 4544
... 3623, 3676,	.. 3445, 3446, 3448	\@biditytfloat@sidenote@margin@font@justification
3694, 3695, 3717	\@biditytfloat@stored@caption 4160,
\@biditytfloat@float@contents@width	... 3630,	4526, 4535, 4544
..... 3644,	3637, 3685, 3720	\@biditytfloat@sidenote@normal@cite
3674, 3675, 3677	\@biditytfloat@stored@label	... 4234, 4331,
\@biditytfloat@float@debug	3631, 3640, 3686,	4448, 4477, 4506,
3613, 3619, 3621,	3702, 3704, 3721	4528, 4537, 4546
3622, 3654, 3655,	\@biditytfloat@stored@show@caption	\@biditytfloat@sidenote@print@ Citations
3658, 3660, 3661,	... 3629, 3634, 4300,
3732, 3739, 3746,	3635, 3685, 3719	4447, 4476, 4505,
3747, 3750, 3751	\@biditytfloat@general@structure@reset@par	4536, 4545
\@biditytfloat@float@debug@info 4731, 4737	\@biditytfloat@sidenote@sidenote
3612, 3614, 3615,	\@biditytfloat@heading@newline@space	.. 4426, 4513, 4517
3616, 3707, 3714 3790, 3799	\@biditytfloat@sidenote@sidenote@ Citations
\@biditytfloat@float@fullwidth	\@biditytfloat@heading@newline@space@i 4325
..... 3694, 3742 3791, 3793	\@biditytfloat@sidenote@sidenote@font
\@biditytfloat@float@textwidth	\@biditytfloat@heading@orig@cr	... 4151, 4155,
..... 3695, 3724 3798, 3802	4338, 4339, 4342
\@biditytfloat@fps	\@biditytfloat@sidenote@add@ Citations	\@biditytfloat@sidenote@sidenote@justification
..... 3642, 3657 4294, 4327	.. 4159, 4338, 4339
\@biditytfloat@fullwidth	\@biditytfloat@sidenote@check@ Citations	\@biditytfloat@sidenote@sidenote@vertical@offset
... 3572, 3578, 4352, 4360	... 4423, 4424,
3579, 3580, 3674	\@biditytfloat@sidenote@citation@font	4430, 4432, 4438,
\@biditytfloat@justification	... 4153, 4157,	4445, 4459, 4461,
..... 3540	4240, 4278, 4306	4467, 4474, 4488,
\@biditytfloat@justification@autodetect	\@biditytfloat@sidenote@citation@justification	4496, 4503
..... 3471, 3610	4161, 4307	\@biditytfloat@sidenote@trim@b
\@biditytfloat@label	\@biditytfloat@sidenote@ Citations 4204, 4211
..... 3639, 3666 4293,	\@biditytfloat@sidenote@trim@c
	4295, 4296,	... 4208, 4211, 4216



<code>\@bidityftesidenote@trim@spaces</code>	16235, 16252, 16269, 16286, 16303, 16321, 16340, 16360, 16395	7649, 13821, 14025, 16071, 17175
..... 4193, 4196, 4245, 4247, 4264, 4266, 4283, 4285, 4315, 4317	\@cftbsnum ... 16162, 16193, 16216, 16233, 16250, 16267, 16284, 16301, 16319, 16338, 16358, 16393	\@colht 2113, 2114, 6523, 6524, 6534, 6535, 6542, 6557, 6591, 6594, 6616, 6617, 6676, 6688, 6689, 6699, 6700, 6707, 6724, 6728, 9451, 9868, 12199, 12202, 12204, 12206, 12211, 12212, 12213, 12232, 12233, 12234, 12238, 12281, 12284, 12286, 12288, 12293, 12294, 12295, 12314, 12315, 12316, 12320, 17616
<code>\@bidityftesidenotemarginparreset</code>	16193, 16216, 16233, 16250, 16267, 16284, 16301, 16319, 16338, 16358, 16393	\@colourfalse 2157
..... 4049, 4056	\@cftdopartfalse . 16136	\@colourgreenfalse 6741, 6839
<code>\@bidityftesidenotesavemabox</code>	16267, 16284, 16301, 16319, 16338, 16358, 16393	\@colourgreentruer 6742, 6840
..... 4036, 4037, 4040, 4043	\@cftdoparttrue ...	\@colourgreyfalse 6745, 6843
<code>\@bidityftesidenotexmpar</code> 16139, 16143	\@colourgreytrue 6746, 6844
..... 4034, 4035	\@cftl@subfig 16327	\@colouroorangefalse 6739, 6837
<code>\@bidityftesidenoteympar</code> 16327	\@colouroorangetruer 6740, 6838
..... 4034, 4039	\@cftl@subtab 16347	\@colouredfalse 6743, 6841
<code>\@bidityftetoc@lof@line</code> 16347	\@colouredtrue 6744, 6842
..... 4678, 4694	\@chapapp 5801, 5998, 7610, 9525, 13995	\@colourtrue 2156
<code>\@bidityftetoc@pkgname</code> 12667	\@colroom 2113, 2122, 6512, 6535, 6538, 6540, 6541, 6700, 6703, 6705, 6706, 7001, 7058
..... 4554, 4555	\@chapterlistsgap@off	\@combinedblfloats 6388, 6427, 9736, 9768, 9849, 10477, 10501, 12261, 12340, 17381, 17403
<code>\@bidiundeclaredcolor</code> 12667	
... 6199, 6200, 16943, 16944, 16983	\@chapterlistsgap@on 12674, 12682	
<code>\@bscontmark</code> 12071	\@chclass .. 347, 359, 370, 1379, 1391, 1404, 1424, 1429, 15893, 15909, 15920, 17338, 17343	
<code>\@bsmarkseries</code> .. 12052	\@checkend .. 3279, 3280	
<code>\@bsmtitleempty</code> .. 12040	\@chnum 348, 355, 366, 1380, 1387, 1400, 1410, 1426, 1427, 1428, 1441, 1449, 1475, 6149, 15894, 15901, 15916, 17340, 17341, 17342	
<code>\@bsphack</code> 1988, 4020, 4064, 4108, 17419, 17463	\@circlefnt 9685	
<code>\@bsthanksheadpost</code> 12054	\@classiv 1924, 11910, 15755, 17310, 17336	
<code>\@bsthanksheadpre</code> 12054	\@classx 1407, 1466, 6143	
<code>\@caption</code> 3775, 12174, 12177	\@classz 1407, 1466, 1500, 1501, 1923, 6143, 11910, 15754, 15796, 17309, 17335	
<code>\@capytype</code> 1927, 1976, 2024, 3594, 12167, 12171, 12174, 14037, 14080	\@cleartopmattertags 125	
<code>\@cclv</code> ... 2102, 2107, 2119, 7001, 7058, 9461, 9462, 9479	\@cliptoboxdim .. 15923	
<code>\@centercr</code> 4759, 13025, 13038, 13051, 15978, 16007, 17266	\@clsextension 2993, 3004, 3020, 3030, 3039, 3042, 3051	
<code>\@cftasnum</code> ... 16163, 16194, 16217, 16234, 16251, 16268, 16285, 16302, 16320, 16339, 16359, 16394	\@clubpenalty 580, 6036,	
<code>\@cftasnumb</code> .. 16164, 16195, 16218,		



<code>\@combinefloats</code> .. 9446	11215, 11248,	<code>\@date</code> 426, 438,
<code>\@compactenum</code> ... 4741	11279, 11310,	474, 497, 768,
<code>\@cons</code> 17505, 17506	11402, 11413, 11415	770, 782, 827,
<code>\@contcshortstyle</code> 12122	<code>\@currentlabel</code> .. 42,	847, 1022, 1024,
<code>\@contcstyle</code>	55, 70, 251,	1036, 1081, 1101,
. 12127, 12133, 12138	264, 278, 4376,	1274, 1276, 1288,
<code>\@contcwidth</code> 12116, 12117	4393, 4410, 7708,	1333, 1354, 1363,
<code>\@contdelim</code>	7724, 7740, 7753,	1723, 4905, 4959,
... 12110, 12121,	7766, 7779, 7924,	5596, 5598, 5610,
12125, 12132, 12137	7934, 7944, 7970,	5775, 5777, 5789,
<code>\@contfield</code>	7983, 7995, 8022,	5865, 5877, 5913,
.. 5378, 5393, 5425	8035, 8071, 8080,	5936, 7408, 7418,
<code>\@contfinal</code>	8089, 8114, 8126,	7452, 7473, 7503,
... 12110, 12122,	8137, 8163, 8175,	7515, 7551, 7574,
12128, 12134, 12138	8211, 8221, 8231,	7658, 7663, 9586,
<code>\@contfmark</code> 12109, 12112	8257, 8270, 8282,	9596, 9630, 9651,
<code>\@contfnote</code> 12108, 12111	8309, 8322, 8358,	11429, 11434,
<code>\@contindw</code> 12133	8368, 8378, 8404,	12049, 13281,
<code>\@contnfont</code>	8417, 8429, 8456,	13283, 13295,
... 12110, 12121,	8469, 8505, 8515,	13340, 13360,
12125, 12132, 12137	8525, 8551, 8564,	13420, 13422,
<code>\@contpost</code> 12142	8576, 8603, 8616,	13436, 13483,
<code>\@contpre</code> 12120,	8652, 8662, 8672,	13506, 13515,
12126, 12131, 12136	8698, 8711, 8723,	13675, 13687,
<code>\@conttfont</code>	8750, 8763, 8799,	13728, 13750,
... 12110, 12122,	8809, 8819, 8845,	13863, 13875,
12128, 12134, 12138	8858, 8870, 8897,	13911, 13934,
<code>\@curfield</code>	8910, 8946, 8956,	14262, 14322,
5377, 5392, 5412,	8966, 8992, 9005,	14376, 14730,
5426, 5436, 17555	9017, 9044, 9057,	14790, 14844,
<code>\@curline</code> 5375,	9093, 9103, 9113,	15244, 15245,
5390, 17555, 17557	9139, 9152, 9164,	15248, 15253,
<code>\@currbox</code> 1996, 2027,	9191, 9204, 9287,	15364, 15424, 15478
2031, 3985, 3988,	9298, 9309, 9334,	<code>\@datefield</code> 15184
4029, 4032, 4037,	9347, 9360, 9394,	<code>\@dblarg</code> 12174
4041, 4073, 4076,	9408, 10134,	<code>\@dblfloatplacement</code>
4081, 4085, 4117,	10150, 10165, 6389,
4120, 4125, 4129,	10192, 10205, 10218	6430, 9737, 9772,
17428, 17431,	<code>\@currentlabelname</code>	9856, 10479,
17436, 17440, 11072,	10503, 12264,
17472, 17475,	11087, 11102,	12343, 17382, 17406
17480, 17484,	11178, 11216,	<code>\@declaredcolor</code> 6184,
17506, 17515, 17547	11249, 11280, 11311	6185, 16900, 16923
<code>\@currentHlabel</code> 11070,	<code>\@currenvir</code> 17222	<code>\@dedication</code>
11085, 11100,	<code>\@currenvline</code> 17223	.. 14278, 14280,
11111, 11114, 11116	<code>\@currlist</code> 17505	14331, 14379,
<code>\@currentHref</code>	<code>\@curtabmar</code> 17554, 17557	14381, 14746,
... 11071, 11086,	<code>\@cvtheme</code> ... 2237, 2240	14748, 14799,
11101, 11112, 11115,	<code>\@cvthemeoptions</code> ..	14847, 14849,
11117, 11177, 2238, 2240	15380, 15382,



15433, 15481, 15483	3879, 3880, 3881,	7450, 7451, 7452,
\@dedicatory 325	3882, 3883, 3884,	7453, 7513, 7514,
\@defaultskiptotal 198	3914, 3915, 3916,	7515, 7516, 7549,
\@definitionfileextension	3917, 3918, 3919,	7550, 7551, 7552,
. 2388, 2390	3920, 3921, 3922,	7645, 7656, 7672,
\@depth 384,	3923, 3924, 3925,	7676, 9445, 9561,
11922, 15764,	3926, 3927, 3928,	9594, 9595, 9596,
15805, 17320, 17544	3929, 3930, 3931,	9597, 9628, 9629,
\@dgroup 6055	6094, 6967, 6988,	9630, 9631, 9720,
\@dischyp . . . 10437,	6994, 7029, 7031,	9752, 10274,
11978, 13078, 13092	7033, 7039, 7051,	10289, 10508,
\@displaypagenumbersfalse	7081, 7083, 7085,	10509, 10510,
. 2336	7091, 15824, 15826	10511, 10512,
\@displaypagenumberstrue	\@email 2249, 6829, 6927	11072, 11087,
. 2335	\@emathdisplay . 184, 200	11102, 11178,
\@dmath 6043, 6072	\@empty . . 83, 111, 130,	11216, 11249,
\@docolbox 9907	132, 292, 399,	11280, 11311,
\@dodynamicthefoot 9846	436, 437, 438,	11427, 11607,
\@dodynamicthehead 9846	439, 472, 473,	11609, 11936,
\@dofilelist	474, 475, 576,	12046, 12047,
. . 3290, 3291, 3293	710, 779, 780,	12048, 12049,
\@donoparitem 17137	781, 782, 824,	12661, 13226,
\@dotsep 16540,	825, 826, 827,	13292, 13293,
16541, 16649, 17363	978, 1033, 1034,	13294, 13295,
\@dottedtocline . . .	1035, 1036, 1078,	13337, 13338,
. . 16655, 16656,	1079, 1080, 1081,	13339, 13340,
16658, 16676, 17352	1230, 1285, 1286,	13433, 13434,
\@dseries 6068	1287, 1288, 1330,	13435, 13436,
\@eha 2383, 16381	1331, 1332, 1333,	13480, 13481,
\@ehc 2066,	1721, 1722, 1723,	13482, 13483,
2100, 2525, 3482,	1724, 1983, 2363,	13619, 13685,
3484, 4183, 4185,	2372, 3106, 3119,	13686, 13687,
11567, 12384, 12390	3120, 3126, 3149,	13688, 13726,
\@ehd 12168	3179, 3187, 3206,	13727, 13728,
\@eightcol@footgroupv@r	3209, 3220, 3224,	13729, 13817,
. 8789	3234, 3240, 3241,	13873, 13874,
\@eightcolLTRfootfmt	3242, 3255, 3267,	13875, 13876,
. . 8812, 8833, 8861	3271, 3338, 3349,	13909, 13910,
\@eightcolLTRfootnotetext	4236, 4255, 4274,	13911, 13912,
. 8784, 8805	4295, 4302, 4887,	14021, 14181,
\@eightcolRTLfootfmt	4954, 4955, 4956,	14236, 14241,
. . 8822, 8836, 8873	5529, 5607, 5608,	14248, 14254,
\@eightcolRTLfootnotetext	5609, 5610, 5722,	14278, 14320,
. 8785, 8815	5786, 5787, 5788,	14321, 14322,
\@eightcolfootfmt .	5789, 5875, 5876,	14323, 14324,
. . 8802, 8830, 8848	5877, 5878, 5911,	14325, 14326,
\@eightcolfootnotetext	5912, 5913, 5914,	14327, 14328,
. 8783, 8795	6032, 6058, 7028,	14329, 14330,
\@elt 3873, 3874, 3875,	7080, 7373, 7416,	14331, 14349,
3876, 3877, 3878,	7417, 7418, 7419,	14353, 14361,



14367,	14379,	\@emptycol 6527, 6530,	14325,	14349,
14393,	14428,	6546, 6549, 6692,	14350,	14704,
14465,	14494,	6695, 6711, 6714	14705,	14793,
14519,	14520,	\@emptytoks 6057	14817,	14818,
14649,	14704,	\@end@tempboxa	15338,	15339,
14709,	14716,	10616, 10633, 17216	15427,	15451, 15452
14722,	14746,	\@endalgoln 180	\@familyname . . 2182,	
14788,	14789,	\@endfloatbox 2048	2184, 2185, 2243,	
14790,	14791,	\@endmodernpoem . . .	6804, 6894, 6915	
14792,	14793, 5388, 5408	\@familynamecolour	
14794,	14795,	\@endparenv . . 5292, 2212, 2229	
14796,	14797,	5405, 12708, 12728	\@fancyfoot 9703	
14798,	14799,	\@endparpenalty 1840,	\@fancyhead 9698	
14817,	14821,	1849, 9783, 9797	\@fancyvbox . 9699, 9704	
14829,	14835,	\@endpbox	\@fax . . 2248, 6828, 6926	
14847,	14861,	1417, 1418, 1459,	\@ff@do@allframes .	
14888,	14918,	1483, 1484, 1485, 9848, 9853	
14988,	15018,	6157, 6158, 6159,	\@ff@fbox 9916	
15043,	15044,	11907, 11913,	\@ff@setoffset . . . 9913	
15155,	15185,	15770, 15809, 17326	\@ffbackground . . . 9903	
15186,	15187,	\@endpefalse 17225	\@filef@und . 2922, 2939	
15188,	15189,	\@endtraditionalpoem	\@finalstrut	
15190,	15191, 5272, 5344 7713, 7729,	
15192,	15196,	\@ensure@LR 12974, 17054	7745, 7759, 7772,	
15202,	15208,	\@ensure@LTR . . 12972,	7785, 10139,	
15214,	15220,	12974, 12982,	10155, 10170,	
15226,	15232,	17052, 17054,	10196, 10209, 10222	
15238,	15244,	17062, 17064,	\@firstampfalse . . .	
15253,	15283,	17066, 17778, 17780 1439, 1447	
15338,	15343,	\@ensure@RL 12973, 17053	\@firstcolfirstmark	
15350,	15356,	\@ensure@RTL . . 12971,	9719, 9720, 9724,	
15380,	15422,	12973, 17051, 17053	9751, 9752, 9756	
15423,	15424,	\@ensure@dir . . 12975,	\@firstcoltopmark .	
15425,	15426,	12976, 17055, 17056 9717,	
15427,	15428,	\@ensure@maindir . .	9725, 9749, 9757	
15429,	15430, 12976, 17056	\@firstcolumnfalse	
15431,	15432,	\@enumctr . . . 4742, 4743	. . . 6368, 6404,	
15433,	15451,	\@eqnnum 9804, 11423, 17635	6732, 9711, 9743,	
15455,	15463,	\@evenfoot	9863, 10465,	
15469,	15481,	. 1685, 9839, 17579	10485, 12197,	
15495,	15525,	\@evenhead . 9838, 17578	12279, 17370, 17388	
15579,	15609,	\@expandtwoargs . . 3225	\@firstcolumntrue .	
15634,	15635,	\@extrafootnotefeaturesfalse 6371, 6407,	
15811,	15859, 1612	6686, 9727, 9760,	
16067,	16367,	\@extrafootnotefeaturestrue	9827, 10470,	
16369,	16903, 1610	10490, 12241,	
16906,	16946,	\@extrainfo	12323, 17372, 17391	
16949,	17328,	. . 2250, 6830, 6928	\@firstdetailselementfalse	
17337,	17581,	\@extratitle 6909	
17582,	17584, 17585	. . 14236, 14237,		



\@firstdetailselementtrue	17422, 17426,	11127, 11320,
..... 6906	17430, 17464,	11324, 11340,
\@firstfooterelementfalse	17466, 17470, 17474	11341, 11951,
..... 6825,	\@fltovf 2029,	12034, 12529,
6826, 6827,	4032, 4076,	12530, 12531,
6828, 6829, 6830	4120, 17431, 17475	14163, 14166,
\@firstfooterelementtrue	\@flushglue	14546, 14547,
..... 6810	5174, 5175, 11984,	14557, 14631,
\@firstname .. 2182,	13085, 13784, 17266	14634, 15070,
2184, 2185, 2242,	\@fnsymbol . 448, 743,	15071, 15081,
6804, 6894, 6915	802, 997, 1056,	15265, 15268,
\@firstnamecolour .	1249, 1308, 1709,	15661, 15662,
..... 2211, 2228	5571, 5750, 5887,	15672, 15839, 15856
\@firstofone	7428, 7525, 9606,	\@footstartv@r ... 7838
... 2832, 2839,	13256, 13315,	\@for 3147, 3208,
2845, 2858, 2864,	13395, 13456,	3221, 3243, 3247,
3392, 11384,	13654, 13697,	4237, 4242, 4256,
11385, 11386,	13885, 14233,	4261, 4275, 4280,
11387, 12172,	14297, 14701,	4303, 4312, 6348
14621, 15145, 15736	14765, 15335, 15399	\@fourcol@footgroupv@r
\@firstoftwo	\@footgroupv@r 8201
.... 2409, 2417,	7838, 7887, 7914,	\@fourcolLTRfootfmt
2423, 2427, 2435,	8061, 8201, 8348,	.. 8224, 8245, 8273
2441, 2444, 2447,	8495, 8642, 8789,	\@fourcolLTRfootnotetext
2461, 2468, 2634,	8936, 9083, 9272 8196, 8217
2652, 2658, 2682,	\@footnote 4836	\@fourcolRTLfootfmt
2709, 2739, 2799,	\@footnotemark 1956,	.. 8234, 8248, 8285
2809, 2930, 12642	1964, 1972, 4348,	\@fourcolRTLfootnotetext
\@fivecol@footgroupv@r	4438, 4445, 4467, 8197, 8227
..... 8348	4474, 4496, 4503,	\@fourcolfootfmt ..
\@fivecolLTRfootfmt	5326, 5333,	.. 8214, 8242, 8260
.. 8371, 8392, 8420	5340, 10105,	\@fourcolfootnotetext
\@fivecolLTRfootnotetext	10111, 10114, 8195, 8207
..... 8343, 8364	10120, 11107,	\@fps 1977, 1978,
\@fivecolRTLfootfmt	11130, 11319,	1980, 1983, 2000
.. 8381, 8395, 8432	11323, 11337, 11338	\@fpsadddefault ...
\@fivecolRTLfootnotetext	\@footnotetext .. 34, 1981, 1984
..... 8344, 8374	76, 147, 148,	\@freelist 1996, 3873,
\@fivecolfootfmt ..	149, 243, 285,	3914, 4029, 4030,
.. 8361, 8389, 8407	1912, 2035, 4369,	4073, 4074, 4117,
\@fivecolfootnotetext	4438, 4445, 5189,	4118, 9444, 17428,
..... 8342, 8354	5200, 5413, 5427,	17429, 17472,
\@float 3625, 3948	6947, 6948, 7700,	17473, 17505, 17506
\@floatboxreset .. 2046	7787, 7794, 7908,	\@fs@capt 3962, 3975, 3983
\@floatpenalty 1989,	8055, 8195, 8342,	\@fs@cfont ... 3955,
1991, 1994, 4021,	8489, 8636, 8783,	3961, 3971, 3974,
4023, 4027, 4031,	8930, 9077, 9266,	3982, 9808, 9809
4065, 4067, 4071,	10127, 10181,	\@fs@iftopcapt
4075, 4109, 4111,	10237, 10983,	.. 3966, 3979, 3992
4115, 4119, 17420,	10991, 11062,	\@fs@mid 3965, 3978, 3990



\@fs@post 3964, 3977, 3991	13561, 13571,	\@ifnextchar ... 159,
\@fs@pre 3963, 3976, 3984	13756, 13770,	400, 1860, 1890,
\@g@tnextcol 9825	13780, 13941,	1905, 2069, 2502,
\@getcirc 9681	13956, 13966,	3023, 3024, 3068,
\@gnewline ... 13027,	14414, 14857,	3069, 3113, 4034,
13040, 13053, 13064	14878, 14884,	4078, 4122, 6184,
\@gobble 1892,	14905, 14913,	6199, 10103,
2762, 2763, 2764,	14937, 15491,	10112, 10261,
2765, 2766, 2834,	15512, 15520,	10276, 10588,
2847, 2851, 2878,	15544, 16149, 16184	11327, 11351,
2892, 2904, 2918,	\@hintcolour . 2219, 2235	12541, 12712,
3136, 3271, 3448,	\@holdpg . 6457, 6463,	12732, 16900,
5009, 5074, 9882,	6470, 6481, 6491,	16943, 17433, 17477
9883, 9884,	6591, 6592, 6594,	\@ifpackagelater ..
12169, 14547,	6597, 6601, 6606,	.. 3432, 3437, 9974
14549, 14551,	6611, 6615, 6623,	\@ifpackageloaded .
15071, 15073,	6635, 6648, 6655 1456,
15075, 15662,	\@idxitem 98,	2695, 3096, 3156,
15664, 15666,	103, 228, 233,	3391, 3409, 3431,
16907, 16950,	599, 614, 865,	3436, 3941, 3946,
17590, 17591, 17592	1119, 4800, 4807,	3999, 7279, 7280,
\@gobbletwo	5450, 5629, 5842,	7891, 9240, 11124,
... 2399, 2400,	13121, 13378,	11144, 11222,
2403, 2404, 11473	13841, 16129, 17645	11391, 11710,
\@gtempa 2485, 2486	\@ifclasslater 3434, 3439	12148, 16054,
\@halignto	\@ifclassloaded 3054,	17634, 17659,
388, 403, 15768,	3433, 3438, 3469,	17669, 17672,
15807, 17324, 17337	4849, 4851, 5844,	17676, 17677,
\@hangfrom ... 14574,	7800, 9925,	17678, 17679,
14586, 14588,	9938, 17647,	17680, 17687,
15098, 15110,	17648, 17649,	17688, 17689,
15112, 15689,	17650, 17651,	17690, 17691,
15701, 15703, 17290	17652, 17653,	17692, 17693,
\@height 383,	17654, 17655,	17694, 17695,
1497, 6171, 10418,	17656, 17657,	17696, 17697,
11921, 11956,	17658, 17659,	17698, 17699,
12004, 14209,	17660, 17661,	17700, 17701,
14218, 14677,	17662, 17663,	17702, 17703,
14686, 15311,	17664, 17665,	17704, 17705,
15320, 15763,	17666, 17667,	17706, 17707,
15805, 17319, 17544	17668, 17669,	17708, 17709,
\@highpenalty . 5475,	17670, 17671,	17710, 17711,
5491, 5498, 5508,	17695, 17771, 17772	17712, 17713,
5654, 5670,	\@ifdefinable . 2473,	17714, 17715,
5677, 5687, 5943,	2476, 2479, 2488,	17716, 17717,
5958, 5968, 7581,	2512, 2527, 10028	17718, 17719,
9493, 9508, 9518,	\@ifdefinitionfileloaded	17720, 17721,
13164, 13180, 2390, 17773	17722, 17723,
13187, 13197,	\@ifempty 7, 208	17724, 17725,
13538, 13554,	\@ifl@aded .. 2389, 2390	17726, 17727,



17728, 17729,	\@iprintcites 13019	\@lettrine 11451
17730, 17731,	\@item 17135	\@listI 3495
17754, 17755,	\@itemfudge 17554, 17556	\@listctr 17181
17756, 17757,	\@itemlabel 17098	\@listdepth
17758, 17759,	\@itempenalty 17154	. . . 10087, 10240,
17760, 17761,	\@ixpt 4700	10442, 10446,
17762, 17763,	\@keywords 326	17089, 17092, 17097
17764, 17765,	\@kludgeins 9448	\@listi 3495, 3503, 4704
17766, 17767,	\@labels	\@loadwithoptions .
17768, 17769,	. 17168, 17185, 17186	. . . 2946, 2948, 2955
17770, 17771,	\@lastchclass	\@lowertitleback . .
17772, 17774, 17775 348, 349, 14275,
\@ifpackagewith . . .	350, 351, 353,	14330, 14743,
. . . 6325, 16078,	1380, 1381, 1382,	14798, 15377, 15432
17681, 17684,	1383, 1385, 1424,	\@lowpenalty 1836, 16449
17685, 17686,	1425, 1437, 1445,	\@m 89, 298, 582,
17732, 17742, 17748	15894, 15895,	713, 981, 1233,
\@ifstar . 2619, 3022,	15896, 15897,	5532, 5725, 6038,
3067, 3109, 3201,	15899, 17338, 17339	7376, 7651, 9564,
3791, 7283, 10591	\@lastvipetrue 6532,	10467, 10487,
\@iftagsloaded	6551, 6697, 6716	12641, 13229,
. 2389, 17673, 17674	\@latex@error	13622, 13823,
\@ifundefined 2382, 3130,	14027, 14498,
. 332, 333,	12168, 12384, 12390	15022, 15613, 16073
2339, 3011, 3015,	\@latex@warning . 91,	\@mainmatterfalse .
3165, 3258, 3481,	300, 584, 715, 5036,
3483, 4171, 4179,	983, 1235, 2368,	5066, 6021, 7634
4182, 4184, 4663,	5534, 5727, 6040,	\@mainmattertrue . .
4671, 4786, 4788,	7378, 7653, 9566, 5033, 5049
4793, 4883, 4900,	13231, 13624,	\@makecaption
6186, 6193, 6201,	13825, 14029,	. . . 3786, 6132,
6207, 9811, 10021,	14502, 14509,	12105, 12155,
11394, 11395,	15026, 15033,	12187, 14615,
11569, 11606,	15617, 15624, 16075	15139, 15730, 17620
11608, 11612,	\@latex@warning@no@line	\@makechapterhead .
12755, 16368, 16372	. . . 6525, 6543, 303, 5796,
\@ifundefinedmodel	6690, 6708, 17520	5993, 7605, 9521,
. 16933, 16967	\@latexbug 17506	13010, 13991, 16094
\@ifxempty 16993	\@leftcolumn	\@makecol 2108, 2120, 9488
\@ignoretrue 6079	. . . 6369, 6375,	\@makefnmark . . . 449,
\@iiiminipage 10224	6405, 6411, 6564,	803, 1309, 1710,
\@iiiparbox	6592, 6598, 6607,	4344, 4355, 5888,
. 7875, 10255, 17197	9712, 9731, 9744,	6952, 6973, 7429,
\@indextitlestyle .	9763, 10466,	7526, 9607,
. 96, 226	10473, 10486,	1119, 12053,
\@inlabelfalse	10495, 12198,	13316, 13457,
. 6046, 17163	12242, 12254,	13655, 13698,
\@inlabeltrue 17157	12280, 12324,	13886, 14234,
\@insertfalse 6448, 6556	12332, 17371,	14235, 14298,
\@inserttrue . 6521, 6685	17376, 17389, 17395	14299, 14702,



14703, 14766,	13329, 13336,	17450, 17459,
14767, 15336,	13346, 13463,	17494, 17503, 17626
15337, 15400, 15401	13465, 13470,	\@minipagerestore 10241
\@makefnrt . 44, 57,	13479, 13489,	\@minipagetrue
72, 253, 266, 280,	13709, 13711,	. . . 4059, 4103,
450, 740, 805,	13716, 13725,	4147, 17458, 17502
994, 1057, 1246,	13735, 13892,	\@minus
1311, 1711, 4342,	13894, 13899,	2286, 2371, 3491,
4380, 4397, 4414,	13908, 13918,	3493, 3500, 3502,
5568, 5747, 5889,	14302, 14304,	3504, 3505, 4701,
7430, 7527, 7711,	14309, 14319,	4703, 4705, 4706,
7727, 7743, 7757,	14344, 14770,	10356, 10394, 12638
7770, 7783, 9608,	14772, 14777,	\@mkboth . . 568, 595,
10138, 10154,	14787, 14812,	611, 702, 862,
10169, 10195,	15404, 15406,	970, 1116, 1222,
10208, 10221,	15411, 15421, 15446	5447, 5521, 5626,
10513, 12055,	\@maketitle@hook . . . 114	5714, 5838, 6024,
13253, 13318,	\@makewincaption . 12789	7365, 7637, 9553,
13392, 13459,	\@marbox 4030,	13118, 13218,
13657, 13700,	4032, 4036, 4040,	13375, 13611,
13887, 14179,	4041, 4074, 4076,	13809, 13837, 14013
14647, 15154, 15281	4080, 4084, 4085,	\@mklab 17099
\@makeother . . 2618,	4118, 4120, 4124,	\@mkpream 387, 11926,
2664, 2773, 2781	4128, 4129, 17429,	15766, 15799, 17322
\@makeschapterhead	17431, 17435,	\@mobile 2246, 6826, 6924
. . . 5446, 5625,	17439, 17440,	\@modernpoem . 5364, 5408
5816, 5837, 6007,	17473, 17475,	\@mpLTRfootnotetext
7620, 9533, 13117,	17479, 17483, 7761,
13374, 13836,	17484, 17505,	7791, 7798, 7916,
14003, 16100, 16105	17515, 17518,	8063, 8203, 8350,
\@makespecialcolbox	17526, 17528,	8497, 8644, 8791,
. 9449	17529, 17531,	8938, 9085, 9274,
\@maketitle 116,	17532, 17533,	10198, 10238,
318, 322, 455,	17542, 17546, 17547	11013, 11028,
457, 462, 471,	\@mathmargin . . 7235,	11051, 11132, 12035
481, 809, 811, 816,	7242, 7250, 7257	\@mpRTLfootnotetext
823, 833, 1063,	\@mathsemicolon 180, 199 7774,
1065, 1070, 1077,	\@maxdepth	7792, 7799, 7917,
1087, 1315, 1317,	. . 7836, 9460, 9487	8064, 8204, 8351,
1322, 1329, 1339,	\@memtempa . . . 12105,	8498, 8645, 8792,
1714, 1720, 5894,	12107, 12121,	8939, 9086, 9275,
5896, 5901, 5910,	12128, 12132, 12137	10185, 10239,
5920, 7435, 7437,	\@midlist . . . 9444, 9445	11002, 11027,
7442, 7449, 7459,	\@minipagefalse 2050,	11040, 11133, 12036
7532, 7534, 7539,	4051, 4060, 4095,	\@mparbottom . . 2093,
7548, 7558, 9613,	4104, 4139, 4148,	17516, 17524,
9615, 9620, 9627,	7872, 10252,	17525, 17526, 17527
9637, 12058,	11589, 12161,	\@mpargs
12060, 12067,	14605, 15129,	7875, 10230, 10255
13322, 13324,	15720, 17160,	\@mparswitchfalse 3465



\@mparswitchtrue .	3460	8546, 8547, 8558,	\@mpsevencolLTRfootnotetext
\@mpeightcol@footgroupv@r		8559, 8571, 8572, 8644, 8704
.....	8794	8693, 8694, 8705,	\@mpsevencolRTLfootnotetext
\@mpeightcolLTRfootnotetext		8706, 8718, 8719, 8645, 8717
.....	8791, 8851	8840, 8841, 8852,	\@mpsevencolfootnotetext
\@mpeightcolRTLfootnotetext		8853, 8865, 8866, 8643, 8692
.....	8792, 8864	8987, 8988, 8999,	\@mpsixcol@footgroupv@r
\@mpeightcolfootnotetext		9000, 9012, 9013, 8500
.....	8790, 8839	9134, 9135, 9146,	\@mpsixcolLTRfootnotetext
\@mpfivecol@footgroupv@r		9147, 9159, 9160, 8497, 8557
.....	8353	9329, 9330, 9342,	\@mpsixcolRTLfootnotetext
\@mpfivecolLTRfootnotetext		9343, 9355, 9356 8498, 8570
.....	8350, 8410	\@mpfootnotetext ..	\@mpsixcolfootnotetext
\@mpfivecolRTLfootnotetext	 7748, 8496, 8545
.....	8351, 8423	7790, 7797, 7915,	\@mptencol@footgroupv@r
\@mpfivecolfootnotetext		8062, 8202, 8349, 9088
.....	8349, 8398	8496, 8643, 8790,	\@mptencolLTRfootnotetext
\@mpfn	1931, 1934, 1937,	8937, 9084, 9273, 9085, 9145
	1953, 1961, 1969,	10211, 10237,	\@mptencolRTLfootnotetext
	4436, 4442, 4465,	10991, 11026, 9086, 9158
	4471, 4494, 4500,	11029, 11131, 12034	\@mptencolfootnotetext
	5303, 5306, 5309,	\@mpfourcol@footgroupv@r 9084, 9133
	5323, 5330, 5337, 8206	\@mpthreecol@footgroupv@r
	10103, 10108,	\@mpfourcolLTRfootnotetext 8066
	10112, 10117, 8203, 8263	\@mpthreecolLTRfootnotetext
	10236, 10266,	\@mpfourcolRTLfootnotetext 8063, 8119
	10281, 10988, 8204, 8276	\@mpthreecolRTLfootnotetext
	10999, 11010,	\@mpfourcolfootnotetext 8064, 8131
	11227, 11258, 8202, 8251	\@mpthreecolfootnotetext
	11289, 11352,	\@mplistdepth 8062, 8108
	12031, 15881, 15888 10087, 10240	\@mptwocol@footgroupv@r
\@mpfootins ..	7749,	\@mpninecol@footgroupv@r 7919
	7750, 7762, 7763, 8941	\@mptwocolLTRfootnotetext
	7775, 7776, 7856,	\@mpninecolLTRfootnotetext 7916, 7976
	7865, 7866, 7869, 8938, 8998	\@mptwocolRTLfootnotetext
	10187, 10188,	\@mpninecolRTLfootnotetext 7917, 7989
	10200, 10201, 8939, 9011	\@mptwocolfootnotetext
	10213, 10214,	\@mpninecolfootnotetext 7915, 7964
	10246, 10247, 8937, 8986	\@namedef 3015,
	10250, 12020, 12025	\@mppara@footgroupv@r	3166, 5361, 7877,
\@mpfootinsv@r 9277	7907, 8012, 8013,
...	7855, 7888,	\@mpparaLTRfootnotetext	8041, 8046, 8050,
	7965, 7966, 7977, 9274, 9341	8054, 8153, 8154,
	7978, 7990, 7991,	\@mpparaRTLfootnotetext	8186, 8190, 8194,
	8109, 8110, 8120, 9275, 9354	8299, 8300, 8328,
	8121, 8132, 8133,	\@mpparafootnotetext	8333, 8337, 8341,
	8252, 8253, 8264, 9273, 9328	8446, 8447, 8475,
	8265, 8277, 8278,	\@mpsevencol@footgroupv@r	8480, 8484, 8488,
	8399, 8400, 8411, 8647	8593, 8594, 8622,
	8412, 8424, 8425,		8627, 8631, 8635,



8740, 8741, 8769, 8774, 8778, 8782, 8887, 8888, 8916, 8921, 8925, 8929, 9034, 9035, 9063, 9068, 9072, 9076, 9181, 9182, 9210, 9215, 9219, 9265, 9378, 9379, 9380, 9422, 9429, 9436, 16383, 16422, 16423, 16424, 16425, 16426, 16427, 16428, 16429, 16430, 16431	8740, 8741, 8746, 8748, 8751, 8753, 8758, 8759, 8761, 8764, 8766, 8771, 8772, 8775, 8776, 8779, 8780, 8884, 8886, 8887, 8888, 8893, 8895, 8898, 8900, 8905, 8906, 8908, 8911, 8913, 8918, 8919, 8922, 8923, 8926, 8927, 9031, 9033, 9034, 9035, 9040, 9042, 9045, 9047, 9052, 9053, 9055, 9058, 9060, 9065, 9066, 9069, 9070, 9073, 9074, 9178, 9180, 9181, 9182, 9187, 9189, 9192, 9194, 9199, 9200, 9202, 9205, 9207, 9212, 9213, 9216, 9217, 9220, 9221, 9375, 9377, 9378, 9379, 9380, 9383, 9390, 9392, 9395, 9398, 9403, 9404, 9406, 9409, 9412, 9419, 9420, 9423, 9426, 9430, 9433, 9441, 9831, 14406, 14444, 14874, 14901, 14933, 14945, 14961, 14969, 14977, 15508, 15540, 16112, 16384, 16385, 16386, 16389, 16392, 16397, 16398, 16403, 16407, 16408, 16410, 16411, 16413, 16414, 16416, 16417, 16419, 16420, 16427, 16432, 16433, 16935, 16969, 17573	\@nbitem 17147 \@ne 133, 138, 348, 357, 360, 454, 808, 1062, 1314, 1380, 1389, 1392, 1393, 1394, 1427, 1430, 1431, 1432, 2006, 2061, 3373, 3382, 5893, 6336, 7434, 7531, 9612, 10186, 10199, 10212, 10456, 11553, 11565, 11573, 11928, 12057, 12134, 12360, 12711, 12731, 13321, 13462, 13661, 13704, 13708, 13891, 14185, 14301, 14653, 14769, 15159, 15287, 15403, 15829, 15833, 15894, 15903, 15910, 16224, 16849, 17092, 17133, 17232, 17234, 17235, 17236, 17241, 17243, 17244, 17245, 17250, 17252, 17253, 17254, 17259, 17261, 17262, 17263, 17341, 17343, 17506 \@newlistfalse 9875, 17161, 17564 \@next 1996, 4029, 4030, 4073, 4074, 4117, 4118, 17428, 17429, 17472, 17473, 17505 \@nextchar 354, 356, 357, 358, 360, 361, 362, 363, 364, 367, 368, 369, 1386, 1388, 1389, 1390, 1392, 1393, 1394,
\@nameuse 3012, 5359, 7165, 7215, 7218, 7264, 8009, 8011, 8012, 8013, 8018, 8020, 8023, 8025, 8030, 8031, 8033, 8036, 8038, 8043, 8044, 8047, 8048, 8051, 8052, 8150, 8152, 8153, 8154, 8159, 8161, 8164, 8166, 8170, 8171, 8173, 8176, 8178, 8183, 8184, 8187, 8188, 8191, 8192, 8296, 8298, 8299, 8300, 8305, 8307, 8310, 8312, 8317, 8318, 8320, 8323, 8325, 8330, 8331, 8334, 8335, 8338, 8339, 8443, 8445, 8446, 8447, 8452, 8454, 8457, 8459, 8464, 8465, 8467, 8470, 8472, 8477, 8478, 8481, 8482, 8485, 8486, 8590, 8592, 8593, 8594, 8599, 8601, 8604, 8606, 8611, 8612, 8614, 8617, 8619, 8624, 8625, 8628, 8629, 8632, 8633, 8737, 8739,		



1395, 1396, 1397, 1398, 1401, 1402, 1403, 1415, 1417, 1418, 1483, 1484, 1485, 6157, 6158, 6159, 15900, 15902, 15903, 15904, 15905, 15906, 15907, 15908, 15910, 15911, 15912, 15913, 15914, 15917, 15918, 15919	\@nil 1468, 1469, 1471, 1472, 6146, 6995, 7052, 11397, 11406, 11408, 11420, 16028	\@ninecol@footgroupv@r 8936	\@ninecolLTRfootfmt .. 8959, 8980, 9008	\@ninecolLTRfootnotetext 8931, 8952	\@ninecolRTLfootfmt .. 8969, 8983, 9020	\@ninecolRTLfootnotetext 8932, 8962	\@ninecolfootfmt 8949, 8977, 8995	\@ninecolfootnotetext 8930, 8942	\@nmbrlistfalse .. 17100	\@nobreakfalse 515, 668, 914, 1155, 5485, 5664, 5953, 7590, 9503, 13174, 13548, 13765, 13951, 14412, 16171, 16175, 17172	\@nobreaktrue .. 514, 667, 913, 1154, 5484, 5663, 5952, 7589, 9502, 13173, 13547, 13764, 13950, 14411, 16170, 16174	\@nocnterr 333	\@nocounterr 332	\@nocument 1975	\@noitemargfalse . 17179	\@noitemerr 91, 300, 583, 714, 982, 1234, 2368, 5533, 5726, 6039, 7377, 7652, 9565, 12648, 13230, 13623, 13824, 14028, 14501, 14508, 15025, 15032, 15616, 15623, 16074	\@normalcr 11987	\@notprerr .. 2834, 2847	\@nx 120, 121, 336	\@nxtpcol 9823, 9825, 9866	\@oddfoot 1680, 9836, 9843, 17576, 17585	\@oddhead 9835, 9842, 17576, 17584	\@oldmakefnmark 14234, 14235, 14298, 14299, 14702, 14703, 14766, 14767, 15336, 15337, 15400, 15401	\@onefilewithoptions .. 2962, 2963, 2970	\@onelevel@sanitize 1978	\@onlypreamble 3185, 3195, 3199	\@openbib@code 574, 708, 976, 1228, 2361, 2372, 5527, 5720, 6030, 7371, 7643, 9559, 13224, 13617, 13815, 14019, 14484, 15008, 15599, 16065	\@otarlinesep 15789, 15795	\@outerparskip 5289, 5402	\@outputbox .. 6369, 6372, 6377, 6382, 6384, 6405, 6408, 6416, 6421, 6423, 7835, 7837, 9451,	9453, 9454, 9459, 9472, 9474, 9479, 9712, 9715, 9728, 9733, 9744, 9747, 9761, 9767, 9848, 9853, 9892, 10466, 10471, 10476, 10486, 10491, 10498, 12198, 12217, 12242, 12245, 12247, 12257, 12280, 12299, 12324, 12327, 12329, 12337, 17371, 17373, 17378, 17389, 17392, 17400, 17607	\@outputdblcol 9822, 17414, 17415, 17416	\@outputpage 2109, 2121, 6388, 6391, 6428, 6433, 9736, 9739, 9770, 9774, 9850, 9854, 9859, 9870, 10477, 10481, 10501, 10505, 12262, 12267, 12341, 12346, 17381, 17384, 17404, 17409, 17559	\@ovbtrue 9670	\@ovdx 9683, 9691	\@ovdy 9684, 9692	\@ovhorz 9689, 9690	\@ovltrue 9670	\@ovri 9682	\@ovro .. 9682, 9691, 9692	\@ovrtrue 9670	\@ovttrue 9670	\@ovvert 9687, 9688	\@ovxx ... 9672, 9673, 9676, 9683, 9688, 9689, 9693, 9694	\@ovyy ... 9674, 9675, 9676, 9684, 9690	\@pagedp ... 17534, 17544	\@pageht 6449, 6558, 17517, 17524
--	---	--------------------------------------	--	--	--	--	--	---	--------------------------	--	---	----------------------	------------------------	-----------------------	--------------------------	---	------------------------	--------------------------	--------------------------	----------------------------	---	--	--	---	--------------------------	--	---	---	---------------------------	--	--	---	---	----------------------	-------------------------	-------------------------	--------------------------	----------------------	-------------------	----------------------------	----------------------	----------------------	--------------------------	---	--	---------------------------	--



\@para@footgroupv@r	\@photo .. 2252, 6800,	15057, 15309,
..... 9272	6802, 6931, 6933	15318, 15342,
\@paraLTRfootfmt ..	\@photowidth .. 2251,	15365, 15383,
.. 9302, 9320, 9351	2252, 6802, 6898	15454, 15479,
\@paraLTRfootnotetext	\@pkgextension 2990,	15492, 15522,
..... 9267, 9294	3001, 3065, 3074,	15641, 15648,
\@paraRTLfootfmt ..	3082, 3085, 3093	15979, 16008,
.. 9313, 9324, 9364	\@plus 24, 99, 229, 505,	16128, 16403,
\@paraRTLfootnotetext	522, 598, 613,	16456, 16640, 17354
..... 9268, 9305	642, 645, 658,	\@pnumwidth 13, 15, 214,
\@parafootRTLfalse 7699	676, 683, 864,	216, 508, 509, 511,
\@parafootRTLtrue 7698	871, 874, 887,	525, 526, 530,
\@parafootfmt	904, 922, 1118,	661, 662, 664,
.. 9291, 9316, 9338	1129, 1132, 1145,	686, 687, 691,
\@parafootnotetext	1163, 1171, 2286,	890, 891, 895,
..... 9266, 9283	2371, 3491, 3492,	907, 908, 910,
\@parboxrestore 41, 54,	3493, 3500, 3501,	1148, 1149, 1151,
69, 250, 263, 277,	3502, 3504, 3505,	1174, 1175, 1179,
2045, 3780, 4048,	4701, 4702, 4703,	5479, 5480, 5482,
4092, 4136, 6084,	4705, 4706, 4772,	5502, 5503, 5507,
7752, 7765, 7778,	5449, 5460, 5463,	5658, 5659, 5661,
7851, 7969, 7981,	5476, 5492, 5499,	5681, 5682, 5686,
7994, 8034, 8113,	5628, 5639, 5642,	5947, 5948, 5950,
8124, 8136, 8174,	5655, 5671, 5678,	5962, 5963, 5967,
8256, 8268, 8281,	5841, 5944, 5959,	6221, 6226, 6227,
8321, 8403, 8415,	7312, 7326, 7582,	7315, 7316, 7320,
8428, 8468, 8550,	9318, 9322, 9326,	7329, 7330, 7332,
8562, 8575, 8615,	9418, 9494, 9509,	7584, 7585, 7587,
8697, 8709, 8722,	10356, 10394,	9497, 9498, 9500,
8762, 8844, 8856,	12411, 12423,	9512, 9513, 9517,
8869, 8909, 8991,	12638, 13120,	12431, 13168,
9003, 9016, 9056,	13149, 13152,	13169, 13171,
9138, 9150, 9163,	13165, 13181,	13191, 13192,
9203, 9333, 9346,	13188, 13377,	13196, 13542,
9359, 9407, 9875,	13523, 13526,	13543, 13545,
10133, 10149,	13539, 13555,	13565, 13566,
10164, 10191,	13562, 13757,	13570, 13759,
10204, 10217,	13771, 13840,	13760, 13762,
10235, 12182,	13942, 13957,	13774, 13775,
12359, 17203,	14207, 14216,	13779, 13945,
17447, 17491, 17565	14240, 14263,	13946, 13948,
\@parboxto . 17206, 17213	14281, 14352,	13960, 13961,
\@parmoderr	14377, 14390,	13965, 14398,
1994, 4026, 4070,	14425, 14526,	14399, 14405,
4114, 17425, 17469	14533, 14675,	14434, 14435,
\@part	14684, 14708,	14442, 14866,
547, 7336	14731, 14749,	14867, 14873,
\@pboxswfalse	14820, 14845,	14893, 14894,
10226, 17199	14858, 14885,	14900, 14924,
\@pboxswtrue	14915, 15050,	14925, 14932,
17211		
\@phone 2247, 6827, 6925		



15500, 15501,	\@preamtenfmt .. 9119,	5511, 5636, 5672,
15507, 15531,	9125, 9128, 9131, 9211	5690, 13146,
15532, 15539,	\@preamthreefmt ...	13182, 13200,
16035, 16044,	... 8094, 8100,	13520, 13556, 13574
16046, 16433,	8103, 8106, 8182	\@rememsize 15799, 15802
16547, 16652, 17366	\@preamtwofmt	\@removefromreset .
\@preamble 388,	... 7950, 7956, 12657, 12659
389, 399, 401,	7959, 7962, 8042	\@reqcolroom .. 6449,
1440, 1448, 11932,	\@printcites 13021	6450, 6451, 6452,
15767, 15769,	\@ptsize . 2150, 2151,	6512, 6557, 6558,
15776, 15807,	2152, 2153, 2160	6559, 6560,
15808, 15816,	\@publisher . 4864, 4917	6561, 6562, 6676
17323, 17325, 17334	\@publishers	\@resetactivechars
\@preameightfmt 14264, 14328, 9873, 17562
... 8825, 8831,	14378, 14732,	\@resetdyn@pics .. 9861
8834, 8837, 8917	14796, 14846,	\@resetst@tics ... 9860
\@preamerr	15366, 15430, 15480	\@restonecolfalse 94,
370, 1404, 1434,	\@quote .. 2253, 6806,	224, 588, 604,
15920, 17332, 17345	6808, 6935, 6937	855, 1109, 5440,
\@preamfivefmt	\@quotebox 13020	5619, 5831, 13111,
... 8384, 8390,	\@quotecolour	13368, 13830, 16086
8393, 8396, 8476	.. 2215, 2232, 2342	\@restonecoltrue 94,
\@preamfntext	\@r@m@size 15802	224, 590, 606,
... 7706, 7722,	\@raggedtwoe@everyselectfont	857, 1111, 5442,
7738, 7846, 7923, 13034,	5621, 5833, 13113,
7933, 7943, 8021,	13047, 13060, 13071	13370, 13832, 16088
8070, 8079, 8088,	\@raggedtwoe@gnewline	\@resumename . 2185, 2241
8162, 8210, 8220,	13027, 13040, 13053	\@revlabeltrue . 741,
8230, 8308, 8357,	\@raggedtwoe@raggedrightboxes@opt	995, 1247, 5569,
8367, 8377, 8455, 13073, 13102	5748, 13254, 13393
8504, 8514, 8524,	\@raggedtwoe@samed@gnewline	\@rightcolumn . 12209,
8602, 8651, 8661, 13064	12214, 12215,
8671, 8749, 8798,	\@raggedtwoe@samedcr	12224, 12225,
8808, 8818, 8896, 13024,	12233, 12237,
8945, 8955, 8965,	13037, 13050, 13063	12243, 12291,
9043, 9092, 9102,	\@raggedtwoe@spaceskipfalse	12296, 12297,
9112, 9190, 9286, 13070	12306, 12307,
9297, 9308, 9393	\@raggedtwoe@spaceskiptrue	12315, 12319, 12325
\@preamfourfmt	13033, 13046, 13059	\@rightskip
... 8237, 8243,	\@rc@ifdefinable 11983, 13029,
8246, 8249, 8329 2488, 2527	13030, 13042,
\@preamninefmt	\@reffalse 15184	13043, 13055,
... 8972, 8978,	\@reftrue 15185,	13056, 13066,
8981, 8984, 9064	15186, 15187,	13067, 13084, 17266
\@preamsevenfmt ...	15188, 15189,	\@rjfieldfalse ... 17552
... 8678, 8684,	15190, 15191, 15192	\@s@size 15802
8687, 8690, 8770	\@regtocline 639, 677,	\@s@bidi@AfterClass
\@preamsixfmt	694, 868, 898, 3022,
... 8531, 8537,	923, 1126, 1164,	3031, 3043, 3052
8540, 8543, 8623	1182, 5457, 5493,	



\@s@bidi@AfterPackage 3067, 3075, 3086, 3094	\@sevenscolLTRfootnotetext 8637, 8658	12347, 17382, 17384, 17407, 17410
\@sarray 15760	\@sevenscolRTLfootfmt .. 8675, 8689, 8726	\@startfield 5411
\@savemarbox 17546	\@sevenscolRTLfootnotetext 8638, 8668	\@startpbox 1417, 1418, 1483, 1484, 1485, 6157, 6158, 6159, 11911, 11912, 11918, 15770, 15809, 17326
\@secondoftwo 2411, 2420, 2429, 2438, 2444, 2447, 2458, 2463, 2470, 2625, 2635, 2636, 2637, 2638, 2644, 2653, 2659, 2683, 2711, 2739, 2788, 2800, 2801, 2810, 2927, 3055, 3097	\@sevenscolfootfmt . .. 8655, 8683, 8701	\@startsection 23
\@secpenalty 5, 206, 504, 521, 657, 675, 682, 886, 903, 921, 1144, 1162, 1170, 7311, 7325, 14389, 14423, 16020, 16151, 16206	\@sevenscolfootnotetext 8636, 8648	\@starttoc .. 4667, 4675
\@sectiontitlecolour 2216, 2233	\@sharp 395, 1442, 1443, 1444, 1450, 1451, 1452, 11397, 11403, 11924, 15772, 15808, 15814, 17329	\@stopfield 5376, 5391, 5395, 5423, 17552
\@seesize . 15799, 15802	\@sixcol@footgroupv@r 8495	\@stopline . 5395, 17552
\@setcol 9867	\@sixcolLTRfootfmt .. 8518, 8539, 8567	\@strip 12356
\@setcolbox . 9828, 9864	\@sixcolLTRfootnotetext 8490, 8511	\@subclass 326
\@setcopyright 108	\@sixcolRTLfootfmt .. 8528, 8542, 8579	\@subject 14248, 14249, 14327, 14361, 14362, 14716, 14717, 14795, 14829, 14830, 15350, 15351, 15429, 15463, 15464
\@setfontsize . 3490, 3499, 4700, 4710, 4711, 4712, 4713, 4714, 4715, 4716	\@sixcolRTLfootnotetext 8491, 8521	\@subsectioncolour 2218, 2234
\@setfpsbit 2010, 2013, 2016	\@sixcolfootfmt 8508, 8536, 8554	\@subtitle 14254, 14324, 14367, 14722, 14792, 14835, 15356, 15426, 15469
\@setmarks 9721, 9723, 9736, 9753, 9755, 9769	\@sixcolfootnotetext 8489, 8501	\@tabacol 1922, 11909, 15753, 17308
\@setminipage . 3782, 10242, 10450, 12184	\@skip@bove 15793, 15795	\@tabarray . 376, 400, 404, 1924, 11896, 11898, 17310, 17337
\@setpar 13658, 13701, 14182, 14189, 14650, 14657, 15156, 15161, 15284, 15291	\@spaces 15831, 15872, 15877	\@tabclassiv .. 1924, 11910, 15755, 17310
\@settab 5369	\@spart 7355	\@tabclassz 1445, 1923, 11910, 15754, 17309
\@sevenscol@footgroupv@r 8642	\@specialpagefalse 9830, 17573	\@tabcr 5372, 5382
\@sevenscolLTRfootfmt .. 8665, 8686, 8714	\@specialstyle 9831, 17573	\@tabminus 5370
	\@stabarray 15755	\@tabplus 5369
	\@stabular 15751	\@tabular 372, 1910, 17306
	\@star@or@long 2483, 2497, 2521, 2532	\@tabularcr .. 1924, 11914, 15755, 17310
	\@startdblcolumn .. 6389, 6391, 6431, 6434, 9737, 9739, 9773, 9774, 9857, 9859, 10479, 10481, 10503, 10505, 12265, 12268, 12344,	\@tagsextension 2387, 2389



\@tarlinesep . . 15795,	13309,	13442,	11945,	12110,
15796, 15797,	13444,	13446,	12113,	12117,
15798, 15801, 15803	13450,	14037,	12119,	12125,
\@temp@bibkey . 4237,	14038,	14080,	12127,	12128,
4256, 4275, 4303	14081,	14181,	12157,	12158,
\@temp@bibkeyx 4242,	14486,	14489,	12162,	12790,
4243, 4245, 4246,	14649,	15010,	12791,	12794,
4247, 4248, 4261,	15013,	15155,	14552,	14566,
4262, 4264, 4265,	15283,	15601,	14570,	14572,
4266, 4267, 4280,	15604,	15880,	14595,	14596,
4281, 4283, 4284,	15882,	15887,	14598,	14599,
4285, 4286,	15889,	16638,	14601,	14606,
4312, 4313, 4315,	16655,	16659,	14611,	15076,
4316, 4317, 4318	16660,	16661,	15090,	15094,
\@temp@last@bibkey	16670,	16684,	15096,	15119,
..... 4236,	16860,	16863,	15120,	15122,
4237, 4243, 4255,	16869, 16873, 16887		15123,	15125,
4256, 4262,	\@tempb 2376,		15130,	15135,
4274, 4275, 4281,	2377, 2379, 2380,		15667,	15681,
4302, 4303, 4313	10553, 10554,		15685,	15687,
\@tempa 119, 122,	10594, 10596,		15710,	15711,
129, 130, 131, 132,	10624, 10626,		15713,	15714,
788, 790, 792,	10627, 10629,		15716,	15721,
796, 1042, 1044,	10632, 12664,		15726,	15854,
1046, 1050, 1294,	12665, 12671,		15874,	16599,
1296, 1298, 1302,	12672, 12677, 12678		16602,	16607,
2376, 2377, 2380,	\@tempboxa 4032, 4076,		16611,	16615,
3480, 3481, 3483,	4120, 6472, 6496,		16619,	16623,
3485, 4181, 4182,	6505, 6564, 6608,		16627,	16631,
4184, 4186, 9671,	6649, 6660, 6669,		16635,	17184,
10553, 10554,	7018, 7019, 7020,		17190,	17191,
10555, 10556,	7021, 7023, 7072,		17193,	17290,
10593, 10596,	7073, 7074, 7075,		17291,	17348,
10597, 10603,	7077, 7875, 9682,		17349,	17350,
10614, 10615,	9686, 9694, 9695,		17351,	17431,
10621, 10626,	9808, 9809, 9810,		17475,	17597,
10627, 10629,	10231, 10255,		17604,	17605,
10632, 10669,	10293, 10338,		17622, 17623, 17627	
10670, 10671,	10345, 10355,		\@tempc 10595, 10597,	
10672, 11146,	10358, 10362,		10603, 11483, 11488	
11150, 11153,	10364, 10370,		\@tempcnta 1408, 1467,	
11165, 11184,	10404, 10406,		1468, 1469, 1471,	
11188, 11191,	10412, 10425,		1472, 1998, 2004,	
11203, 11958,	10429, 10430,		2006, 2019, 2020,	
11959, 11961,	10615, 10632,		2026, 2027, 6144,	
11962, 12660,	10761, 10942,		6146, 6993, 7050,	
12661, 12662,	10944, 11506,		11520, 11522,	
12665, 12672,	11507, 11581,		11525, 11548,	
12678, 13301,	11586, 11590,		11549, 11553,	
13303, 13305,	11941, 11942,		12753, 12755,	



12759,	12762,	7053, 7054, 7058,	14595,	14596,
12764,	14287,	7059, 7060, 7061,	14597,	14599,
14289,	14545,	7062, 7068, 7071,	14651,	14652,
14564,	14755,	7074, 7075, 7076,	14653,	14658,
14757,	15069,	7088, 7089, 7090,	14659,	14662,
15088,	15389,	7115, 7117, 7118,	14859,	14862,
15391,	15660,	7119, 7123, 7130,	14869,	14886,
15679,	15867,	7132, 7134, 7141,	14889,	14896,
16446,	16447,	7165, 7166, 7171,	14916,	14919,
16448,	16467,	7172, 7173, 7174,	14928,	15093,
16468,	16469,	7175, 7290, 7292,	15094,	15119,
16471,	16473,	7294, 7313, 7318,	15120,	15121,
16555,	16556,	7328, 9461, 9463,	15123,	15157,
16557,	17506,	9496, 9510, 9515,	15158,	15159,
17508,	17511,	9683, 9684, 9687,	15162,	15163,
17513, 17515, 17537		9688,	10229,	15166,
\@tempcntb 2024, 2025,		10233,	10612,	15286,
2026,	14545,	10614,	10619,	15287,
14563,	15069,	10621,	10622,	15292,
15087, 15660, 15678		10624,	10637,	15293,
\@tempdima . 8, 10, 12,		10624,	10637,	15296,
14, 209, 211, 213,		10642,	10647,	15493,
215, 380, 381,		10651,	11498,	15496,
383, 506, 523,		11504,	11505,	15503,
528, 647, 660,		11511,	11512,	15523,
684, 689, 876,		11517,	11518,	15535,
877, 888, 893,		11523,	11906,	15685,
906, 1134, 1147,		11916,	11921,	15711,
1172, 1177, 1462,		12212,	12216,	15712,
1463, 1495, 1496,		12294,	12298,	15800,
1497, 2147, 2149,		12356,	12381,	15805,
4688, 4689, 5465,		12404,	12416,	15927,
5478, 5500, 5505,		12417,	12428,	15928,
5644, 5657, 5679,		12429,	13154,	16161,
5684, 5945, 5960,		13167,	13189,	16165,
5965, 6169, 6170,		13194,	13528,	16192,
6171, 6219, 6224,		13541,	13563,	16196,
6453, 6522, 6523,		13568,	13659,	16215,
6537, 6538, 6542,		13660,	13661,	16219,
6619, 6687, 6688,		13702,	13703,	16232,
6702, 6703, 6707,		13704,	13772,	16236,
6723, 6724, 6964,		13777,	13943,	16249,
6965, 6966, 6967,		13958,	13963,	16253,
6985, 6986, 6987,		14082,	14083,	16266,
6988, 6994, 6996,		14183,	14184,	16270,
6997, 7001, 7002,		14185,	14190,	16283,
7003, 7004, 7005,		14191,	14194,	16287,
7013, 7017, 7020,		14391,	14394,	16300,
7021, 7022, 7036,		14401,	14426,	16304,
7037, 7038, 7051,		14429,	14438,	16322,
		14569,	14570,	16337,
				16341,
				16357,
				16361,
				16392,
				16396,
				16463,
				16465,
				16494,
				16497,
				16504,
				16507,
				16511,
				16516,
				16519,
				16531,
				16564,
				16566,
				16567,
				16570,
				16573,
				16577,
				16584,
				16586,
				16645,
				16646,



16659, 16661,	16520, 16522,	\@testpach 347, 1379,
16669, 16676,	16825, 16826,	1424, 15893, 17338
16822, 16823,	16828, 16830,	\@textbottom
16842, 16853,	16833, 16834,	. . . 9456, 14207,
16854, 16855,	16836, 16839,	14216, 14526,
16856, 16868,	16853, 16854,	14533, 14675,
16871, 16877,	16855, 16859,	14684, 15050,
16878, 17202,	16872, 16876,	15057, 15309,
17203, 17359,	16877, 17205, 17206	15318, 15641, 15648
17360, 17516,	\@tempdimc 6139, 14180,	\@textsuperscript .
17517, 17518,	14187, 14188,	. . 449, 452, 742,
17519, 17522,	14198, 14648,	804, 806, 996,
17525, 17528,	14655, 14656,	1060, 1248, 1310,
17530, 17553, 17554	14666, 15282,	1312, 1710, 1713,
\@tempdimb . . . 6138,	15289, 15290, 15300	4342, 4344, 5570,
6455, 6458, 6459,	\@tempskipa . . 5288,	5749, 5888, 5891,
6460, 6461, 6464,	5289, 5290,	7429, 7432, 7526,
6465, 6466, 6467,	5401, 5402, 5403	7529, 9607, 9610,
6468, 6469, 6470,	\@tempswafalse 3202,	12053, 13255,
6621, 6624, 6625,	3249, 7005, 7062,	13317, 13319,
6627, 6629, 6632,	10560, 16907, 16950	13394, 13458,
6636, 6639,	\@tempswattrue . 3201,	13460, 13656,
6642, 6646, 6648,	3246, 6999, 7056	13663, 13699,
6964, 6965, 6985,	\@temptokena	13706, 13886, 13889
6986, 7037, 7039, 117, 121, 12739	\@texttop 9452
7042, 7089, 7091,	\@tempxi 5303,	\@tfor 1999, 9671
7094, 7121, 7123,	5304, 11224, 11236	\@thanks 428,
7136, 7137, 7138,	\@tempxi 5306,	436, 464, 472,
7139, 7141, 7168,	5307, 11255, 11267	773, 779, 818,
7171, 9676, 9677,	\@tempxii 5309,	824, 1027, 1033,
9678, 9679, 9681,	5310, 11286, 11298	1072, 1078, 1279,
10613, 10614,	\@tempyi 1931, 1932	1285, 1324, 1330,
10620, 10621,	\@tempyii 1934, 1935	1715, 1721, 5601,
10623, 10624,	\@tempyii . . . 1937, 1938	5607, 5780, 5786,
11518, 11519,	\@tencol@footgroupv@r	5867, 5875, 5903,
11521, 12356, 9083	5911, 7410, 7416,
12381, 14192,	\@tencolLTRfootfmt	7444, 7450, 7505,
14193, 14194,	. . 9106, 9127, 9155	7513, 7541, 7549,
14660, 14661,	\@tencolLTRfootnotetext	9588, 9594, 9622,
14662, 15164, 9078, 9099	9628, 10257,
15165, 15166,	\@tencolRTLfootfmt	10271, 10274,
15294, 15295,	. . . 9116, 9130, 9167	12046, 12069,
15296, 15800,	\@tencolRTLfootnotetext	13286, 13292,
15803, 15805, 9079, 9109	13331, 13337,
16464, 16470,	\@tencolfootfmt . . .	13425, 13433,
16472, 16477,	. . 9096, 9124, 9142	13472, 13480,
16479, 16482,	\@tencolfootnotetext	13677, 13685,
16486, 16490, 9077, 9089	13718, 13726,
16498, 16500,	\@testopt 2499,	13865, 13873,
16501, 16514,	2517, 11903, 11904	13901, 13909,



14267, 14311,	11000, 11011,	7400, 7419, 7453,
14320, 14735,	11022, 11157,	7465, 7495, 7516,
14779, 14788,	11195, 11228,	7552, 7566, 9578,
15369, 15413, 15422	11259, 11290,	9597, 9631, 9643,
\@thefnmark . 43, 56,	11353, 13255,	12047, 13264,
71, 252, 265, 279,	13317, 13319,	13266, 13294,
449, 452, 742,	13394, 13458,	13339, 13352,
804, 806, 996,	13460, 13656,	13403, 13405,
1060, 1248, 1310,	13663, 13699,	13435, 13482,
1312, 1710, 1713,	13706, 13886, 13889	13498, 13509,
1954, 1962, 1970,	\@thefoot 9836,	13667, 13688,
4342, 4344, 4377,	9839, 9843,	13729, 13743,
4394, 4411, 4437,	17576, 17579,	13855, 13876,
4443, 4466, 4472,	17582, 17585, 17611	13912, 13926,
4495, 4501, 5324,	\@thehead 9835,	14252, 14323,
5331, 5338, 5570,	9838, 9842,	14365, 14720,
5749, 5888, 5891,	17576, 17578,	14791, 14833,
7429, 7432, 7526,	17581, 17584, 17601	15354, 15425, 15467
7529, 7709, 7725,	\@themargin . . 9888,	\@titlecolour 2213, 2230
7741, 7754, 7767,	17577, 17579, 17596	\@titlehead
7780, 7821, 7825,	\@thm 12693, 12714	. . 14241, 14243,
7827, 7925, 7935,	\@thmcountersep . . .	14326, 14353,
7945, 7971, 7984, 345, 17084	14355, 14709,
7996, 8072, 8081,	\@threecol@footgroupv@r	14711, 14794,
8090, 8115, 8127, 8061	14821, 14823,
8138, 8212, 8222,	\@threecolLTRfootfmt	15343, 15345,
8232, 8258, 8271,	. . 8083, 8102, 8129	15428, 15455, 15457
8283, 8359, 8369,	\@threecolLTRfootnotetext	\@tocextra 16112, 16113,
8379, 8405, 8418, 8056, 8076	16117, 16119, 16122
8430, 8506, 8516,	\@threecolRTLfootfmt	\@tocline 2, 203
8526, 8552, 8565,	. . 8092, 8105, 8140	\@tocpagenum 15, 216
8577, 8653, 8663,	\@threecolRTLfootnotetext	\@tocrmarg
8673, 8699, 8712, 8057, 8085	. . 12400, 12412,
8724, 8800, 8810,	\@threecolfootfmt .	12424, 16156,
8820, 8846, 8859,	. . 8074, 8099, 8117	16187, 16210,
8871, 8947, 8957,	\@threecolfootnotetext	16227, 16244,
8967, 8993, 9006, 8055, 8067	16261, 16278,
9018, 9094, 9104,	\@title 322,	16295, 16313,
9114, 9140, 9153,	418, 439, 475,	16332, 16352,
9165, 9288, 9299,	489, 751, 753,	16387, 16438,
9310, 9335, 9348,	781, 826, 839,	16524, 16641, 17355
9361, 9607, 9610,	1005, 1007, 1035,	\@todonotes@MissingFigureDown
10104, 10109,	1080, 1093, 1257, 16803
10113, 10118,	1259, 1287, 1332,	\@todonotes@MissingFigureText
10135, 10151,	1346, 1357, 1724, 16780
10166, 10193,	2183, 2244, 4872,	\@todonotes@MissingFigureUp
10206, 10219,	4957, 5579, 5581, 16802
10262, 10267,	5609, 5758, 5760,	\@todonotes@author
10277, 10282,	5788, 5857, 5878, 16713,
10515, 10989,	5914, 5928, 6916,	16724, 16749, 16767



\@todonotes@currentfigcolor	12711, 12730,	14329, 14739,
..... 16784	12731, 13083,	14797, 15373, 15431
\@todonotes@currentfigheight	13097, 17109,	\@viipt 3499, 4710
..... 16785	17111, 17117,	\@viipt 4710
\@todonotes@currentfigwidth	17119, 17123,	\@viper 6392,
..... 16785,	17125, 17129,	6394, 6396, 6435,
16787, 16797, 16800	17131, 17133,	6437, 6439, 6451,
\@todonotes@drawInlineNote	17232, 17234,	6515, 6561, 6679,
..... 16708	17235, 17236,	6728, 12357,
\@todonotes@drawLineToLeftMargin	17241, 17243,	12372, 12374, 12379
..... 16736, 16739	17244, 17245,	\@viperoutput 6398, 6441
\@todonotes@drawLineToRightMargin	17250, 17252,	\@vipt 4711
..... 16736, 16739	17253, 17254,	\@vpt 4711
\@todonotes@drawMarginNote	17259, 17261,	\@whilenum 11549
16735, 16738, 16742	17262, 17263, 17553	\@whilesw 6390,
\@todonotes@drawMarginNoteAdditionalpoem 5245, 5344	6432, 9738, 9774,
..... 16730	\@trivlist	9858, 10480,
\@todonotes@ifdisabled 12704, 12724, 17102	10504, 12266,
..... 16809	\@twocol@footgroupv@r	12345, 17383, 17408
\@todonotes@sizecommand 7914	\@wholewidth
..... 16713,	\@twocolLTRfootfmt	.. 9673, 9675, 9693
16715, 16722,	.. 7937, 7958, 7986	\@width .. 29, 31, 239,
16724, 16726,	\@twocolLTRfootnotetext	241, 385, 535,
16749, 16751, 7909, 7930	541, 720, 728,
16763, 16766,	\@twocolRTLfootfmt	958, 965, 1205,
16767, 16769, 16772	.. 7947, 7961, 7998	1213, 1497, 2087,
\@todonotes@text ..	\@twocolRTLfootnotetext	5539, 5547, 5695,
.. 16713, 16715, 7910, 7940	5793, 5973, 5979,
16724, 16726,	\@twocolfootfmt ...	6171, 6413, 6488,
16749, 16751,	.. 7927, 7955, 7973	6653, 6946, 7382,
16764, 16770, 16773	\@twocolfootnotetext	7388, 7682, 7688,
\@todonotes@textwidth 7908, 7920	7697, 9543, 9549,
..... 16747	\@twocolumntrue .. 2062	9765, 10053,
\@toodeep	\@twosidefalse ... 3465	10418, 10474,
..... 17090	\@twosidetrue 3460	11442, 11448,
\@topnum	\@typeset@protect ..	11923, 11956,
107, 1869,	12004, 12251,
316, 461, 815,	1875, 1881, 1896	12334, 12475,
1069, 1321, 4950,	\@undeclaredcolor ..	12486, 12559,
5900, 7441, 7538, 6184,	13205, 13213,
9619, 12066,	6192, 16900, 16901	13629, 13637,
13328, 13469,	\@undefined .. 1927,	13788, 13794,
13715, 13898,	2059, 11908, 12167	13971, 13977,
14308, 14776, 15410	\@undottedtocline 12397	14209, 14218,
\@topsep	\@unexpandable@protect	14527, 14534,
..... 12707, 12727, 17150 2550, 3361	14677, 14686,
\@topsepadd	\@unrecurse 15790, 15793	15051, 15058,
.. 1841, 12708, 12728	\@uppertitleback ..	15311, 15320,
\@totalleftmargin 14271,	15642, 15649,
.. 10440, 10444,		15765, 15805,
10447, 10456,		
11982, 12710,		



17321, 17397, 17544	17437, 17441,	4286, 4314, 4318,
\@x 5361, 5362	17481, 17485, 17548	10310, 10312, 15253
\@x@sf 4351, 4356, 4362,	\@yargdef 2519	
4365, 11109, 11121	\@ympar 17545	A
\@xLTRfootnote	\@ythm 12712, 12732	\abovecaptionskip .
.... 1918, 2041,	\[..... 5369, 9778 11579,
5195, 5206, 5419,	\ \ 118, 399, 749,	12106, 12156,
5433, 10112, 10115	794, 1003, 1048,	14619, 14623,
\@xLTRfootnotenext	1255, 1300, 1924,	15143, 15147,
..... 1917,	2291, 2297, 2375,	15734, 15738, 17621
2040, 5194, 5205,	3798, 3799, 3800,	\abovedisplayshortskip
5418, 5432, 10261,	3802, 4759, 5128,	.. 3492, 3501, 4702
10264, 11008, 15840	5266, 5577, 5756,	\abovedisplayskip .
\@xRTLfootnote	6804, 6805, 6808, 3491,
... 1920, 2043,	6824, 6911, 6916,	3494, 3500, 3507,
5197, 5208, 5421,	6923, 6933, 6937,	3541, 4701, 4708
5435, 10103, 10106	7662, 7666, 7675,	\abstractname .. 625,
\@xRTLfootnotenext	10841, 10844,	631, 634, 934,
.... 1919, 2042,	10857, 10860,	940, 942, 1188,
5196, 5207, 5420,	10960, 11377,	1194, 1197, 5516,
5434, 10276,	11378, 11433,	5709, 13132,
10279, 10997, 15841	11437, 11564,	13138, 13141,
\@xaddress 323	11565, 11901,	13584, 13590, 13593
\@xauthor 323	11987, 12757,	\active 5145,
\@xcolor@ .. 16908, 16951	12769, 13024,	5146, 5148, 5149
\@xcurraddr 324	13025, 13037,	\add@strip 12381
\@xemail 324	13038, 13050,	\addcontentsline ..
\@xfloat 1974	13051, 13063,	550, 552, 2288,
\@xfootnote ... 1916,	13262, 13307,	3777, 7339, 7341,
2039, 5193, 5204,	13401, 13448,	11596, 11601,
5417, 5431, 11351	15259, 15755,	12179, 16095,
\@xfootnotemark .. 11019	15771, 15788,	16102, 16119, 16780
\@xfootnotenext ...	15789, 15978,	\addfontfeature ...
.... 1915, 2038,	16007, 16746, 2211, 2212,
5192, 5203, 5416,	16753, 17266,	2213, 2214, 2215,
5430, 10986, 15839	17310, 17327, 17337	2216, 2218, 2219
\@xiipt 4713	\{ 1786	\addpenalty . 5, 206,
\@xipt 4712	\} 1787, 17081	504, 521, 657,
\@xivpt 305, 4714	\] .. 184, 200, 5370, 9788	675, 682, 886,
\@xmakefntext .. 805,	\^ 1624, 5145,	903, 921, 1144,
1311, 13318, 13459	5146, 5148, 5149	1162, 1170, 5475,
\@xp 117, 310, 335, 336, 6093	\` 10438,	5491, 5498, 5654,
\@xpt 3490	11979, 13079, 13093	5670, 5677, 5943,
\@xthm 12712, 12732	\ ... 10317, 10318, 10433	5958, 7311, 7325,
\@xtitle 322		7581, 9493, 9508,
\@xxpt 4715		13164, 13180,
\@xxxii 2025		13187, 13538,
\@xympar 4038,	_ 1563,	13554, 13561,
4042, 4082,	1665, 4244, 4248,	13756, 13770,
4086, 4126, 4130,	4263, 4267, 4282,	13941, 13956,



14389, 14423,	206, 505, 522,	\adl@inactivate ...
14857, 14884,	658, 676, 683, 1375, 1457
14913, 15491,	887, 904, 922,	\adl@LT@array 11395
15520, 16020,	1145, 1163, 1171,	\adl@noalign 1376
16022, 16149,	2095, 4753, 4810,	\adl@org@activate 1458
16151, 16184,	5476, 5492, 5655,	\adl@org@classz ... 1501
16206, 17149, 17154	5671, 5944, 7312,	\adl@org@endpbox . 1459
\address 323, 2245	7326, 7582, 9494,	\adl@org@inactivate 1457
\addresscolour 2214,	13165, 13181,	\adl@putlrc 1412, 1413,
6756, 6854, 6860,	13539, 13555,	1414, 1442, 1443,
6866, 6872, 6878	13757, 13942,	1444, 1450, 1451, 1452
\addressfont .. 2223,	14390, 14425,	\adl@startmbox 1415
2231, 2342, 6794,	14858, 14885,	\advance 12,
6822, 6886, 6920	15492, 16153,	86, 213, 295, 313,
\addresssymbol	16207, 16458,	381, 528, 573,
.. 2205, 6824, 6923	17150, 17151, 17155	689, 707, 877,
\addresstyle 2231	\adjmc@inner 130	893, 975, 1177,
\addtocontents ... 16435	\adjmc@outer 132	1227, 1462, 1496,
\addtocounter 11545, 11546	\adjmc@page@sofar@orig	1683, 1688, 2006,
\addtolength ... 179, 160	2020, 2026, 2105,
2165, 2166, 2167,	\adjmult@cols 159	2360, 3373, 3986,
2168, 2169, 2170,	\adjmulticols 128	4689, 4764, 5115,
2268, 2269, 2271,	\adl@act@classz .. 1500	5123, 5124, 5289,
2273, 2274, 2277,	\adl@act@CT@setup .	5402, 5505, 5526,
3576, 3579, 3580, 1458, 1465	5684, 5719, 5965,
3583, 4725, 6902,	\adl@activate 1375, 1458	6029, 6170, 6178,
6903, 6904, 7174,	\adl@argarraydashrule	6179, 6219, 6331,
10694, 10695, 1394, 1432	6451, 6452, 6461,
11501, 11505,	\adl@array .. 1372, 1377	6522, 6523, 6538,
11507, 11509,	\adl@arraydashrule	6558, 6561, 6562,
11510, 11511, 1393, 1431	6571, 6573, 6579,
11512, 11531,	\adl@arrayinit ... 1374	6580, 6583, 6586,
11533, 11534,	\adl@arrayrestore 1369	6589, 6632, 6687,
11536, 11537,	\adl@arrayrule 1392, 1430	6688, 6703, 6723,
11539, 11540,	\adl@box . 1415, 1417, 1418	6724, 6954, 6964,
11541, 11551,	\adl@class@iiiorvii	6965, 6975, 6985,
11552, 14184, 1421, 1454	6986, 7002, 7003,
14187, 14188,	\adl@class@start ..	7004, 7021, 7030,
14191, 14193, 1420, 1453	7037, 7059, 7060,
14596, 14597,	\adl@CT@setup 1457, 1460, 1461	7061, 7075, 7082,
14652, 14655,	... 1457, 1460, 1461	7089, 7118, 7119,
14656, 14659,	\adl@depth 1464	7132, 7134, 7137,
14661, 15120,	\adl@endarray 1369	7138, 7139, 7318,
15121, 15158,	\adl@endmbox 1416	7370, 7642, 7901,
15163, 15165,	\adl@everyvbox 1373, 1374	7903, 9515, 9558,
15286, 15289,	\adl@extract@arc . 1469	9673, 9675, 9677,
15290, 15293,	\adl@extract@dgc . 1472	9683, 9684, 9691,
15295, 15711,	\adl@extract@drsc 1470	9692, 9693, 9851,
15712, 16039, 16040	\adl@height 1463	9852, 10313,
\addvspace 5,		10327, 10340,



10341,	10373,	16472,	16522,	\ALG@floatstyle ...
10378,	10379,	16523,	16524,	... 4001, 4002, 4003
10382,	10391,	16527,	16531,	\algocf@algobox ... 173
10455,	11519,	16556,	16567,	\algocf@algoframe .
11522,	11523,	16646,	16669,	... 167, 168, 169, 170
11553,	11916,	16823,	16825,	\algocf@endline ... 184
11928,	12204,	16835,	16854,	\algocf@float 17682
12206,	12233,	16855,	16884,	\algocf@makethealgo 194
12234,	12237,	16895,	16896,	\algocf@within
12286,	12288,	17092,	17105, 162, 164,
12315,	12316,	17106,	17109,	17684, 17685, 17686
12319,	12370,	17111,	17117,	\algomargin ... 176, 179
12371,	12372,	17119,	17123,	\algowidth . 174, 176, 197
12373,	12382,	17125,	17129,	\alignL 6124
12404,	12417,	17131,	17293,	\alignR 6128
12429,	12442,	17294,	17360,	\allowbreak
12705,	12709,	17517,	17518,	... 6960, 6981,
12710,	12725,	17525,	17526,	7957, 7960, 7963,
12729,	12730,	17527, 17528, 17553		8044, 8101, 8104,
12764,	12806,	\afterassignment ..		8107, 8184, 8244,
12811,	12812,	... 1565, 1567,		8247, 8250, 8331,
12813,	12842,	1667, 1669, 2551,		8391, 8394, 8397,
12843,	12869,	4216, 15863, 15864		8478, 8538, 8541,
12880,	13017,	\aftergroup .. 1823,		8544, 8625, 8685,
13194,	13223,	1833, 3031, 3033,		8688, 8691, 8772,
13568,	13616,	3043, 3045, 3055,		8832, 8835, 8838,
13660,	13703,	3057, 3075, 3077,		8919, 8979, 8982,
13777,	13814,	3086, 3088, 3097,		8985, 9066, 9126,
13963,	14018,	3099, 4200, 4215,		9129, 9132, 9213
14083,	14401,	6182, 6184, 6191,		\Alph 12088
14434,	14438,	6197, 6216, 9877,		\AM@CheckAtEnd ... 12777
14483,	14869,	9879, 12925,		\AM@ClearShipoutPicture
14896,	14924,	12926, 12929,	 12779
14928,	15007,	12933, 12934,		\AM@currentdocname
15257,	15503,	12938, 12942,	 12742, 12748
15531,	15535,	12943, 12947,		\AM@findfile 12746
15598,	15789,	12951, 12955,		\AM@output 12775
15803,	15813,	12959, 16013,		\AM@pagecount 12744
15833,	15928,	16449, 16889,		\AM@pageref 12759, 12762
15979,	15995,	16898, 16900,		\AM@pagetemp
16008,	16012,	16937, 16941,		.. 12752, 12757,
16044,	16045,	16994, 17005,		12758, 12761,
16064,	16165,	17006, 17009,		12769, 12770, 12774
16196,	16219,	17013, 17014,		\AM@readlist 12774
16236,	16253,	17018, 17022,		\AM@split@options 12738
16270,	16287,	17023, 17027,		\AM@temp ... 12739, 12740
16304,	16322,	17031, 17035,		\AM@threadname
16341,	16361,	17039, 17221,		12737, 12747, 12748
16396,	16437,	17560, 17568, 17569		\AM@xrprefix
16447,	16467,	\AlFnt 181		12755, 12759, 12762



9041, 9054, 9090,	7469, 7484, 7494,	2375, 2466, 2485,
9100, 9110, 9136,	7499, 7562, 7570,	2617, 2663, 2670,
9148, 9161, 9188,	7661, 9569, 9577,	2700, 2716, 2732,
9201, 9284, 9295,	9582, 9641, 9647,	2772, 2780, 2813,
9306, 9331, 9344,	9781, 10709,	2836, 2925, 2949,
9357, 9391, 9405	10714, 10732,	2964, 3030, 3041,
\BCmd 1822	10835, 10837,	3053, 3074, 3084,
\BDefaboveskip	10851, 10853,	3095, 3245, 3359,
.. 1837, 1852, 1855	11432, 12193,	3371, 3406, 3779,
\BDefbelowskip	13247, 13260,	4198, 4441, 4470,
... 1841, 1853, 1856	13271, 13350,	4499, 4873, 4890,
\BDefinlineskip ...	13356, 13384,	4906, 4918, 4951,
... 1846, 1854, 1857	13399, 13410,	5255, 5322, 5329,
\begin 167,	13494, 13502,	5336, 5366, 5477,
169, 173, 407, 417,	13511, 13513,	5501, 5656, 5680,
422, 485, 493,	13514, 13646,	5886, 5946, 5961,
734, 747, 758,	13666, 13671,	6051, 6162, 6216,
837, 843, 988,	13747, 13844,	6225, 6389, 6429,
1001, 1012, 1091,	13854, 13859,	7113, 7129, 7314,
1097, 1240, 1253,	13922, 13930,	7327, 7427, 7524,
1264, 1344, 1350,	14222, 14242,	7583, 9495, 9511,
1359, 1361, 1362,	14247, 14257,	9605, 9737, 9771,
1816, 1818, 1827,	14270, 14274,	9855, 9871, 10107,
1829, 1832, 2295,	14354, 14360,	10116, 10265,
2299, 2301, 2303,	14371, 14475,	10280, 10287,
2305, 2309, 2317,	14690, 14710,	10339, 10372,
2320, 2354, 2871,	14715, 14725,	10478, 10502,
2877, 2899, 2903,	14738, 14742,	10542, 10558,
3135, 3591, 3592,	14822, 14828,	10708, 10987,
3605, 3608, 3676,	14839, 14999,	10998, 11009,
3677, 3683, 3684,	15324, 15344,	11020, 11135,
3691, 3692, 3717,	15349, 15359,	11155, 11193,
3718, 3755, 3758,	15372, 15376,	11226, 11257,
3761, 3764, 3768,	15456, 15462,	11288, 11374,
3769, 3953, 3954,	15473, 15590,	11392, 11407,
4569, 4625, 4632,	16058, 16710,	11466, 11599,
4639, 4646, 4653,	16717, 16720,	11925, 12051,
4666, 4674, 4796,	16731, 16744,	12181, 12263,
4801, 4934, 4981,	16747, 16754,	12342, 12542,
5004, 5386, 5562,	16760, 16783,	12546, 12550,
5575, 5586, 5741,	16787, 16793, 16800	12735, 13166,
5754, 5765, 5809,	\begingroup 6,	13190, 13314,
5821, 5846, 5856,	115, 207, 304,	13455, 13540,
5861, 5924, 5932,	317, 374, 386,	13564, 13696,
6235, 6245, 6258,	447, 507, 524,	13758, 13773,
6268, 6281, 6291,	659, 685, 801,	13884, 13944,
6304, 6314, 6808,	889, 905, 1055,	13959, 14296,
6914, 6919, 6937,	1146, 1173, 1307,	14397, 14432,
7197, 7263, 7391,	1488, 1708, 1952,	14474, 14568,
7399, 7404, 7463,	1960, 1968, 2068,	14764, 14865,



14892, 14922,	4060, 4148, 5544,	15732, 15740, 17629
14998, 15092,	5700, 5977, 6082,	\belowdisplayshortskip
15398, 15499,	6148, 6177, 6182,	.. 3493, 3502, 4703
15529, 15589,	6191, 6197, 6216,	\belowdisplayskip .
15683, 15862,	7106, 7386, 7686, 3494,
15943, 15992,	7894, 7898, 9291,	3507, 3542, 4708
16016, 16154,	9313, 9338, 9364,	\bf 12790, 12792
16445, 16562,	9547, 9698, 9700,	\bfseries 25, 305, 511,
16902, 16945,	9701, 9702, 9703,	527, 558, 561,
16994, 17221,	9705, 9706, 9707,	664, 688, 892,
17382, 17405, 17560	9810, 10048,	910, 1151, 1176,
\beginL 1473,	10519, 10572,	1772, 2312, 4933,
2342, 4060, 4104,	10611, 10618,	5482, 5504, 5661,
6147, 6176, 6182,	10967, 10975,	5683, 5810, 5822,
6184, 6216, 7930,	11359, 11364,	5950, 5964, 5998,
7982, 8076, 8125,	11371, 11379,	6004, 6012, 7317,
8217, 8269, 8364,	11425, 11446,	7332, 7347, 7350,
8416, 8511, 8563,	11582, 11941,	7359, 7587, 7610,
8658, 8710, 8805,	12157, 12159,	7616, 7625, 9500,
8857, 8952, 9004,	12556, 12794,	9514, 9525, 9530,
9099, 9151, 9291,	12919, 12926,	9538, 13171,
9302, 9338, 9351,	12931, 12998,	13193, 13545,
9686, 9698, 9700,	12999, 13000,	13567, 13743,
9701, 9702, 9703,	13210, 13634,	13762, 13776,
9705, 9706, 9707,	13792, 13975,	13948, 13962,
9785, 9800, 9952,	14124, 14134,	13995, 14000, 14008
10517, 10523,	14145, 14152,	\bgroup . 175, 176, 374,
10543, 10559,	14213, 14531,	389, 394, 399,
10569, 10967,	14611, 14681,	633, 1196, 1474,
10971, 10975,	15055, 15135,	1569, 1671, 1911,
10977, 11118,	15180, 15315,	2034, 5187, 5412,
11359, 11361,	15646, 15726,	5426, 6084, 6148,
11364, 11371,	15752, 15775,	9785, 9786, 9800,
11379, 11582,	15815, 15937,	10231, 10392,
12784, 12786,	16894, 16898,	11929, 11931,
12925, 12940,	16937, 16941,	11950, 11969,
13004, 14130,	16994, 16999,	12357, 12927,
14141, 14148,	17006, 17011,	12932, 12936,
14158, 15930,	17276, 17279,	12941, 12945,
16893, 16898,	17282, 17299,	12950, 12953,
16900, 16994,	17307, 17333,	12958, 13140,
17005, 17020,	17503, 17537,	13592, 15752,
17041, 17046,	17554, 17556,	15761, 15769,
17159, 17459,	17601, 17611,	15775, 15807,
17537, 17601, 17611	17624, 17627, 17635	15811, 15815,
\beginR 28, 238,	\belowcaptionskip .	16554, 17007,
338, 343, 374, 11592,	17012, 17016,
399, 539, 725,	12147, 12164,	17021, 17025,
963, 1210, 1474,	14617, 14625,	17030, 17033,
1921, 2116, 2119,	15141, 15149,	17038, 17307,



17317, 17325, 17333	\bidi@AfterAtEndOfClass	\bidi@csappto 2597
\bib@after@hook 14518, 3033, 3038	\bidi@csdefcs 2472
14520, 15042,	\bidi@AfterAtEndOfPackage	\bidi@cseappto 2598, 2601
15044, 15633, 15635 3077, 3081	\bidi@csepreto 2607, 2610
\bib@before@hook ..	\bidi@AfterClass . 3021	\bidi@csgappto
..... 14469,	\bidi@AfterEndDocument	... 2599, 2869,
14519, 14993,	.. 2853, 2858, 2864	2883, 2897, 2909
15043, 15584, 15634	\bidi@afterenddocumenthook	\bidi@csgpreto . . . 2608
\bib@beginhook 14462, 2853,	\bidi@cslet 2478
14468, 14986,	2854, 2859, 2865	\bidi@csletcs 2475
14992, 15577, 15583	\bidi@AfterEndEnvironment	\bidi@cspreto 2606
\bib@endhook 2908, 2918	\bidi@csuse
14522, 15046, 15637	\bidi@AfterEndPreamble	... 2540, 2873,
\bib@heading 2841,	2887, 2900, 2913
14464, 14991, 15582	2845, 2847, 2851,	\bidi@csxappto
\bibcleanup 12652	3430, 4947, 4970 2600, 2602
\bibentry 4246, 4248,	\bidi@afterendpreamblehook	\bidi@csxpreto 2609, 2611
4265, 4267, 4284, 2841,	\bidi@dbg@fail 2625,
4286, 4316, 4318	2842, 2846, 2848	2635, 2636, 2637,
\bibfont 12632	\bidi@AfterFile .. 3018	2638, 2644, 2653,
\bibindent .. 2346, 2347	\bidi@AfterPackage 3066	2659, 2766, 2788,
\bibitem@fin 12646	\bidi@AfterPreamble	2800, 2801, 2810
\bibliofont 82, 291 2838, 2839	\bidi@dbg@info
\bibliographyitemlabel	\bidi@AfterReadingMainAux	... 2626, 2628,
..... 2348, 2354 3348, 3351	2631, 2633, 2634,
\bibname . 4789, 4790,	\bidi@append . 2774, 2824	2645, 2647, 2649,
5520, 5521, 5713,	\bidi@appto .. 2553,	2651, 2652, 2654,
5714, 6023, 6024,	2597, 2844, 3388	2656, 2658, 2764,
7636, 7637, 9552,	\bidi@apptocmd 2770, 2771	2789, 2791, 2793,
9553, 13217,	\bidi@AtBeginEnvironment	2796, 2802, 2804
13218, 13610, 2868, 2878	\bidi@dbg@init 2623,
13611, 13808,	\bidi@AtEndEnvironment	2642, 2763, 2786
13809, 14012, 14013 2882, 2892	\bidi@dbg@succ
\bibpostamble 12647	\bidi@AtEndPreamble	... 2669, 2765,
\bibpreamble 2827,	2797, 2805, 2807
.. 12631, 14465,	2832, 2834,	\bidi@dbg@trce
14466, 14988,	2839, 3428, 4230	... 2616, 2662,
14989, 15579, 15580	\bidi@autofootnoterulefalse	2762, 2771, 2779
\bibsection	10055, 10059, 10062	\bidi@eappto
... 4784, 4787,	\bidi@autofootnoteruletrue	.. 2557, 2570, 2598
4789, 4790, 12191, 10077	\bidi@endpreamblehook
12629, 16055, 16057	\bidi@BeforeBeginEnvironment 2827,
\bidi@end .. 2862, 2866 2896, 2904	2828, 2833, 2835
\bidi@loadwithoptions	\bidi@BeforeClass 3019	\bidi@ensure@new@command
..... 2944,	\bidi@BeforeClosingMainAux 2483, 2484
2951, 2954, 2958	3311, 3322, 3326,	\bidi@ensure@newcommand
\bidi@onefilewithoptions	3329, 3337, 3340	... 2483, 7698,
.. 2966, 2969, 2972	\bidi@BeforeFile . 3017	7699, 7793, 7801,
\bidi@patchcmd ...	\bidi@BeforePackage	7802, 7803, 7810,
..... 2665, 2667 3064	7811, 7817, 7818,



7833, 7834, 7840, 7841, 7842, 7843, 7846, 7852, 7854, 7860, 7861, 7876, 7887, 7889, 7892, 7897, 7900, 7902, 7906, 7920, 7930, 7940, 7950, 7955, 7958, 7961, 7964, 7976, 7989, 8001, 8016, 8028, 8040, 8045, 8049, 8053, 8067, 8076, 8085, 8094, 8099, 8102, 8105, 8108, 8119, 8131, 8142, 8157, 8168, 8180, 8185, 8189, 8193, 8207, 8217, 8227, 8237, 8242, 8245, 8248, 8251, 8263, 8276, 8288, 8303, 8315, 8327, 8332, 8336, 8340, 8354, 8364, 8374, 8384, 8389, 8392, 8395, 8398, 8410, 8423, 8435, 8450, 8462, 8474, 8479, 8483, 8487, 8501, 8511, 8521, 8531, 8536, 8539, 8542, 8545, 8557, 8570, 8582, 8597, 8609, 8621, 8626, 8630, 8634, 8648, 8658, 8668, 8678, 8683, 8686, 8689, 8692, 8704, 8717, 8729, 8744, 8756, 8768, 8773, 8777, 8781, 8795, 8805, 8815, 8825, 8830, 8833, 8836, 8839, 8851, 8864, 8876, 8891, 8903, 8915, 8920, 8924, 8928, 8942, 8952, 8962, 8972, 8977, 8980, 8983, 8986, 8998, 9011, 9023, 9038,	9050, 9062, 9067, 9071, 9075, 9089, 9099, 9109, 9119, 9124, 9127, 9130, 9133, 9145, 9158, 9170, 9185, 9197, 9209, 9214, 9218, 9222, 9230, 9237, 9241, 9252, 9261, 9263, 9264, 9283, 9294, 9305, 9316, 9320, 9324, 9328, 9341, 9354, 9367, 9388, 9401, 9415, 9421, 9428, 9435, 9443, 9447, 9458, 9459, 9470, 9488 \bidi@ensure@newlength 2490, 7814, 7815, 7816, 7844 \bidi@epreto 2579, 2592, 2607 \bidi@error . 2492, 2525 \bidi@everyjob 1532, 1533, 1649, 1650 \bidi@excludedpackages 3105, 3106, 3126, 3162, 3179, 3187, 3197, 3219, 3220, 3228, 3229, 3234, 3247 \bidi@expandonce 2545, 2556, 2560, 2564, 2568, 2578, 2582, 2586, 2590, 2808 \bidi@ff@box . 9903, 9921 \bidi@footdir@footnote 76, 285, 10175, 10177, 10181 \bidi@gappto 2561, 2599, 2827, 2841, 2853 \bidi@gobbleopt 3268, 3277 \bidi@gpreto . 2583, 2608 \bidi@hook@acma 3292, 3336, 3349, 3350, 3355	\bidi@hook@bcma 3286, 3335, 3338, 3339, 3345 \bidi@hooktocmd 2774, 2782, 2784 \bidi@hooktocmd@i 2798, 2812 \bidi@ifblank@i 2444, 2445, 2447 \bidi@ifdefmacro 2450, 2452, 2453, 2454 \bidi@ifdefparam 2744, 2746, 2747, 2748 \bidi@ifdefprotected 2753, 2755, 2756, 2757 \bidi@ifhashcheck . .. 2630, 2715, 2795 \bidi@ifhashcheck@i 2719, 2721 \bidi@ifhashcheck@ii 2723, 2726, 2727, 2728 \bidi@ifpatchable . .. 2619, 2621, 2668 \bidi@ifpatchable@i 2619, 2640 \bidi@ifpattern 2632, 2731 \bidi@ifscanable 2629, 2650, 2699, 2794 \bidi@info 2494 \bidi@isloaded 2691, 11620, 11621, 11622, 11623, 11624, 11625, 11626, 11627, 11628, 11629, 11630, 11631, 11632, 11633, 11634, 11635, 11636, 11637, 11638, 11639, 11640, 11641, 11642, 11643, 11644, 11645, 11646, 11647,
--	--	---



11648,	11649,	11876, 11879, 11882	2570, 2571, 2575,
11650,	11651,	\bidi@load@hook 2937,	2579, 2583, 2587,
11652,	11653,	2940, 2973, 3010	2592, 2593, 2597,
11654,	11655,	\bidi@loadwithoptions	2598, 2599, 2600,
11656,	11657,	.. 2945, 2946, 2951	2601, 2602, 2606,
11658,	11659,	\bidi@lrbox 17217	2607, 2608, 2609,
11660,	11661,	\bidi@lst@caption@direction	2610, 2611, 2615,
11662,	11663, 11565,	2661, 2760, 2770,
11664,	11665,	11566, 11570, 11573	2778, 2827, 2838,
11666,	11667,	\bidi@lst@ensure@caption@direction	2841, 2853, 2868,
11668,	11669,	.. 11568, 11580,	2882, 2896, 2908
11670,	11671,	11582, 11584, 11600	\bidi@notblank 2446,
11672,	11673,	\bidi@mpfootnoterule	2454, 2748, 2757
11674,	11675, 9959,	\bidi@o@everypar ..
11676,	11677,	10186, 10199, 12920,
11678,	11679,	10212, 10249, 12024	12922, 12923,
11680,	11681,	\bidi@multicol@align@columns	17000, 17002, 17003
11682,	11683, 12457,	\bidi@onefilewithoptions
11684,	11685,	12507, 12510, 12512	.. 2961, 2962, 2966
11686,	11689,	\bidi@n@everypar ..	\bidi@orig@leftline
11692,	11695,	.. 12921, 12922,	17284, 17286, 17287
11698,	11701,	12923, 12924,	\bidi@orig@raggedleft
11704,	11707,	16816, 17001,	17269, 17271, 17272
11711, 11714, 11717,		17002, 17003, 17004	\bidi@orig@raggedright
11720,	11723,	\bidi@namelongdef .	17270, 17271, 17272
11726,	11729, 2481,	\bidi@orig@rightline
11732,	11735,	8008, 8010, 8017,	17285, 17286, 17287
11738,	11741,	8029, 8149, 8151,	\bidi@p@ftn
11744,	11747,	8158, 8169, 8181,	1865, 1928, 1931,
11750,	11753,	8295, 8297, 8304,	1932, 1934, 1935,
11756,	11759,	8316, 8442, 8444,	1937, 1938, 1942,
11762,	11765,	8451, 8463, 8589,	1945, 1948, 2053
11768,	11771,	8591, 8598, 8610,	\bidi@p@ftntext ...
11774,	11777,	8736, 8738, 8745,	.. 1912, 1930, 2035
11780,	11783,	8757, 8883, 8885,	\bidi@p@LTRftntext
11786,	11789,	8892, 8904, 9030,	.. 1913, 1933, 2036
11792,	11795,	9032, 9039, 9051,	\bidi@p@RTLftntext
11798,	11801,	9177, 9179, 9186,	... 1914, 1936, 2037
11804,	11807,	9198, 9374, 9376,	\bidi@p@xfootnote .
11810,	11813,	9389, 9402, 9416	... 1916, 1951, 2039
11816,	11819,	\bidi@new@command .	\bidi@p@xftntext 1915,
11822,	11825, 2497,	1941, 1956, 2038
11828,	11831,	2499, 2528, 2536	\bidi@p@xLTRfootnote
11834,	11837,	\bidi@newcommand 1918, 1959, 2041
11840,	11843, 2499, 2501	\bidi@p@xLTRftntext
11846,	11849,	\bidi@newrobustcmd 1917,
11852,	11855, 1564,	1944, 1964, 2040
11858,	11861,	1566, 2496, 2497,	\bidi@p@xRTLfootnote
11864,	11867,	2521, 2532, 2553,	.. 1920, 1967, 2043
11870,	11873,	2557, 2561, 2565,	



\bidi@p@xRTLftntext	\bidi@protected ...	\bidi@reflect@box .
..... 1919,	2548, 2570, 2571,	.. 12983, 12990,
1947, 1972, 2042	2592, 2593, 2601,	17067, 17074, 17076
\bidi@patch@AfterPackage	2602, 2610, 2611	\bidi@renew@command
..... 3400, 3405	\bidi@protected@csxappto	.. 2521, 2523, 2537
\bidi@patch@Add 2601	\bidi@renewrobustcmd
..... 3387, 3416	\bidi@protected@csxpreto 2521
\bidi@patch@AfterPackage 2610	\bidi@ReplaceClass 2992
... 3390, 3394,	\bidi@protected@csxappto	\bidi@replacefile@msg
3397, 4342, 4344, 2602 2929,
4347, 4368, 4516,	\bidi@protected@csxpreto	2953, 2968, 3006
4566, 4622, 4866 2611	\bidi@ReplaceInput 2976
\bidi@patch@counter	\bidi@protected@eappto	\bidi@ReplacePackage
..... 3368, 2570 2989
3372, 3375,	\bidi@protected@epreto	\bidi@RequirePackage
3381, 3382, 3401 2592	.. 3128, 3188, 3239
\bidi@patch@gtemp .	\bidi@protected@immediate@write	\bidi@ResetPreventPackageFromLoading
..... 3408, 3415	.. 3341, 3352, 3358 3180,
\bidi@patch@list ..	\bidi@protected@xappto	3186, 3195, 3234
... 3386, 3388, 2571	\bidi@resrvda . 2671,
3426, 3428, 3435	\bidi@protected@xpreto	2672, 2673, 2676,
\bidi@patch@OrgIfClassLater 2593	2677, 2678, 2679,
..... 3434, 3439	\bidi@provide@command	2680, 2681, 2686,
\bidi@patch@OrgIfClassLoaded 2532, 2534	2689, 2701, 2702,
..... 3433, 3438	\bidi@providerobustcmd	2703, 2704, 2705,
\bidi@patch@OrgIfPackageLater 2532	2707, 2708, 2717,
..... 3432, 3437	\bidi@raggedleft ..	2719, 2733, 2734,
\bidi@patch@OrgIfPackageLoaded 2289,	2736, 2738, 2739,
..... 3431, 3436	2296, 2301, 2320,	2814, 2815, 2816,
\bidi@patch@stepcounter	6804, 6920, 9702,	2817, 2818, 2819,
.. 3370, 3380, 3399	9707, 10751, 17274	2820, 2821, 2822
\bidi@patch@temp ..	\bidi@raggedright .	\bidi@resrvdb 2673, 2674
..... 3398, 3402	... 9700, 9705,	\bidi@restore@newpage
\bidi@patch@try ...	12563, 12566,	.. 3287, 3304, 3334
..... 3417, 3420	12568, 12571,	\bidi@RTL@everypar
\bidi@patchcmd 2661,	12573, 12575, 12919,
2662, 2856, 2871,	12578, 12580,	12923, 16999, 17003
2885, 2911, 11595	12582, 12584,	\bidi@stfftextcol
\bidi@patchcmd@scantoks	12587, 12589, 9900, 9904
.. 2679, 2685, 2820	12591, 12593,	\bidi@saved@checkend
\bidi@pgfpicture ..	12595, 12598,	.. 3279, 3282, 3300
..... 12784, 15947	12600, 12603,	\bidi@saved@clearpage
\bidi@prepend 2782, 2825	12605, 12608,	.. 3284, 3285, 3288
\bidi@preto	12610, 12612,	\bidi@saved@dofilelist
.. 2575, 2606, 2830	12615, 12617, 3290,
\bidi@pretocmd	12619, 12622,	3293, 3294, 3301
.. 2778, 2779, 2899	12624, 12626, 17273	\bidi@saved@eqno ..
\bidi@PreventPackageFromLoading 3108, 12994,
..... 3122, 3152, 3185	\bidi@redefine@newpage	12996, 12997,
 3302, 3342	17630, 17632, 17633



\bidi@saved@leqno .	\bidi@xpreto	\bidipoem@p@xfootnote
. 12995,	. . 2587, 2593, 2609	. . . 5193, 5204,
12996, 12997,	\bidicolor . . . 6142,	5321, 5417, 5431
17631, 17632, 17633	6198, 6213, 6215,	\bidipoem@p@xftntext
\bidi@saved@newpage	9901, 16942,	5192, 5203, 5312,
. 3303, 3314	16989, 16992, 16993	5326, 5416, 5430
\bidi@saved@RequirePackage	\bididate 1504, 1506,	\bidipoem@p@xLTRfootnote
3107, 3127, 3138,	1520, 1620, 1637	. . . 5195, 5206,
3190, 3192, 3270	\bidiGscale@@box . .	5328, 5419, 5433
\bidi@set@load@hook 10591, 10592	\bidipoem@p@xLTRftntext
3014, 3017, 3018,	\bidiGscale@box . . .	5194, 5205, 5315,
3020, 3039, 3051,	10568, 10569, 10588	5333, 5418, 5432
3065, 3082, 3093	\bidiGscale@box@dd	\bidipoem@p@xRTLfootnote
\bidi@StorePreventPackageFromLoading	10600, 10604, 10610	. . . 5197, 5208,
. 3196, 3199	\bidiGscale@box@ddd	5335, 5421, 5435
\bidi@tempa 10606, 10617	\bidipoem@p@xRTLftntext
1572, 1578, 1584,	\bidillap 17289	5196, 5207, 5318,
1596, 1602, 1608	\bidipoem@h@vlen 5111,	5340, 5420, 5434
\bidi@tempb	5117, 5120, 5123, 5132	\bidipoem@set@verse
1572, 1573, 1578,	\bidipoem@half@verses	. . . 5117, 5120, 5122
1579, 1584, 1585,	. . . 5137, 5138, 5141	\bidipoem@set@verseI
1596, 1597, 1602,	\bidipoem@half@verses@next 5116, 5119
1603, 1608, 1609	. . 5137, 5138, 5139	\bidipoem@spreadbox
\bidi@tikz@picture	\bidipoem@hvind 5111, 5106, 5128,
. 15945, 15946	5114, 5115, 5123,	5130, 5131, 5132
\bidi@tikzpicture 15942	5124, 5127, 5130	\bidirlap 17288
\bidi@todonotes@tempa	\bidipoem@hvlen 5110,	\bidituftefloatDebugInfoNL
. 16692, 16700	5115, 5117, 5128, 5130	. . . 3447, 3545,
\bidi@todonotes@tempb	\bidipoem@hvsep 5110,	3549, 3838, 3887
. 16692,	5123, 5124, 5131	\bidituftefloatError
16693, 16700, 16701	\bidipoem@next 5116, 5117 3446, 3933
\bidi@undef	\bidipoem@openbox .	\bidituftefloatInfoNL
. . . 2681, 2760, 5155, 5160	. . 3447, 3448, 4002
2822, 2835, 2848	\bidipoem@p@ftn 5162,	\bidituftefloatRecalculate
\bidi@undefined . . 2760	5172, 5303, 5304, 3574, 3585
\bidi@UnPreventPackageFromLoading	5306, 5307, 5309,	\bidituftehyperrefLoadHyperref
. 3200	5310, 5313, 5316, 4824, 4835
\bidi@UnReplaceClass	5319, 5424, 11225,	\bidituftesidenotemarginpar
. 3003	11235, 11256,	. . 4018, 4370, 4526
\bidi@UnReplaceInput	11266, 11287, 11297	\bidituftetocError
. 2980	\bidipoem@p@ftntext	. . 4555, 4602, 4611
\bidi@UnReplacePackage 5189,	\bidiversion . . 1505,
. 3000	5200, 5302,	1506, 1520, 1621, 1637
\bidi@warning	5413, 5427, 11223	\bigskip 13009
. . . 2493, 2876,	\bidipoem@p@LTRftntext	\bigskipamount
2890, 2902, 2916	5190, 5201, 5305,	. . 7878, 7883, 9437
\bidi@xappto	5414, 5428, 11254	\bl . . . 12825, 12826,
. . 2565, 2571, 2600	\bidipoem@p@RTLftntext	12829, 12830,
\bidi@xargdef 2503, 2511	5191, 5202, 5308,	12831, 12835,
	5415, 5429, 11285	12890, 12897, 12901



<code>\blacktriangleleft</code>	12473,	12479,	14503,	14505,
..... 10308, 10310	12494,	12502,	14511,	14995,
<code>\blacktriangleright</code>	12794,	12798,	15027,	15029,
..... 10308, 10310	12814,	12848,	15035,	15586,
<code>\bm@b</code>	12852,	12857,	15618, 15620,	15626
<code>\bm@l</code>	12861,	12873,	<code>\bs</code>	1782, 1783, 1785
<code>\bm@r</code>	12884,	12898,	<code>\bslice</code>	12845,
<code>\bm@t</code>	12901,	12905,	12846,	12848,
<code>\boolean</code> 177, 182, 190,	12910,	12987,	12858,	12859,
3447, 3517, 3519,	14055,	14064,	12861,	12881,
3522, 3526, 3529,	14102,	14113,	12882,	12884,
3532, 3557, 3653,	14601,	14611,	12908, 12909,	12910
3668, 3673, 3693,	15125,	15135,	<code>\bx@A</code>	3873, 3914
3700, 3708, 3725,	15200,	15206,	<code>\bx@a</code> ..	3847, 3879, 3920
3745, 3749, 3767,	15212,	15218,	<code>\bx@AA</code> .	3886, 3888, 3926
3768, 3771, 3772,	15224,	15230,	<code>\bx@B</code>	3873, 3914
3807, 3816, 3827,	15236,	15242,	<code>\bx@b</code> ..	3848, 3879, 3920
4569, 4573, 4621,	15248,	15716,	<code>\bx@BB</code>	3889, 3926
4834, 4971, 5040,	15726,	15937,	<code>\bx@C</code>	3873, 3914
5051, 9915, 12741	15996,	16014,	<code>\bx@c</code> ..	3849, 3879, 3920
<code>\botmark</code> ...	16886,	16887,	<code>\bx@CC</code>	3890, 3926
<code>\box</code>	16897,	17071,	<code>\bx@d</code>	3873, 3914
2110, 2116, 3988,	17168,	17191,	<code>\bx@D</code>	3850, 3879, 3920
6057, 6181, 6338,	17291,	17371,	<code>\bx@DD</code>	3891, 3926
6341, 6358, 6362,	17376,	17378,	<code>\bx@E</code>	3873, 3914
6369, 6375, 6377,	17389,	17395,	<code>\bx@e</code> ...	3851, 3879, 3920
6383, 6384, 6405,	17400,	17515,	<code>\bx@EE</code>	3892, 3926
6411, 6416, 6422,	17531,	17542,	<code>\bx@F</code>	3874, 3915
6423, 6478, 6481,	17555,	17557,	<code>\bx@f</code> ..	3852, 3880, 3921
6486, 6491, 6515,	17605, 17607, 17627		<code>\bx@FF</code>	3893, 3927
6651, 6655, 6679,	<code>\boxdef</code>	1814,	<code>\bx@G</code>	3874, 3915
6961, 6982, 6998,	1816, 1822, 1827, 1832		<code>\bx@g</code> ..	3853, 3880, 3921
7055, 7892, 7897,	<code>\boxmaxdepth</code>		<code>\bx@GG</code>	3894, 3927
9234, 9249, 9259,	... 6953, 6958,		<code>\bx@H</code>	3874, 3915
9479, 9731, 9733,	6974, 6979, 7006,		<code>\bx@h</code> ...	3854, 3880, 3921
9763, 9767, 9810,	7063, 7836, 9460,		<code>\bx@HH</code>	3895, 3927
9892, 9918, 9923,	9669, 10359, 10361		<code>\bx@I</code>	3874, 3915
10406, 10413,	<code>\br</code>	12825, 12827,	<code>\bx@i</code> ..	3855, 3880, 3921
10416, 10430,	12829,	12830,	<code>\bx@II</code>	3896, 3927
10466, 10473,	12831,	12835,	<code>\bx@J</code>	3874, 3915
10476, 10486,	12891, 12897, 12905		<code>\bx@j</code> ..	3856, 3880, 3921
10495, 10498,	<code>\BR@b@bibitem</code>	4223, 4224	<code>\bx@JJ</code>	3897, 3927
10536, 10539,	<code>\BR@bibitem</code> .	4226, 4227	<code>\bx@K</code>	3875, 3916
10582, 10585,	<code>\BR@c@bibitem</code>	4228	<code>\bx@k</code> ...	3857, 3881, 3922
10615, 10632,	<code>\bracetext</code> ...	1568,	<code>\bx@KK</code>	3898, 3928
11590, 11945,	1670,	12925,	<code>\bx@L</code>	3875, 3916
12128, 12162,	12926, 17005, 17006		<code>\bx@l</code> ...	3858, 3881, 3922
12198, 12254,	<code>\break</code>	11902	<code>\bx@LL</code>	3899, 3928
12257, 12280,	<code>\BreakBibliography</code>		<code>\bx@M</code>	3875, 3916
12332, 12337,	14471,	<code>\bx@m</code> ...	3859, 3881, 3922



\bx@MM	3900, 3928	\c@chapter 5556, 5558,	13604, 13799,
\bx@N	3875, 3916	5560, 5735, 5737,	13982, 14966, 15565
\bx@n	3860, 3881, 3922	5739, 5982, 5984,	\c@footnote
\bx@NN	3901, 3928	5986, 5987, 7594,	124,
\bx@O	3876, 3917	7596, 7598, 7599,	320, 448, 743,
\bx@o	3861, 3882, 3923	9662, 9664, 9666,	802, 997, 1056,
\bx@OO	3902, 3929	9927, 9929, 9931,	1249, 1308, 1709,
\bx@P	3876, 3917	9932, 9940, 9942,	5571, 5750, 5887,
\bx@p	3862, 3882, 3923	9944, 9945, 11615,	7428, 7525,
\bx@PP	3903, 3929	12090, 12675,	9606, 10258,
\bx@Q	3876, 3917	13239, 13241,	10272, 11021,
\bx@q	3863, 3882, 3923	13243, 13604,	11148, 11156,
\bx@QQ	3904, 3929	13606, 13608,	11186, 11194,
\bx@R	3876, 3917	13797, 13799,	11958, 11961,
\bx@r	3864, 3882, 3923	13801, 13980,	13256, 13315,
\bx@RR	3905, 3929	13982, 13984, 13985	13395, 13456,
\bx@S	3837,	\c@colht	13654, 13697,
	3839, 3877, 3918	12199,	13885, 14233,
\bx@s	3865, 3883, 3924	12211, 12237,	14297, 14701,
\bx@SS	3906, 3930	12238, 12281,	14765, 15335, 15399
\bx@T	3840, 3877, 3918	12293, 12319, 12320	\c@L@depth
\bx@t	3866, 3883, 3924	\c@curpg 9824, 9851, 9852	11546
\bx@TT	3907, 3930	\c@DFNsloppiness . .	\c@L@lines
\bx@U	3841, 3877, 3918	11547, 11549
\bx@u	3867, 3883, 3924	6951, 6972	\c@ll@chapseci
\bx@UU	3908, 3930	\c@enumiv	6223
\bx@U	3842, 3877, 3918	570, 577,	\c@ll@chapsecii
\bx@v	3868, 3883, 3924	704, 711, 972, 979,	6218
\bx@VV	3909, 3930	1224, 1231, 2364,	\c@lofdepth 16292, 16329
\bx@W	3843, 3878, 3919	5523, 5530, 5716,	\c@lor@error
\bx@w	3869, 3884, 3925	5723, 6026, 6033,	6187, 6194, 6202,
\bx@WW	3910, 3931	7367, 7374, 7639,	6208, 16934, 16968
\bx@X	3844, 3878, 3919	7646, 9555, 9562,	\c@lotdepth 16310, 16349
\bx@x	3870, 3884, 3925	13220, 13227,	\c@lstlisting 11615, 11617
\bx@XX	3911, 3931	13613, 13620,	\c@LT@chunks
\bx@Y	3845, 3878, 3919	13811, 13818,	11928
\bx@y	3871, 3884, 3925	14015, 14022,	\c@LT@tables
\bx@YY	3912, 3931	14479, 14488,	2082
\bx@Z	3846, 3878, 3919	14495, 15003,	\c@mpfootnote
\bx@ZZ	3872, 3884, 3925	15012, 15019,
	3913, 3931	15594, 15603,	10186, 10199,
		15610, 16061, 16068	10212, 10236, 12033
		\c@equation	\c@NAT@ctr
		5556,	12634
		5735, 5982, 7207,	\c@page
		7276, 7594, 9662,	4978,
		9927, 9940,	7114, 7131, 9824,
		12090, 13239,	9851, 16849, 17511
		13608, 13797,	\c@paragraph 545, 698,
		13980, 14982, 15573	954, 1218, 5553,
		\c@figure	5732, 5991, 7480,
		5558,	7603, 9659, 9936,
		5737, 5984, 7596,	9949, 12085,
		9664, 9929, 9942,	13236, 13601,
		12091, 13241,	13805, 13989,
			14456, 14956, 15559
			\c@poem@no
			5247,
			5297, 5348, 5359
			\c@secnumdepth
		
			306, 548,

C	
\c@abspage	9990
\c@addvipersep	12199,
	12217, 12222,
	12244, 12271,
	12281, 12299,
	12304, 12326, 12350
\c@algocf	164



557, 5799, 5996, 7337, 7346, 7608, 9524, 13013, 13994	1143, 1161, 5458, 5474, 5490, 5637, 5653, 5669, 5942, 5957, 7310, 7324, 7580, 9492, 9507, 12398, 12410, 12422, 13147, 13163, 13179, 13521, 13537, 13553, 13755, 13769, 13940, 13955, 14388, 14421, 14856, 14883, 14911, 15490, 15518, 16137, 16141, 16183, 16202, 16224, 16241, 16258, 16275, 16443, 16639, 17353	\cals@current@context 6112 \cals@last@context 6111 \cals@paddingL 6125, 6129 \cals@paddingR 6126, 6130 \cals@set@tohsz . 6114 \cals@setcellprevdepth 6114 \cals@setpadding .. 6114 \cals@tbreak@tokens 6109 \cals@tfoot@height 6110 \cals@tfoot@tokens 6108, 6122 \cals@thead@tokens 6107 \CAny 1803 \cAny 1811 \cap@indent 14578, 14581, 14586, 14588, 14589, 15102, 15105, 15110, 15112, 15113, 15693, 15696, 15701, 15703, 15704 \cap@left 14600, 14611, 15124, 15135, 15715, 15726 \cap@margin 14543, 15067, 15658 \cap@right ... 14602, 14611, 15126, 15135, 15717, 15726 \cap@width 14566, 14569, 14572, 15090, 15093, 15096, 15681, 15684, 15687 \capfont 14553, 14574, 14579, 14584, 14588, 14607, 14611, 15077, 15098, 15103, 15108, 15112, 15131, 15135, 15668, 15689, 15694, 15699, 15703, 15722, 15726 \caplabelfont . 14554, 14575, 14580, 14585, 14590,
\c@section ... 5550, 5729, 5988, 7600, 9656, 9933, 9946, 12079, 12685, 13233, 13598, 13802, 13986, 14950, 15553	557, 5799, 5996, 7337, 7346, 7608, 9524, 13013, 13994	
\c@subparagraph 546, 699, 955, 1219, 5554, 5733, 5992, 7481, 7604, 9660, 9937, 9950, 12087, 13237, 13602, 13806, 13990, 14458, 14958, 15561	1143, 1161, 5458, 5474, 5490, 5637, 5653, 5669, 5942, 5957, 7310, 7324, 7580, 9492, 9507, 12398, 12410, 12422, 13147, 13163, 13179, 13521, 13537, 13553, 13755, 13769, 13940, 13955, 14388, 14421, 14856, 14883, 14911, 15490, 15518, 16137, 16141, 16183, 16202, 16224, 16241, 16258, 16275, 16443, 16639, 17353	
\c@subsection 543, 696, 952, 1216, 5551, 5730, 5989, 7478, 7601, 9657, 9934, 9947, 12081, 13234, 13599, 13803, 13987, 14452, 14952, 15555	\c@twb 6348 \c@twcompctr 6329 \c@twcompodctr .. 6345 \c@twfirst ... 6330, 6336, 6343, 6347, 6356, 6359 \c@twlftside 6334 \c@twlspec 6348, 6351, 6355 \c@twprune ... 6334, 6335, 6351, 6355 \c@twrounds .. 6346, 6349, 6352, 6364 \c@twrtside 6335 \c@twslicea 6332, 6334, 6338, 6341, 6350, 6351, 6358, 6362 \c@twsliceb 6333, 6335, 6338, 6341, 6354, 6355, 6358, 6362 \c@twwinlines 6331, 6344 \c@zabspage 9990 \cals@activate@rtl 6099 \cals@borderB 6120 \cals@borderL 6117 \cals@borderR 6118 \cals@borderT 6119	
\c@subsubsection 544, 697, 953, 1217, 5552, 5731, 5990, 7479, 7602, 9658, 9935, 9948, 12083, 13235, 13600, 13804, 13988, 14454, 14954, 15557	557, 5799, 5996, 7337, 7346, 7608, 9524, 13013, 13994	
\c@table 5560, 5739, 5986, 7598, 9666, 9931, 9944, 12092, 13243, 13606, 13801, 13984, 14974, 15569	1143, 1161, 5458, 5474, 5490, 5637, 5653, 5669, 5942, 5957, 7310, 7324, 7580, 9492, 9507, 12398, 12410, 12422, 13147, 13163, 13179, 13521, 13537, 13553, 13755, 13769, 13940, 13955, 14388, 14421, 14856, 14883, 14911, 15490, 15518, 16137, 16141, 16183, 16202, 16224, 16241, 16258, 16275, 16443, 16639, 17353	
\c@thisframe 9823, 9828, 9864, 9866, 9867	557, 5799, 5996, 7337, 7346, 7608, 9524, 13013, 13994	
\c@tocdepth . 3, 204, 503, 520, 640, 656, 674, 869, 902, 920, 1127,	1143, 1161, 5458, 5474, 5490, 5637, 5653, 5669, 5942, 5957, 7310, 7324, 7580, 9492, 9507, 12398, 12410, 12422, 13147, 13163, 13179, 13521, 13537, 13553, 13755, 13769, 13940, 13955, 14388, 14421, 14856, 14883, 14911, 15490, 15518, 16137, 16141, 16183, 16202, 16224, 16241, 16258, 16275, 16443, 16639, 17353	



14608, 15078,	\cftbeforefigskip	16293	\cftpartindent
15099, 15104,	\cftbeforeparaskip	16259	16155, 16158
15109, 15114,	\cftbeforepartskip	16153	\cftpartnumwidth	.. 16161
15132, 15669,	\cftbeforesecskip	.	\cftpartpresnum	...
15690, 15695,	16204, 16207	16162, 16166
15700, 15705, 15723	\cftbeforesubfigskip		\cftsecaftersnum	.. 16217
\caption	16330	\cftsecaftersnumb	16218
3663, 3665, 3715,	\cftbeforesubparaskip		\cftsecfillnum	... 16221
10724, 10742,	16276	\cftsecfont 16220
11905, 12166, 12168	\cftbeforesubsecskip		\cftsecindent
\caption@par	16225	16209, 16212
\caption@hangindent	16135	\cftbeforesubsubsecskip	\cftsecnumwidth	.. 16215
\caption@makecaption		\cftsecpresnum	... 16216
.....	16132	\cftbeforesubtabskip	\cftsubfigaftersnum	
\caption@parindent	16135	16339
\caption@startrue	11609	\cftbeforetabskip	\cftsubfigaftersnumb	
\captionformat	14554,	\cftchapaftersnum	16340
14575, 14580,	\cftchapaftersnumb	16194	\cftsubfigfillnum	16343
14585, 14590,	\cftchapfillnum	.. 16198	\cftsubfigfont	... 16342
14608, 15078,	\cftchapfont 16197	\cftsubfigindent	..
15099, 15104,	\cftchapindent	16331, 16334
15109, 15114,	16186, 16189, 16436		\cftsubfignumwidth	16337
15132, 15669,	\cftchapnumwidth	..	\cftsubfigpresnum	16338
15690, 15695,	16192, 16437	\cftsubparaaftersnum	
15700, 15705, 15723	\cftchappresnum	.. 16193	16285
\captionlabelfalse	11607	\cftchapterprecistoc	\cftsubparaaftersnumb	
\catcode	16435	16286
1622, 1673, 2688,	\cftdot	\cftsubparafillnum	16289
4195, 4217, 5145,	\cftdotfill 16427	\cftsubparafont	.. 16288
5146, 5148, 5149,	\cftdotsep	\cftsubparaindent	..
10317, 10318,	\cftfigaftersnum	16302	16277, 16280
10433, 11375, 11376	\cftfigaftersnumb	16303	\cftsubparanumwidth	
\Centering	16306	16283
\centering	\cftfigfont	\cftsubparapresnum	16284
305, 6808, 6821,	\cftfigindent	\cftsubsecaftersnum	
6937, 9701, 9706,	16294, 16297	16234
10754, 10839,	\cftfignumwidth	.. 16300	\cftsubsecaftersnumb	
10855, 12113,	\cftfigpresnum	... 16301	16235
12115, 12117,	\cftparaaftersnum	16268	\cftsubsecfillnum	16238
14280, 14748, 15382	\cftparaaftersnumb	16269	\cftsubsecfont	... 16237
\CenteringLeftskip	13028	\cftparafillnum	\cftsubsecindent	..
\CenteringParfillskip	 16271	16226, 16229
.....	13031	\cftparaindent	\cftsubsecnumwidth	16232
\CenteringParindent		\cftsubsecpresnum	16233
.....	13032	\cftparanumwidth	\cftsubsubsecaftersnum	
\CenteringRightskip		16267	16251
.....	13029	\cftpartaftersnum	\cftsubsubsecaftersnumb	
\centerline	309, 10413,	\cftpartaftersnumb	16252
10430, 12998, 17275	\cftpartfillnum	.. 16167	\cftsubsubsecfillnum	
\cftbeforechapskip	16185	\cftpartfont	16255



\cftsubsubsecfont	16254	6273, 6283, 6286,	15612, 16070,
\cftsubsubsecindent		6293, 6296, 6306,	16071, 17173, 17175
.....	16243, 16246	6309, 6316, 6319	\coffeeFont 12418
\cftsubsubsecnumwidth		\cite 4232,	\col@number 128, 133,
.....	16249	4324, 4330, 4331,	135, 138, 139, 146,
\cftsubsubsecpresnum		4422, 4427, 4448,	454, 808, 1062,
.....	16250	4456, 4477, 4485,	1314, 2061, 5893,
\cftsubtabaftersnum		4506, 4524, 4528,	7434, 7531, 9612,
.....	16359	4533, 4537, 4542,	12057, 12360,
\cftsubtabaftersnumb		4546, 12643, 12644	12442, 12447,
.....	16360	\citeasnoun 12644	12514, 12515,
\cftsubtabfillnum	16363	\citeN 12643	12517, 12520,
\cftsubtabfont ..	16362	\cites 4325	12521, 12528,
\cftsubtabindent ..		\cl@ckpt 15825	13321, 13462,
.....	16351, 16354	\ClassInfo .. 5009, 5074	13708, 13891,
\cftsubtabnumwidth	16357	\ClassWarning 14290, 14758, 15392	14301, 14769, 15403
\cftsubtabpresnum	16358	\ClassWarningNoLine	\col@sep 374,
\cfttabaftersnum	16320 12150	402, 6138, 6139, 11917
\cfttabaftersnumb	16321	\clear 3325	\color 177, 1743, 1744,
\cfttabfillnum ...	16324	\cleardoubleemptypage	1745, 1746, 2289,
\cfttabfont	16323 14237,	6183, 6186, 6189,
\cfttabindent	16312, 16315	14282, 14705,	6207, 6210, 6802,
\cfttabnumwidth ..	16318	14750, 15339, 15384	6805, 6815, 6933,
\cfttabpresnum ...	16319	\cleardoublepage ..	11472, 11996, 16899
\chapnumfont 13012	 4931, 4976,	\color@ ... 16939, 16986
\chapter 4567,		4978, 5035, 5048,	\color@b@x 6175, 6213, 6215,
4595, 4665, 4673,		5062, 6017, 7630	16892, 16989, 16992
4789, 4795, 5520,		\clearpage 600,	\color@begingroup .
5713, 6023, 7636,		616, 867, 1121,	... 4379, 4396,
9552, 13217,		3284, 3285, 3288,	4413, 5422, 5436,
13610, 13808, 14012		3934, 4943, 4978,	7710, 7726, 7742,
\chapterheadendvskip		5064, 5452, 5631,	7755, 7768, 7781,
..... 13018		5843, 6019, 7632,	7926, 7936, 7946,
\chapterheadstartvskip		13123, 13380,	7972, 7985, 7997,
..... 13010		13842, 14345,	8024, 8037, 8073,
\chaptermark 5052, 16096		14813, 15447, 16130	8082, 8091, 8116,
\chaptername . 310, 12099		\closing ... 7669, 15256	8128, 8139, 8165,
\chapterstyle 12094		\clubpenalty 88,	8177, 8213, 8223,
\char 1786, 1787		297, 579, 580,	8233, 8259, 8272,
\chardef 10317, 11565, 11566		712, 980, 1232,	8284, 8311, 8324,
\check@floats 6536, 6701		2365, 5263, 5531,	8360, 8370, 8380,
\CheckCommand . 2920,		5724, 6035, 6036,	8406, 8419, 8431,
11145, 11183, 13074		7375, 7648, 7649,	8458, 8471, 8507,
\checkoddpage 3556		9563, 12640,	8517, 8527, 8553,
\CIIIAAny 1804		13228, 13621,	8566, 8578, 8605,
\ciiiiAny 1812		13820, 13821,	8618, 8654, 8664,
\circle 6237,		14024, 14025,	8674, 8700, 8713,
6240, 6247, 6250,		14497, 15021,	8725, 8752, 8765,
6260, 6263, 6270,			8801, 8811, 8821,



8847, 8860, 8872,	9314, 9339, 9352,	\columnwidth . 27, 40,
8899, 8912, 8948,	9365, 9399, 9413,	53, 68, 237, 249,
8958, 8968, 8994,	9469, 10140,	262, 276, 535,
9007, 9019, 9046,	10156, 10171,	538, 541, 724,
9059, 9095, 9105,	10197, 10210,	962, 1209, 2044,
9115, 9141, 9154,	10223, 10253, 17228	5543, 5699, 5973,
9166, 9193, 9206,	\color@fb@x 16990, 16991	5976, 5979, 6086,
9290, 9301, 9312,	\color@fb@x 6214, 16990	6373, 6375, 6377,
9337, 9350, 9363,	\color@hbox	6379, 6410, 6415,
9397, 9411, 9465,	. . . 14124, 14134,	6475, 6477, 6480,
10137, 10153,	14152, 17599, 17609	6483, 6485, 6490,
10168, 10194,	\color@setgroup . . .	6651, 6655, 6951,
10207, 10220, 6216, 16994	6972, 7382, 7385,
10232, 11970, 17226	\color@vbox . . 2032,	7388, 7682, 7685,
\color@block 6180, 16897	4045, 4089,	7688, 7697, 7707,
\color@box . 6213, 16989	4133, 17444, 17488	7723, 7739, 7752,
\color@endbox . 2054,	\colorA . 5801, 5810, 5822	7765, 7778, 7969,
4054, 4098, 4142,	\colorB 5807,	7981, 7994, 8034,
14127, 14137,	5813, 5819, 5825	8113, 8124, 8136,
14155, 17453,	\colorblend . . 16906,	8174, 8256, 8268,
17497, 17602, 17612	16907, 16949, 16950	8281, 8321, 8403,
\color@endgroup 4383,	\colorbox 1859, 1861, 1862	8415, 8428, 8468,
4400, 4417, 5424,	\columncolor . 1468, 6146	8550, 8562, 8575,
7714, 7730, 7746,	\columnsep 95,	8615, 8697, 8709,
7760, 7773, 7786,	225, 593, 609,	8722, 8762, 8844,
7873, 7928, 7938,	860, 1114, 1692,	8856, 8869, 8909,
7948, 7974, 7987,	2198, 5445, 5624,	8991, 9003, 9016,
7999, 8026, 8039,	5836, 6378, 6482,	9056, 9138, 9150,
8075, 8084, 8093,	9734, 10499,	9163, 9203, 9333,
8118, 8130, 8141,	12259, 12357,	9346, 9359, 9407,
8167, 8179, 8215,	12450, 12496,	9543, 9546, 9549,
8225, 8235, 8261,	13116, 13373,	9729, 9731, 9733,
8274, 8286, 8313,	13835, 16854,	9735, 9763, 9767,
8326, 8362, 8372,	16859, 16863,	10047, 10049,
8382, 8408, 8421,	16869, 16872, 17379	10051, 10053,
8433, 8460, 8473,	\columnseprule . . 95,	10133, 10149,
8509, 8519, 8529,	225, 592, 608,	10164, 10190,
8555, 8568, 8580,	859, 1113, 1693,	10203, 10216,
8607, 8620, 8656,	2199, 5444, 5623,	10234, 10448,
8666, 8676, 8702,	5835, 6374, 6413,	10455, 10472,
8715, 8727, 8754,	6476, 6488, 6653,	10475, 10492,
8767, 8803, 8813,	9730, 9765,	10494, 10497,
8823, 8849, 8862,	10474, 10493,	10500, 10696,
8874, 8901, 8914,	12251, 12334,	10697, 11442,
8950, 8960, 8970,	12475, 12486,	11445, 11448,
8996, 9009, 9021,	13115, 13372,	11973, 12249,
9048, 9061, 9097,	13834, 17375, 17397	12253, 12256,
9107, 9117, 9143,	\columnseprulecolor	12258, 12331,
9156, 9168, 9195, 12474, 12485	12336, 12357,
9208, 9292, 9303,		12386, 12392,



12544, 12548,	10527, 10573,	1904, 1931, 1934,
12552, 12557,	12918, 12986,	1937, 1953, 1961,
13209, 13633,	13020, 17070,	1969, 2024, 2082,
13788, 13791,	17440, 17484, 17547	2399, 2403, 2415,
13794, 13971,	\cor@height ... 12206,	2457, 2467, 2473,
13974, 13977,	12207, 12234,	2474, 2476, 2477,
14212, 14527,	12235, 12271,	2479, 2480, 2482,
14530, 14534,	12288, 12289,	2518, 2519, 2542,
14680, 15051,	12316, 12317, 12350	2597, 2598, 2599,
15054, 15058,	\count ... 2027, 4030,	2600, 2606, 2607,
15176, 15179,	4074, 4118, 7884,	2608, 2609, 2692,
15182, 15314,	7912, 8015, 8059,	2693, 2696, 2697,
15642, 15645,	8156, 8199, 8302,	2872, 2874, 2886,
15649, 17374,	8346, 8449, 8493,	2888, 2926, 2929,
17376, 17378,	8596, 8640, 8743,	2933, 2950, 2953,
17380, 17394,	8787, 8890, 8934,	2955, 2965, 2968,
17399, 17536, 17538	9037, 9081, 9184,	2970, 2977, 2982,
\contentslabel	9270, 9382, 9834,	2987, 2997, 3013,
... 4626, 4633,	10467, 10487,	3016, 3030, 3042,
4640, 4647, 4654	17429, 17473, 17576	3074, 3085, 3169,
\contentsline ... 10959	\count@ 1408,	3172, 3212, 3261,
\contentsmargin . 16036	1467, 2392, 2397,	3401, 3422, 3485,
\contentspush 16010	3372, 3373, 3375,	3777, 3778, 3785,
\convertcolorspec .	6144, 12437,	3786, 4186, 4377,
..... 16913,	12438, 12440,	4394, 4411, 4442,
16916, 16956, 16959	12442, 12449,	4471, 4500, 4742,
\Coord 1800	12470, 12471,	5268, 5303, 5306,
\coord 1805	12473, 12490,	5309, 5323, 5330,
\CoordIII 1802	12491, 12494, 15864	5337, 5345, 5346,
\coordiii 1807	\counterwithout ...	5384, 5409, 5410,
\Coordn 1801 12095,	6189, 6195, 6203,
\coordn 1806	12096, 12097, 12098	6210, 6727, 7709,
\Coordx 1797,	\cr 390, 5210,	7725, 7741, 7754,
1800, 1801, 1802,	5217, 5273, 7895,	7767, 7780, 7925,
1803, 1804, 1805,	7899, 7901, 11932,	7935, 7945, 7971,
1806, 1807, 1811, 1812	15769, 15808, 17325	7984, 7996, 8014,
\coordx 1808	\crrc 401, 1925,	8015, 8023, 8036,
\Coordy 1798,	2071, 5213, 15756,	8072, 8081, 8090,
1800, 1801, 1802,	15788, 17081, 17311	8115, 8127, 8138,
1803, 1804, 1805,	\CROP@llc 6279	8155, 8156, 8164,
1806, 1807, 1811, 1812	\CROP@lrc 6302	8176, 8212, 8222,
\coordy 1809	\CROP@ulc 6233	8232, 8258, 8271,
\Coordz 1799,	\CROP@urc 6256	8283, 8301, 8302,
1802, 1804, 1807, 1812	\CROP@execopt 6326	8310, 8323, 8359,
\coordz 1810	\csname 8,	8369, 8379, 8405,
\copy 2107, 2119, 2123,	43, 56, 71, 162,	8418, 8430, 8448,
4041, 4085, 4129,	164, 209, 252,	8449, 8457, 8470,
6090, 6457, 6463,	265, 279, 335,	8506, 8516, 8526,
6623, 6635, 6962,	336, 378, 1371,	8552, 8565, 8577,
6983, 9712, 9744,	1888, 1889, 1903,	8595, 8596, 8604,



8617, 8653, 8663,	16402, 16404,	\cvlistitem 2302
8673, 8699, 8712,	16405, 16471,	\cvtheme 2236, 2239
8724, 8742, 8743,	16473, 16480,	
8751, 8764, 8800,	16481, 16485,	D
8810, 8820, 8846,	16490, 16494,	\d@llarbegin . . . 374,
8859, 8871, 8889,	16505, 16506,	403, 1412, 1413,
8890, 8898, 8911,	16510, 16516,	1414, 1477, 1480,
8947, 8957, 8967,	16571, 16572,	1481, 6151, 6154, 6155
8993, 9006, 9018,	16576, 16672,	\d@llarend 375,
9036, 9037, 9045,	16673, 16675,	403, 1412, 1413,
9058, 9094, 9104,	16678, 16679,	1414, 1479, 1480,
9114, 9140, 9153,	16683, 17097,	1481, 6153, 6154, 6155
9165, 9183, 9184,	17214, 17314, 17682	\dashgapcolor 1472
9192, 9205, 9288,	\CT@do@color 6141	\date . . . 442, 478, 785,
9299, 9310, 9335,	\CT@cell@color 1492, 6166	830, 1039, 1084,
9348, 9361, 9381,	\CT@color 6140	1291, 1336, 1727,
9382, 9395, 9409,	\CT@column@color . .	4856, 4904, 5613,
9671, 9812, 9813, 1490, 6164	5792, 5881, 5917,
9818, 9819, 9909,	\CT@do@color	7422, 7456, 7519,
9910, 9911, 9912,	. . . 1493, 6141, 6167	7555, 9600, 9634,
9914, 9916, 9917,	\CT@extract . . 1468, 6146	13298, 13343,
9918, 9919, 9921,	\CT@row@color 1491, 6165	13439, 13486,
9922, 9923, 9980,	\CT@setup 1457, 1458,	13691, 13732,
10004, 10022,	1460, 1461, 1465,	13879, 13915,
10108, 10117,	1489, 6137, 6163	14341, 14809, 15443
10135, 10151,	\cumpartcl 12822	\datename 15246
10166, 10193,	\cumtcl 12822	\deadcycles . . 2857, 2860
10206, 10219,	\curraddr 324	\debugfootnotedirection
10266, 10281,	\current@color 9967
10961, 10964, 6182, 6188,	\DeclareOption
10966, 10970,	6195, 6203, 6209, 2128, 2131,
10974, 10988,	10295, 10300,	2134, 2137, 2140,
10999, 11010,	16898, 16935,	2143, 2146, 2151,
11227, 11258,	16936, 16940,	2152, 2153, 2154,
11289, 11476,	16969, 16970, 16987	2155, 2157, 3451,
11479, 11854,	\CurrentOption	3452, 3454, 3456,
12179, 12180,	4990, 4991, 4992,	3459, 3464, 4561,
12187, 14168,	4993, 4994, 5014,	4562, 4820, 4821,
14172, 14176,	5015, 5016, 5017,	4846, 4847, 4990,
14636, 14640,	5018, 6748, 6846	4991, 4992, 4993,
14644, 15270,	\customername 15216	4994, 5014, 5015,
15274, 15278,	\CustomFBox 10297	5016, 5017, 5018,
15759, 15786,	\cvcomputer 2321	6738, 6740, 6742,
15788, 15820,	\cvsdoubleitem 2298, 2322	6744, 6746, 6747,
15842, 15844,	\cventry 2310	6836, 6838, 6840,
15860, 15861,	\cvlanguage 2319	6842, 6844, 6845
15881, 15888,	\cvline 2293,	\DeclareRobustCommand
16113, 16376,	2294, 2299, 2303, 1785,
16377, 16393,	2305, 2311, 2320	1786, 1787, 1788,
16394, 16395,	\cvlistdoubleitem 2304	1789, 1790, 1791,



3790, 3797, 6183,
6198, 16899, 16942
\DecMargin 190
\dedication
14340, 14808, 15442
\dedicatory 325
\def 2, 23,
26, 30, 34, 47, 62,
91, 94, 103, 104,
105, 106, 118, 128,
129, 131, 167, 168,
169, 170, 180, 184,
203, 224, 233,
234, 235, 236,
240, 243, 256,
270, 300, 303,
315, 321, 338,
340, 345, 347,
372, 377, 379,
400, 401, 402,
403, 449, 450,
481, 547, 583,
714, 740, 741, 749,
788, 789, 791,
796, 798, 803,
805, 833, 982,
994, 995, 1003,
1042, 1043, 1045,
1050, 1052, 1057,
1058, 1087, 1234,
1246, 1247, 1255,
1294, 1295, 1297,
1302, 1304, 1309,
1311, 1339, 1359,
1369, 1370, 1373,
1379, 1407, 1420,
1421, 1424, 1437,
1445, 1453, 1454,
1457, 1458, 1461,
1466, 1504, 1505,
1565, 1567, 1568,
1620, 1621, 1658,
1666, 1667, 1668,
1669, 1670, 1680,
1685, 1710, 1711,
1793, 1794, 1795,
1797, 1798, 1799,
1800, 1801, 1802,
1803, 1804, 1805,
1806, 1807, 1808,

1809, 1810, 1811,
1812, 1817, 1828,
1859, 1860, 1861,
1862, 1869, 1875,
1881, 1889, 1894,
1896, 1904, 1909,
1910, 1925, 1930,
1933, 1936, 1941,
1944, 1947, 1951,
1959, 1967, 1974,
1976, 1977, 1979,
2048, 2057, 2070,
2097, 2211, 2212,
2213, 2214, 2215,
2216, 2218, 2219,
2237, 2238, 2241,
2242, 2243, 2244,
2245, 2246, 2247,
2248, 2249, 2250,
2251, 2252, 2253,
2368, 2387, 2388,
2389, 2390, 2391,
2398, 2399, 2403,
2445, 2453, 2474,
2482, 2483, 2484,
2490, 2492, 2493,
2494, 2497, 2499,
2501, 2507, 2511,
2514, 2523, 2534,
2536, 2537, 2548,
2621, 2640, 2672,
2673, 2674, 2685,
2699, 2702, 2703,
2715, 2727, 2731,
2734, 2747, 2756,
2784, 2812, 2815,
2816, 2824, 2825,
2834, 2847, 2863,
2951, 2954, 2963,
2966, 3118, 3129,
3168, 3281, 3291,
3304, 3358, 3368,
3370, 3375, 3380,
3386, 3387, 3390,
3397, 3405, 3420,
3480, 3503, 3594,
3615, 3619, 3632,
3706, 3775, 3793,
3799, 3836, 3961,
3963, 3964, 3965,

3974, 3976, 3977,
3978, 3982, 3984,
3990, 3991, 4018,
4032, 4035, 4039,
4043, 4056, 4062,
4076, 4079, 4083,
4087, 4100, 4106,
4120, 4123, 4127,
4131, 4144, 4181,
4196, 4211, 4216,
4342, 4344, 4372,
4389, 4406, 4426,
4455, 4484, 4704,
4741, 4749, 4978,
5116, 5117, 5119,
5137, 5138, 5141,
5151, 5152, 5153,
5154, 5160, 5163,
5174, 5175, 5176,
5186, 5212, 5216,
5223, 5245, 5264,
5265, 5266, 5272,
5302, 5305, 5308,
5312, 5315, 5318,
5321, 5328, 5335,
5345, 5346, 5347,
5357, 5361, 5364,
5369, 5370, 5371,
5373, 5382, 5388,
5409, 5410, 5533,
5568, 5569, 5577,
5726, 5747, 5748,
5756, 5796, 5816,
5888, 5889, 5920,
5993, 6007, 6039,
6043, 6055, 6068,
6075, 6079, 6082,
6137, 6140, 6143,
6175, 6182, 6185,
6192, 6200, 6206,
6213, 6214, 6216,
6330, 6343, 6346,
6347, 6352, 6359,
6364, 6367, 6402,
6446, 6945, 6949,
6952, 6970, 6973,
6991, 7048, 7106,
7148, 7175, 7177,
7182, 7213, 7214,
7287, 7336, 7355,



7377, 7429, 7430,	10143,	10158,	11475,	11482,
7459, 7526, 7527,	10185,	10198,	11487,	11547,
7558, 7605, 7620,	10211,	10224,	11578,	11593,
7652, 7696, 7703,	10230,	10236,	11594,	11607,
7719, 7735, 7751,	10243,	10256,	11609,	11886,
7764, 7777, 7804,	10260,	10264,	11898,	11902,
7805, 7806, 7817,	10270,	10275,	11903,	11904,
7862, 7921, 7931,	10279,	10291,	11911,	11939,
7941, 7967, 7979,	10305,	10307,	11949,	11957,
7992, 8019, 8032,	10309,	10311,	11960,	11965,
8068, 8077, 8086,	10319,	10424,	12031,	12032,
8111, 8122, 8134,	10434,	10464,	12053,	12055,
8160, 8172, 8208,	10484,	10513,	12105,	12107,
8218, 8228, 8254,	10517,	10523,	12155,	12166,
8266, 8279, 8306,	10525,	10541,	12177,	12195,
8319, 8355, 8365,	10552,	10553,	12277,	12356,
8375, 8401, 8413,	10555,	10568,	12364,	12397,
8426, 8453, 8466,	10569,	10571,	12409,	12421,
8502, 8512, 8522,	10587,	10589,	12435,	12468,
8548, 8560, 8573,	10592,	10594,	12482,	12514,
8600, 8613, 8649,	10595,	10610,	12542,	12546,
8659, 8669, 8695,	10617,	10657,	12550,	12554,
8707, 8720, 8747,	10658,	10659,	12558,	12648,
8760, 8796, 8806,	10660,	10669,	12662,	12664,
8816, 8842, 8854,	10671,	10707,	12671,	12677,
8867, 8894, 8907,	10959,	10986,	12744,	12748,
8943, 8953, 8963,	10997,	11008,	12752,	12754,
8989, 9001, 9014,	11019,	11029,	12770,	12784,
9041, 9054, 9090,	11040,	11051,	12785,	12786,
9100, 9110, 9136,	11062,	11077,	12787,	12789,
9148, 9161, 9188,	11092,	11107,	12796,	12915,
9201, 9284, 9295,	11126,	11152,	12916,	12918,
9306, 9331, 9344,	11169,	11177,	12919,	12925,
9357, 9391, 9405,	11190,	11207,	12926,	12927,
9521, 9533, 9565,	11215,	11223,	12936,	12945,
9607, 9608, 9637,	11240,	11248,	12953,	12961,
9668, 9698, 9703,	11254,	11271,	12962,	12963,
9709, 9741, 9811,	11279,	11285,	12964,	12965,
9822, 9870, 9959,	11302,	11310,	12966,	12971,
10046, 10050,	11318,	11332,	12972,	12975,
10052, 10054,	11336,	11350,	12977,	12978,
10056, 10058,	11358,	11361,	12979,	12980,
10060, 10061,	11362,	11365,	12982,	12983,
10063, 10067,	11367,	11370,	12989,	12996,
10076, 10078,	11388,	11389,	12997,	12998,
10085, 10086,	11393,	11395,	12999,	13000,
10103, 10106,	11396,	11397,	13004,	13005,
10112, 10115,	11399,	11408,	13106,	13107,
10123, 10124,	11410,	11451,	13230,	13253,
10125, 10127,	11472,	11474,	13254,	13262,



13301,	13302,	16661,	16817,	17551,	17552,
13304,	13309,	16860,	16863,	17559,	17620,
13311,	13316,	16869,	16873,	17632,	17633,
13318,	13346,	16892,	16898,	17635,	17744,
13392,	13393,	16901,	16923,	17746,	17750,
13401,	13442,	16932,	16938,	17752, 17778, 17780	
13443,	13445,	16944,	16966,	\default@color	
13450,	13452,	16972,	16981, 6182, 16898	
13457,	13459,	16985,	16989,	\DefaultFindent . . 11458	
13489,	13511,	16990,	16991,	\DefaultLhang 11454	
13623,	13655,	16994,	16999,	\DefaultLoversize 11455	
13657,	13698,	17005,	17006,	\DefaultLraise . . . 11456	
13700,	13735,	17007,	17016,	\DefaultNindent . . 11459	
13824,	13886,	17025,	17033,	\DefaultOptionsFile	
13887,	13918,	17041,	17042,	. 11464, 11467, 11470	
13991,	14003,	17043,	17044,	\DefaultSlope 11460	
14028,	14032,	17045,	17046,	\deffootnote . . 14178,	
14075,	14122,	17051,	17052,	14203, 14646,	
14125,	14132,	17055,	17057,	14671, 15153,	
14135,	14143,	17058,	17059,	15173, 15280, 15305	
14150,	14153,	17060,	17062,	\define@choicekey .	
14179,	14181,	17064,	17066, 1572, 1578,	
14201,	14449,	17067,	17073,	1584, 1596, 1602,	
14450,	14501,	17075,	17080,	1608, 16692, 16700	
14508,	14647,	17082,	17084,	\define@key 16690	
14649,	14669,	17085,	17086,	\definecolor	
14942,	15025,	17087,	17088,	1734, 1735, 1736,	
15032,	15154,	17098,	17135,	1737, 1738, 2210,	
15171,	15175,	17197,	17217,	2217, 6752, 6757,	
15178,	15184,	17222,	17223,	6760, 6761, 6762,	
15256,	15281,	17228,	17265,	6764, 6765, 6768,	
15283,	15303,	17275,	17278,	6769, 6771, 6772,	
15549,	15616,	17281,	17286,	6775, 6776, 6778,	
15623,	15751,	17287,	17288,	6779, 6782, 6783,	
15756,	15760,	17289,	17290,	6785, 6786, 6789,	
15783,	15788,	17292,	17295,	6790, 6855, 6856,	
15792,	15802,	17306,	17311,	6861, 6862, 6867,	
15818,	15824,	17315,	17335,	6868, 6873, 6874,	
15832,	15853,	17338,	17348,	6879, 6880, 7280	
15862,	15863,	17349,	17350,	\delimiter 10288	
15879,	15883,	17351,	17352,	\DEPTH 15926, 15933	
15886,	15890,	17369,	17386,	\depthof . 7155, 7160,	
15893,	15923,	17417,	17431,	7169, 7170, 7174, 7179	
15942,	15946,	17434,	17438,	\descriptionlabel 4782	
15951,	15960,	17442,	17455,	\detokenize	
15981,	16015,	17461,	17475, 2451, 2453,	
16037,	16043,	17478,	17482,	2672, 2674, 2675,	
16046,	16048,	17486,	17499,	2702, 2717, 2734,	
16051,	16074,	17505,	17545,	2737, 2745, 2747,	
16638,	16659,	17549,	17550,	2815, 2816, 3164	



<code>\dfn@afteroutput</code> ..	<code>\dfn@latex@LTRfootnotetext</code>	12491, 12498,
..... 7040, 6953, 6968	12499, 17554, 17557
7043, 7092, 7095	<code>\dfn@latex@makecol</code>	<code>\dimen@</code>
<code>\dfn@boxa</code> 6949, 7046, 7098	2104, 2105, 2106,
6954, 6957, 6961,	<code>\dfn@latex@RTLfootnotetext</code>	6178, 6179, 9453,
6962, 6963, 6974, 6989	9455, 10327,
6970, 6975, 6978,	<code>\dfn@list</code> 6967,	10328, 10329,
6982, 6983, 6984,	6988, 6995, 7028,	10339, 10340,
6997, 7004, 7007,	7030, 7033, 7039,	10341, 10344,
7009, 7016, 7024,	7052, 7080,	10345, 10346,
7054, 7061, 7064,	7082, 7085, 7091	10352, 10362,
7066, 7070, 7078	<code>\dfn@LTRfootnotetext</code>	10364, 10373,
<code>\dfn@boxb</code> 6963, 6949, 6969	10375, 10382,
6984, 7001, 7002,	<code>\dfn@LTRmakecol</code> ...	10383, 10384,
7009, 7014, 7058,	.. 7048, 7100, 7102	10385, 16831,
7059, 7066, 7069	<code>\dfn@makecol</code>	16832, 16833,
<code>\dfn@countins</code> 6993, 7050	... 7100, 7101, 7102	16834, 16835,
<code>\dfn@dima</code> 6954, 6955,	<code>\dfn@makefnmark</code> ...	16836, 16895, 16896
6956, 6967, 6975, 6952, 6973	<code>\dimen@ii</code> 10377,
6976, 6977, 6988,	<code>\dfn@RTLfootnotetext</code>	10378, 10379,
6992, 7009, 7029, 6970, 6990	10385, 10387,
7049, 7066, 7081	<code>\dfn@RTLmakecol</code> ...	10390, 10391, 10392
<code>\dfn@dimb</code> 7029,	... 6991, 7100, 7101	<code>\dimexpr</code> 12002, 12011,
7030, 7032, 7033,	<code>\dfn@split</code> ... 6963,	12357, 14206,
7035, 7081, 7082,	6984, 6997,	14215, 14674,
7084, 7085, 7087	7009, 7054, 7066	14683, 15308,
<code>\dfn@elt@adjust</code> ...	<code>\DFNalwaysdouble</code> . 7103	15317, 17232,
..... 7029, 7081	<code>\DFNcolumnsep</code>	17234, 17235,
<code>\dfn@elt@getht</code> 6994, 7051	.. 7012, 7025, 7069	17236, 17241,
<code>\dfn@fnht</code> 6965,	<code>\DFNcolumnwidth</code> ...	17243, 17244,
6986, 7027, 7030,	6946, 6951, 6972,	17245, 17250,
7036, 7037, 7038,	7011, 7013, 7016,	17252, 17253,
7079, 7082,	7026, 7068, 7070	17254, 17259,
7088, 7089, 7090	<code>\dimen</code>	17261, 17262, 17263
<code>\dfn@fnmaxdp</code> .. 6953,	6126, 6129, 6130,	<code>\DiscardVskip</code> 11461
6958, 6963, 6974,	7845, 7885, 7902,	<code>\display@setup</code> 6044, 6069
6979, 6984, 7006,	7903, 7904, 7911,	<code>\displayindent</code> ... 6085
7009, 7063, 7066	8014, 8058, 8155,	<code>\displaystyle</code> 9785, 9801
<code>\dfn@footnoterule</code> .	8198, 8301, 8345,	<code>\displaywidth</code>
..... 7047, 7099	8448, 8492, 8595,	6085, 7151, 7153,
<code>\dfn@footnotetext</code> 6948	8639, 8742, 8786,	7158, 9804, 11425
<code>\dfn@gobble</code> . 6950, 6971	8889, 8933, 9036,	<code>\divide</code>
<code>\dfn@ins</code> 6958,	9080, 9183, 9269,	5124, 7903, 9281,
6959, 6960,	9279, 9280, 9281,	9386, 9683, 9684,
6962, 6979, 6980,	9282, 9381, 9384,	12830, 12831, 15798
6981, 6983, 6997,	9385, 9386, 9387,	<code>\do</code>
6998, 7054, 7055	12454, 12461,	321, 322,
<code>\dfn@latex@footnotetext</code>	12462, 12470,	323, 324, 325,
..... 6947	12471, 12476,	326, 2001, 3148,
	12477, 12490,	3208, 3223, 3244,
		3247, 4237, 4242,



4256, 4261, 4275, 4280, 4303, 4312, 6348, 9671, 11549	16769, 16772, 16784, 16789, 16796, 16802, 16803	16936, 16940, 16950, 16955, 16964, 16970, 16983, 16987, 17206, 17218, 17323
<code>\do@hvFloat</code> 10657	<code>\dseries@display@setup</code> 6069	<code>\egroup</code> 188,
<code>\document</code> . . . 2830, 2844		189, 192, 377, 401, 637, 1200, 1369, 1370, 1487, 1925, 1926, 2052, 5213, 5424, 6088, 6161, 7874, 9790, 9791, 9805, 10254, 10399, 10403, 12365, 12798, 12929, 12934, 12938, 12943, 12947, 12951, 12955, 12959, 13144, 13596, 15756, 15757, 15783, 15790, 16557, 17009, 17014, 17018, 17023, 17027, 17031, 17035, 17039, 17311, 17312
<code>\documentclass</code> 3131, 3134		<code>\eightcolumnfootnotes</code> 8781
<code>\doubleitemmaincolumnwidth</code> 2259, 2272, 2273, 2274, 2275, 2299, 2301	E <code>\edef</code> 119, 354, 1386, 1440, 1448, 1508, 1532, 1625, 1649, 1887, 1902, 1931, 1934, 1937, 2376, 2379, 2449, 2452, 2555, 2556, 2559, 2560, 2577, 2578, 2581, 2582, 2671, 2676, 2686, 2701, 2704, 2717, 2721, 2726, 2733, 2736, 2743, 2746, 2752, 2755, 2808, 2814, 2817, 2969, 2977, 2987, 3119, 3162, 3206, 3228, 3242, 3270, 3362, 3374, 3381, 3398, 4206, 4351, 4362, 5303, 5306, 5309, 7204, 7207, 9812, 9818, 9908, 9910, 9911, 9912, 9997, 10018, 10359, 11109, 11146, 11153, 11184, 11191, 11224, 11255, 11286, 11550, 11554, 11958, 11961, 12660, 12739, 12758, 12761, 14037, 14080, 14486, 15010, 15155, 15601, 15767, 15793, 15807, 15825, 15880, 15887, 15900, 16376, 16453, 16557, 16670, 16907, 16912, 16921,	<code>\eightcolumnfootstyle</code> 8876
<code>\doublerulesepcolor</code> 1471		<code>\eject</code> 6593, 10330, 10399, 10419
<code>\dp</code> 39, 52, 67, 248, 261, 275, 384, 1464, 6179, 6180, 6583, 6954, 6975, 7002, 7021, 7023, 7059, 7075, 7077, 7154, 7159, 7172, 7178, 7292, 7297, 7301, 7304, 7850, 9232, 9453, 9461, 9682, 9695, 10132, 10148, 10163, 10529, 10530, 10533, 10575, 10576, 10579, 11544, 11922, 12010, 12013, 12454, 12470, 12471, 12476, 12477, 12490, 12491, 12498, 12499, 12810, 12811, 12812, 14041, 14083, 14086, 14140, 14147, 14596, 14599, 15120, 15123, 15711, 15714, 15764, 15800, 15812, 15926, 15928, 16887, 16896, 16897, 17320, 17526, 17533, 17604		<code>\else</code> . 4, 12, 13, 25, 36, 84, 100, 112, 130, 132, 147, 151, 155, 163, 180, 205, 213, 214, 230, 245, 293, 307, 311, 338, 343, 348, 349, 350, 352, 353, 356, 357, 358, 360, 361, 362, 363, 364, 367, 368, 369, 393, 445, 456, 459, 508, 525, 528, 529, 551, 554, 569, 589, 600, 605,
<code>\dquad</code> 6077, 6079		
<code>\draw</code> 16711, 16718, 16722, 16745, 16755, 16763, 16766,		



616, 620, 628,
632, 633, 637,
641, 644, 645,
650, 661, 672,
686, 689, 690,
693, 703, 752,
761, 769, 793,
797, 799, 810,
813, 856, 867,
870, 873, 874,
880, 890, 893,
894, 897, 907,
918, 929, 937,
941, 950, 971,
1006, 1015, 1023,
1047, 1051, 1053,
1064, 1067, 1110,
1121, 1125, 1128,
1131, 1132, 1137,
1148, 1159, 1174,
1177, 1178, 1181,
1191, 1195, 1196,
1200, 1223, 1258,
1267, 1275, 1299,
1303, 1305, 1316,
1319, 1356, 1361,
1362, 1375, 1380,
1381, 1382, 1384,
1385, 1388, 1389,
1390, 1392, 1393,
1394, 1395, 1396,
1397, 1398, 1401,
1402, 1403, 1423,
1424, 1425, 1426,
1427, 1428, 1430,
1431, 1432, 1433,
1434, 1557, 1559,
1568, 1659, 1661,
1670, 1871, 1877,
1883, 1898, 1982,
1990, 1995, 2005,
2060, 2086,
2096, 2101, 2116,
2118, 2313, 2314,
2315, 2317, 2353,
2378, 2381, 2410,
2418, 2422, 2428,
2436, 2440, 2462,
2469, 2506, 2710,
2928, 2952, 2967,

3032, 3044, 3076,
3087, 3125, 3137,
3138, 3155, 3164,
3209, 3224, 3227,
3254, 3255, 3269,
3560, 3566, 3755,
3758, 3761, 3764,
3794, 4022, 4028,
4060, 4066, 4072,
4110, 4116, 4295,
4689, 4690, 4978,
5063, 5116, 5129,
5138, 5228, 5249,
5274, 5286, 5354,
5374, 5375, 5390,
5395, 5399, 5441,
5452, 5456, 5459,
5462, 5463, 5468,
5479, 5488, 5502,
5505, 5506, 5510,
5522, 5580, 5589,
5597, 5620, 5631,
5635, 5638, 5641,
5642, 5647, 5658,
5667, 5681, 5684,
5685, 5689, 5715,
5759, 5768, 5776,
5798, 5809, 5811,
5832, 5843, 5884,
5895, 5898, 5947,
5962, 5965, 5966,
5995, 6009, 6018,
6025, 6047, 6077,
6082, 6084, 6101,
6102, 6103, 6104,
6125, 6129, 6176,
6181, 6219, 6220,
6226, 6244, 6267,
6290, 6313, 6338,
6339, 6341, 6353,
6358, 6360, 6362,
6370, 6381, 6393,
6406, 6420, 6436,
6453, 6461, 6484,
6502, 6529, 6533,
6548, 6555, 6574,
6584, 6596, 6605,
6619, 6631, 6666,
6694, 6698, 6713,
6722, 6814, 6896,

6910, 6955, 6959,
6961, 6976, 6980,
6982, 6991, 6996,
7005, 7016, 7020,
7028, 7048, 7053,
7062, 7070, 7074,
7080, 7100, 7109,
7116, 7133, 7157,
7162, 7176, 7193,
7233, 7234, 7239,
7240, 7241, 7248,
7249, 7254, 7255,
7256, 7269, 7270,
7271, 7272, 7299,
7315, 7318, 7319,
7329, 7340, 7343,
7356, 7366, 7425,
7436, 7439, 7522,
7533, 7536, 7584,
7607, 7622, 7631,
7638, 7658, 7659,
7661, 7666, 7672,
7674, 7678, 7702,
7749, 7823, 7826,
7838, 7855, 7865,
7920, 7965, 8067,
8109, 8207, 8252,
8354, 8399, 8501,
8545, 8648, 8692,
8795, 8840, 8942,
8987, 9089, 9134,
9242, 9253, 9291,
9338, 9450, 9471,
9480, 9497, 9512,
9515, 9516, 9523,
9535, 9554, 9603,
9614, 9617, 9676,
9698, 9700, 9701,
9702, 9703, 9705,
9706, 9707, 9722,
9727, 9754, 9759,
9780, 9793, 9810,
9837, 9841, 9862,
9953, 9957, 9983,
10007, 10089,
10092, 10128,
10176, 10212,
10213, 10228,
10246, 10290,
10308, 10310,



10326,	10331,	10943,	10953,	11881,	11889,
10351,	10380,	10962,	10973,	11890,	11891,
10386,	10402,	10993,	11004,	11892,	11915,
10409,	10414,	11015,	11033,	11944,	12020,
10427,	10457,	11044,	11055,	12059,	12062,
10469,	10489,	11066,	11081,	12073,	12074,
10517,	10519,	11096,	11173,	12075,	12076,
10522,	10523,	11211,	11244,	12077,	12078,
10531,	10537,	11275,	11306,	12107,	12123,
10540,	10543,	11359,	11429,	12129,	12135,
10550,	10557,	11430,	11432,	12160,	12170,
10559,	10565,	11437,	11462,	12192,	12210,
10569,	10572,	11463,	11465,	12223,	12236,
10577,	10583,	11478,	11494,	12240,	12292,
10586,	10599,	11503,	11526,	12305,	12318,
10602,	10605,	11547,	11550,	12322,	12375,
10611,	10618,	11554,	11572,	12383,	12389,
10628,	10641,	11588,	11616,	12398,	12400,
10650,	10670,	11688,	11691,	12404,	12405,
10673,	10679,	11694,	11697,	12410,	12412,
10680,	10683,	11700,	11703,	12417,	12422,
10690,	10692,	11706,	11709,	12424,	12429,
10698,	10709,	11713,	11716,	12439,	12452,
10717,	10719,	11719,	11722,	12513,	12529,
10720,	10721,	11725,	11728,	12533,	12537,
10724,	10729,	11731,	11734,	12633,	12637,
10735,	10737,	11737,	11740,	12670,	12676,
10738,	10739,	11743,	11746,	12684,	12687,
10742,	10752,	11749,	11752,	12711,	12731,
10754,	10767,	11755,	11758,	12760,	12784,
10773,	10776,	11761,	11764,	12785,	12786,
10780,	10786,	11767,	11770,	12787,	12793,
10789,	10792,	11773,	11776,	12827,	12853,
10798,	10803,	11779,	11782,	12891,	12892,
10806,	10810,	11785,	11788,	12893,	12919,
10812,	10815,	11791,	11794,	12971,	12972,
10819,	10821,	11797,	11800,	12975,	12979,
10823,	10827,	11803,	11806,	12980,	12996,
10832,	10836,	11809,	11812,	12997,	13004,
10843,	10848,	11815,	11818,	13005,	13009,
10852,	10859,	11821,	11824,	13011,	13017,
10864,	10868,	11827,	11830,	13028,	13030,
10872,	10874,	11833,	11836,	13041,	13043,
10877,	10881,	11839,	11842,	13054,	13056,
10883,	10885,	11845,	11848,	13065,	13067,
10889,	10893,	11851,	11854,	13084,	13106,
10897,	10903,	11857,	11860,	13107,	13112,
10906,	10910,	11863,	11866,	13123,	13127,
10916,	10919,	11869,	11872,	13135,	13139,
10922,	10928,	11875,	11878,	13140,	13144,



13148,	13151,	14361,	14367,	15192,	15196,
13152,	13157,	14379,	14393,	15199,	15202,
13168,	13177,	14398,	14401,	15205,	15208,
13191,	13194,	14402,	14409,	15211,	15214,
13195,	13199,	14413,	14428,	15217,	15220,
13219,	13265,	14434,	14438,	15223,	15226,
13274,	13282,	14449,	14450,	15229,	15232,
13306,	13310,	14463,	14465,	15235,	15238,
13312,	13323,	14477,	14491,	15241,	15244,
13326,	13369,	14507,	14517,	15247,	15252,
13380,	13404,	14526,	14533,	15253,	15259,
13413,	13421,	14536,	14537,	15287,	15288,
13447,	13451,	14538,	14540,	15296,	15309,
13453,	13464,	14565,	14577,	15318,	15338,
13467,	13508,	14582,	14587,	15343,	15350,
13513,	13514,	14604,	14618,	15356,	15380,
13522,	13525,	14624,	14653,	15387,	15391,
13526,	13531,	14654,	14662,	15405,	15408,
13542,	13551,	14675,	14684,	15451,	15455,
13565,	13568,	14704,	14709,	15463,	15469,
13569,	13573,	14716,	14722,	15481,	15495,
13579,	13587,	14746,	14753,	15500,	15503,
13591,	13592,	14757,	14771,	15504,	15511,
13596,	13612,	14774,	14817,	15525,	15531,
13643,	13694,	14821,	14829,	15535,	15543,
13710,	13713,	14835,	14847,	15549,	15578,
13759,	13774,	14861,	14866,	15579,	15592,
13777,	13778,	14869,	14870,	15606,	15622,
13783,	13784,	14877,	14888,	15632,	15641,
13810,	13831,	14893,	14896,	15648,	15651,
13842,	13882,	14897,	14904,	15652,	15653,
13893,	13896,	14918,	14924,	15655,	15680,
13945,	13960,	14928,	14936,	15692,	15697,
13963,	13964,	14942,	14947,	15702,	15719,
13993,	14005,	14963,	14971,	15733,	15739,
14014,	14045,	14979,	14987,	15745,	15748,
14090,	14124,	14988,	15001,	15789,	15797,
14126,	14130,	15015,	15031,	15810,	15894,
14134,	14136,	15041,	15050,	15895,	15896,
14141,	14145,	15057,	15060,	15898,	15899,
14148,	14152,	15061,	15062,	15902,	15903,
14154,	14158,	15064,	15089,	15904,	15905,
14185,	14186,	15101,	15106,	15906,	15907,
14194,	14207,	15111,	15128,	15908,	15910,
14216,	14236,	15142,	15148,	15911,	15912,
14241,	14248,	15159,	15160,	15913,	15914,
14254,	14278,	15166,	15185,	15917,	15918,
14285,	14289,	15186,	15187,	15919,	15995,
14303,	14306,	15188,	15189,	16012,	16019,
14349,	14353,	15190,	15191,	16021,	16026,



16031,	16032,	16669,	16676,	17355,	17360,
16035,	16040,	16707,	16714,	17372,	17390,
16044,	16045,	16719,	16721,	17414,	17421,
16060,	16083,	16725,	16736,	17427,	17465,
16087,	16097,	16739,	16750,	17471,	17509,
16103,	16109,	16757,	16771,	17511,	17521,
16114,	16120,	16821,	16828,	17537,	17539,
16130,	16142,	16829,	16831,	17542,	17546,
16150,	16155,	16839,	16847,	17555,	17578,
16156,	16157,	16849,	16850,	17583,	17601,
16165,	16172,	16861,	16865,	17611,	17625,
16186,	16187,	16870,	16879,	17632,	17633,
16188,	16196,	16885,	16893,	17736,	17744, 17750
16205,	16209,	16897,	16906,	\em	4782
16210,	16211,	16925,	16930,	\email	324, 2249
16219,	16226,	16949,	16974,	\emailink	
16227,	16228,	16979,	16999,	.. 2331, 6829, 6927	
16236,	16243,	17041,	17046,	\emailsymbol	
16244,	16245,	17051,	17052,	.. 2209, 6829, 6927	
16253,	16260,	17055,	17059,	\empty	10670
16261,	16262,	17060,	17091,	\end	168, 170, 193,
16270,	16277,	17110,	17113,	424, 427, 430,	
16278,	16279,	17118,	17121,	495, 498, 764,	
16287,	16294,	17124,	17127,	772, 775, 845,	
16295,	16296,	17130,	17138,	848, 1018, 1026,	
16304,	16312,	17148,	17153,	1029, 1099, 1102,	
16313,	16314,	17159,	17174,	1270, 1278, 1281,	
16322,	16331,	17192,	17201,	1352, 1355, 1360,	
16332,	16333,	17204,	17209,	1361, 1362, 1820,	
16341,	16351,	17210,	17211,	1831, 1832, 2297,	
16352,	16353,	17233,	17234,	2299, 2301, 2303,	
16361,	16371,	17236,	17242,	2305, 2309, 2317,	
16386,	16387,	17243,	17245,	2320, 2369, 2885,	
16388,	16396,	17251,	17252,	2891, 2911, 2917,	
16418,	16436,	17254,	17260,	3600, 3601, 3606,	
16437,	16438,	17261,	17263,	3609, 3680, 3681,	
16443,	16457,	17271,	17272,	3688, 3689, 3696,	
16461,	16484,	17273,	17274,	3697, 3717, 3718,	
16499,	16509,	17277,	17280,	3756, 3759, 3762,	
16513,	16523,	17283,	17286,	3765, 3772, 3773,	
16524,	16525,	17287,	17288,	3956, 3957, 4573,	
16526,	16531,	17289,	17291,	4629, 4636, 4643,	
16533,	16534,	17293,	17294,	4650, 4657, 4668,	
16542,	16548,	17298,	17300,	4676, 4803, 4804,	
16565,	16575,	17316,	17338,	4940, 4983, 5005,	
16581,	16587,	17339,	17340,	5396, 5592, 5600,	
16590,	16601,	17341,	17342,	5603, 5771, 5779,	
16639,	16641,	17343,	17344,	5782, 5811, 5823,	
16646,	16655,	17345,	17348,	5863, 5866, 5869,	
16660,	16662,	17349,	17353,	5934, 5937, 6243,	



6253, 6266, 6276,	\end@rotdblfloat . 14075	5410, 6189, 6195,
6289, 6299, 6312,	\end@rotfloat	6203, 6210, 6727,
6322, 6808, 6917,	14032, 14073, 14074	7709, 7725, 7741,
6929, 6937, 7201,	\endarray	7754, 7767, 7780,
7275, 7406, 7409,	. 377, 401, 1369,	7925, 7935, 7945,
7412, 7471, 7474,	1370, 15783, 15788	7971, 7984, 7996,
7501, 7504, 7507,	\endBCmd 1822	8014, 8015, 8023,
7572, 7575, 7663,	\endbidi@lrbox . . . 17228	8036, 8072, 8081,
9584, 9587, 9590,	\endbidi@pgfpicture	8090, 8115, 8127,
9649, 9652, 9792, 12785, 15973	8138, 8155, 8156,
10727, 10745,	\endbidi@tikzpicture	8164, 8176, 8212,
10847, 10863, 15960	8222, 8232, 8258,
10954, 11434,	\endcsname 8,	8271, 8283, 8301,
12193, 13277,	43, 56, 71, 162,	8302, 8310, 8323,
13285, 13288,	164, 209, 252,	8359, 8369, 8379,
13358, 13361,	265, 279, 335,	8405, 8418, 8430,
13416, 13424,	336, 378, 1371,	8448, 8449, 8457,
13427, 13504,	1888, 1889, 1903,	8470, 8506, 8516,
13507, 13512,	1904, 1931, 1934,	8526, 8552, 8565,
13513, 13514,	1937, 1953, 1961,	8577, 8595, 8596,
13673, 13676,	1969, 2024, 2082,	8604, 8617, 8653,
13679, 13751,	2400, 2404, 2408,	8663, 8673, 8699,
13861, 13864,	2414, 2415, 2457,	8712, 8724, 8742,
13867, 13932,	2467, 2473, 2474,	8743, 8751, 8764,
13935, 14033,	2476, 2477, 2479,	8800, 8810, 8820,
14076, 14244,	2480, 2482, 2518,	8846, 8859, 8871,
14259, 14266,	2519, 2541, 2542,	8889, 8890, 8898,
14272, 14276,	2597, 2598, 2599,	8911, 8947, 8957,
14284, 14356,	2600, 2606, 2607,	8967, 8993, 9006,
14373, 14383,	2608, 2609, 2692,	9018, 9036, 9037,
14473, 14712,	2693, 2696, 2697,	9045, 9058, 9094,
14727, 14734,	2872, 2874, 2886,	9104, 9114, 9140,
14740, 14744,	2888, 2926, 2929,	9153, 9165, 9183,
14752, 14824,	2934, 2950, 2953,	9184, 9192, 9205,
14841, 14851,	2955, 2965, 2968,	9288, 9299, 9310,
14997, 15346,	2970, 2977, 2981,	9335, 9348, 9361,
15361, 15368,	2982, 2987, 2996,	9381, 9382, 9395,
15374, 15378,	2997, 3013, 3016,	9409, 9671, 9812,
15386, 15458,	3030, 3042, 3074,	9814, 9818, 9820,
15475, 15485,	3085, 3170, 3172,	9909, 9910, 9911,
15588, 15849,	3210, 3212, 3218,	9912, 9914, 9916,
16058, 16711,	3261, 3401, 3422,	9917, 9918, 9919,
16718, 16728,	3485, 3777, 3778,	9921, 9922, 9923,
16733, 16746,	3785, 3786, 4186,	9980, 10004,
16753, 16756,	4377, 4394, 4411,	10022, 10108,
16775, 16792,	4442, 4471, 4500,	10117, 10135,
16799, 16805, 16807	4742, 5268, 5303,	10151, 10166,
\end@dblfloat 14120	5306, 5309, 5323,	10193, 10206,
\end@float	5330, 5337, 5345,	10219, 10266,
. 3626, 3949, 14071	5346, 5384, 5409,	10281, 10961,



10964,	10966,	670,	692,	819,	13952,	13967,
10970,	10974,	896,	916,	1073,	14312,	14407,
10988,	10999,	1157,	1180,	1325,	14416,	14443,
11010,	11227,	1494,	1716,	1955,	14474,	14613,
11258,	11289,	1963,	1971,	2092,	14780,	14875,
11476,	11479,	2386,	2466,	2485,	14879,	14902,
11854,	12179,	2622,	2641,	2686,	14906,	14934,
12180,	12187,	2708,	2718,	2735,	14938,	14998,
12656,	12666,	2785,	2831,	2925,	15137,	15414,
12680,	14168,	2949,	2964,	3035,	15509,	15513,
14172,	14176,	3047,	3059,	3079,	15541,	15545,
14636,	14640,	3090,	3101,	3265,	15589,	15728,
14644,	15270,	3364,	3374,	3414,	15863,	15973,
15274,	15278,	3787,	4214,	4216,	16000,	16178,
15759,	15786,	4444,	4473,	4502,	16451,	16579,
15788,	15820,	4879,	4896,	4912,	16889,	16922,
15842,	15844,	4923,	4963,	5282,	16965,	16984,
15860,	15861,	5325,	5332,	5339,	17219,	17384,
15881,	15888,	5397,	5486,	5509,	17411,	17560,
16113,	16376,	5665,	5688,	5904,	17568,	17568
16377,	16393,	5954,	5969,	6168,	\endL	1498,
16394,	16395,	6400,	6443,	7125,	6172,	6181,
16402,	16404,	7143,	7321,	7334,	6191,	6197,
16405,	16468,	7445,	7542,	7591,	6216,	6216,
16469,	16471,	9504,	9519,	9623,	9291,	9302,
16473,	16478,	9739,	9775,	9859,	9338,	9338,
16480,	16482,	9878,	10110,	10110,	9351,	9690,
16486,	16489,	10119,	10268,	10268,	9698,	9698,
16490,	16493,	10283,	10302,	10302,	9700,	9701,
16494,	16503,	10343,	10374,	10374,	9702,	9702,
16505,	16507,	10482,	10506,	10506,	9703,	9705,
16511,	16515,	10551,	10566,	10566,	9706,	9706,
16516,	16569,	10952,	10990,	10990,	9707,	9791,
16571,	16573,	11001,	11012,	11012,	9805,	9805,
16577,	16597,	11023,	11141,	11141,	9952,	10522,
16598,	16606,	11166,	11204,	11204,	10540,	10550,
16610,	16614,	11237,	11268,	11268,	10565,	10586,
16618,	16622,	11299,	11380,	11380,	10967,	10971,
16626,	16630,	11382,	11398,	11398,	10975,	10977,
16634,	16672,	11409,	11481,	11481,	11120,	11359,
16673,	16675,	11603,	11933,	11933,	11361,	11368,
16678,	16679,	12070,	12188,	12188,	11371,	11379,
16683,	17097,	12269,	12348,	12348,	11584,	12785,
17214,	17314,	12545,	12549,	12549,	12787,	12925,
\enddocument	2856	12553,	12778,	12778,	12942,	13005,
\endflushleft	1842,	13175,	13198,	13198,	14130,	14141,
\endgraf	2091,	13332,	13473,	13473,	14148,	14158,
\endgroup	17,	13549,	13572,	13572,	15938,	16897,
	218,	13719,	13766,	13766,	16898,	16937,
	391,	13781,	13902,	13902,	16941,	16994,
	465,				17005,	17022,
	517,				17542,	17601,
	531,				17611,	17611
					\endlist	92,
					301,	585,
					716,	716,
					950,	984,
					1236,	1236,
					4767,	4775,
					4780,	4780,
					5535,	5728,
					6041,	6041,



7379, 7654, 9567,	15059, 15135,	7222, 7223, 7224,
12651, 13232,	15183, 15321,	7227, 7230, 7238,
13625, 13826,	15650, 15726,	7245, 7253, 7260,
14030, 14515,	15756, 15757,	7262, 7265, 7269,
15039, 15630, 16076	15783, 15790,	7270, 7271, 7272,
\endlongtable 2070	15937, 16894,	7284, 7286, 7287
\endLTR 12787,	16898, 16900,	\eq@addpunct 6079
12962, 13005, 17042	16994, 17006,	\EQ@box 6084, 6090
\endMakeFramed ... 10316	17013, 17276,	\eq@group ... 6047, 6056
\endmath 6074	17279, 17282,	\eq@GRP@first@dmath
\endmdf@lrbox ... 12005	17299, 17311, 6056
\endminipage 7862, 10243	17312, 17542,	\eq@if . 2395, 2396, 2398
\endmodernpoem ... 5410	17555, 17557,	\eq@isIntertext .. 6094
\endpgfpicture	17601, 17611,	\eq@prelim .. 6047, 6064
..... 12783, 12787	17624, 17627, 17635	\eq@setnumber 6050
\endspicture	\endrotate 14135	\eq@setup@a 6052
..... 13003, 13005	\endRTL 12964, 17044	\eq@startup 6053
\endR ... 29, 239, 338,	\ends@math 6074	\eq@wdCond 6071
343, 377, 401,	\endscope 15967	\eqnewif .. 1541, 1542,
542, 729, 966,	\endsideways 14153	1544, 1552, 2391
1214, 1369, 1370,	\endsidewaysfigure 14073	\eqno 329, 12994,
1487, 1925, 1926,	\endsidewaystable 14074	12996, 17630, 17632
2116, 2119, 5548,	\endstabular 15756, 15759	\eqnumform 6082
5704, 5980, 6082,	\endstrip 12364	\eqstyle 6049
6161, 6177, 6182,	\endtabular 377, 378,	\equal 2307,
6184, 6216, 7106,	1370, 1371, 1925,	2324, 2328, 2332,
7389, 7689, 7895,	15783, 15786,	3614, 3648, 3659,
7899, 9291, 9313,	15870, 17311, 17314	3685, 3686, 3702,
9338, 9364, 9550,	\endtabularx	3743, 4001, 4243,
9698, 9700, 9701,	15821, 15850, 15861	4244, 4262, 4263,
9702, 9703, 9705,	\endtitlepage .. 627,	4281, 4282, 4313,
9706, 9707, 9810,	936, 1190, 5518,	4314, 6916, 9900
10049, 10519,	5711, 13134, 13586	\errmessage
10572, 10611,	\endtraditionalpoem	.. 1569, 1671, 12452
10618, 10967, 5346	\escapechar .. 2375,
10975, 11359,	\endtrivlist 9806	2392, 2397, 2485
11368, 11371,	\endturn 14125	\ESO@isMEMOIR 7111
11379, 11425,	\endwindow 12796	\evenpage
11449, 11584,	\enskip ... 16564, 16589	1677, 1680, 1681,
11941, 12157,	\enspace 310, 12790, 12792	1682, 1684, 1685,
12159, 12557,	\EQ . 7148, 7154, 7155,	1686, 1687, 1689
12794, 12926,	7159, 7160, 7169,	\evensidemargin ...
12933, 12998,	7170, 7172, 7174,	.. 1701, 7134, 17579
12999, 13000,	7175, 7177, 7178,	\everycr 11937
13214, 13638,	7179, 7180, 7182,	\everydisplay 6044
13795, 13978,	7183, 7184, 7196,	\everyhbox ... 12928,
14126, 14136,	7199, 7201, 7203,	12930, 12937,
14145, 14154,	7204, 7206, 7209,	12939, 17008,
14219, 14535,	7211, 7213, 7214,	17010, 17017, 17019
14611, 14687,	7216, 7217, 7219,	



<code>\everyjob</code>	1532, 1533, 1649, 1650	2438, 2441, 2450, 2457, 2461, 2463, 2466, 2467, 2468, 2470, 2473, 2474, 2476, 2477, 2479, 2480, 2482, 2486, 2513, 2514, 2515, 2516, 2517, 2519, 2542, 2546, 2597, 2598, 2599, 2600, 2606, 2607, 2608, 2609, 2692, 2693, 2707, 2708, 2709, 2711, 2718, 2719, 2722, 2737, 2744, 2753, 2925, 2926, 2927, 2930, 2933, 2949, 2950, 2964, 2965, 2977, 2982, 2987, 2997, 3013, 3016, 3042, 3085, 3147, 3156, 3168, 3170, 3171, 3211, 3221, 3222, 3243, 3260, 3271, 3273, 3400, 3401, 4204, 4742, 5172, 5304, 5307, 5310, 5313, 5316, 5319, 5345, 5346, 5409, 5410, 5424, 5579, 5588, 5596, 5758, 5767, 5775, 6044, 6146, 6188, 6209, 7875, 8014, 8015, 8155, 8156, 8301, 8302, 8448, 8449, 8595, 8596, 8742, 8743, 8889, 8890, 9036, 9037, 9183, 9184, 9282, 9381, 9382, 9387, 9716, 9718, 9748, 9750, 9812, 9813, 9818, 9819, 9901, 9918, 9923, 9982, 9985, 10006, 10009, 10022, 10036, 10037, 10038, 10039, 10041,	10255, 10343, 10365, 10366, 10374, 10556, 10594, 10595, 10992, 10994, 11003, 11005, 11014, 11016, 11136, 11150, 11164, 11188, 11202, 11235, 11266, 11297, 11377, 11398, 11399, 11406, 11420, 11476, 11484, 11489, 11934, 11959, 11962, 12169, 12172, 12740, 12757, 12769, 12774, 12922, 13264, 13273, 13281, 13307, 13310, 13403, 13412, 13420, 13448, 13451, 14038, 14050, 14060, 14081, 14096, 14108, 15759, 15786, 15819, 15822, 15842, 15845, 15847, 15849, 15860, 15861, 15869, 15873, 15875, 15882, 15884, 15889, 15891, 15900, 15957, 16376, 16377, 16393, 16394, 16395, 16402, 16404, 16405, 16481, 16485, 16506, 16510, 16572, 16576, 16672, 16673, 16675, 16678, 16679, 16682, 16907, 16919, 16922, 16930, 16931,
<code>\everymath</code>	341		
<code>\everypar</code>	515, 668, 914, 1155, 4060, 4104, 4148, 5485, 5664, 5953, 7590, 9503, 9697, 12920, 12924, 13081, 13095, 13174, 13548, 13765, 13951, 14412, 16171, 16175, 17000, 17004, 17159, 17176, 17459, 17503		
<code>\everyvbox</code> . . .	1373, 1374, 12946, 12948, 12954, 12956, 17026, 17028, 17034, 17036		
<code>\ExecuteOptions</code> . . .	2158, 3469, 4850, 4852, 6749, 6847		
<code>\exhyphenpenalty</code> 619, 928, 1124, 5455, 5634, 13126, 13578, 13642		
<code>\expandafter</code> . . .	162, 354, 378, 751, 760, 768, 794, 797, 1005, 1014, 1022, 1048, 1051, 1257, 1266, 1274, 1300, 1303, 1371, 1386, 1468, 1469, 1470, 1472, 1870, 1872, 1876, 1878, 1882, 1884, 1888, 1889, 1897, 1899, 1903, 1904, 1928, 1932, 1935, 1938, 1942, 1945, 1948, 1999, 2000, 2053, 2081, 2399, 2400, 2403, 2404, 2409, 2411, 2415, 2416, 2417, 2419, 2420, 2423, 2427, 2429, 2434, 2435, 2437,		



16950, 16962, 16965, 16979, 16980, 16984, 17002, 17314, 17682	\extrafeetendmini 7854, 7861	\fb@afterframe 10325, 10350, 10408	113, 130, 132, 138, 146, 150, 154, 158, 165, 180, 213, 214, 219, 224, 230, 233, 234, 235, 245, 293, 307, 311, 330, 338, 343, 357, 358, 370, 371, 372, 374, 377, 393, 399, 401, 458, 463, 501, 508, 516, 518, 525, 528, 529, 532, 553, 554, 560, 569, 591, 600, 607, 616, 620, 633, 636, 637, 638, 644, 645, 650, 653, 661, 669, 671, 678, 679, 686, 689, 690, 695, 703, 744, 754, 763, 771, 795, 797, 812, 817, 851, 858, 867, 873, 874, 880, 883, 890, 893, 894, 899, 907, 915, 917, 924, 925, 929, 949, 950, 951, 971, 998, 1008, 1017, 1025, 1049, 1051, 1066, 1071, 1105, 1112, 1121, 1125, 1131, 1132, 1137, 1140, 1148, 1156, 1158, 1165, 1166, 1174, 1177, 1178, 1183, 1196, 1199, 1200, 1201, 1223, 1250, 1260, 1269, 1277, 1301, 1303, 1318, 1323, 1361, 1362, 1364, 1367, 1369, 1370, 1375, 1389, 1390, 1404, 1405, 1419, 1427, 1428,
\extrarowheight 381, 11908, 11916	\extratitle 14334, 14802, 15436	\fb@frh . 10337, 10341, 10356, 10391, 10394	
\extrarulesep 15813		\fb@put@frame . 10319, 10330, 10401, 10421	
\extratitle 14334, 14802, 15436		\fb@putboxa . . 10324, 10349, 10407, 10424	
F		\fb@resto@set 10359, 10399, 10403	
\f@size 342		\fb@sizeofframe 10332, 10354	
\familyname 2243		\fbox 1822, 1832, 6215, 7288, 10766, 10772, 10779, 10785, 10791, 10797, 10805, 10809, 10814, 10818, 10822, 10826, 10841, 10842, 10857, 10858, 10867, 10871, 10876, 10880, 10884, 10888, 10896, 10902, 10909, 10915, 10921, 10927	
\familynamecolour 2212, 6753, 6851		\fboxrule 1770, 10293, 10299, 10305, 10307, 10309, 10311	
\familynamefont 2221, 2229, 6793, 6887		\fboxsep 1771, 1838, 1847, 6177, 6178, 6179, 6215, 10293, 10305, 10307, 10309, 10311, 16894, 16895, 16896, 16992	
\familynamestyle 2229, 6804, 6894, 6915		\fcolorbox 1772 9488, 9489	
\fancy@oval 9668		\ff@backcol 9912	
\fancy@reset . 9698, 9703		\ff@col 9910	
\fancyfoot . . . 2342, 3828, 3829, 6819		\ff@frametype 9908, 9919	
\fancyhead 3817, 3818, 3819, 5041, 5042, 5053, 5054, 5055		\ff@txtcol 9900, 9901, 9911	
\fancyhf 2191, 3815, 3824, 3834, 5039, 5050		\fi 12, 13, 18, 25, 36, 84, 94, 100, 103, 104, 105,	
\fancyhfoffset 3808, 3809			
\fancypagestyle 2188, 2341, 3823, 3833, 6818			
\FAX 2208			
\fax 2248			
\faxsymbol 2208, 6828, 6926			
\fb@adjheight 10330, 10400, 10420			



1434, 1435, 1439,
1444, 1447, 1452,
1455, 1463, 1464,
1473, 1474, 1486,
1487, 1498, 1560,
1561, 1568, 1569,
1577, 1583, 1595,
1601, 1607, 1613,
1619, 1662, 1663,
1670, 1671, 1873,
1879, 1885, 1900,
1910, 1921, 1925,
1926, 1928, 1985,
1986, 1992, 2007,
2008, 2011, 2014,
2017, 2021, 2022,
2030, 2057, 2063,
2064, 2067, 2084,
2090, 2096, 2111,
2112, 2116, 2117,
2119, 2124, 2313,
2314, 2315, 2317,
2345, 2353, 2384,
2385, 2412, 2421,
2424, 2430, 2439,
2442, 2464, 2471,
2508, 2543, 2694,
2712, 2931, 2957,
2971, 2983, 2998,
3034, 3046, 3078,
3089, 3143, 3145,
3146, 3175, 3177,
3181, 3182, 3191,
3193, 3214, 3215,
3217, 3231, 3232,
3234, 3235, 3250,
3263, 3264, 3272,
3289, 3344, 3354,
3365, 3562, 3568,
3755, 3758, 3761,
3764, 3783, 3794,
4024, 4033, 4060,
4068, 4077, 4112,
4121, 4297, 4354,
4356, 4366, 4689,
4690, 4807, 4808,
4809, 4987, 5065,
5117, 5130, 5138,
5169, 5170, 5225,
5226, 5230, 5237,

5242, 5251, 5280,
5291, 5293, 5296,
5298, 5352, 5354,
5358, 5377, 5379,
5380, 5381, 5392,
5394, 5395, 5404,
5406, 5443, 5452,
5456, 5462, 5463,
5468, 5471, 5479,
5487, 5494, 5495,
5502, 5505, 5506,
5512, 5522, 5556,
5558, 5560, 5572,
5582, 5591, 5599,
5622, 5631, 5635,
5641, 5642, 5647,
5650, 5658, 5666,
5673, 5674, 5681,
5684, 5685, 5691,
5715, 5735, 5737,
5739, 5751, 5761,
5770, 5778, 5798,
5804, 5805, 5809,
5811, 5834, 5843,
5897, 5902, 5940,
5947, 5955, 5962,
5965, 5966, 5970,
5982, 5984, 5986,
5995, 6001, 6002,
6009, 6020,
6025, 6043, 6045,
6046, 6047, 6055,
6066, 6068, 6077,
6082, 6084, 6099,
6101, 6103, 6106,
6125, 6129, 6135,
6147, 6148, 6160,
6161, 6172, 6176,
6177, 6181, 6182,
6184, 6191, 6197,
6216, 6219, 6220,
6226, 6231, 6254,
6277, 6300, 6323,
6338, 6341, 6342,
6358, 6362, 6363,
6365, 6387, 6390,
6399, 6401, 6426,
6432, 6442, 6444,
6453, 6492, 6499,
6508, 6511, 6518,

6531, 6539, 6545,
6550, 6552, 6553,
6554, 6587, 6588,
6604, 6613, 6618,
6619, 6663, 6672,
6675, 6682, 6696,
6704, 6710, 6715,
6717, 6718, 6719,
6720, 6734, 6769,
6776, 6783, 6790,
6815, 6864, 6870,
6876, 6882, 6896,
6911, 6957, 6960,
6961, 6978, 6981,
6982, 7007, 7023,
7024, 7026, 7035,
7044, 7045, 7064,
7077, 7078, 7087,
7096, 7097, 7100,
7106, 7109, 7120,
7123, 7135, 7141,
7161, 7180, 7181,
7195, 7236, 7237,
7243, 7244, 7245,
7251, 7252, 7258,
7259, 7260, 7261,
7269, 7270, 7271,
7272, 7273, 7274,
7302, 7315, 7318,
7319, 7322, 7329,
7335, 7342, 7343,
7349, 7356, 7366,
7438, 7443, 7477,
7535, 7540, 7578,
7584, 7592, 7594,
7596, 7598, 7607,
7613, 7614, 7622,
7633, 7638, 7658,
7661, 7664, 7666,
7673, 7674, 7678,
7702, 7749, 7828,
7829, 7838, 7858,
7870, 7894, 7895,
7898, 7899, 7901,
7920, 7930, 7965,
7982, 8067, 8076,
8109, 8125, 8207,
8217, 8252, 8269,
8354, 8364, 8399,
8416, 8501, 8511,



8545, 8563, 8648,	10608,	10611,	11342,	11345,
8658, 8692, 8710,	10618,	10630,	11348,	11357,
8795, 8805, 8840,	10631,	10644,	11359,	11364,
8857, 8942, 8952,	10654,	10670,	11368,	11371,
8987, 9004, 9089,	10674,	10679,	11379,	11408,
9099, 9134, 9151,	10683,	10684,	11412,	11425,
9242, 9253, 9262,	10694,	10695,	11429,	11432,
9291, 9338, 9457,	10700,	10701,	11435,	11437,
9475, 9482, 9497,	10702,	10710,	11462,	11463,
9505, 9512, 9515,	10719,	10721,	11480,	11490,
9516, 9520, 9523,	10722,	10723,	11496,	11513,
9528, 9535, 9554,	10724,	10725,	11528,	11529,
9616, 9621, 9655,	10737,	10739,	11547,	11550,
9662, 9664, 9666,	10740,	10741,	11554,	11575,
9676, 9680, 9687,	10742,	10743,	11576,	11591,
9688, 9689, 9690,	10748,	10754,	11615,	11618,
9698, 9700, 9701,	10755,	10756,	11690,	11693,
9702, 9703, 9705,	10769,	10775,	11696,	11699,
9706, 9707, 9726,	10782,	10788,	11702,	11705,
9738, 9740, 9758,	10794,	10800,	11708,	11712,
9774, 9776, 9787,	10801,	10802,	11715,	11718,
9794, 9810, 9832,	10807,	10811,	11721,	11724,
9840, 9844, 9858,	10816,	10820,	11727,	11730,
9865, 9927, 9929,	10824,	10828,	11733,	11736,
9931, 9940, 9942,	10829,	10830,	11739,	11742,
9944, 9952, 9955,	10831,	10838,	11745,	11748,
9957, 9972, 9986,	10846,	10854,	11751,	11754,
10010, 10094,	10862,	10869,	11757,	11760,
10096, 10128,	10873,	10878,	11763,	11766,
10178, 10186,	10882,	10886,	11769,	11772,
10199, 10212,	10890,	10891,	11775,	11778,
10213, 10227,	10892,	10899,	11781,	11784,
10228, 10251,	10905,	10912,	11787,	11790,
10294, 10308,	10918,	10924,	11793,	11796,
10310, 10320,	10930,	10931,	11799,	11802,
10388, 10389,	10932,	10933,	11805,	11808,
10417, 10422,	10934,	10935,	11811, 11814,	11817,
10431, 10444,	10936,	10945,	11820,	11823,
10445, 10446,	10950,	10951,	11826,	11829,
10460, 10480,	10955,	10967,	11832,	11835,
10483, 10504,	10975,	10979,	11838,	11841,
10507, 10517,	10980,	10995,	11844,	11847,
10519, 10522,	11006,	11017,	11850,	11853,
10523, 10534,	11037,	11048,	11856,	11859,
10540, 10543,	11059,	11074,	11862,	11865,
10550, 10559,	11089,	11104,	11868,	11871,
10565, 10567,	11109,	11121,	11874,	11877,
10569, 10572,	11180,	11218,	11880,	11883,
10580, 10586,	11251,	11282,	11889,	11891,
10601, 10607,	11313,	11339,	11894,	11903,



11904,	11919,	12784,	12785,	13519,	13525,
11941,	11946,	12786,	12787,	13526,	13531,
11967,	11971,	12794,	12795,	13534,	13542,
12004,	12026,	12813,	12817,	13550,	13557,
12061,	12065,	12824,	12825,	13558,	13565,
12068,	12073,	12827,	12829,	13568,	13569,
12074,	12075,	12830,	12831,	13575,	13579,
12076,	12077,	12837,	12862,	13592,	13595,
12078,	12090,	12864,	12875,	13596,	13597,
12104,	12107,	12886,	12893,	13604,	13606,
12113,	12117,	12899,	12901,	13608,	13612,
12118,	12139,	12904,	12905,	13643,	13712,
12140,	12141,	12919,	12971,	13717,	13753,
12146,	12157,	12972,	12975,	13759,	13767,
12159,	12163,	12979,	12980,	13774,	13777,
12173,	12185,	12996,	12997,	13778,	13782,
12192,	12205,	12998,	12999,	13783,	13784,
12208,	12229,	13000,	13004,	13797,	13799,
12239,	12266,	13005,	13009,	13801,	13810,
12272,	12273,	13011,	13015,	13833,	13842,
12287,	12290,	13017,	13026,	13895,	13900,
12311,	12321,	13028,	13030,	13938,	13945,
12345,	12351,	13039,	13041,	13953,	13960,
12352,	12357,	13043,	13052,	13963,	13964,
12377,	12387,	13054,	13056,	13968,	13980,
12388,	12393,	13065,	13067,	13982,	13984,
12394,	12400,	13084,	13106,	13993,	13998,
12404,	12405,	13107,	13114,	14005,	14014,
12408,	12412,	13123,	13127,	14047,	14051,
12417,	12420,	13140,	13143,	14061,	14092,
12424,	12429,	13144,	13145,	14097,	14098,
12433,	12441,	13151,	13152,	14109,	14110,
12452,	12466,	13157,	13160,	14124,	14126,
12471,	12477,	13168,	13176,	14130,	14134,
12491,	12499,	13183,	13184,	14136,	14141,
12513,	12520,	13191,	13194,	14145,	14148,
12528,	12532,	13195,	13201,	14152,	14154,
12536,	12540,	13219,	13239,	14158,	14185,
12633,	12639,	13241,	13243,	14194,	14196,
12658,	12663,	13257,	13267,	14207,	14216,
12668,	12675,	13276,	13284,	14239,	14245,
12685,	12686,	13308,	13310,	14251,	14254,
12689,	12690,	13325,	13330,	14277,	14282,
12691,	12696,	13364,	13371,	14283,	14295,
12701,	12705,	13380,	13396,	14305,	14310,
12711,	12717,	13406,	13415,	14313,	14350,
12722,	12725,	13423,	13449,	14351,	14357,
12731,	12749,	13451,	13466,	14364,	14367,
12763,	12771,	13471,	13513,	14382,	14395,
12772,	12776,	13514,	13516,	14396,	14398,



14401,	14402,	15091,	15115,	15751,	15752,
14415,	14417,	15116,	15117,	15756,	15757,
14418,	14424,	15135,	15136,	15775,	15783,
14430,	14431,	15144,	15150,	15790,	15797,
14434,	14438,	15159,	15166,	15804,	15810,
14446,	14447,	15167,	15185,	15815,	15846,
14449,	14450,	15186,	15187,	15903,	15904,
14451,	14467,	15188,	15189,	15920,	15921,
14470,	14477,	15190,	15191,	15937,	15956,
14493,	14514,	15192,	15199,	15988,	15995,
14521,	14526,	15201,	15205,	15997,	16012,
14533,	14536,	15207,	15211,	16023,	16026,
14537,	14538,	15213,	15217,	16033,	16034,
14540,	14567,	15219,	15223,	16035,	16040,
14591,	14592,	15225,	15229,	16044,	16045,
14593,	14611,	15231,	15235,	16060,	16082,
14612,	14620,	15237,	15241,	16089,	16107,
14626,	14653,	15243,	15247,	16108,	16124,
14662,	14664,	15249,	15253,	16125,	16126,
14675,	14684,	15255,	15259,	16130,	16131,
14707,	14713,	15287,	15296,	16140,	16144,
14719,	14722,	15298,	15309,	16145,	16146,
14745,	14750,	15318,	15341,	16152,	16155,
14751,	14763,	15347,	15353,	16156,	16157,
14773,	14778,	15356,	15379,	16165,	16176,
14781,	14818,	15384,	15385,	16177,	16179,
14819,	14825,	15397,	15407,	16180,	16186,
14832,	14835,	15412,	15415,	16187,	16188,
14850,	14863,	15452,	15453,	16196,	16199,
14864,	14866,	15459,	15466,	16200,	16208,
14869,	14870,	15469,	15484,	16209,	16210,
14880,	14881,	15497,	15498,	16211,	16219,
14890,	14891,	15500,	15503,	16222,	16226,
14893,	14896,	15504,	15514,	16227,	16228,
14897,	14907,	15515,	15521,	16236,	16239,
14908,	14914,	15527,	15528,	16243,	16244,
14920,	14921,	15531,	15535,	16245,	16253,
14924,	14928,	15546,	15547,	16256,	16260,
14939,	14940,	15549,	15550,	16261,	16262,
14942,	14943,	15581,	15585,	16270,	16273,
14946,	14949,	15592,	15608,	16277,	16278,
14962,	14965,	15629,	15636,	16279,	16287,
14970,	14973,	15641,	15648,	16290,	16294,
14978,	14981,	15651,	15652,	16295,	16296,
14990,	14994,	15653,	15655,	16304,	16307,
15001,	15017,	15682,	15706,	16312,	16313,
15038,	15045,	15707,	15708,	16314,	16322,
15050,	15057,	15726,	15727,	16325,	16331,
15060,	15061,	15735,	15741,	16332,	16333,
15062,	15064,	15746,	15749,	16341,	16344,



16351,	16352,	16887,	16890,	17408,	17412,
16353,	16361,	16893,	16894,	17414,	17423,
16364,	16378,	16897,	16898,	17432,	17467,
16386,	16387,	16900,	16909,	17476,	17508,
16388,	16396,	16910,	16914,	17511,	17512,
16399,	16421,	16920,	16926,	17513,	17514,
16436,	16437,	16927,	16928,	17515,	17523,
16438,	16450,	16931,	16937,	17537,	17541,
16452,	16459,	16941,	16952,	17542,	17546,
16461,	16474,	16953,	16957,	17554,	17555,
16475,	16476,	16963,	16975,	17556,	17557,
16483,	16487,	16976,	16977,	17558,	17574,
16492,	16496,	16980,	16994,	17580,	17581,
16502,	16508,	16999,	17041,	17582,	17584,
16512,	16518,	17046,	17051,	17585,	17586,
16521,	16523,	17052,	17055,	17601,	17611,
16524,	16525,	17059,	17060,	17624,	17627,
16528,	16531,	17082,	17093,	17628,	17632,
16534,	16535,	17112,	17120,	17633,	17635,
16544,	16550,	17126,	17132,	17643,	17645,
16559,	16560,	17141,	17144,	17740,	17746, 17752
16568,	16574,	17152,	17156,	\figcaption	10719, 10737
16578,	16581,	17158,	17159,	\fill 4980, 4984,
16582,	16593,	17167,	17170,		6101, 6103, 6105,
16594,	16604,	17177,	17182,		10754, 10949,
16605,	16609,	17183,	17194,		11889, 11891, 11893
16613,	16617,	17200,	17201,	\filright	. 15975, 16004
16621,	16625,	17207,	17212,	\FirstFrameCommand	
16629,	16633,	17215,	17235,	 10307, 10353
16637,	16641,	17236,	17244,	\firstmark	... 9724,
16646,	16654,	17245,	17253,		9756, 9897, 17618
16657,	16664,	17254,	17262,	\firstname 2242
16665,	16669,	17263,	17271,	\firstnamecolour	..
16676,	16699,	17272,	17273,		.. 2211, 6754, 6850
16705,	16716,	17274,	17277,	\firstnamefont	2220,
16721,	16727,	17280,	17283,		2228, 6792,
16729,	16736,	17286,	17287,		6793, 6884, 6887
16739,	16752,	17288,	17289,	\firstnamestyle	2228,
16761,	16774,	17291,	17293,		6804, 6894, 6915
16777,	16788,	17294,	17301,	\fivecolumnfootnotes	
16794,	16795,	17304,	17306,	 8340
16801,	16806,	17307,	17311,	\fivecolumnfootstyle	
16809,	16823,	17312,	17316,	 8435
16828,	16831,	17332,	17333,	\flnew@within 9817
16832,	16833,	17341,	17342,	\float@newx 9811
16834,	16838,	17345,	17346,	\floatalignment	...
16841,	16843,	17347,	17348,		3618, 3619, 3660,
16849,	16850,	17349,	17355,		3661, 3677, 3684,
16864,	16874,	17360,	17368,		3692, 3743, 3954
16875,	16882,	17383,	17385,	\FloatBarrier	3590, 3934



\floatc@bidiutfefloatplain	\footdir@fntext ...	\footfudgefiddle ..
... 3952, 3962,	10015, 10032, 10034 9263, 9281
3969, 3975, 3983	\footdir@LeftRightElse	\footins 35, 48,
\floatc@bidiutfefloatplaintop	. 9975, 9991, 10068	63, 244, 257, 271,
..... 3969	\footdir@name	2096, 6966, 6987,
\floatc@bidiutfefloatruled	10018, 10021, 10022	6991, 6992, 7003,
..... 3970	\footdir@ORG@bidi@amsart@footnotetext	7006, 7010, 7034,
\floatc@plain 9808 76	7040, 7048, 7049,
\floatingpenalty ..	\footdir@ORG@bidi@amsart@LTRfootnotetext	7060, 7063, 7067,
. 40, 53, 68, 249, 78	7086, 7092, 7701,
262, 276, 6966,	\footdir@ORG@bidi@amsart@RTLfootnotetext	7717, 7713, 7845,
6987, 7034, 7041, 77	9404, 9408, 9478,
7086, 7093, 7848,	\footdir@ORG@bidi@amsbook@footnotetext	10127, 10143,
10132, 10148, 10163 285	10158, 10467,
\floatstyle 4003	\footdir@ORG@bidi@amsbook@LTRfootnotetext	10468, 10487, 10488
\flushleft .. 1839, 1848 287	\footinsdim
\FN@sfc@footnote ..	\footdir@ORG@bidi@amsbook@RTLfootnotetext	7844, 7845,
..... 1866, 1870 286	7885, 7911, 8014,
\FN@sfc@footnotemark	\footdir@ORG@bidi@footnotetext	8058, 8155, 8198,
..... 1895, 1897 10181	8301, 8345, 8448,
\FN@sfc@LTRfootnote	\footdir@ORG@bidi@LTRfootnotetext	8492, 8595, 8639,
..... 1867, 1876 10183	8742, 8786, 8889,
\FN@sfc@RTLfootnote	\footdir@ORG@bidi@RTLfootnotetext	8933, 9036, 9080,
..... 1868, 1882 10182	9183, 9269, 9381
\FN@sfc@gobble@bracket	\footdir@temp	\footinsv@r .. 7838,
..... 1906, 1909	. 76, 77, 78, 285,	7882, 7883, 7884,
\FN@sfc@gobble@opt .	286, 287, 10027,	7885, 7911, 7912,
..... 1872,	10181, 10182, 10183	7920, 7930, 7940,
1878, 1884, 1887	\footdir@toks	8058, 8059, 8067,
\FN@sfc@gobble@optonly	... 9968, 10035,	8076, 8085, 8198,
..... 1899, 1902	10036, 10037, 10041	8199, 8207, 8217,
\FN@sfc@gobble@twobracket	\footdir@write	8227, 8345, 8346,
..... 1891, 1894	. 9962, 9992, 10031	8354, 8364, 8374,
\fnch@everypar ... 9697	\footersymbol	8492, 8493, 8501,
\fontsize	6811, 6812, 6827,	8511, 8521, 8639,
305, 4935, 4937,	6828, 6829, 6830	8640, 8648, 8658,
4939, 6792, 6884	\footfootmark . 7818,	8668, 8786, 8787,
\foo	7957, 7960, 7963,	7995, 8805, 8815,
12756, 12766, 12768	8101, 8104, 8107,	8933, 8934, 8942,
\footdir@abspage ..	8244, 8247, 8250,	8952, 8962, 9080,
..... 9997,	8391, 8394, 8397,	9081, 9089, 9099,
10000, 10001,	8538, 8541, 8544,	9109, 9269, 9270,
10004, 10005, 10008	8685, 8688, 8691,	9283, 9294, 9305
\footdir@debug	8832, 8835, 8838,	\footmarksep 7815
... 9969, 9977,	8979, 8982, 8985,	\footmarkstyle 7817, 7830
9981, 9984, 9994,	9126, 9129, 9132,	\footmarkwidth 7814,
10001, 10005, 10008	9319, 9323, 9327	7819, 7820, 7822,
\footdir@debugfalse 1606	\footfudgefactor ..	7824, 7827, 7831
\footdir@debugtrue	.. 9233, 9282, 9387	\footnote 412,
..... 1604, 9967		486, 739, 838,



993, 1092, 1245,	3537, 4150, 4344,	\FrameRestore . 10313,
1345, 1866, 1869,	4373, 4390, 4407,	10317, 10433, 10434
4517, 4836, 4867,	5563, 5742, 5847,	\fromaddress
5567, 5746, 5851,	7392, 7485, 7841,	... 7656, 7662,
5925, 7396, 7464,	7842, 7843, 9570,	7672, 11427, 11433
7489, 7563, 9574,	10129, 10145,	\fromname 7677
9642, 12108,	10160, 10189,	\fromplace 15253
12111, 13252,	10202, 10215,	\fromsig 7676, 7678, 15260
13351, 13389,	12790, 12792,	\frontmatter 5034
13495, 13651,	13248, 13385,	\fs@biditytfloatboxed
13739, 13849,	13647, 13845,	... 3981
13923, 14230,	14226, 14694, 15328	\fs@biditytfloatplain
14346, 14698,	\footnotetext .. 1931,	... 3960, 3968
14814, 15332, 15448	1942, 5303, 5313	\fs@biditytfloatplaintop
\footnotelayout . . .	\footparindent 7816, 7832	... 3968
.. 4338, 4339, 4342	\footrule 9704	\fs@biditytfloatruled
\footnotemark . 1895,	\footrulewidth 2190, 3813	... 3973
1896, 10256,	\footscript .. 7817,	\fslice 12807, 12808,
10270, 12109, 12112	7821, 7825, 7827	12810, 12811, 12814
\footnoterule	\footskip .. 9704, 17608	\ftn@font
... 6945, 7007,	\foottextfont	14199, 14667, 15301
7013, 7018, 7046,	... 7705, 7712,	\ftn@rule@height ..
7047, 7064, 7068,	7752, 7758, 7841,	... 14206,
7072, 7098, 7099,	7907, 7922, 7957,	14209, 14215,
7696, 7857, 7868,	7968, 8054, 8069,	14218, 14674,
7881, 9442, 9467,	8101, 8112, 8194,	14677, 14683,
9959, 10056,	8209, 8244, 8255,	14686, 15308,
10060, 10063,	8341, 8356, 8391,	15311, 15317, 15320
10078, 10083,	8402, 8488, 8503,	\ftn@rule@test@values
10084, 10086, 10512	8538, 8549, 8635,	... 14205,
\footnotes 4335	8650, 8685, 8696,	14214, 14673,
\footnotesep 29,	8782, 8797, 8832,	14682, 15307, 15316
31, 39, 45, 52,	8843, 8929, 8944,	\ftn@rule@width . . .
58, 67, 73, 239,	8979, 8990, 9076,	... 14209,
241, 248, 254,	9091, 9126, 9137,	14218, 14677,
261, 267, 275,	9238, 9265, 9278,	14686, 15311, 15320
281, 6963, 6984,	9285, 9319, 9332	\ftnm@font
7009, 7066, 7712,	\forcerectofloat . 3621	14201, 14669, 15303
7728, 7744, 7758,	\forceversofloat . 3622	\full@width
7771, 7784, 7849,	\fourcolumnfootnotes	12444, 12456, 12504
10131, 10139,	... 8193	\futurelet 788,
10147, 10155,	\fourcolumnfootstyle	790, 1042, 1044,
10162, 10170,	... 8288	1294, 1296, 13301,
10196, 10209, 10222	\fps@figure 10707	13303, 13442, 13444
\footnotesize . . . 37,	\framebox	G
50, 65, 102,	. 168, 170, 6802,	\g . 7167, 7169, 7173, 7266
232, 246, 259,	6933, 12386, 12392	\g@addto@macro
273, 408, 735,	\FrameCommand . . . 10305	... 3016, 3260,
989, 1241, 2320,	\FrameHeightAdjust 10379	3345, 3355, 3616,
2342, 3498, 3499,		



4296, 4298, 7196,
 7199, 7201, 16677
 \gdef . . 401, 403, 1769,
 2081, 2211, 2212,
 2213, 2214, 2215,
 2216, 2218, 2219,
 3339, 3350, 3634,
 3635, 3637, 3640,
 3714, 3719, 3720,
 3721, 3873, 3914,
 4293, 4428, 4457,
 4486, 4525, 4534,
 4543, 4872, 4889,
 4905, 4917, 4957,
 4958, 4959, 5146,
 5149, 5411, 5423,
 5425, 7150, 7163,
 9476, 9488, 9723,
 9755, 10022,
 10082, 11377,
 11378, 11477,
 11614, 11617,
 12693, 12714,
 12979, 15976,
 15977, 15982,
 16005, 16006,
 16674, 17059, 17082
 \geometry 3520, 3523,
 3527, 3530, 3534
 \Gin@bbboxtrue 10544
 \Gin@defaultbp
 . . 10545, 10546,
 10547, 10548,
 15925, 15926, 15929
 \Gin@esetsize . . . 10563
 \Gin@exclamation 10593
 \Gin@iii 10552
 \Gin@iii . . . 10541, 10555
 \Gin@llx 10545
 \Gin@lly 10546
 \Gin@urx 10547
 \Gin@ury 10548
 \Gin@includegraphics
 10549, 10561
 \global 303, 432,
 433, 434, 435,
 436, 437, 438,
 439, 440, 441,
 442, 443, 461,
 467, 468, 469,

470, 471, 472,
 473, 474, 475,
 476, 477, 478,
 479, 514, 515,
 667, 668, 777,
 778, 779, 780,
 781, 782, 783,
 784, 785, 786,
 815, 821, 822,
 823, 824, 825,
 826, 827, 828,
 829, 830, 831,
 913, 914, 1031,
 1032, 1033, 1034,
 1035, 1036, 1037,
 1038, 1039, 1040,
 1069, 1075, 1076,
 1077, 1078, 1079,
 1080, 1081, 1082,
 1083, 1084, 1085,
 1154, 1155, 1283,
 1284, 1285, 1286,
 1287, 1288, 1289,
 1290, 1291, 1292,
 1321, 1327, 1328,
 1329, 1330, 1331,
 1332, 1333, 1334,
 1335, 1336, 1337,
 1463, 1464, 1718,
 1719, 1720, 1721,
 1722, 1723, 1724,
 1725, 1726, 1727,
 1728, 1910, 1928,
 1929, 1932, 1935,
 1938, 1942, 1945,
 1948, 2027, 2031,
 2053, 2093, 2113,
 2114, 2122, 2377,
 3476, 3485, 3619,
 3663, 3664, 3670,
 4030, 4041, 4044,
 4074, 4085, 4088,
 4118, 4129, 4132,
 4174, 4186, 4950,
 5147, 5150, 5168,
 5172, 5188, 5199,
 5225, 5226, 5253,
 5266, 5267, 5295,
 5304, 5307, 5310,
 5313, 5316, 5319,

5351, 5361, 5375,
 5377, 5382, 5383,
 5389, 5390, 5392,
 5412, 5424, 5426,
 5484, 5485, 5605,
 5606, 5607, 5608,
 5609, 5610, 5611,
 5612, 5613, 5614,
 5663, 5664, 5784,
 5785, 5786, 5787,
 5788, 5789, 5790,
 5791, 5792, 5793,
 5871, 5872, 5873,
 5874, 5875, 5876,
 5877, 5878, 5879,
 5880, 5881, 5882,
 5900, 5906, 5907,
 5908, 5909, 5910,
 5911, 5912, 5913,
 5914, 5915, 5916,
 5917, 5918, 5952,
 5953, 6046, 6056,
 6057, 6058, 6059,
 6060, 6061, 6062,
 6063, 6071, 6084,
 6089, 6093, 6141,
 6368, 6369, 6371,
 6394, 6404, 6405,
 6407, 6437, 6495,
 6503, 6513, 6523,
 6532, 6534, 6535,
 6538, 6541, 6551,
 6565, 6566, 6568,
 6570, 6571, 6573,
 6579, 6580, 6583,
 6585, 6586, 6589,
 6592, 6597, 6606,
 6614, 6659, 6667,
 6677, 6686, 6688,
 6697, 6699, 6700,
 6703, 6706, 6716,
 6724, 6725, 6732,
 6958, 6965, 6979,
 6986, 6998, 7006,
 7010, 7027, 7030,
 7038, 7043, 7055,
 7063, 7067, 7079,
 7082, 7090, 7095,
 7276, 7414, 7415,
 7416, 7417, 7418,



7419, 7420, 7421,	10485,	10486,	13293,	13294,
7422, 7423, 7441,	10487,	10488,	13295,	13296,
7447, 7448, 7449,	10490,	11111,	13297,	13298,
7450, 7451, 7452,	11112, 11114, 11115,		13299,	13328,
7453, 7454, 7455,	11116, 11117, 11150,		13334,	13335,
7456, 7457, 7509,	11164,	11188,	13336,	13337,
7510, 7511, 7512,	11202,	11235,	13338,	13339,
7513, 7514, 7515,	11266,	11297,	13340,	13341,
7516, 7517, 7518,	11589,	11928,	13342,	13343,
7519, 7520, 7538,	11929,	11959,	13344,	13429,
7544, 7545, 7546,	11962,	12041,	13430,	13431,
7547, 7548, 7549,	12042,	12043,	13432,	13433,
7550, 7551, 7552,	12044,	12045,	13434,	13435,
7553, 7554, 7555,	12046,	12047,	13436,	13437,
7556, 7589, 7590,	12048,	12049,	13438,	13439,
7749, 7762, 7775,	12066,	12161,	13440,	13469,
7901, 7965, 7977,	12197,	12198,	13475,	13476,
7990, 8030, 8109,	12199,	12202,	13477,	13478,
8120, 8132, 8170,	12204,	12206,	13479,	13480,
8252, 8264, 8277,	12207,	12209,	13481,	13482,
8317, 8399, 8411,	12214,	12222,	13483,	13484,
8424, 8464, 8546,	12224,	12232,	13485,	13486,
8558, 8571, 8611,	12233,	12234,	13487,	13547,
8693, 8705, 8718,	12235,	12237,	13548,	13681,
8758, 8840, 8852,	12238,	12241,	13682,	13683,
8865, 8905, 8987,	12242,	12270,	13684,	13685,
8999, 9012, 9052,	12271,	12279,	13686,	13687,
9134, 9146, 9159,	12280,	12281,	13688,	13689,
9199, 9224, 9238,	12284,	12286,	13690,	13691,
9329, 9342, 9355,	12288,	12289,	13692,	13715,
9403, 9445, 9487,	12291,	12296,	13721,	13722,
9502, 9503, 9592,	12304,	12306,	13723,	13724,
9593, 9594, 9595,	12314,	12315,	13725,	13726,
9596, 9597, 9598,	12316,	12317,	13727,	13728,
9599, 9600, 9601,	12319,	12320,	13729,	13730,
9619, 9625, 9626,	12323,	12324,	13731,	13732,
9627, 9628, 9629,	12349,	12350,	13733,	13764,
9630, 9631, 9632,	12356,	12357,	13765,	13869,
9633, 9634, 9635,	12369,	12370,	13870,	13871,
9711, 9712, 9721,	12371,	12372,	13872,	13873,
9727, 9743, 9744,	12373,	12374,	13874,	13875,
9753, 9760, 9827,	12376,	12382,	13876,	13877,
9830, 9863, 9866,	12454,	12471,	13878,	13879,
9868, 9874, 9875,	12477,	12491,	13880,	13898,
9894,	10186,		13904,	13905,
10187,	10199,		13906,	13907,
10200,	10212,		13908,	13909,
10213,	10465,		13910,	13911,
10466,	10467,		13912,	13913,
10468,	10470,		13914,	13915,
	10485,	10486,		
	10487,	10488,		
	10490,	11111,		
	11112, 11114, 11115,			
	11116, 11117, 11150,			
	11164,	11188,		
	11202,	11235,		
	11266,	11297,		
	11589,	11928,		
	11929,	11959,		
	11962,	12041,		
	12042,	12043,		
	12044,	12045,		
	12046,	12047,		
	12048,	12049,		
	12066,	12161,		
	12197,	12198,		
	12199,	12202,		
	12204,	12206,		
	12207,	12209,		
	12214,	12222,		
	12224,	12232,		
	12233,	12234,		
	12235,	12237,		
	12238,	12241,		
	12242,	12270,		
	12271,	12279,		
	12280,	12281,		
	12284,	12286,		
	12288,	12289,		
	12291,	12296,		
	12304,	12306,		
	12314,	12315,		
	12316,	12317,		
	12319,	12320,		
	12323,	12324,		
	12349,	12350,		
	12356,	12357,		
	12369,	12370,		
	12371,	12372,		
	12373,	12374,		
	12376,	12382,		
	12454,	12471,		
	12477,	12491,		
	12499,	12634,		
	12797,	12821,		
	12822,	12823,		
	13021,	13173,		
	13174,	13290,		
	13291,	13292,		



13916,	13950,	16175,	16671,	\grp@wdR	6059
13951,	14308,	16819,	16827,	\grp@wdT	6059
14320,	14321,	16837,	16840,	\Gscale@box	
14322,	14323,	16884,	17092,	10523, 10615, 10632	
14324,	14325,	17157,	17161,	\Gscale@div	
14326,	14327,	17163,	17185,	10614, 10621, 10624	
14328,	14329,	17305,	17370,	\Gscale@end 10527, 10573	
14330,	14331,	17371,	17372,	\Gscale@start	
14332,	14333,	17388,	17389, 10527, 10573	
14334,	14335,	17391,	17429,	\Gscale@x . . 10525, 10571	
14336,	14337,	17440,	17443,	\Gscale@y . . 10525, 10571	
14338,	14339,	17473,	17484,	\gsetboolean . . 3479,	
14340,	14341,	17487,	17515,	3621, 3622, 3649,	
14342,	14411,	17524,	17525,	3650, 3654, 3655,	
14412,	14605,	17526,	17527,	3942, 3943, 4180	
14776,	14788,	17529,	17532,	\gsetlength . . 3474,	
14789,	14790,	17533,	17547,	3636, 3722, 4172,	
14791,	14792,	17552,	17563,	4430, 4432, 4459,	
14793,	14794,	17564,	17573,	4461, 4488, 4490	
14795,	14796,	17615, 17616, 17626			
14797,	14798,	\glossary . . 9884, 17592		H	
14799,	14800,	\Gm@vrule 10638,		\H@@footnotemark . .	
14801,	14802,	10639, 10640,		. . . 11024, 11130,	
14803,	14804,	10642, 10643,		11323, 11337, 11354	
14805,	14806,	10644, 10647,		\H@@footnotetext . .	
14807,	14808,	10648, 10649,	 10983,	
14809,	14810,	10652, 10653, 10654		10994, 11063,	
15129,	15410,	\Gm@vrules@mpi . . 10635		11127, 11241,	
15422,	15423,	\Gm@vrules@mpii . . 10645		11324, 11340, 11354	
15424,	15425,	\Grot@box 10522, 14130,		\H@mpfootnotetext	
15426,	15427,	14141, 14148, 14158	 10992,	
15428,	15429,	\Grot@box@std 10517		11026, 11030, 11131	
15430,	15431,	\Grot@setangle		\H@refstepcounter 11400	
15432,	15433,	. . 10518, 14123,		\halign 5187, 11931	
15434,	15435,	14133, 14144, 14151		\hangafter . . 6231, 12134	
15436,	15437,	\Grot@x . 10520, 14128,		\hangindent 103, 104,	
15438,	15439,	14138, 14146, 14156		105, 233, 234,	
15440,	15441,	\Grot@y . 10521, 14129,		235, 643, 872,	
15442,	15443,	14139, 14146, 14157		1130, 4807, 4808,	
15444,	15720,	\grp@aligned 6062		4809, 5461, 5640,	
15789,	15793,	\GRP@box 6057, 6089, 6091		6135, 6231, 12127,	
15794,	15795,	\grp@eqs@numbered 6061		12133, 13150,	
15812,	15824,	\grp@hasNumber . . . 6066		13524, 17291, 17645	
15829,	15833,	\GRP@label 6058		\hb@xt@ 451,	
15845,	15882,	\grp@linewidth . . . 6060		511, 530, 664,	
15884,	15889,	\GRP@queue . . 6057, 6093		691, 895, 910,	
15891,	15962,	\grp@setnumber . . . 6066		1059, 1151, 1179,	
15963,	15964,	\grp@shiftnumber . 6063		1712, 5482, 5507,	
15965,	16170,	\grp@wdL 6059		5661, 5686, 5890,	
16171,	16174,	\grp@wdNum 6060		5950, 5967, 6221,	



6409, 6410, 6415,	3727, 3734, 3954,	14199,	14201,
6473, 6477, 6480,	3987, 4305, 4344,	14212,	14530,
6485, 6490, 6650,	4371, 4388, 4405,	14667,	14669,
6651, 6655, 7320,	4526, 4535, 4544,	14680,	15054,
7332, 7431, 7528,	4979, 4987, 5106,	15170,	15171,
7587, 7820, 7827,	5156, 5160, 5171,	15179,	15198,
9500, 9517, 9609,	5188, 5199, 5412,	15204,	15210,
9762, 9763, 9767,	5426, 5468, 5543,	15216,	15222,
9785, 9800, 9904,	5647, 5699, 5976,	15228,	15234,
10536, 10582,	6090, 6148, 6177,	15240,	15246,
10637, 10642,	6337, 6340, 6357,	15301,	15303,
10647, 10651,	6361, 6372, 6375,	15314,	15645,
11423, 11590,	6377, 7010, 7013,	15762,	15775,
12162, 12248,	7016, 7067, 7068,	15804,	15815,
12253, 12256,	7070, 7153, 7158,	15854,	15924,
12330, 12331,	7164, 7385, 7685,	16539,	16540,
12336, 12431,	9231, 9244, 9249,	16589,	16591,
13171, 13196,	9254, 9259, 9425,	16648,	16649,
13545, 13570,	9432, 9546, 9686,	16852,	16886,
13663, 13706,	9698, 9699, 9703,	16888,	16894,
13779, 13888,	9705, 9728, 9731,	17007,	17015,
13948, 13965,	9733, 9804, 9808,	17016,	17024,
14405, 14442,	9810, 9848, 9853,	17069,	17070,
14571, 14611,	10047, 10471,	17073,	17074,
14873, 14900,	10472, 10475,	17075,	17076,
14932, 15095,	10491, 10494,	17185,	17193,
15135, 15507,	10497, 10514,	17220,	17290,
15539, 15686,	10515, 10519,	17299,	17301,
15726, 16433,	10526, 10527,	17307,	17318,
16547, 16584,	10572, 10573,	17333,	17362,
16586, 16652,	10611, 10618,	17363,	17373,
16659, 16661,	11445, 11920,	17376,	17378,
17071, 17288,	11940, 11945,	17544, 17554, 17556	
17289, 17366,	12404, 12438,	\hboxL 10413,	
17393, 17394,	12454, 12456,	10430, 12936, 17016	
17399, 17536,	12555, 12790,	\hboxR 12927, 17007	
17601, 17611, 17627	12794, 12814,	\head@style 617, 926,	
\hbadness	12847, 12851,	1122, 1357, 5453,	
3985, 6951, 6972,	12856, 12860,	5632, 13124,	
15865, 15867,	12872, 12883,	13509, 13576, 13640	
16758, 16759, 16776	12900, 12910,	\headheight 1694, 7138,	
\hbox 15, 27, 176,	12927, 12935,	9699, 9890, 17597	
216, 237, 340,	12936, 12944,	\headrule 9702	
374, 382, 399,	12985, 12986,	\headrulewidth 2189, 3812	
538, 650, 724,	12987, 12989,	\headsep . 1702, 1705,	
880, 962, 1137,	12990, 13009,	7139, 9891, 17606	
1209, 1415, 1474,	13157, 13209,	\headwidth . . . 2279,	
1911, 2116, 2119,	13531, 13633,	9698, 9700,	
3595, 3677, 3679,	13762, 13791,	9701, 9702, 9703,	
3684, 3717, 3718,	13974, 14145,	9705, 9706, 9707	



\height . 10591, 10779,	14687, 14872,	15538, 15977,
10781, 10785,	14899, 15059,	16006, 16541,
10787, 10814,	15183, 15321,	16650, 16807, 17364
10815, 10818,	15506, 15650,	\hfilneg 7894, 7898
10819, 10876,	16433, 16547,	\hfuzz . 7151, 15866, 15868
10877, 10880,	16584, 16586,	\hintcolour 2219
10881, 10909,	16652, 16659,	\hintfont 2227, 2235,
10911, 10915, 10917	16661, 17081,	2289, 2296, 2301
\hfil 15, 29, 216,	17366, 17375,	\hintscolumnwidth .
239, 511, 530,	17396, 17398,	. . . 2255, 2269,
542, 664, 691,	17555, 17557,	2273, 2281, 2289,
729, 895, 910,	17581, 17582,	2295, 2301, 2357
966, 1060, 1151,	17584, 17585, 17627	\hintstyle 2235
1179, 1214, 1411,	\hfill 176, 189,	\hline 11897, 11899, 11905
1412, 1413, 1414,	1480, 1481, 2300,	\HLOFF 1774
1442, 1443, 1444,	2306, 2320, 3746,	\HLON 1768
1450, 1451, 1452,	3747, 3750, 3751,	\HLTR@@LTrfootnotetext
1684, 1689, 5157,	5128, 5138, 6154, 10985,
5159, 5264, 5482,	6155, 6803, 9700,	11016, 11093,
5507, 5548, 5661,	9701, 9705, 9706,	11128, 11170,
5686, 5704, 5950,	12406, 12430,	11272, 11326, 11346
5967, 5980, 6221,	12562, 12565,	\HLTR@@mpLTrfootnotetext
6338, 6341, 6358,	12566, 12567, 11014,
6362, 6374, 6412,	12570, 12571,	11028, 11052, 11132
6414, 6476, 6487,	12572, 12573,	\hoffset 1698
6489, 6652, 6654,	12574, 12577,	\hold@viper
7320, 7332, 7389,	12578, 12579,	. . . 6380, 6383,
7587, 7689, 7900,	12580, 12581,	6419, 6422, 6453,
9500, 9517, 9550,	12582, 12583,	6494, 6495, 6503,
9730, 9764, 9766,	12586, 12587,	6504, 6513, 6514,
9790, 9803, 9810,	12588, 12589,	6522, 6619, 6658,
10049, 10474,	12590, 12591,	6659, 6667, 6668,
10493, 10644,	12592, 12593,	6677, 6678, 6687,
10649, 11449,	12594, 12597,	6723, 6725, 6726
11590, 11945,	12598, 12599,	\holder . 12804, 12807,
12162, 12250,	12602, 12603,	12816, 12826,
12252, 12333,	12604, 12607,	12827, 12845,
12335, 12431,	12608, 12609,	12849, 12854,
12557, 12794,	12610, 12611,	12858, 12870,
12848, 12852,	12614, 12615,	12874, 12881, 12885
12857, 12861,	12616, 12617,	\href 2325, 2326, 2329,
12873, 12884,	12618, 12621,	2330, 2333, 2334
12910, 13171,	12622, 12623,	\href@ 11377
13196, 13214,	12624, 12625,	\href@split 11377, 11378
13545, 13570,	12901, 12905,	\HRTL@@mpRTLfootnotetext
13638, 13762,	14441, 14931, 11003,
13779, 13795,	15200, 15206,	11027, 11041, 11133
13948, 13965,	15212, 15218,	\HRTL@@RTLfootnotetext
13978, 14219,	15224, 15230, 10984,
14404, 14535,	15236, 15242,	11005, 11078,



11129, 11208,
11303, 11325, 11343
\hrule 29,
31, 239, 241, 535,
541, 720, 728,
958, 965, 1205,
1213, 3976, 3977,
3987, 3988, 5158,
5539, 5547, 5695,
5703, 5807, 5813,
5819, 5825, 5973,
5979, 6946, 7382,
7388, 7682, 7688,
7697, 9543, 9549,
10049, 10051,
10053, 10085,
10418, 11442,
11448, 12004,
12557, 12559,
12902, 13205,
13213, 13629,
13637, 13788,
13794, 13971,
13977, 14209,
14218, 14527,
14534, 14677,
14686, 15051,
15058, 15176,
15182, 15311,
15320, 15642, 15649
\hsize 40,
53, 68, 168, 170,
174, 179, 197, 249,
262, 276, 620,
929, 1125, 2044,
3986, 3987, 4047,
4091, 4135, 4729,
5456, 5635, 6086,
6338, 6341, 6358,
6362, 7707, 7723,
7739, 7752, 7765,
7778, 7893, 7951,
7969, 7981, 7994,
8034, 8095, 8113,
8124, 8136, 8174,
8238, 8256, 8268,
8281, 8321, 8385,
8403, 8415, 8428,
8468, 8532, 8550,
8562, 8575, 8615,

8679, 8697, 8709,
8722, 8762, 8826,
8844, 8856, 8869,
8909, 8973, 8991,
9003, 9016, 9056,
9120, 9138, 9150,
9163, 9203, 9243,
9281, 9289, 9300,
9311, 9333, 9336,
9346, 9349, 9359,
9362, 9386, 9396,
9407, 9410, 9809,
9810, 10133,
10149, 10164,
10190, 10203,
10216, 10233,
10234, 10313,
10418, 10448,
10451, 10455,
10458, 10459,
11586, 11590,
11931, 11942,
11945, 11954,
11973, 11974,
11981, 12004,
12158, 12162,
12358, 12438,
12440, 12448,
12484, 12488,
12492, 12495,
12500, 12503,
12543, 12547,
12551, 12961,
12963, 13082,
13096, 13127,
13579, 13643,
13659, 13702,
14183, 14190,
14192, 14571,
14572, 14611,
14651, 14658,
14660, 15095,
15096, 15135,
15157, 15162,
15164, 15285,
15292, 15294,
15686, 15687,
15726, 16599,
16602, 16607,
16611, 16615,

16619, 16623,
16627, 16631,
16635, 16855,
16876, 16880,
17041, 17043,
17203, 17446,
17490, 17623, 17627
\hskip . . 14, 215, 307,
311, 529, 650,
651, 690, 880,
881, 894, 942,
1137, 1138, 1178,
1360, 1413, 1414,
1452, 1476, 1479,
2371, 4690, 5130,
5174, 5175, 5178,
5180, 5181, 5184,
5468, 5469, 5506,
5647, 5648, 5685,
5966, 6150, 6153,
6220, 6373, 6376,
6378, 6379, 6475,
6479, 6482, 6483,
7011, 7012, 7015,
7025, 7026, 7069,
7319, 9229, 9516,
9729, 9732, 9734,
9735, 9786, 9802,
10492, 10496,
10499, 10500,
10637, 10639,
10640, 10643,
10648, 10651,
10653, 10654,
11425, 11558,
12249, 12255,
12258, 12259,
12405, 12417,
12429, 12484,
12488, 12492,
12495, 12496,
12500, 12503,
12504, 12562,
12565, 12567,
12570, 12572,
12574, 12577,
12579, 12581,
12583, 12586,
12588, 12590,
12592, 12594,



12597,	12599,	10949,	14566,	14900,	14932,
12602,	12604,	14581,	14586,	15170,	15301,
12607,	12609,	14588,	14589,	15507,	15539,
12611,	12614,	15090,	15105,	16860,	16862,
12616,	12618,	15110,	15112,	16867,	16873,
12621,	12623,	15113,	15258,	17071,	17213,
12625,	12638,	15681,	15696,	17276,	17277,
13157,	13158,	15701,	15703,	17279,	17280,
13195,	13512,	15704,	15745,	17282,	17283,
13531,	13532,	15746,	15982,	17288,	17289,
13569,	13778,	15994,	17734,	17348,	17349,
13964,	14054,	17738,	17743,	17350,	17351,
14056,	14063,	17745,	17749, 17751	17376,	17378,
14065,	14101,	\hss	452, 511,	17395,	17400, 17542
14103,	14112,	530,	664, 691,	\ht . .	380, 1462, 1495,
14114,	14402,	895,	910, 1151,	2103,	2105, 2106,
14438,	14870,	1179,	1713, 4749,	6169,	6178, 6180,
14897,	14928,	5482,	5507, 5661,	6451,	6453, 6460,
15504,	15535,	5686,	5891, 5950,	6466,	6467, 6468,
15976,	16005,	5967,	6221, 6375,	6522,	6561, 6579,
16165,	16196,	6377,	6411, 6416,	6591,	6615, 6619,
16219,	16236,	6478,	6481, 6486,	6629,	6637, 6638,
16253,	16270,	6491,	6651, 6655,	6641,	6642, 6644,
16287,	16304,	7014,	7024, 7069,	6645,	6687, 6723,
16322,	16341,	7078,	7153, 7156,	6954,	6963, 6975,
16361,	16396,	7158,	7161, 7164,	6984,	6992, 7002,
16534,	16581,	7320,	7332, 7432,	7004,	7020, 7049,
16591,	16646,	7529,	7587, 7821,	7059,	7061, 7074,
17187,	17188,	7827,	9500, 9517,	7304,	7902, 8047,
17189,	17195,	9610,	9731, 9733,	8051,	8187, 8191,
17360,	17374,	9763,	9767, 9904,	8334,	8338, 8481,
17377,	17379,	10473,	10476,	8485,	8628, 8632,
17380,	17538,	10495,	10498,	8775,	8779, 8922,
17540,	17554, 17557	10536,	10582,	8926,	9069, 9073,
\hspace	104,	10640,	10654,	9216,	9220, 9233,
105,	234, 235,	11940,	11948,	9682,	10338,
550,	2290, 2295,	12254,	12257,	10345,	10362,
2301,	3729, 3736,	12332,	12337,	10369,	10370,
3958,	4633, 4634,	12474,	12475,	10383,	10387,
4640,	4641, 4647,	12485,	12486,	10410,	10529,
4648,	4654, 4655,	12987,	12998,	10530,	10532,
4782,	4808, 4809,	12999,	13000,	10575,	10576,
6933,	7339, 7673,	13171,	13196,	10578,	10691,
7822,	10754,	13545,	13570,	11500,	11501,
10770,	10783,	13663,	13706,	11507,	11510,
10795,	10808,	13762,	13779,	11543,	11906,
10817,	10825,	13889,	13948,	11956,	12002,
10870,	10879,	13965,	14199,	12009,	12012,
10887,	10900,	14405,	14442,	12233,	12237,
10913,	10925,	14667,	14873,	12242,	12315,



12319, 12324,	\hv@Left .. 10694, 10762	10853, 10857,
12372, 12374,	\hv@longCap 10659	10860, 10871,
12816, 12874,	\hv@Right .. 10695, 10751	10872, 10880,
12885, 12890,	\hv@shortCap	10881, 10888,
12891, 12892,	10658, 10724, 10742	10889, 10896,
12893, 12897,	\hv@Top . 10777, 10813,	10898, 10909,
12912, 14040,	10833, 10875, 10907	10911, 10921, 10923
14082, 14085,	\hv@Width .. 10689, 10712	\hvObjectWidth
14140, 14147,	\hv@Zero ... 10678, 10941	.. 10685, 10689,
14595, 14597,	\hvAboveCaptionSkip	10693, 10694, 10695
14598, 15119, 10857, 10860	\hvOBox ... 10679, 10683
15121, 15122,	\hvBelowCaptionSkip	\hvSet@capAngle ...
15710, 15712, 10841, 10844 10712, 10731
15713, 15763,	\hvCaptionBox . 10713,	\hvSet@capPos
15800, 15812,	10730, 10772,	.. 10694, 10695,
15927, 16895,	10774, 10785,	10762, 10833, 10849
16897, 17319,	10787, 10797,	\hvSet@capVPos 10764,
17518, 17528, 17532	10799, 10805,	10777, 10804,
\ht@strip 12369, 12370,	10806, 10814,	10813, 10866,
12371, 12372,	10815, 10822,	10875, 10894, 10907
12373, 12376, 12378	10823, 10834,	\hvSet@capWidth ...
\ht@viper 6450, 6455,	10835, 10841, 10689,
6478, 6481, 6486,	10844, 10850,	10691, 10696, 10697
6491, 6559, 6560,	10851, 10858,	\hvSet@floatCapSep
6615, 6616, 6617,	10861, 10867, 10770,
6621, 6651, 6655	10868, 10876,	10783, 10795,
\httplink 2327	10877, 10884,	10808, 10817,
\Huge 4716, 5810,	10885, 10902,	10825, 10870,
5822, 6004, 6012,	10904, 10915,	10879, 10887,
7616, 7625, 9530,	10917, 10927, 10929	10900, 10913, 10925
9538, 14000, 14008	\hvCapWidth .. 10687,	\hvSet@floatPos .. 10707
\huge 561,	10689, 10691,	\hvSet@objectAngle
4570, 4572, 4715,	10693, 10697, 10678, 10682
5801, 5998, 7350,	10699, 10714, 10732	\hvSet@objectPos ..
7359, 7610, 9525,	\hvFloat 10661	10751, 10753, 10947
13995, 14252,	\hvMaxCapWidth 10672,	\hvSet@rotAngle ...
14365, 14720,	10673, 10694,	10672, 10941, 10944
14833, 15354, 15467	10695, 10696, 10699	\Hy@backout 11363
\Hurl 11361	\hvObjectBox	\Hy@bidipoem@footnotetext
\hv@Bottom 10849	.. 10676, 10679, 11231, 11240
\hv@Center ... 10753,	10681, 10685,	\Hy@bidipoem@LTRfootnotetext
10764, 10804,	10691, 10766, 11262, 11271
10866, 10894, 10947	10768, 10779,	\Hy@bidipoem@RTLfootnotetext
\hv@figure . 10718, 10736	10781, 10791, 11293, 11302
\hv@floatObject ...	10793, 10809,	\Hy@footnote@currentHlabel
..... 10679, 10683	10810, 10818, 11070,
\hv@floatType . 10709,	10819, 10826,	11085, 11100, 11114
10718, 10736, 10954	10827, 10834,	\Hy@footnote@currentHref
\hv@Height 10691	10837, 10842,	.. 11032, 11035,
\hv@label 10660	10845, 10850,	11043, 11046,



11054, 11057,	11098, 11172,	1432, 1433, 1434,
11065, 11068,	11175, 11210,	2003, 2009, 2012,
11071, 11080,	11213, 11243,	2015, 2018, 3164,
11083, 11086,	11246, 11274,	6047, 6066, 6100,
11095, 11098,	11277, 11305, 11308	6102, 6104, 7171,
11101, 11115, 11118,	\hyper@@link 11379	7225, 7233, 7234,
11161, 11199,	\hyper@anchorend . 11415	7240, 7241, 7248,
11232, 11263, 11294	\hyper@anchorstart 11415	7249, 7255, 7256,
\Hy@gttemp . . . 11137, 11142	\hyper@link 11358	7266, 7268, 9980,
\Hy@linkcounter . . .	\hyper@linkend 10967,	10004, 10228,
. 7204, 7209	10971, 10975,	11464, 11888,
\Hy@linktoc 10963	10977, 11120,	11890, 11892,
\Hy@LT@currentHref	11359, 11368, 11371	12747, 15810,
. 11402, 11413	\hyper@linkstart . .	15902, 15903,
\Hy@LT@LTRfootnotetext 10967,	15904, 15905,
. 11160, 11169	10971, 10975,	15906, 15907,
\Hy@LT@RTLfootnotetext	10977, 11118,	15908, 15910,
. 11198, 11207	11359, 11364, 11371	15911, 15912,
\Hy@maketitle@end .	\hyper@linkurl . . . 11361	15913, 15914,
. 11329, 11334, 11336	\hyper@makecurrent	15917, 15918,
\Hy@maketitle@optarg 11113, 11401	15919, 17201,
. 11327, 11332	\hyper@nat@current 11365	17208, 17209,
\Hy@raisedlink 11034,	\hyper@natlinkbreak	17316, 17340,
11045, 11056, 11370	17341, 17342,
11067, 11082,	\hyper@natlinkend 11367	17343, 17344, 17345
11097, 11174,	\hyper@natlinkstart	\if@allcaps 750, 759,
11212, 11245, 11362	767, 1004, 1013,
11276, 11307, 11414	\hypersetup 2173, 2181,	1021, 1256, 1265,
\Hy@saved@currentHlabel	4826, 4885, 4902	1273, 5578, 5587,
. 11111, 11116	\hyphenpenalty . . . 6,	5595, 5757, 5766,
\Hy@saved@currentHref	101, 207, 231, 619,	5774, 13263,
. 11112, 11117	928, 1124, 5455,	13272, 13280,
\Hy@saved@footnotemark	5634, 13126,	13402, 13411, 13419
. 11319, 11338	13578, 13642, 13785	\if@altsecnumformat
\Hy@saved@footnotetext	\HyRTL@saved@RTLfootnotetext	14451, 14943, 15550
. 11320, 11341 11321, 11344	\if@bib@break@ 14461,
\Hy@tabularx@hook .	I	14485, 14500,
. 11126, 11138	\textalign . . 388, 15768,	14516, 14985,
\HyLTR@saved@LTRfootnotetext	15807, 17081, 17324	15009, 15024,
. 11322, 11347	\if . . . 356, 357, 358,	15040, 15576,
\HyOrg@maketitle . .	360, 361, 362,	15600, 15615, 15631
. 11317, 11328, 11333	363, 364, 367,	\if@bibchapter . . 16090
\HyOrg@TX@endtabularx	368, 369, 393,	\if@bidi@amsmathloaded@
. 11125	1388, 1389, 1390, 11688
\hyper@@anchor 11032,	1392, 1393, 1394,	\if@bidi@amstextloaded@
11035, 11043,	1395, 1396, 1397, 11691
11046, 11054,	1398, 1401, 1402,	\if@bidi@amsthmlloaded@
11057, 11065,	1403, 1426, 1427, 11694
11068, 11080,	1428, 1430, 1431,	\if@bidi@arabxetexloaded@
11083, 11095,	 11875



\if@bidi@arrayloaded@	\if@bidi@fancyhdrloaded@	\if@bidi@multicolloaded@
..... 11815 11776 11839
\if@bidi@arydshlnloaded@	\if@bidi@fancyvrbloaded@	\if@bidi@multienumloaded@
..... 11836 11881 11842
\if@bidi@blank	\if@bidi@floatloaded@	\if@bidi@natbibloaded@
.. 2443, 2728, 2735 11728 11848
\if@bidi@breqnloaded@	\if@bidi@floatrowloaded@	\if@bidi@newfloatloaded@
..... 11697 11731 11851
\if@bidi@calsloaded@	\if@bidi@flowframloaded@	\if@bidi@theoremloaded@
..... 11700 11734 11767
\if@bidi@captionloaded@	\if@bidi@fontspecloaded@	\if@bidi@patchable
..... 11703 11872 2615, 2616
\if@bidi@colorloaded@	\if@bidi@framedloaded@	\if@bidi@pdfpagesloaded@
..... 11709 11737 11785
\if@bidi@colortblloaded@	\if@bidi@ftnrightloaded@	\if@bidi@pgfloaded@
..... 11725 11740 11797
\if@bidi@croploaded@	\if@bidi@geometryloaded@	\if@bidi@picinparloaded@
..... 11706 11755 11800
\if@bidi@csdef 2407, 2456	\if@bidi@graphicxloaded@	\if@bidi@polyglossialloaded@
\if@bidi@csmacro . 2455 11752 11878
\if@bidi@csprimitive	\if@bidi@hvfloatloaded@	\if@bidi@pstricksloaded@
..... 2465 11758 11794
\if@bidi@csundef ..	\if@bidi@hyperrefloaded@	\if@bidi@quotchaploaded@
.... 2413, 2486, 11770 11803
3369, 3421, 17644	\if@bidi@lettrineloaded@	\if@bidi@rotatingloaded@
\if@bidi@cutedloaded@ 11788 11857
..... 11716	\if@bidi@list@minipage@parbox	\if@bidi@stabularloaded@
\if@bidi@cutwinloaded@	... 1553, 17041, 11818
..... 11713	17046, 17107,	\if@bidi@subfigloaded@
\if@bidi@dblfnoteloaded@	17159, 17231, 11821
..... 11719	17240, 17249,	\if@bidi@subfigureloaded@
\if@bidi@def 2425	17258, 17271, 11824
\if@bidi@defmacro .	17272, 17286, 17287	\if@bidi@supertabularloaded@
..... 2448,	\if@bidi@list@minipage@parbox@not@load 11827
2449, 2457, 1554,	\if@bidi@tablsloaded@
2627, 2646, 2790	17115, 17233, 11860
\if@bidi@defparam .	17242, 17251, 17260	\if@bidi@tabularyloaded@
..... 2648,	\if@bidi@listingsloaded@ 11863
2742, 2743, 2792 11791	\if@bidi@tikzloaded@
\if@bidi@defprimitive	\if@bidi@longtableloaded@ 11806
..... 2459 11833	\if@bidi@titlesecloaded@
\if@bidi@defprotected	\if@bidi@mdf@RTL 11809
..... 2655, 11964, 11971	\if@bidi@titletocloaded@
2751, 2752, 2803	\if@bidi@mdframedloaded@ 11812
\if@bidi@draftwatermarkloaded@ 11761	\if@bidi@tocbibindloaded@
..... 11779	\if@bidi@midfloatloaded@ 11869
\if@bidi@empheqlloaded@ 11764	\if@bidi@tocstyleloaded@
..... 11782	\if@bidi@minitocloaded@ 11866
\if@bidi@fancyboxloaded@ 11845	
..... 11773		



\if@bidi@todonotes@figpos	\if@congt . 12114, 12143	\if@LTRmarginpar . .
.. 16688, 16786,	\if@conthang 12124 1546,
16791, 16798, 16804	\if@continent . . . 12130	17537, 17542, 17546
\if@bidi@todonotes@textdir	\if@DPSRTL 2127	\if@mainmatter 5033,
..... 16687,	\if@displaypagenumbers	5800, 5997, 7609,
16721, 16761, 16795 2335, 2338	13014, 14946,
\if@bidi@undef	\if@donumindex	14962, 14970, 14978
2431, 2490, 2524, 16091, 16110	\if@minipage . 3781, 12183
2535, 2554, 2558,	\if@dotocbib 16053	\if@mparswitch . . . 17510
2562, 2566, 2576,	\if@dotocind 16098, 16115	\if@newlist
2580, 2584, 2588,	\if@extrafootnotefeatures	... 9874, 9894,
2624, 2643, 2787 1549, 1617	17145, 17563, 17615
\if@bidi@wrapfigloaded@	\if@fcolmade . . 6390,	\if@nmbrlist 17180
..... 11749	6432, 9738, 9774,	\if@nobreak
\if@bidi@xcolorloaded@	9858, 10480,	... 3365, 10435,
..... 11722	10504, 12266,	11975, 13075,
\if@bidi@xltextraloaded@	12345, 17383, 17408	13089, 17146, 17171
..... 11743	\if@ff@nwpg 9826	\if@noitemarg 17178
\if@bidi@xtabloaded@	\if@filesw 2079	\if@noparitem 17136
..... 11830	\if@firstcolumn . . .	\if@noparlist 5286, 5399
\if@bidi@xunicodeloaded@	... 6368, 6403,	\if@noskipsec
..... 11746	6447, 6528, 6547,	... 6045, 10436,
\if@capbreak	6693, 6712, 9710,	11976, 13076, 13090
14583, 15107, 15698	9742, 10464,	\if@oldtoc . 654, 680,
\if@captionabove . .	10484, 12196,	884, 900, 1141,
..... 14616,	12278, 12366,	1168, 5472, 5496,
14622, 15140,	17370, 17387, 17508	5651, 5675, 13161,
15146, 15731, 15737	\if@firstdetailselement	13185, 13535, 13559
\if@cftdopart 16147 6906, 6908	\if@openright
\if@cfthaschapter .	\if@firstfooterelement	... 5061, 6016, 7629
..... 16138, 6810, 6813	\if@ovb 9690
16142, 16148,	\if@flushend@auto@baselineskip@ovl 9688
16169, 16181, 16203 6563	\if@ovr 9687
\if@cfthaspart . . . 16134	\if@ignore . . 2912, 2914	\if@ovt 9689
\if@colour 2156	\if@inlabel	\if@parafootRTL . . .
\if@colourgreen 6741,	... 6046, 17139, 17162	... 1550, 9242, 9253
6770, 6839, 6865	\if@inltxdoc 16083	\if@pboxsw 17215
\if@colourgrey 6745,	\if@insert 6721	\if@ref 15195
6784, 6843, 6877	\if@Latin . . 338, 343,	\if@restonecol
\if@colourorange . .	1543, 6082, 6084 600, 616,
..... 6739,	\if@LTRbibitems . 84,	867, 1121, 5452,
6763, 6837, 6859	293, 569, 703,	5631, 5843, 13123,
\if@colourred . 6743,	971, 1223, 1547,	13380, 13842, 16130
6777, 6841, 6871	2353, 5522, 5715,	\if@reversemargin 17513
\if@compatibility .	6025, 7366, 7638,	\if@rjfield 17552
.. 513, 666, 744,	9554, 12192,	\if@rl 1542
912, 998, 1153,	12633, 13219,	\if@rl@footnote . . 1552
1250, 5572, 5751,	13612, 13810,	\if@rlmain 1541
13257, 13396,	14014, 14477,	\if@rot@twoside . . .
14410, 16173, 17302	15001, 15592, 16060 14044,



14049, 14059,	9516, 9523, 9535,	13569, 13579,
14089, 14095, 14107	9554, 9810, 9952,	13592, 13612,
\if@RTL . . . 12, 13, 25,	10228, 10308,	13643, 13759,
84, 100, 103, 104,	10310, 10517,	13774, 13777,
105, 213, 214, 230,	10519, 10522,	13778, 13783,
233, 234, 235,	10523, 10540,	13784, 13810,
293, 307, 311,	10543, 10550,	13945, 13960,
372, 508, 525,	10559, 10565,	13963, 13964,
528, 529, 554,	10569, 10572,	13993, 14005,
569, 620, 633,	10586, 10611,	14014, 14124,
644, 645, 650,	10618, 10763,	14126, 14130,
661, 686, 689,	10865, 10967,	14134, 14136,
690, 703, 873,	10975, 11359,	14141, 14145,
874, 880, 890,	11364, 11368,	14148, 14152,
893, 894, 907,	11371, 11379,	14154, 14158,
929, 971, 1125,	11425, 11429,	14185, 14194,
1131, 1132, 1137,	11432, 11437,	14398, 14401,
1148, 1174, 1177,	11547, 11550,	14402, 14434,
1178, 1196, 1223,	11554, 11941,	14438, 14449,
1361, 1362, 1473,	11967, 12073,	14450, 14477,
1474, 1487, 1498,	12074, 12075,	14536, 14537,
1542, 1558, 1654,	12076, 12077,	14538, 14540,
1660, 1910, 2057,	12078, 12157,	14611, 14653,
2353, 4689, 4690,	12159, 12192,	14662, 14866,
4807, 4808, 4809,	12400, 12404,	14869, 14870,
5456, 5462, 5463,	12405, 12412,	14893, 14896,
5468, 5479, 5502,	12417, 12424,	14924, 14924,
5505, 5506, 5522,	12429, 12633,	14928, 14942,
5635, 5641, 5642,	12711, 12731,	15001, 15060,
5647, 5658, 5681,	12794, 12844,	15061, 15062,
5684, 5685, 5715,	12919, 12971,	15064, 15135,
5798, 5809, 5811,	12972, 12975,	15159, 15166,
5947, 5962, 5965,	12979, 12998,	15253, 15259,
5966, 5995, 6009,	12999, 13000,	15287, 15296,
6025, 6043, 6055,	13009, 13011,	15500, 15503,
6068, 6099, 6135,	13017, 13028,	15504, 15531,
6176, 6177, 6181,	13030, 13041,	15535, 15549,
6182, 6184, 6191,	13043, 13054,	15592, 15651,
6197, 6216, 6219,	13056, 13065,	15652, 15653,
6220, 6226, 6231,	13067, 13084,	15655, 15726,
6338, 6341, 6358,	13106, 13107,	15744, 15747,
6362, 7152, 7232,	13127, 13140,	15751, 15937,
7247, 7269, 7270,	13151, 13152,	15995, 16012,
7271, 7272, 7295,	13157, 13168,	16032, 16035,
7315, 7318, 7319,	13191, 13194,	16040, 16044,
7329, 7343, 7356,	13195, 13219,	16045, 16060,
7366, 7584, 7607,	13513, 13514,	16155, 16156,
7622, 7638, 7658,	13525, 13526,	16157, 16165,
7661, 7666, 7674,	13531, 13542,	16186, 16187,
9497, 9512, 9515,	13565, 13568,	16188, 16196,



16209,	16210,	17554,	17555,	\if@RTLtab . 357, 358,
16211,	16219,	17556,	17557,	374, 377, 399,
16226,	16227,	17624,	17627,	401, 1369, 1370,
16228,	16236,	17635,	17645,	1389, 1390, 1427,
16243,	16244,	17733,	17743, 17749	1428, 1544, 1921,
16245,	16253,	\if@RTL@footnote . .		1925, 1926, 2116,
16260,	16261, 36, 245,		2119, 6101, 6103,
16262,	16270,	1552, 1656, 4060,		6125, 6129, 6147,
16277,	16278,	7702, 7749, 7920,		6148, 6161, 6172,
16279,	16287,	7965, 8067, 8109,		10227, 11889,
16294,	16295,	8207, 8252, 8354,		11891, 15752,
16296,	16304,	8399, 8501, 8545,		15756, 15757,
16312,	16313,	8648, 8692, 8795,		15775, 15783,
16314,	16322,	8840, 8942, 8987,		15790, 15815,
16331,	16332,	9089, 9134, 9291,		15903, 15904,
16333,	16341,	9338, 10128,		17041, 17046,
16351,	16352,	10174, 10212, 10213		17114, 17159,
16353,	16361,	\if@RTLbibitems . 84,		17200, 17233,
16386,	16387,	293, 569, 703,		17242, 17251,
16388,	16396,	971, 1223, 1548,		17260, 17271,
16436,	16437,	2353, 5522, 5715,		17272, 17286,
16438,	16461,	6025, 7366, 7638,		17287, 17307,
16523,	16524,	9554, 12192,		17311, 17312,
16525,	16531,	12633, 13219,		17333, 17341, 17342
16534,	16581,	13612, 13810,		\if@sentsdir 1655
16641,	16646,	14014, 14477,		\if@specialpage ...
16669,	16676,	15001, 15592, 16060	 9829, 17572
16736,	16739,	\if@RTLcolumnfootnotes		\if@tab@rl 1544
16823,	16858, 1551, 7894,		\if@tempswa .. 3207,
16866,	16893,	7895, 7898, 7899,		3252, 7008, 7065
16894,	16897,	7930, 7982, 8076,		\if@thmmarks .. 12694,
16898,	16900,	8125, 8217, 8269,		12698, 12715, 12719
16937,	16941,	8364, 8416, 8511,		\if@titlecentered .
16994,	16999,	8563, 8658, 8710,	 1343, 13493
17051,	17052,	8805, 8857, 8952,		\if@titlepage 406, 621,
17055,	17059,	9004, 9099, 9151		731, 930, 985,
17082,	17108,	\if@RTLmain 1541, 1557,		1184, 1237, 5845,
17116,	17122,	1653, 1659, 6234,		7390, 7483, 9568,
17128,	17159,	6257, 6280, 6303,		13128, 13244,
17201,	17273,	6474, 7100, 7106,		13381, 13580,
17274,	17276,	7109, 7123, 7141,		13645, 13843,
17279,	17282,	9698, 9700, 9701,		14221, 14689, 15323
17286,	17287,	9702, 9703, 9705,		\if@tocleft 14392, 14427,
17288,	17289,	9706, 9707, 9957,		14860, 14887,
17291,	17293,	10636, 10646,		14917, 15494, 15524
17294,	17299,	12357, 12513,		\if@tocstyle@penalties
17306,	17348,	17414, 17601, 17611	 16444, 16553
17349,	17355,	\if@RTLmarginpar . .		\if@todonotes@authorgiven
17360,	17537, 1545,		
17542,	17546,	17537, 17542, 17546		



..... 16712,	16406, 16513,	10444, 10445,
16723, 16748, 16765	16583, 16693,	10528, 10535,
\if@todonotes@disabled	16701, 16925, 16974	10574, 10581,
..... 16706, 16707	\ifcat 1568, 1670	10626, 10696,
\if@todonotes@dviStyle	\ifconvertcolorsU .	10834, 10850,
..... 16709, 16743 16911,	11515, 11521,
\if@ttb@rotate ... 9951	16927, 16954, 16976	11586, 11942,
\if@twocolumn ... 94,	\ifcoddpage 3564	12063, 12106,
224, 453, 587,	\ifcsname 2408,	12113, 12117,
603, 630, 637,	2414, 2541, 2981,	12119, 12158,
807, 854, 939,	2996, 3210, 3218,	12203, 12211,
950, 1061, 1108,	12656, 12666,	12213, 12285,
1193, 1200, 1313,	12680, 16468,	12293, 12295,
2065, 4987, 5439,	16469, 16478,	12367, 12378,
5618, 5830, 5892,	16489, 16493,	12462, 12470,
7433, 7530,	16503, 16515,	12476, 12490,
9611, 12056,	16569, 16597,	12498, 12791,
13110, 13137,	16598, 16606,	12816, 12874,
13144, 13320,	16610, 16614,	12885, 12892,
13367, 13461,	16618, 16622,	12897, 12912,
13589, 13596,	16626, 16630, 16634	14570, 14578,
13707, 13829,	\ifdefined .. 2426, 2432	15094, 15102,
13890, 14300,	\ifdfn@allowcbreak	15199, 15205,
14768, 15402, 6961, 6982	15211, 15217,
16085, 17507, 17638	\ifdfn@ruleboth ...	15223, 15229,
\if@twoside 7019, 7073	15235, 15241,
... 4978, 9833,	\ifdfn@trysingle ..	15247, 15685,
14269, 14282, 7000, 7057	15693, 15801,
14350, 14737,	\ifdim 1463, 1464, 2103,	16479, 16504,
14750, 14818,	2106, 3794, 4361,	16570, 16826,
15371, 15384,	5127, 5164, 5166,	16828, 16830,
15452, 16849, 17575	5225, 5226, 5228,	16832, 16833,
\if@vihproof 12385, 12391	5234, 5274, 5287,	16834, 16836,
\ifadl@inactive .. 1375	5294, 5375, 5377,	16876, 16883,
\ifadl@usingarypkg 1378	5390, 5392, 5400,	17190, 17519, 17623
\ifAM@output 12773	6076, 6467, 6512,	\ifdofullc@p
\ifAM@survey 12751	6524, 6537, 6540,	14573, 15097, 15688
\ifartopt 12093	6542, 6572, 6576,	\iffalse 2393,
\ifbidi@autofootnoterule	6577, 6591, 6616,	2394, 2396,
..... 9958,	6641, 6676, 6689,	10435, 10436,
10186, 10199, 10212	6702, 6705, 6707,	11612, 11975,
\ifblendcolors 16905,	6955, 6976, 6996,	11976, 13075,
16926, 16948, 16975	7005, 7032, 7036,	13076, 13089, 13090
\ifbool 11989, 11998	7053, 7062, 7084,	\IfFileExists
\ifcase 1410,	7088, 7819, 7824,	... 2921, 2936,
1437, 1441, 1445,	9676, 9678, 9809,	3544, 5007, 5072
1449, 1475, 1573,	10320, 10328,	\iffootdir@debug ..
1579, 1585, 1597,	10344, 10345, 9966, 9970
1603, 1609, 6149,	10375, 10383,	\ifGin@iso 10625
10963, 16026,	10396, 10411,	\ifhbox 9248, 9258, 9262



\ifhmode	1987, 4019, 4063, 4107, 4350, 4356, 6182, 6184, 6191, 6197, 6216, 11109, 11121, 15988, 16898, 16900, 16937, 16941, 16994, 17142, 17286, 17287, 17332, 17418, 17462	\ifmmode	180, 6176, 6181, 9779, 9789, 10517, 10519, 10522, 10523, 10540, 10543, 10550, 10559, 10565, 10569, 10572, 10586, 10611, 10618, 11359, 12784, 12785, 12786, 12787, 13004, 13005, 14124, 14126, 14130, 14134, 14136, 14141, 14145, 14148, 14152, 14154, 14158, 16893, 16897, 17210, 17297	9612, 9662, 9664, 9666, 9927, 9929, 9931, 9940, 9942, 9944, 10090, 10186, 10199, 10212, 10444, 10446, 11499, 11570, 11573, 11615, 11903, 11904, 12057, 12090, 12200, 12230, 12282, 12312, 12398, 12410, 12422, 12515, 12521, 12675, 12685, 12804, 12810, 12822, 12825, 12826, 12827, 12829, 12830, 12831, 12832, 12841, 12863, 12868, 12879, 12890, 12891, 12897, 12901, 12904, 12905, 12996, 12997, 13013, 13147, 13163, 13179, 13239, 13241, 13243, 13321, 13462, 13521, 13537, 13553, 13604, 13606, 13608, 13708, 13755, 13769, 13797, 13799, 13801, 13891, 13940, 13955, 13980, 13982, 13984, 13994, 14289, 14301, 14388, 14406, 14421, 14422, 14444, 14757, 14769, 14856, 14874, 14883, 14901, 14911, 14912, 14933, 14945, 14961,	
\ifhv@fbox . . .	10765, 10771, 10778, 10784, 10790, 10796, 10805, 10809, 10814, 10818, 10822, 10826, 10840, 10856, 10867, 10871, 10876, 10880, 10884, 10888, 10895, 10901, 10908, 10914, 10920, 10926	\ifNAT@openbib . .	12635		
		\ifnum	3, 133, 139, 204, 306, 348, 349, 350, 351, 353, 454, 503, 520, 548, 557, 640, 656, 674, 808, 869, 902, 920, 1062, 1127, 1143, 1161, 1314, 1380, 1381, 1382, 1383, 1385, 1424, 1425, 2019, 2061, 2098, 2099, 5247, 5458, 5474, 5490, 5556, 5558, 5560, 5637, 5653, 5669, 5735, 5737, 5739, 5799, 5893, 5942, 5957, 5982, 5984, 5986, 5996, 6077, 6336, 6344, 6349, 6356, 6499, 6508, 6518, 6663, 6672, 6682, 6896, 7310, 7324, 7337, 7346, 7434, 7531, 7580, 7594, 7596, 7598, 7608, 7900, 9492, 9507, 9524,		
\ifhv@nonFloat	10708, 10715, 10733, 10754, 10946, 10948				
\ifhv@onlyText	10716, 10734				
\ifhv@useOBox	10679, 10683				
\ifHy@hyperfootnotes	10982				
\ifHy@nesting	11031, 11042, 11053, 11064, 11079, 11094, 11171, 11209, 11242, 11273, 11304				
\ifin@	3226				
\ifinner .	1993, 4025, 4069, 4113, 10323, 16818, 17424, 17468				
\ifL@grid	11516				
\ifL@image	11492				
\ifLettrineImage .	11462				
\ifLettrineOnGrid	11463				
\ifmaskcolors .	16915, 16926, 16958, 16975				



14969,	14977,	3837, 3886, 4001,	1869, 1875, 1881,
15391,	15403,	4225, 4243, 4244,	1896, 1927, 1980,
15490,	15508,	4262, 4263, 4281,	1983, 2059, 2085,
15518,	15519,	4282, 4313, 4314,	2313, 2314, 2315,
15540,	15846,	4429, 4434, 4458,	2317, 2377, 2380,
15894,	15895,	4463, 4487, 4492,	2415, 2433, 2504,
15896,	15897,	4569, 4573, 4621,	2692, 2708, 2926,
15899,	16017,	4834, 4880, 4889,	2950, 2965, 3030,
16019,	16137,	4897, 4924, 4971,	3042, 3074, 3085,
16141,	16183,	5040, 5051, 6800,	3120, 3126, 3137,
16202,	16224,	6806, 6823, 6826,	3138, 3149, 3179,
16241,	16258,	6827, 6828, 6829,	3188, 3189, 3209,
16275,	16292,	6830, 6916, 6921,	3224, 3234, 3248,
16310,	16329,	6924, 6925, 6926,	3255, 3267, 3283,
16349,	16384,	6927, 6928, 6931,	3338, 3349, 4295,
16443,	16448,	6935, 9900, 9915,	5116, 5137, 5298,
16466,	16639,	12741, 14048, 14093	5349, 5354, 5356,
16857,	17089,	\iftikz@handle@active@code	7028, 7080, 7656,
17338,	17339, 15954	7672, 7676, 9720,
17353,	17515,	\iftocstyle@autolength	9752, 10087,
17537, 17632, 17633	 16488	10288, 10554,
\ifodd 2004, 4978, 7114,		\iftocstyle@indentnotnumbered	10596, 10597,
7131, 7191, 9834,	 16533, 16580	10603, 10670,
16849, 17511, 17576		\iftrue 2395,	10672, 10678,
\ifoddpage 3558		3966, 3979, 3992	10689, 10691,
\ifonelinecaptions		\ifttl@label 15993	10694, 10695,
14544, 15068, 15659		\ifTX@ 15836	10712, 10718,
\ifpgfrememberpictureposition		\iftrue 9448	10719, 10721,
..... 15965, 15971		\ifvmode . 3365, 3755,	10724, 10736,
\ifpoem@started ...		3758, 3761, 3764,	10737, 10739,
... 5221, 5227,		12004, 12452,	10742, 10751,
5374, 5381, 5395		12705, 12725, 15788	10753, 10762,
\ifprimitive . 2460, 2467		\ifvoid 2096,	10764, 10777,
\ifrot@messages ...		2116, 6380, 6392,	10804, 10813,
..... 14094, 14106		6419, 6435, 6453,	10833, 10849,
\iftagsleft@ .. 330, 7149		6461, 6494, 6619,	10866, 10875,
\ifthenelse 177, 182,		6630, 6658, 6959,	10894, 10907,
190, 2307, 2324,		6980, 6991, 7016,	10941, 10947,
2328, 2332, 2340,		7048, 7070, 7838,	10960, 10991,
3447, 3517, 3519,		7855, 7865, 9471,	11002, 11013,
3522, 3526, 3529,		9478, 10246,	11337, 11340,
3532, 3557, 3614,		10404, 10425,	11343, 11346,
3633, 3648, 3653,		11408, 11412,	11427, 11476,
3659, 3668, 3673,		12020, 12437,	11908, 12167,
3679, 3685, 3686,		12919, 16999, 17165	12529, 12533,
3693, 3700, 3702,		\ifWF@float 16831, 16845	12537, 12661,
3708, 3725, 3743,		\ifx 111, 130, 132,	12665, 12672,
3745, 3749, 3767,		147, 151, 155, 162,	12678, 12757,
3768, 3771, 3772,		792, 796, 1046,	12769, 12980,
3807, 3816, 3827,		1050, 1298, 1302,	13024, 13037,



13050,	13305,	\ignorespaces . . . 45,	\index 9883, 17591
13309,	13446,	58, 73, 118, 254,	\indexname 594,
13450,	14181,	267, 281, 338,	595, 596, 610,
14207,	14216,	626, 635, 935,	611, 861, 862,
14236,	14241,	1189, 1198, 2849,	1115, 1116, 4794,
14248,	14254,	3778, 3785, 3786,	4795, 5446, 5447,
14278,	14349,	3795, 4381, 4398,	5625, 5626, 5837,
14353,	14361,	4415, 4451, 4480,	5838, 5839, 13117,
14367,	14379,	4509, 4774, 5198,	13118, 13374,
14393,	14428,	5209, 5369, 5370,	13375, 13836,
14465,	14526,	5517, 5710, 6080,	13837, 13838,
14533,	14649,	6086, 6191, 6197,	16094, 16095,
14675,	14684,	6205, 6212, 7661,	16096, 16100,
14704,	14709,	7675, 7712, 7728,	16101, 16102,
14716,	14722,	7744, 7758, 7771,	16105, 16106,
14746,	14817,	7784, 10139,	16112, 16113,
14821,	14829,	10155, 10170,	16117, 16118,
14835,	14847,	10196, 10209,	16119, 16122, 16123
14861,	14888,	10222, 10638,	\indexspace 4810
14918,	14988,	10642, 10647,	\input 1570,
15050,	15057,	10652, 11432,	1571, 1618, 1651,
15155,	15185,	12180, 12187,	1672, 2160, 5008,
15186,	15187,	13133, 13142,	5073, 17637,
15188,	15189,	13585, 13594,	17647, 17648,
15190,	15191,	14124, 14134,	17649, 17650,
15192,	15196,	14152, 14553,	17651, 17652,
15202,	15208,	14574, 14579,	17653, 17654,
15214,	15220,	14584, 14589,	17655, 17656,
15226,	15232,	14607, 15077,	17657, 17658,
15238,	15244,	15098, 15103,	17659, 17660,
15253,	15283,	15108, 15113,	17661, 17662,
15309,	15318,	15131, 15259,	17663, 17664,
15338,	15343,	15668, 15689,	17665, 17666,
15350,	15356,	15694, 15699,	17667, 17668,
15380,	15451,	15704, 15722,	17669, 17670,
15455,	15463,	16937, 16941,	17671, 17673,
15469,	15481,	17134, 17196,	17674, 17680,
15495,	15525,	17227, 17237,	17687, 17688,
15579,	15641,	17246, 17255, 17264	17689, 17690,
15648,	15796,	\ilg 12813, 12836	17691, 17692,
16028,	16369,	\immediate	17693, 17694,
16455,	16526,	. . 2080, 3362, 5361	17695, 17696,
16538,	16546,	\in@ 3225	17697, 17698,
16563,	16588,	\includegraphics . .	17699, 17700,
16655,	16660, 2348,	17701, 17702,
16662,	16906,	6802, 6933, 12743	17703, 17704,
16949,	17060,	\includepdf 12734	17705, 17706,
17204,	17581,	\IncMargin 182	17707, 17708,
17582,	17584, 17585	\indent 17140	17709, 17710,
\ifXC@@tst	16929, 16978	\indentedwidth . . . 7674	17711, 17712,



17713, 17714,	\insertpenalties 10095	\isundefined .. 3837,
17715, 17716,	\interfootnotelinepenalty	3886, 6800,
17717, 17718,	. 38, 51, 66, 247,	6806, 6823, 6826,
17719, 17720,	260, 274, 7847,	6827, 6828, 6829,
17721, 17722,	10130, 10146, 10161	6830, 6921, 6924,
17723, 17724,	\interlinepenalty 38,	6925, 6926, 6927,
17725, 17726,	51, 66, 247,	6928, 6931, 6935
17727, 17728,	260, 274, 555,	\item 98, 228,
17729, 17730,	618, 643, 872,	599, 614, 865,
17731, 17734,	927, 1123, 1130,	948, 1119, 4766,
17735, 17736,	4686, 5454, 5461,	4774, 4779, 4800,
17737, 17738,	5633, 5640, 5806,	5450, 5629, 5842,
17739, 17740,	6003, 6011, 6497,	9784, 9799, 13121,
17741, 17742,	6506, 6516, 6661,	13378, 13841, 16129
17743, 17744,	6670, 6680, 7344,	\itemindent
17745, 17746,	7357, 7615, 7624,	4761, 4762, 4770,
17747, 17748,	7847, 9529, 9537,	17096, 17166, 17187
17749, 17750,	10130, 10146,	\itemsep . 3506, 4707,
17751, 17752,	10161, 12402,	4746, 4760, 17155
17753, 17754, 17755	12414, 12426,	\itemx 12561
\InputIfFileExists	13017, 13125,	\itemxox 12596
..... 2920,	13150, 13524,	\itemxoxx 12606
2924, 2933, 11467	13577, 13641,	\itemxx 12564
\insert 35, 48, 63, 244,	13999, 14007,	\itemxxo 12601
257, 271, 2096,	14436, 14926,	\itemxxox 12613
6950, 6966, 6971,	15533, 15985,	\itemxxx 12569
6987, 7034, 7040,	16026, 16159,	\itemxxxx 12620
7086, 7092, 7701,	16190, 16213,	\itemxxxxx 12576
7717, 7733, 7920,	16230, 16247,	\itemxxxxxx 12585
7930, 7940, 8018,	16264, 16281,	\itshape
8067, 8076, 8085,	16298, 16316,	1777, 2320, 4570,
8159, 8207, 8217,	16335, 16355,	4572, 4576, 4583,
8227, 8305, 8354,	16390, 16529,	4590, 4625, 4632,
8364, 8374, 8452,	16643, 16824, 17357	4639, 4646, 4653,
8501, 8511, 8521,	\intermath@penalty 6079	4957, 4958, 4959
8599, 8648, 8658,	\intertextsep 16884, 16886	
8668, 8746, 8795,	\InTheoType	J
8805, 8815, 8893,	... 7165, 12695,	\jua@ht 12219,
8942, 8952, 8962,	12697, 12716, 12718	12226, 12301,
9040, 9089, 9099,	\invoice@name 15222	12308, 12374, 12381
9109, 9187, 9283,	\isempty 3633,	\jua@pr 12202,
9294, 9305, 9390,	4225, 4429, 4434,	12232, 12284, 12314
10127, 10143, 10158	4458, 4463, 4487,	\jua@sar 12201,
\insert@column	4492, 4880,	12231, 12270,
1412, 1413, 1414,	4889, 4897, 4924	12283, 12313, 12349
1415, 1417, 1418,	\isodd 14048, 14093	\jua@sk 12200, 12230,
1478, 1480, 1481,	\isSC@ODD 15745,	12270, 12282,
1483, 1484, 1485,	15746, 15748,	12312, 12349, 12382
6152, 6154, 6155,	15749, 17734,	\justifying .. 3540,
6157, 6158, 6159	17736, 17738, 17740	3610, 4162, 13062



\JustifyingParfillskip	11449,	12461,	7247, 7248, 7249,
..... 13068	12556,	12557,	7254, 7255, 7256,
\JustifyingParindent	12558,	12559,	7265, 7268, 7276
..... 3512,	12987,	12990,	\l@ 16400
4165, 4733, 13069	13203,	13204,	\L@ante 11457, 11532, 11557
	13206,	13211,	\l@chapter 5497, 5511,
K	13212,	13214,	5676, 5690, 5956,
\keepthetitle ... 12039	13255,	13394,	9506, 13186,
\kern 28,	13627,	13628,	13200, 13560,
29, 30, 31, 238,	13630,	13635,	13574, 13768,
239, 240, 241,	13636,	13638,	13954, 14910,
534, 536, 540,	13787,	13789,	15517, 16050,
542, 718, 719, 721,	13793,	13795,	16051, 16182, 16608
726, 727, 729,	13970,	13972,	\l@color ... 11472, 11473
742, 957, 959,	13976,	13978,	\l@figure 4694,
964, 966, 996,	14206,	14210,	4695, 16291, 16636
1203, 1204, 1206,	14213,	14215,	\L@Findent
1211, 1212, 1214,	14219,	14525,	. 11458, 11534, 11558
1248, 1476, 1481,	14528,	14532,	\L@first 11500, 11501,
1800, 1801, 1802,	14535,	14674,	11504, 11505,
1803, 1804, 1805,	14678,	14681,	11507, 11508,
1806, 1807, 1811,	14683,	14687,	11509, 11510,
1812, 1859, 1861,	15049,	15052,	11515, 11521,
1862, 3976, 3977,	15056,	15059,	11523, 11527,
3987, 3988, 3990,	15175,	15177,	11532, 11533,
4452, 4453, 4481,	15180,	15181,	11535, 11536, 11547
4482, 4510, 4511,	15183,	15308,	\L@gridfalse 11463
5537, 5538, 5540,	15312,	15315,	\L@gridtrue 11463
5545, 5546, 5548,	15317,	15321,	\L@hang 11454, 11531
5570, 5693, 5694,	15640,	15643,	\L@imagefalse 11462
5696, 5701, 5702,	15647,	15650,	\L@imagetrue 11462
5704, 5749, 5972,	15999,	16859,	\L@lbox 11485,
5974, 5978, 5980,	16863,	16869,	11486, 11493,
6150, 6155, 6177,	16872,	16894,	11495, 11500,
6945, 6946, 7235,	17071,	17074,	11510, 11530,
7242, 7250, 7257,	17076, 17166, 17534		11531, 11542,
7296, 7300, 7381,	\keywords 326		11543, 11544, 11557
7383, 7387, 7389,	\kill 11905		\l@LOKeys 11477,
7681, 7683, 7687,	\KOMAClassName		11479, 11484, 11489
7689, 7696, 7697,	14290, 14758, 15392		\L@lraise 11502,
7812, 7813, 9542,	\KV@do 11484, 11489		11508, 11509,
9544, 9548, 9550,	\KV@prefix . 11482, 11487		11511, 11512, 11557
9687, 9688, 9689,			\L@next 11538,
9904, 10048,	L		11539, 11550, 11552
10049, 10051,	\l 7191,		\l@ngrel@x 2504, 2505, 2507
10052, 10053,	7207, 7210, 7216,		\L@Nindent ... 11459,
10085, 10293,	7219, 7221, 7222,		11537, 11539,
10357, 10536,	7225, 7226, 7229,		11541, 11550, 11551
10582, 11441,	7232, 7233, 7234,		
11443, 11447,	7239, 7240, 7241,		



<code>\L@novskip</code>	12574, 12577,	12577, 12579,
. 11461, 11515, 11519	12579, 12581,	12581, 12583,
<code>\L@oversize</code> 11455	12583, 12586,	12586, 12588,
<code>\l@paragraph</code> 16257, 16624	12588, 12590,	12590, 12592,
<code>\L@parshape</code> . . 11547,	12592, 12594,	12594, 12597,
11550, 11554, 11556	12597, 12599,	12599, 12602,
<code>\l@part</code> 502, 655, 673,	12602, 12604,	12604, 12607,
901, 919, 1142,	12607, 12609,	12609, 12611,
1160, 5473, 5489,	12611, 12614,	12614, 12616,
5652, 5668, 5941,	12616, 12618,	12618, 12621,
7323, 7579, 9491,	12621, 12623, 12625	12623, 12625,
13162, 13178,	<code>\labelsep</code> 82, 86, 291,	13221, 13222,
13536, 13552,	295, 573, 707,	13614, 13615,
13754, 13939,	975, 1227, 2358,	13812, 13813,
14387, 14855,	2360, 4723, 4725,	14016, 14017,
14882, 15489,	4782, 5526, 5719,	14481, 14482,
16047, 16048,	6029, 7370, 7642,	15005, 15006,
16135, 16600, 16603	9558, 12562,	15596, 15597,
<code>\L@Pindent</code> . . . 11530,	12565, 12567,	16062, 16063,
11531, 11533,	12570, 12572,	17188, 17190, 17193
11534, 11536,	12574, 12577,	<code>\langle</code> 1778
11537, 11540, 11547	12579, 12581,	<code>\Larg</code> 1777,
<code>\L@raise</code> . . . 11456, 11508	12583, 12586,	1778, 1779, 1780, 1781
<code>\l@section</code> . 519, 681,	12588, 12590,	<code>\Larga</code> 1778
694, 885, 898,	12592, 12594,	<code>\Largb</code> 1779
1169, 1182, 7309,	12597, 12599,	<code>\LARGE</code> 418, 489,
14420, 16201, 16612	12602, 12604,	749, 839, 1003,
<code>\L@slope</code> 11460, 11551, 11552	12607, 12609,	1093, 1255, 1346,
<code>\l@subfigure</code> 16328	12611, 12614,	1357, 4625, 4632,
<code>\l@subparagraph</code> . . .	12616, 12618,	4714, 4957, 5577,
. 16274, 16628	12621, 12623,	5756, 5857, 5928,
<code>\l@subsection</code>	12625, 13223,	6885, 7400, 7465,
. 16223, 16616	13616, 13814,	7495, 7566, 9578,
<code>\l@subsubsection</code> . .	14018, 14483,	9643, 13262,
. 16240, 16620	15007, 15598,	13352, 13401,
<code>\l@subtable</code> 16348	16064, 17189, 17195	13498, 13509,
<code>\l@table</code>	<code>\labelwidth</code>	13667, 13855, 13926
4695, 16309, 16632	. . . 85, 86, 294,	<code>\Large</code> 558, 4576, 4639,
<code>\L@tbox</code> 11497, 11501, 11559	295, 571, 572,	4713, 4958, 4959,
<code>\l@textcolor</code> 11474, 11475	705, 706, 973,	6796, 6889, 7347,
<code>\label</code> 2344,	974, 1225, 1226,	13743, 14256,
3662, 3664, 3666,	2357, 2359, 4724,	14262, 14264,
3670, 3716, 9882,	4725, 5524, 5525,	14280, 14369,
10726, 10744, 17590	5717, 5718, 6027,	14376, 14378,
<code>\labelitemi</code> 741, 995,	6028, 7368, 7369,	14381, 14724,
1058, 1247, 5569,	7640, 7641, 9556,	14730, 14732,
5748, 13254, 13393	9557, 10449,	14748, 14837,
<code>\labelname</code> . . . 12562,	12562, 12565,	14844, 14846,
12565, 12567,	12567, 12570,	14849, 15358,
12570, 12572,	12572, 12574,	15364, 15366,



15382, 15471, 15478, 15480, 15483	6573, 6580, 6585	13761, 13776, 13947, 13962, 14400, 14437, 14868, 14895, 14927, 15502, 15534, 15752, 15991, 16014, 16160, 16191, 16214, 16231, 16248, 16265, 16282, 16299, 16317, 16336, 16356, 16391, 16530, 16644, 16893, 17068, 17073, 17075, 17198, 17307, 17358
\large 420, 426, 491, 497, 511, 664, 756, 766, 841, 847, 910, 1010, 1020, 1095, 1101, 1151, 1262, 1272, 1348, 1354, 1358, 1363, 4583, 4646, 4712, 5482, 5584, 5594, 5661, 5763, 5773, 5859, 5865, 5930, 5936, 5950, 6795, 6797, 6888, 6890, 7332, 7402, 7408, 7467, 7473, 7497, 7503, 7568, 7574, 7587, 9500, 9580, 9586, 9645, 9651, 13171, 13269, 13279, 13354, 13360, 13408, 13418, 13500, 13506, 13510, 13515, 13545, 13669, 13675, 13762, 13857, 13863, 13928, 13934, 13948	\lastskip@a 6568, 6572, 6576 \lastskip@b ... 6566, 6568, 6570, 6572, 6576, 6577 \lastskip@d ... 6565, 6571, 6573, 6579, 6580, 6583, 6585, 6586, 6589, 6599 \LaTeX 11389, 17063, 17064, 17076 \LaTeXe ... 17065, 17066 \LBEG 1782 \lcb 1779, 1782, 1783, 1786 \lccode 16850, 16851 \Lcs 1793 \LcsStar 1794 \leaders 16041, 16539, 16648, 17362 \leavevmode 14, 215, 307, 373, 510, 527, 649, 663, 688, 742, 879, 892, 909, 996, 1059, 1136, 1150, 1176, 1248, 1911, 2289, 4349, 4687, 5155, 5231, 5467, 5481, 5504, 5570, 5646, 5660, 5683, 5749, 5949, 5964, 6045, 6046, 6176, 6228, 7317, 7331, 7586, 7954, 8098, 8241, 8388, 8535, 8682, 8829, 8976, 9123, 9499, 9514, 9784, 9799, 10225, 10524, 10570, 10590, 11108, 11996, 12403, 12415, 12427, 12918, 12984, 12989, 13020, 13156, 13170, 13193, 13255, 13394, 13530, 13544, 13567,	\left 17080 \left@footnoterule 30, 240, 410, 533, 717, 737, 956, 991, 1202, 1243, 5536, 5565, 5692, 5744, 5849, 5971, 7380, 7394, 7487, 7680, 9541, 9572, 10050, 10056, 10069, 10071, 10199, 10212, 11440, 13202, 13250, 13387, 13626, 13649, 13786, 13847, 13969, 14204, 14228, 14524, 14672, 14696, 15048, 15175, 15306, 15330, 15639 \leftfootnoterule . 1588, 6942, 7693, 10054, 10057, 10285, 10508, 17640 \leftline 12999, 17278, 17284, 17286 \leftmargin 86, 295, 572, 573, 706, 707, 945, 974, 975, 1226, 1227, 2359, 2360,
\Largr 1781 \Largs 1780 \lastbox 6578, 6582, 6608, 9224, 9247, 9257, 9261, 12001, 12919, 16999, 17164 \lastbox@a ... 6578, 6579, 6582, 6583 \LastFrameCommand 10311, 10421 \lastkern .. 4361, 10396 \lastpenalty 6077, 14422, 14912, 15519, 16448 \lastrule 6122 \lastskip 3794, 5287, 5288, 5400, 5401, 6076, 6565, 6566, 6570, 6571,		



3503, 4704, 4763, 4764, 4771, 4777, 5525, 5526, 5718, 5719, 6028, 6029, 7369, 7370, 7641, 7642, 9557, 9558, 13017, 13222, 13223, 13615, 13616, 13813, 13814, 14017, 14018, 14482, 14483, 15006, 15007, 15597, 15598, 16063, 16064, 17106, 17109, 17119, 17123, 17131, 17232, 17234, 17235, 17236, 17241, 17243, 17244, 17245, 17250, 17252, 17253, 17254, 17259, 17261, 17262, 17263	5506, 5635, 5641, 5642, 5647, 5658, 5681, 5684, 5685, 5947, 5962, 5965, 5966, 6101, 6103, 6105, 6219, 6220, 6226, 7315, 7318, 7319, 7329, 7584, 7879, 9438, 9497, 9512, 9515, 9516, 11983, 12073, 12074, 12400, 12404, 12405, 12412, 12417, 12424, 12429, 13028, 13030, 13041, 13043, 13054, 13056, 13065, 13067, 13084, 13127, 13140, 13151, 13152, 13157, 13168, 13191, 13194, 13195, 13525, 13526, 13531, 13542, 13565, 13568, 13569, 13579, 13592, 13643, 13759, 13774, 13777, 13778, 13783, 13784, 13945, 13960, 13963, 13964, 14398, 14401, 14402, 14434, 14438, 14866, 14869, 14870, 14893, 14896, 14897, 14924, 14928, 15500, 15503, 15504, 15531, 15535, 15983, 15995, 16012, 16033, 16035, 16040, 16044, 16045, 16155, 16156, 16157, 16165, 16186, 16187,	16188, 16196, 16209, 16210, 16211, 16219, 16226, 16227, 16228, 16236, 16243, 16244, 16245, 16253, 16260, 16261, 16262, 16270, 16277, 16278, 16279, 16287, 16294, 16295, 16296, 16304, 16312, 16313, 16314, 16322, 16331, 16332, 16333, 16341, 16351, 16352, 16353, 16361, 16386, 16387, 16388, 16396, 16436, 16437, 16438, 16461, 16523, 16524, 16525, 16531, 16534, 16581, 16641, 16646, 16669, 16676, 17267, 17293, 17294, 17355, 17360
\leftmargini . . . 3503, 4704, 4717, 4724		\LEND 1783
\leftmarginii 4718		\LenToUnit 7109, 7123, 7141
\leftmarginiii . . . 4719		\leqno . . . 330, 12995, 12997, 17631, 17633
\leftmarginiv 4720		\let 83, 98, 111, 148, 149, 152, 153, 156, 157, 160, 180, 184, 199, 200, 228, 292, 321, 329, 330, 342, 374, 375, 378, 395, 399, 403, 408, 409, 410, 411, 412, 413, 414, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 467, 468, 469, 470, 471, 472, 473,
\leftmarginv 4721		
\leftmarginvi 4722		
\leftmarginwidth . 13783		
\leftmark 5054		
\leftskip 12, 13, 213, 214, 307, 311, 508, 525, 528, 529, 620, 633, 644, 645, 650, 661, 686, 689, 690, 873, 874, 880, 890, 893, 894, 907, 929, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 4681, 4689, 4690, 5261, 5456, 5462, 5463, 5468, 5479, 5502, 5505,		



474, 475, 476,
477, 478, 479,
486, 487, 488,
576, 599, 614,
710, 735, 736,
737, 738, 739,
777, 778, 779,
780, 781, 782,
783, 784, 785,
786, 821, 822,
823, 824, 825,
826, 827, 828,
829, 830, 831,
838, 865, 978,
989, 990, 991,
992, 993, 1031,
1032, 1033, 1034,
1035, 1036, 1037,
1038, 1039, 1040,
1075, 1076, 1077,
1078, 1079, 1080,
1081, 1082, 1083,
1084, 1085, 1092,
1119, 1230, 1241,
1242, 1243, 1244,
1245, 1283, 1284,
1285, 1286, 1287,
1288, 1289, 1290,
1291, 1292, 1327,
1328, 1329, 1330,
1331, 1332, 1333,
1334, 1335, 1336,
1337, 1345, 1371,
1372, 1376, 1392,
1393, 1394, 1430,
1431, 1432, 1457,
1458, 1459, 1460,
1465, 1500, 1501,
1563, 1565, 1567,
1623, 1665, 1667,
1669, 1718, 1719,
1720, 1721, 1722,
1723, 1724, 1725,
1726, 1727, 1728,
1866, 1867, 1868,
1895, 1912, 1913,
1914, 1915, 1916,
1917, 1918, 1919,
1920, 1922, 1923,
1924, 2035, 2036,

2037, 2038, 2039,
2040, 2041, 2042,
2043, 2073, 2080,
2363, 2372, 2377,
2393, 2394, 2401,
2402, 2405, 2406,
2477, 2480, 2488,
2505, 2527, 2549,
2550, 2680, 2760,
2762, 2763, 2764,
2765, 2766, 2821,
2832, 2839, 2845,
2851, 2858, 2862,
2864, 2946, 2962,
2982, 2997, 3013,
3106, 3127, 3128,
3144, 3187, 3190,
3192, 3197, 3211,
3219, 3220, 3240,
3241, 3268, 3279,
3284, 3288, 3290,
3293, 3303, 3314,
3341, 3352, 3361,
3410, 3415, 3431,
3432, 3433, 3434,
3436, 3437, 3438,
3439, 3495, 3625,
3626, 3663, 3664,
3670, 3715, 3716,
3798, 3800, 3802,
3948, 3949, 3962,
3966, 3968, 3969,
3975, 3979, 3983,
3992, 4236, 4237,
4255, 4256, 4274,
4275, 4302, 4303,
4331, 4332, 4333,
4427, 4448, 4449,
4450, 4456, 4477,
4478, 4479, 4485,
4506, 4507, 4508,
4524, 4528, 4529,
4530, 4533, 4537,
4538, 4539, 4542,
4546, 4547, 4548,
4695, 4759, 4800,
4887, 4954, 4955,
4956, 5146, 5147,
5149, 5150, 5168,
5189, 5190, 5191,

5192, 5193, 5194,
5195, 5196, 5197,
5200, 5201, 5202,
5203, 5204, 5205,
5206, 5207, 5208,
5269, 5295, 5345,
5351, 5372, 5385,
5395, 5409, 5413,
5414, 5415, 5416,
5417, 5418, 5419,
5420, 5421, 5427,
5428, 5429, 5430,
5431, 5432, 5433,
5434, 5435, 5450,
5529, 5563, 5564,
5565, 5566, 5567,
5605, 5606, 5607,
5608, 5609, 5610,
5611, 5612, 5613,
5614, 5629, 5722,
5742, 5743, 5744,
5745, 5746, 5784,
5785, 5786, 5787,
5788, 5789, 5790,
5791, 5792, 5793,
5842, 5847, 5848,
5849, 5850, 5851,
5852, 5853, 5871,
5872, 5873, 5874,
5875, 5876, 5877,
5878, 5879, 5880,
5881, 5882, 5906,
5907, 5908, 5909,
5910, 5911, 5912,
5913, 5914, 5915,
5916, 5917, 5918,
5925, 5926, 5927,
6032, 6056, 6058,
6061, 6062, 6063,
6069, 6074, 6094,
6107, 6108, 6109,
6111, 6112, 6117,
6118, 6119, 6120,
6132, 6141, 6182,
6188, 6209, 6940,
6941, 6942, 6943,
6944, 6947, 6948,
6950, 6968, 6969,
6971, 6989, 6990,
6994, 7029, 7031,



7043, 7046, 7047,
7051, 7081, 7083,
7095, 7098, 7099,
7373, 7392, 7393,
7394, 7395, 7396,
7414, 7415, 7416,
7417, 7418, 7419,
7420, 7421, 7422,
7423, 7447, 7448,
7449, 7450, 7451,
7452, 7453, 7454,
7455, 7456, 7457,
7464, 7485, 7486,
7487, 7488, 7489,
7490, 7491, 7509,
7510, 7511, 7512,
7513, 7514, 7515,
7516, 7517, 7518,
7519, 7520, 7544,
7545, 7546, 7547,
7548, 7549, 7550,
7551, 7552, 7553,
7554, 7555, 7556,
7563, 7564, 7565,
7645, 7691, 7692,
7693, 7694, 7695,
7787, 7788, 7789,
7790, 7791, 7792,
7794, 7795, 7796,
7797, 7798, 7799,
7800, 7908, 7909,
7910, 7914, 7915,
7916, 7917, 7919,
8055, 8056, 8057,
8061, 8062, 8063,
8064, 8066, 8195,
8196, 8197, 8201,
8202, 8203, 8204,
8206, 8342, 8343,
8344, 8348, 8349,
8350, 8351, 8353,
8489, 8490, 8491,
8495, 8496, 8497,
8498, 8500, 8636,
8637, 8638, 8642,
8643, 8644, 8645,
8647, 8783, 8784,
8785, 8789, 8790,
8791, 8792, 8794,
8930, 8931, 8932,

8936, 8937, 8938,
8939, 8941, 9077,
9078, 9079, 9083,
9084, 9085, 9086,
9088, 9266, 9267,
9268, 9272, 9273,
9274, 9275, 9277,
9445, 9561, 9570,
9571, 9572, 9573,
9574, 9592, 9593,
9594, 9595, 9596,
9597, 9598, 9599,
9600, 9601, 9625,
9626, 9627, 9628,
9629, 9630, 9631,
9632, 9633, 9634,
9635, 9642, 9697,
9721, 9724, 9725,
9753, 9756, 9757,
9835, 9836, 9838,
9839, 9842, 9843,
9872, 9874, 9882,
9883, 9884, 9894,
9897, 10029,
10057, 10083,
10084, 10186,
10199, 10212,
10237, 10238,
10239, 10240,
10274, 10289,
10295, 10300,
10435, 10436,
10437, 10438,
10508, 10509,
10510, 10511,
10512, 10593,
10627, 10629,
10983, 10984,
10985, 11026,
11027, 11028,
11070, 11071,
11072, 11085,
11086, 11087,
11100, 11101,
11102, 11111, 11112,
11114, 11115, 11116,
11117, 11125, 11127,
11128, 11129,
11130, 11131,
11132, 11133,

11142, 11178,
11216, 11249,
11280, 11311,
11317, 11319,
11320, 11321,
11322, 11323,
11324, 11325,
11326, 11338,
11341, 11344,
11347, 11384,
11385, 11386,
11387, 11402,
11413, 11473,
11483, 11488,
11612, 11895,
11896, 11897,
11899, 11901,
11905, 11907,
11909, 11910,
11912, 11913,
11914, 11918,
11924, 11936,
11951, 11952,
11953, 11975,
11976, 11977,
11978, 11979,
11987, 12034,
12035, 12036,
12041, 12042,
12043, 12044,
12045, 12046,
12047, 12048,
12049, 12105,
12108, 12109,
12111, 12112,
12507, 12510,
12530, 12531,
12534, 12535,
12538, 12539,
12642, 12643,
12644, 12737,
12742, 12756,
12782, 12783,
12920, 12924,
12967, 12968,
12969, 12970,
12973, 12974,
12976, 12981,
12991, 12992,
12993, 12994,



12995,	13002,	13683,	13684,	14335,	14336,
13003,	13021,	13685,	13686,	14337,	14338,
13025,	13027,	13687,	13688,	14339,	14340,
13038,	13040,	13689,	13690,	14341,	14342,
13051,	13053,	13691,	13692,	14346,	14347,
13063,	13064,	13721,	13722,	14348,	14494,
13075,	13076,	13723,	13724,	14519,	14520,
13077,	13078,	13725,	13726,	14546,	14547,
13079,	13089,	13727,	13728,	14548,	14549,
13090,	13091,	13729,	13730,	14550,	14551,
13092,	13093,	13731,	13732,	14557,	14558,
13102,	13104,	13733,	13739,	14559,	14560,
13105,	13121,	13740,	13741,	14561,	14562,
13226,	13248,	13817,	13841,	14631,	14632,
13249,	13250,	13845,	13846,	14633,	14694,
13251,	13252,	13847,	13848,	14695,	14696,
13290,	13291,	13849,	13850,	14697,	14698,
13292,	13293,	13851,	13869,	14699,	14700,
13294,	13295,	13870,	13871,	14702,	14766,
13296,	13297,	13872,	13873,	14783,	14784,
13298,	13299,	13874,	13875,	14785,	14786,
13334,	13335,	13876,	13877,	14787,	14788,
13336,	13337,	13878,	13879,	14789,	14790,
13338,	13339,	13880,	13904,	14791,	14792,
13340,	13341,	13905,	13906,	14793,	14794,
13342,	13343,	13907,	13908,	14795,	14796,
13344,	13351,	13909,	13910,	14797,	14798,
13378,	13385,	13911,	13912,	14799,	14800,
13386,	13387,	13913,	13914,	14801,	14802,
13388,	13389,	13915,	13916,	14803,	14804,
13390,	13391,	13923,	13924,	14805,	14806,
13429,	13430,	13925,	14021,	14807,	14808,
13431,	13432,	14046,	14073,	14809,	14810,
13433,	13434,	14074,	14091,	14814,	14815,
13435,	13436,	14163,	14164,	14816,	15018,
13437,	13438,	14165,	14226,	15043,	15044,
13439,	13440,	14227,	14228,	15070,	15071,
13475,	13476,	14229,	14230,	15072,	15073,
13477,	13478,	14231,	14232,	15074,	15075,
13479,	13480,	14234,	14298,	15081,	15082,
13481,	13482,	14315,	14316,	15083,	15084,
13483,	13484,	14317,	14318,	15085,	15086,
13485,	13486,	14319,	14320,	15265,	15266,
13487,	13495,	14321,	14322,	15267,	15328,
13496,	13497,	14323,	14324,	15329,	15330,
13619,	13647,	14325,	14326,	15331,	15332,
13648,	13649,	14327,	14328,	15333,	15334,
13650,	13651,	14329,	14330,	15336,	15400,
13652,	13653,	14331,	14332,	15417,	15418,
13681,	13682,	14333,	14334,	15419,	15420,



15421,	15422,	16194,	16195,	17639,	17640,
15423,	15424,	16216,	16217,	17641,	17777, 17779
15425,	15426,	16218,	16233,	\Letter	2209
15427,	15428,	16234,	16235,	\lettergroup	4811
15429,	15430,	16250,	16251,	\LettrineDepth	11544
15431,	15432,	16252,	16267,	\LettrineFont	11485, 11495
15433,	15434,	16268,	16269,	\LettrineFontEPS	11493
15435,	15436,	16284,	16285,	\LettrineHeight	11543
15437,	15438,	16286,	16301,	\LettrineTextFont	
15439,	15440,	16302,	16303,	11497, 11506
15441,	15442,	16319,	16320,	\LettrineWidth
15443,	15444,	16321,	16338,	11486, 11542
15448,	15449,	16339,	16340,	\lftside	12850,
15450,	15609,	16358,	16359,	12852,	12855,
15634,	15635,	16360,	16393,	12857,	12871, 12873
15661,	15662,	16394,	16395,	\line	6238, 6239,
15663,	15664,	16442,	16658,	6241, 6242, 6248,	
15665,	15666,	16666,	16671,	6249, 6251, 6252,	
15672,	15673,	16678,	16695,	6261, 6262, 6264,	
15674,	15675,	16698,	16758,	6265, 6271, 6272,	
15676,	15677,	16816,	16820,	6274, 6275, 6284,	
15753,	15754,	16898,	16903,	6285, 6287, 6288,	
15755,	15759,	16913,	16917,	6294, 6295, 6297,	
15770,	15771,	16946,	16956,	6298, 6307, 6308,	
15772,	15779,	16960,	17000,	6310, 6311, 6317,	
15780,	15786,	17004,	17047,	6318, 6320, 6321,	
15795,	15796,	17048,	17049,	12998, 12999, 13000	
15797,	15799,	17050,	17053,	\lineskip	198, 396,
15802,	15806,	17054,	17056,	421, 492, 757,	
15809,	15811,	17061,	17063,	842, 1011, 1096,	
15814,	15823,	17065,	17077,	1263, 1349, 1358,	
15826,	15839,	17078,	17079,	2193, 5585, 5764,	
15840,	15841,	17099,	17213,	5860, 5931, 7403,	
15856,	15857,	17266,	17269,	7468, 7498, 7569,	
15858,	15859,	17270,	17284,	9581, 9646, 9886,	
15860,	15861,	17285,	17303,	11937, 11984,	
15863,	15864,	17308,	17309,	13085, 13099,	
15867,	15868,	17310,	17314,	13270, 13355,	
15948,	15949,	17326,	17327,	13409, 13501,	
15950,	15962,	17328,	17329,	13510, 13670,	
15963,	15964,	17335,	17336,	13746, 13858,	
15965,	15968,	17337,	17561,	13929, 14256,	
15969,	15970,	17563,	17576,	14370, 14724,	
15971,	15978,	17577,	17578,	14838, 15358,	
16007,	16036,	17579,	17581,	15472, 15774,	
16041,	16047,	17582,	17584,	15814, 17331, 17593	
16050,	16067,	17585,	17590,	\lineskiplimit
16129,	16133,	17591,	17592,	9887, 17593
16162,	16163,	17615,	17618,	\linespacing 24
16164,	16193,	17630,	17631,		



<code>\linewidth</code> . . .	2317,	2260,	11240,	11254,
	3692, 9785, 9800,	2261, 2271, 2277	11271,	11285,
	9804, 10447,	<code>\listoffigures</code> . . .	11302,	11397,
	10455, 10456,	<code>\listoftables</code> . . .	11578,	12055,
	10458, 10459,	<code>\listparindent</code> . . .	12105,	12155,
	10673, 11535,	943, 4762, 4769,	12177,	12542,
	11538, 11554,	4770, 17095, 17104	12546,	12550,
	11981, 12113,	<code>\listtablename</code> 4672, 4673	12789,	12983,
	12119, 12709,	<code>\llap</code>	13253,	13318,
	12711, 12729,	7164, 7820, 9702,	13392,	13459,
	12731, 12808,	9707, 10515,	13657,	13700,
	12814, 12900,	10638, 10640,	13887,	14179,
	12909, 12910,	10642, 10644,	14647,	15154,
	12961, 12963,	10647, 10649,	15256,	15281,
	13082, 13096,	10652, 10654,	15879,	15883,
	17041, 17043,	11557, 15996, 16014	15886,	15890,
	17105, 17106,	<code>\LoadClass</code> . .	16892,	17067,
	17133, 17232,	<code>\long</code>	17197,	17434,
	17234, 17235,	62, 243, 256, 270,	17438,	17442,
	17236, 17241,	450, 740, 805,	17478,	17482,
	17243, 17244,	994, 1057, 1246,	17486, 17545, 17620	
	17245, 17250,	1311, 1711, 1930,	<code>\longindentation</code> .	7673
	17252, 17253,	1933, 1936, 1941,	<code>\longtable</code>	2057
	17254, 17259,	1944, 1947, 2445,	<code>\longthickrule</code>	
	17261, 17262,	2449, 2482, 2507,	13738, 13744
	17263, 17553, 17556	2511, 2621, 2640,	<code>\loop</code>	6331, 6456,
<code>\link</code>	2323	2715, 2731, 2743,	6462, 6567, 6622,	
<code>\list</code> 85, 294, 570, 704,		2752, 2784, 2812,	6634, 9245, 9255,	
	943, 972, 1224,	2824, 2825, 3358,	11521, 12806,	
	4742, 4760, 4769,	3632, 3775, 4035,	12842, 12869,	
	4777, 5523, 5716,	4039, 4043, 4079,	12880, 12907, 15834	
	6026, 7367, 7639,	4083, 4087, 4123,	<code>\lower</code>	12989,
	9555, 12634,	4127, 4131, 4342,	16886, 17073, 17075	
	13220, 13613,	4426, 4455, 4484,	<code>\lowercase</code> . .	3480, 4181
	13811, 14015,	5302, 5305, 5308,	<code>\lowertitleback</code> . . .	
	14478, 15002,	5312, 5315, 5318,	14339, 14807, 15441	
	15593, 16061, 17088	5568, 5747, 5889,	<code>\LR</code> 11385, 12969, 12989,	
<code>\listdoubleitemmaincolumnwidth</code>		6175, 6949, 6970,	17049, 17073, 17075	
	2263,	7430, 7527, 9608,	<code>\lrb</code>	1781, 1790
	2276, 2277,	10127, 10143,	<code>\LRE</code> . 1564, 1666, 11384,	
	2278, 2305, 2309	10158, 10185,	12969, 12972,	
<code>\listfigurename</code> . . .		10198, 10211,	16698, 17049, 17052	
	4664, 4665	10513, 10523,	<code>\LRfootnoterule</code> . . .	
<code>\listitemmaincolumnwidth</code>		10569, 10610,	. 6944, 7695, 10057	
	2262,	10617, 11029,	<code>\lsb</code>	1780, 1788
	2270, 2271, 2303	11040, 11051,	<code>\lst@caption</code> 11597, 11602	
<code>\listitemsymbol</code> 2204,		11062, 11077,	<code>\lst@alloverstyle</code> .	
	2261, 2302,	11092, 11152,	1769, 1775
	2304, 6751, 6849	11169, 11190,	<code>\lst@ifnumberbychapter</code>	
<code>\listitemsymbolwidth</code>		11207, 11223,	11612, 11613



..... 12222, 12304	\m@make@eightcolfootnotetext	\m@make@emptencolfootnotetext
\m@float@spacing 7806 8877, 8891 9172, 9197
\m@footnote@spacing	\m@make@fivecol@footgroup	\m@make@mpthreecol@footgroup
7703, 7719, 7735,	.. 8347, 8439, 8479	.. 8065, 8147, 8189
7751, 7764, 7777,	\m@make@fivecolfootfmt	\m@make@mpthreecolfootnotetext
7805, 7921, 7931, 8438, 8474 8144, 8168
7941, 7967, 7979,	\m@make@fivecolfootnotetext	\m@make@emptwocol@footgroup
7992, 8019, 8032, 8436, 8450	.. 7918, 8006, 8049
8068, 8077, 8086,	\m@make@footstart	\m@make@emptwocolfootnotetext
8111, 8122, 8134,	.. 7876, 7886, 8003, 8028
8160, 8172, 8208,	8007, 8148, 8294,	\m@make@ninelcol@footgroup
8218, 8228, 8254,	8441, 8588, 8735,	.. 8935, 9027, 9067
8266, 8279, 8306,	8882, 9029, 9176	\m@make@ninelcolfootfmt
8319, 8355, 8365,	\m@make@fourcol@footgroup 9026, 9062
8375, 8401, 8413,	.. 8200, 8292, 8332	\m@make@ninelcolfootnotetext
8426, 8453, 8466,	\m@make@fourcolfootfmt 9024, 9038
8502, 8512, 8522, 8291, 8327	\m@make@para@footgroup
8548, 8560, 8573,	\m@make@fourcolfootnotetext	.. 9271, 9371, 9421
8600, 8613, 8649, 8289, 8303	\m@make@para@footstart
8659, 8669, 8695,	\m@make@mpeightcol@footgroup 9373, 9435
8707, 8720, 8747,	.. 8793, 8881, 8924	\m@make@parafootfmt
8760, 8796, 8806,	\m@make@mpeightcolfootnotetext 9370, 9415
8816, 8842, 8854, 8878, 8903	\m@make@parafootnotetext
8867, 8894, 8907,	\m@make@mpfivecol@footgroup 9368, 9388
8943, 8953, 8963,	.. 8352, 8440, 8483	\m@make@sevenscol@footgroup
8989, 9001, 9014,	\m@make@mpfivecolfootnotetext	.. 8641, 8733, 8773
9041, 9054, 9090, 8437, 8462	\m@make@sevenscolfootfmt
9100, 9110, 9136,	\m@make@mpfourcol@footgroup 8732, 8768
9148, 9161, 9188,	.. 8205, 8293, 8336	\m@make@sevenscolfootnotetext
9201, 9284, 9295,	\m@make@mpfourcolfootnotetext 8730, 8744
9306, 9331, 9344, 8290, 8315	\m@make@sixcol@footgroup
9357, 9391, 9405	\m@make@mpninelcol@footgroup	.. 8494, 8586, 8626
\m@ch 8940, 9028, 9071	\m@make@sixcolfootfmt
7890,	\m@make@mpninelcolfootnotetext 8585, 8621
7892, 7894, 9025, 9050	\m@make@sixcolfootnotetext
7897, 7898, 7903	\m@make@mppara@footgroup 8583, 8597
\m@k 9276, 9372, 9428	\m@make@tencol@footgroup
7890,	\m@make@mpparafootnotetext	.. 9082, 9174, 9214
7892, 7897, 9369, 9401	\m@make@tencolfootfmt
7900, 7901, 7903	\m@make@mpsevenscol@footgroup 9173, 9209
\m@makecolfloats	.. 8646, 8734, 8777	\m@make@tencolfootnotetext
..... 9443, 9484	\m@make@mpsevenscolfootnotetext 9171, 9185
\m@makecolintro 8731, 8756	\m@make@threecol@footgroup
..... 9458, 9477	\m@make@mpsixcol@footgroup	.. 8060, 8146, 8185
\m@makecoltext	.. 8499, 8587, 8630	\m@make@threecolfootfmt
..... 9447, 9486	\m@make@mpsixcolfootnotetext 8145, 8180
\m@singlespace 8584, 8609	\m@make@threecolfootnotetext
\m@make@eightcol@footgroup 8584, 8609 8143, 8157
.. 8788, 8880, 8920	\m@make@emptencol@footgroup	\m@make@twocol@footgroup
\m@make@eightcolfootfmt	.. 9087, 9175, 9218	.. 7913, 8005, 8045
..... 8879, 8915		



\m@make@twocolfootfmt	\m@mold@LTRfootnotetext	2267, 2268, 2269,
..... 8004, 8040 7788, 7795	2270, 2272, 2276,
\m@make@twocolfootnotetext	\m@mold@mpfootnotetext	2291, 2295, 2320
..... 8002, 8016 7790, 7797	\mainmatter 5047
\m@mdoextrafeet ...	\m@mold@mplTRfootnotetext	\makeatletter 2687, 2706
..... 7833, 9483 7791, 7798	\makebox 7152,
\m@mdoextrafeetendmini	\m@mold@mpRTLfootnotetext	7157, 7226, 7229,
..... 7861, 7871 7792, 7799	7232, 7239, 7247,
\m@mdoextrafeetmini	\m@mold@RTLfootnotetext	7254, 7295, 7299
..... 7852 7789, 7796	\makefooter 6816, 6817, 6833
\m@mDOSplits .. 7895,	\m@mopfootnote 9459, 9481	\MakeFramed 10313
7899, 7900, 7901	\m@mopsidebar 9470, 9485	\makelabel 4749, 17099, 17184
\m@minterparanoteglue	\m@mremovehboxes ..	\maketag@@@ 338, 7150, 7163
..... 9237, 9239 9261,	\makethanksmark . 12055
\m@mipn@skip	9262, 9425, 9432	\maketitle 106,
.. 9229, 9236, 9238	\m@mrigidbalance ..	315, 322, 407,
\m@mmakehboxofhboxes	... 7892, 7897,	435, 446, 470,
..... 9241,	8048, 8052, 8188,	733, 778, 800,
9252, 9424, 9431	8192, 8335, 8339,	822, 987, 1032,
\m@mmf@prepare 7715,	8482, 8486, 8629,	1054, 1076, 1239,
7731, 7747, 7811,	8633, 8776, 8780,	1284, 1306, 1328,
7929, 7939, 7949,	8923, 8927, 9070,	1707, 1719, 2284,
7975, 7988, 8000,	9074, 9217, 9221	4844, 4948, 4972,
8027, 8039, 8075,	\m@msplitoff . 7900, 7902	5561, 5606, 5740,
8084, 8093, 8118,	\m@mungebox .. 9230,	5785, 5846, 5874,
8130, 8141, 8167,	9293, 9304, 9315,	5885, 5909, 6798,
8179, 8216, 8226,	9340, 9353,	6912, 7391, 7415,
8236, 8262, 8275,	9366, 9400, 9414	7426, 7448, 7484,
8287, 8314, 8326,	\m@munvxh ... 9222, 9231	7512, 7523, 7547,
8363, 8373, 8383,	\m@ne 306, 548,	9569, 9593, 9604,
8409, 8422, 8434,	557, 2392, 2485,	9626, 11317,
8461, 8473, 8510,	4030, 4074, 4118,	11318, 12050,
8520, 8530,	5799, 5957, 5996,	13246, 13291,
8556, 8569, 8581,	6331, 7337, 7346,	13313, 13335,
8608, 8620, 8657,	7608, 9507, 9524,	13383, 13432,
8667, 8677, 8703,	12442, 13013,	13454, 13478,
8716, 8728, 8755,	13769, 13955,	13646, 13684,
8767, 8804, 8814,	13994, 14388,	13695, 13724,
8824, 8850, 8863,	14911, 15518,	13844, 13872,
8875, 8902, 8914,	16141, 16183,	13883, 13907,
8951, 8961, 8971,	16467, 17429,	14220, 14291,
8997, 9010, 9022,	17473, 17508, 17511	14318, 14688,
9049, 9061, 9098,	\m@th 398, 7153,	14759, 14786,
9108, 9118, 9144,	7158, 7164, 9785,	15322, 15393, 15420
9157, 9169, 9196,	9800, 11936,	\maketitledetailsnewline
9208, 9293, 9304,	16539, 16648, 6907,
9315, 9340, 9353,	17080, 17215,	6922, 6924, 6925,
9366, 9400, 9414	17299, 17301, 17362	
\m@mold@footnotetext	\maincolumnwidth ..	
..... 7787, 7794 2258,	



6926, 6927, 6928	10651, 10653,	\mdf@lrbox . 11965, 11994
\maketitledetailwidth	17446, 17490, 17540	\mdf@par@local ... 11988
..... 6899,	\markboth	\mdf@patchamsthm . 11966
6901, 6902,	120, 562, 5052, 7351	\mdfframedtitleenv 11993
6903, 6904, 6919	\mathindent . 9786, 9802	\mdfframetitleboxdepth
\maketitlehookb .. 12100	\mathsurround 6073 12010
\maketitlehookc .. 12102	\max@poem@no	\mdfframetitleboxheight
\maketitlenamefullwidth	.. 5247, 5356, 5357 12009
.. 6893, 6894, 6896	\maxdepth	\mdfframetitleboxtotalheight
\maketitlenamemaxwidth	9487 12011
.. 6891, 6892, 6896	\maxdimen 9289, 9300,	\mdfframetitleboxwidth
\maketitlenamewidth	9311, 9336, 9349, 12008
..... 6895,	9362, 9396, 9410,	\mdseries
6896, 6902, 6914	9669, 9713, 9714,	309,
\maketitlepage 4930, 4972	9715, 9745, 9746,	6792, 6794, 6796,
\maketitlepicturewidth	9747, 10320,	6797, 6884, 6885,
..... 6897,	15827, 15866,	6886, 6889, 6890
6898, 6904, 6933	16599, 16602,	\meaning
\MakeUppercase	16607, 16611,	2376,
..... 121, 568,	16615, 16619,	2379, 2451, 2677,
595, 596, 611,	16623, 16627,	2704, 2719, 2737,
702, 862, 970,	16631, 16635, 16820	2745, 2754, 2818
1116, 1222, 5447,	\mbox . 10598, 11557, 15259	\medskip
5521, 5626, 5714,	\mc@col@status@write	5154
5838, 5839, 6024, 12472, 12493	\medskipamount ... 7675
7365, 7637, 9553,	\mc@gridwarn	\mem@makecol . 9476, 9488
13118, 13218,	12462	\memRTLleftskip .. 12073
13375, 13611,	\mc@lastcol@status@write	\memRTLraggedleft 12078
13837, 13838, 14013 12478, 12501	\memRTLraggedright 12077
\marginline	\mdf@footnotedistance@length	\memRTLrightskip . 12074
14539, 15063, 15654 12022	\memRTLleftskip . 12075
\marginnote	\mdf@footnoteinput 12030	\memRTLrightskip 12076
4523	\mdf@footnoteoutput	\message . 1648, 1650,
\marginpar ... 3602, 12019	10321, 10329,
4304, 14540,	\mdf@frametitleaboveskip@length	10333, 10338,
15064, 15655, 16734 12014	10346, 10352,
\marginparpush	\mdf@frametitlealignment	10362, 10367,
3535, 17527 11995	10369, 10376,
\marginparsep . 1697,	\mdf@frametitlebelowskip@length	10384, 10397,
2169, 3576, 3579, 12015	10405, 10410,
3583, 3729,	\mdf@frametitlebox	10415, 10428,
3736, 10637,	.. 11994, 12007,	10439, 10447, 10459
10639, 10643,	12008, 12009,	\MessageBreak .. 144,
10648, 10651,	12010, 12012, 12013	2087, 2877, 2891,
10653, 17538, 17540	\mdf@frametitlefont	2903, 2917, 3122,
\marginparwidth 1696, 11997	3133, 3140, 3152,
2170, 3575, 3580,	\mdf@frametitlefontcolor	3158, 3256, 3309,
3592, 3684, 3954, 11996	3310, 3311, 3325,
4047, 4091, 4135,	\mdf@horizontalmargin@equation	3326, 3328, 3616,
10637, 10639, 11972	3706, 3933, 3934,
	\mdf@ignorevbadness	4002, 4603, 4604,
 12006	4605, 4607, 4608,
		4612, 4613, 4614,



4616, 4617, 12151, 12152, 12445, 12464, 12526, 14292, 14504, 14511, 14760, 15028, 15035, 15394, 15619, 15626	\mult@footnotetext 147, 149, 12529, 12531, 12542	2373, 3441, 4011, 4550, 4696, 4812, 4839, 4988, 5012, 5077, 6736, 6834
\MH . 7166, 7172, 7185, 7200, 7212, 7220, 7267, 7283, 7285, 7289, 7290, 7292	\mult@gfirstbox ... 12469, 12483, 12489	\new@command . 2487, 2489
\MHInternalSyntaxOff 7307	\mult@info 12443	\new@poem@width 5164, 5165, 5166, 5167, 5252, 5294, 5297
\MHInternalSyntaxOn 7147	\mult@LTRfootnotetext 151, 153, 12533, 12535, 12546	\newblock 2371, 5264, 5371, 12636, 12638
\MidFrameCommand .. 10309, 10353, 10421	\mult@rightbox 12436, 12476, 12477, 12479, 12498, 12499, 12502	\newboolean 3449, 3453, 3455, 3457, 3458, 3470, 3543, 3553, 3620, 3643, 3938, 4559, 4818, 4845
\minrowclearance 1462, 1496, 6170	\mult@RTLfootnotetext 155, 157, 12537, 12539, 12550	\newbox 5219, 5220
\mintagvsep 7167	\multfootsep . 4346, 4364	\newcommand .. 1768, 1774, 1777, 1778, 1779, 1780, 1781, 1782, 1783, 2150, 2236, 2241, 2242, 2243, 2245, 2246, 2247, 2249, 2250, 2252, 2253, 2264, 2265, 2285, 2292, 2294, 2298, 2302, 2304, 2310, 2319, 2321, 2323, 2327, 2331, 2336, 2348, 2371, 2407, 2413, 2425, 2431, 2443, 2446, 2448, 2455, 2459, 2465, 2472, 2475, 2478, 2481, 2496, 2540, 2545, 2667, 2691, 2742, 2751, 2828, 2842, 2854, 2944, 2945, 2961, 2976, 2980, 2986, 2989, 2992, 2995, 3000, 3003, 3006, 3010, 3014, 3017, 3018, 3019, 3021, 3029, 3038, 3040, 3050, 3052, 3064, 3066, 3073, 3081, 3083, 3092, 3094, 3105, 3107, 3108, 3112,
\missingfigure 16778, 16808	\multicol@leftmargin 12446, 12455	
\mkern 16540, 16541, 16649, 17363	\multicols . 2059, 12514	
\mobile 2246	\multicolumn 11895, 15801	
\Mobilefone 2206	\multiplefootnotemarker 4345, 4361, 4452, 4453, 4481, 4482, 4510, 4511, 7810, 7812, 7813	
\mobilesymbol 2206, 6826, 6924	\multiply 1681, 1686, 2025, 9280, 9281, 9385, 9386, 12825, 12829	
\modernpoem 5409	\myrefname 15210	
\modernpoem@obeylines 5149, 5409		
\modernpoem@par 5149, 5150, 5373	N	
\morefloats . 3836, 3933	\n@xt 1563, 1565, 1567, 1568, 1665, 1667, 1669, 1670	
\moreLRE 1565, 1667, 12925, 17005	\na ... 12828, 12830, 12832, 12841, 12843, 12868, 12869	
\moreRLE 1567, 1669, 12926, 17006	\narrower 17292	
\moveleft .. 3986, 12357	\NAT@bibitem@first@sw 12642	
\moveright 9888, 12455, 17596	\nb 12828, 12831, 12832, 12841, 12842, 12863, 12879, 12880	
\mp@footgroupv@r .. 7857, 7889, 7919, 8066, 8206, 8353, 8500, 8647, 8794, 8941, 9088, 9277	\NC@find 15833	
\mpfootnoterule 10084, 10088	\NC@rewrite@X ... 15832	
\MT 7186, 7192, 7194	\NeedsTeXFormat 1503, 1674, 1730, 1863, 2125,	
\mult@cols 12541		



<code>\ninecolumnfootnotes</code>	15256,	15505,	11198,	11227,
..... 8928	15506,	15535,	11228,	11229,
<code>\ninecolumnfootstyle</code>	15536,	15538,	11231,	11258,
..... 9023	16001,	16018,	11259,	11260,
<code>\nl</code> 184	16025,	16165,	11262,	11289,
<code>\no@bib@break</code>	16168,	16196,	11290,	11291,
14490, 15014, 15605	16197,	16219,	11293,	11931,
<code>\noalign</code> 1376,	16220,	16236,	11958,	11961,
2072, 5275, 7900,	16237,	16253,	12168,	14487,
11902, 11903, 11904	16254,	16270,	14488,	15011,
<code>\nobibliography</code> .. 4230	16271,	16287,	15012,	15602,
<code>\nobreak</code> 14, 16,	16288,	16304,	15603,	15768,
215, 217, 512, 530,	16305,	16322,	15806,	15807,
559, 563, 650,	16323,	16341,	15880,	15887,
651, 665, 691,	16342,	16361,	16377,	16671,
880, 881, 895, 911,	16362,	16396,	16672,	16673,
1137, 1138, 1152,	16397,	16432,	16674,	16675,
1179, 2123, 3365,	16532,	16537,	16676,	16677,
4353, 4690, 4691,	16545,	16646,	16678,	16679,
5175, 5177, 5183,	16647,	16651,	16921,	16936,
5468, 5469, 5483,	17360, 17361, 17365		16964,	16970,
5507, 5647, 5648,	<code>\nobreakspace</code> 558		16983,	17222,
5662, 5686, 5802,	<code>\node</code> . 16732, 16762, 16768		17223, 17324, 17561	
5810, 5822, 5951,	<code>\noexpand</code> . 388, 1887,		<code>\noindent</code> 167,	
5967, 5999, 6004,	1888, 1902, 1903,		169, 450, 626,	
6012, 6221, 7320,	1931, 1934, 1937,		635, 935, 1189,	
7333, 7348, 7352,	2081, 2383, 2450,		1198, 1711, 3598,	
7360, 7588, 7611,	2451, 2453, 2672,		3785, 4375, 4392,	
7616, 7625, 7668,	2673, 2674, 2676,		4409, 4526, 4535,	
7669, 9501, 9517,	2677, 2702, 2704,		4544, 4754, 4774,	
9526, 9530, 9538,	2722, 2723, 2724,		4935, 4937, 4939,	
11109, 11439,	2727, 2734, 2735,		5130, 5517, 5710,	
12021, 12406,	2736, 2738, 2744,		5889, 6086, 7430,	
12417, 12418,	2745, 2747, 2753,		7527, 7671, 9291,	
12429, 12430,	2754, 2756, 2815,		9302, 9313, 9338,	
13016, 13018,	2817, 2818, 2970,		9351, 9364, 9398,	
13157, 13158,	3131, 3132, 3134,		9412, 9427, 9434,	
13172, 13196,	3270, 3375, 3409,		9608,	10514,
13531, 13532,	3410, 4202, 4204,		11555,	12128,
13546, 13570,	4212, 4602, 4605,		12786,	13133,
13763, 13779,	4611, 4614, 5303,		13142,	13585,
13949, 13965,	5306, 5309, 5361,		13594,	13662,
13996, 14000,	6525, 6690, 7043,		13705,	13887,
14008, 14403,	7095, 9813, 9814,		14198,	14237,
14404, 14438,	9819, 9820, 9872,		14350,	14466,
14439, 14441,	11138,	11148,	14581,	14586,
14466, 14871,	11156,	11157,	14666,	14705,
14872, 14898,	11158,	11160,	14818,	15105,
14899, 14928,	11186,	11194,	15110,	15169,
14929, 14931,	11195,	11196,	15200,	15206,



<code>\on@stripcols@break</code>	<code>\origin@RaggedLeft</code>	5820, 5824, 5826,
..... 6609	. 13104, 13106, 13107	5836, 5841, 5855,
<code>\onecolumn</code>	<code>\origin@RaggedRight</code>	5944, 5959, 5972,
.. 600, 616, 867,	. 13105, 13106, 13107	5974, 5978, 5980,
1121, 2203, 5452,	<code>\originalHbadness</code> .	5994, 6000, 6005,
5631, 5843, 13123, 16758, 16776	6008, 6013, 6236,
13380, 13842, 16130	<code>\othermargin</code>	6246, 6259, 6269,
<code>\opening</code> ... 7656, 11427	<code>\outer@nobreak</code>	6282, 6292, 6305,
<code>\OptArg</code> 1794, 1860	2051, 4052, 4096,	6315, 6632, 6945,
<code>\OptArg@i</code> ... 1860, 1861	4140, 17451, 17495	6946, 7312, 7326,
<code>\OptArg@ii</code> .. 1860, 1862	<code>\outputpenalty</code>	7381, 7383, 7387,
<code>\OptArgs</code> 1859	... 2098, 2099,	7389, 7398, 7493,
<code>\optparams</code> ... 3665,	6499, 6500, 6508,	7582, 7606, 7612,
4513, 4514, 4515,	6509, 6518, 6519,	7617, 7621, 7626,
4517, 4518, 4519	6663, 6664, 6672,	7681, 7683, 7687,
<code>\OR</code> 3659, 3725,	6673, 6682, 6683	7689, 7696, 7697,
3745, 3749, 4001	<code>\overfullrule</code> 2154, 2155	9494, 9509, 9522,
<code>\or</code> 1412, 1413,		9527, 9531, 9534,
1414, 1416, 1417,	P	9539, 9542, 9544,
1437, 1438, 1439,	<code>\p@</code> 28,	9548, 9550, 9576,
1443, 1444, 1445,	29, 30, 31, 95, 99,	9677, 10048,
1446, 1447, 1451,	225, 229, 238,	10049, 10051,
1452, 1480, 1481,	239, 240, 241,	10052, 10053,
1482, 1484, 1485,	313, 416, 505,	10085, 10528,
1575, 1581, 1587,	522, 534, 536,	10535, 10574,
1589, 1591, 1593,	540, 542, 593,	10581, 10626,
1599, 1605, 1611,	598, 609, 613,	11423, 11441,
6153, 6154, 6155,	642, 658, 676,	11443, 11447,
6157, 6158, 7225,	683, 718, 726,	11449, 12106,
7228, 7231, 7246,	746, 860, 864,	12399, 12411,
7269, 7270, 7271,	871, 887, 904,	12423, 12556,
7272, 10965,	922, 957, 959,	12557, 12558,
10969, 16409,	964, 966, 1000,	12559, 13116,
16412, 16415,	1114, 1118, 1129,	13120, 13149,
16585, 16696,	1145, 1163, 1171,	13165, 13181,
16703, 16925, 16974	1203, 1211, 1252,	13188, 13203,
<code>\orig@footnotetext</code>	2193, 2194, 2198,	13211, 13259,
.. 148, 12530, 12545	2199, 3491, 3492,	13373, 13377,
<code>\orig@LTRfootnotetext</code>	3493, 3500, 3501,	13398, 13523,
.. 152, 12534, 12549	3502, 3504, 3505,	13539, 13555,
<code>\orig@RTLfootnotetext</code>	4701, 4702, 4703,	13562, 13627,
.. 156, 12538, 12553	4705, 4706, 4772,	13635, 13665,
<code>\origin@endpgfpicture</code>	5445, 5449, 5460,	13757, 13771,
12783, 12785, 12787	5476, 5492, 5499,	13787, 13789,
<code>\origin@endpspicture</code>	5537, 5545, 5574,	13793, 13795,
..... 13003, 13005	5624, 5628, 5639,	13835, 13840,
<code>\origin@pgfpicture</code>	5655, 5671, 5678,	13853, 13942,
12782, 12784, 12786	5693, 5701, 5753,	13957, 13970,
<code>\origin@pspicture</code> .	5797, 5803, 5808,	13972, 13976,
..... 13002, 13004	5812, 5814, 5817,	13978, 13992,



13997,	14001,	11759,	11762,	\pageshrink . . .	10336,
14004,	14009,	11765,	11768,		10340, 10356,
14206,	14210,	11771,	11774,		10382, 10394, 16828
14213,	14215,	11777,	11780,	\pagestretch . . .	10335,
14219,	14390,	11783,	11786,		10356, 10394, 16832
14425,	14525,	11789,	11792,	\pagestyle . . .	1676,
14528,	14532,	11795,	11798,		2192, 2200, 2343,
14535,	14674,	11801,	11804,		3805, 5038, 6832
14678,	14681,	11807,	11810,	\pagetotal . . .	10322,
14683,	14687,	11813,	11816,		10327, 10333,
14858,	14885,	11819,	11822,		12063, 12367,
14915,	15049,	11825,	11828,		12370, 12381,
15052,	15056,	11831,	11834,		16820, 16825, 16883
15059,	15175,	11837,	11840,	\paperheight	
15177,	15180,	11843,	11846,	 2129, 2132,
15181,	15183,	11849,	11852,		2135, 2138, 2141,
15308,	15312,	11855,	11858,		2144, 2147, 2148, 7109
15315,	15317,	11861,	11864,	\paperwidth	
15321,	15492,	11867,	11870,		2130, 2133, 2136,
15522,	15640,	11873,	11876,		2139, 2142, 2145,
15643,	15647,	11879,	11882,		2148, 2149, 7109, 7117
15650,	16128,	12522, 16029, 16381		\par . . .	5, 15, 45, 58, 73,
16403,	16456,	\PackageInfo			103, 104, 105, 106,
16640, 17354, 17645		2494, 3007, 3109,			168, 170, 206, 216,
\p@enumiv 83, 292, 576,		3256, 3448, 16682			233, 234, 235,
710, 978, 1230,		\PackageWarning 134,			254, 267, 281,
2363, 5529, 5722,		2493, 3110, 3139,			312, 315, 399,
6032, 7373, 7645,		5350, 6748, 6846,			418, 424, 426,
9561, 13226,		9815, 10426,			427, 446, 489,
13619, 13817,		11469, 12463,			495, 499, 511,
14021, 14494,		12516, 12649, 16372			530, 559, 562,
15018, 15609, 16067		\PackageWarningNoLine			627, 637, 651,
\p@subfigure 15779	 3306			664, 691, 754,
\p@subtable 15780		\page@sofar . . . 160, 12435			764, 771, 772,
\PackageError		\pagebreak			800, 839, 845,
140, 2492, 3319,		11903, 16828, 16837			849, 881, 895,
3446, 3482, 3484,		\pagedepth 16822			910, 936, 950,
4183, 4185, 4555,		\pagefillstretch . . 16834			1008, 1018, 1025,
11567, 11689,		\pagefilstretch . . 16833			1026, 1054, 1093,
11692, 11695,		\pagefootnoterule .			1099, 1103, 1138,
11698, 11701,	 10083, 10091			1151, 1179, 1190,
11704, 11707,		\pagegoal 2094,			1200, 1260, 1270,
11711, 11714,		2104, 10320,			1277, 1278, 1306,
11717, 11720,		10322, 10327,			1346, 1352, 1357,
11723, 11726,		10334, 10375,			1362, 1365, 1707,
11729, 11732,		10377, 12369, 16825			2049, 2058, 3679,
11735, 11738,		\pageinwindow 6338			3687, 3746, 3747,
11741, 11744,		\pagenumbering 2201, 5037			3750, 3751, 3776,
11747, 11750,		\pageref 2340, 2342			3785, 3786, 3955,
11753, 11756,					3971, 4692, 4807,



4808, 4809, 4810,	11977,	12000,	14378,	14381,
4935, 4937, 4939,	12004,	12050,	14384,	14405,
4957, 4958, 4959,	12122,	12128,	14442,	14466,
5133, 5240, 5254,	12134,	12138,	14576,	14580,
5265, 5283, 5365,	12144,	12159,	14581,	14585,
5373, 5398, 5469,	12178,	12187,	14586,	14590,
5482, 5507, 5518,	12407,	12419,	14665,	14712,
5582, 5592, 5599,	12432,	12563,	14717,	14720,
5600, 5648, 5661,	12575,	12636,	14722,	14727,
5686, 5711, 5761,	12792,	12961,	14730,	14732,
5771, 5778, 5779,	12962,	12963,	14734,	14740,
5802, 5810, 5822,	12964,	13008,	14748,	14754,
5857, 5863, 5865,	13009,	13016,	14824,	14830,
5866, 5885, 5928,	13017,	13077,	14833,	14835,
5934, 5938, 5950,	13091,	13134,	14841,	14844,
5967, 5999, 6004,	13144,	13158,	14846,	14849,
6012, 6088, 6221,	13171,	13196,	14852,	14873,
6593, 6953, 6974,	13267,	13277,	14900,	14932,
7320, 7332, 7348,	13284,	13285,	15100,	15104,
7351, 7359, 7400,	13313,	13352,	15105,	15109,
7406, 7408, 7409,	13358,	13362,	15110,	15114,
7426, 7465, 7471,	13406,	13416,	15168,	15200,
7475, 7495, 7501,	13423,	13424,	15206,	15212,
7503, 7504, 7523,	13454,	13498,	15218,	15224,
7566, 7572, 7576,	13504,	13509,	15230,	15236,
7587, 7611, 7616,	13514,	13517,	15242,	15248,
7625, 7658, 7663,	13532,	13545,	15250,	15253,
7666, 7668, 7669,	13570,	13586,	15256,	15260,
7679, 7863, 7957,	13596,	13662,	15299,	15346,
7960, 7963, 8044,	13667,	13673,	15351,	15354,
8101, 8104, 8107,	13675,	13676,	15356,	15361,
8184, 8244, 8247,	13695,	13705,	15364,	15366,
8250, 8331, 8391,	13743,	13748,	15368,	15374,
8394, 8397, 8478,	13751,	13762,	15382,	15388,
8538, 8541, 8544,	13779,	13855,	15458,	15464,
8625, 8685, 8688,	13861,	13863,	15467,	15469,
8691, 8772, 8832,	13864,	13883,	15475,	15478,
8835, 8838, 8919,	13926,	13932,	15480,	15483,
8979, 8982, 8985,	13936,	13948,	15486,	15507,
9066, 9126, 9129,	13965,	13996,	15539,	15691,
9132, 9213, 9427,	14000,	14008,	15695,	15696,
9434, 9500, 9517,	14197,	14244,	15700,	15701,
9526, 9530, 9538,	14249,	14252,	15705,	15811,
9578, 9584, 9586,	14254,	14259,	16433,	16439,
9587, 9604, 9643,	14262,	14264,	16551,	16653,
9649, 9653, 9809,	14266,	14272,	16710,	16711,
10244,	14280,	14286,	16717,	16718,
11434,	14356,	14362,	16720,	16728,
11439,	14365,	14367,	16781,	17041,
11587,	14373,	14376,	17042,	17043,



17044,	17140,	12619,	12620,	944,	994,	1011,
17143,	17230,	12622,	12623,	1057,	1117,	1135,
17239,	17248,	12624,	12625,	1148,	1174,	1246,
17257,	17328,	12626,	15200,	1263,	1711,	2196,
17367,	17624,	15206,	15212,	3513,	4166,	4684,
\par@updaterelative		15218,	15224,	4726,	4734,	4799,
.....	14240,	15230,	15236,	4952,	5258,	5368,
14352,	14708,	15242,	15248,	5448,	5466,	5479,
14820,	15342,	15259	\parfillskip .	5502,	5568,	5585,
\paragraph	4588	13,	5627,	5645,	5658,
\paragraphfootnotes			509,	5681,	5747,	5764,
.....	9264		662,	5798,	5818,	5840,
\paragraphfootstyle			891,	5889,	5947,	5962,
.....	9367		908,	5995,	6009,	6113,
\parbox	2289,	1149,	6135,	6226,	7315,
2291,	6820,	7674,	1175,	7329,	7343,	7356,
9700,	9701,	9702,	4683,	7430,	7527,	7584,
9705,	9706,	9707,	5259,	7607,	7622,	7952,
10766,	10768,		5503,	8096,	8239,	8386,
10772,	10774,		5682,	8533,	8680,	8827,
10805,	10806,		5682,	8974,	9121,	9317,
10809,	10810,		5948,	9321,	9325,	9417,
10867,	10868,		5963,	9440,	9497,	9512,
10871,	10872,		6116,	9523,	9535,	9608,
10896,	10898,		6227,	10513,	11980,	
10902,	10904,		7330,	12401,	12413,	
11940,	12116,		7585,	12425,	12630,	
12145,	12561,		9318,	13032,	13045,	
12563,	12564,		9322,	13058,	13069,	
12566,	12568,		9418,	13080,	13119,	
12569,	12571,		9498,	13155,	13168,	
12573,	12575,		9513,	13191,	13253,	
12576,	12578,		12400,	13270,	13376,	
12580,	12581,		12424,	13392,	13409,	
12582,	12583,		13044,	13529,	13542,	
12584,	12585,		13057,	13565,	13662,	
12587,	12588,		13068,	13705,	13742,	
12589,	12590,		13153,	13759,	13774,	
12591,	12592,		13169,	13839,	13887,	
12593,	12594,		13192,	13945,	13960,	
12595,	12596,		13543,	13993,	14005,	
12598,	12599,		13760,	14198,	14398,	
12600,	12601,		13946,	14434,	14666,	
12603,	12604,		14399,	14866,	14893,	
12605,	12606,		14867,	14924,	15169,	
12608,	12609,		14925,	15300,	15500,	
12610,	12611,		15532,	15531,	15990,	
12612,	12613,		15980,	16027,	16127,	
12615,	12616,		16009,	16158,	16189,	
12617,	12618,		16157,	16212,	16229,	
			16211,			
			16245,			
			16279,			
			16314,			
			16333,			
			16353,			
			16525,			
			16641,			
			17268,			
			17355			
		\parindent	12,			
			41,			
			54,			
			69,			
			99,			
			213,			
			229,			
			250,			
			263,			
			277,			
			450,			
			508,			
			525,			
			554,			
			597,			
			612,			
			648,			
			661,			
			686,			
			740,			
			757,			
			863,			
			878,			
			890,			
			907,			



16246,	16263,	\part 23	\pgf@trimright@final@smuggle 15964, 15970
16280,	16297,	\partname 558, 7347	\pgfpicture 12782, 12786
16315,	16334,	\partopsep 4748, 12101,	\pgfutil@empty
16354,	16389,	12103, 12705, 12725	\pgfutil@ifnextchar 15948, 15949
16461,	16522,	\PassOptionsToClass 4990,	\phantom 12458
16523,	16642,	4991, 4992, 4993,	\phantomsection 2287
17104,	17268,	4994, 5014, 5015,	\phone 2247
17293, 17294, 17356		5016, 5017, 5018	\phonesymbol
\parsep 947, 3505,		\PassOptionsToPackage 4010, 4837	\pdfstringdefDisableCommands 2207, 6827, 6925
3506, 4706, 4707,			\photo 2252
4745, 4772, 17103		\pdfstringdefDisableCommands 11383	\picbox 12903
\parshape 6085,		\penalty 749,	\picinwindow 6358
10448,	10456,	1003, 1255, 2091,	\picwd 12791,
11556,	12711,	2095, 5179, 5508,	12794, 12902, 12904
12731,	12798,	5577, 5687, 5756,	\plainauthor
12961,	12963,	5968, 6073, 6079,	3817, 4857, 4859,
13661,	13704,	6497, 6506, 6516,	4898, 4899, 4902
14185,	14194,	6661, 6670, 6680,	\plainfootnotes 7800
14653,	14662,	9235, 9319, 9323,	\plainpublisher
15159,	15166,	9327, 9420, 4860, 4925, 4926
15287,	15296,	9518, 10357,	\plaintitle
17041,	17043,	13197, 13262,	3818, 3819, 4857,
17133,	17232,	13401, 13571,	4858, 4881, 4882,
17234,	17235,	13780, 13966,	4885, 5053, 5055
17236,	17241,	14408, 14414,	\plitemsep 4746
17243,	17244,	14445, 14876,	\plparsep 4745
17245,	17250,	14878, 14903,	\plpartopsep 4748
17252,	17253,	14905, 14935,	\pLRE 1564, 1565, 1666, 1667
17254,	17259,	14937, 15510,	\pltopsep 4747
17261, 17262, 17263		15512, 15542,	\poem@finish
\parskip 99, 177,		15544, 16449, 5298, 5347, 5354
229, 598, 613,		16557, 16824, 17169	\poem@line
864, 1118, 1704,		\pgf@baseline 5217, 5223, 5274
2197, 3514, 4167,	 15962, 15968	\poem@linebegin
4727, 4735, 4798,		\pgf@remember@layerlist@global 15966 5174, 5232
4953, 5257, 5289,		\pgf@remember@smuggle 15965, 15971	\poem@lineend 5175, 5238
5367, 5402, 5449,		\pgf@restore@layerlist@from@global 15972	\poem@lineparsebegin
5628, 5841, 6499,		\pgf@shift@baseline@smuggle 15962, 15968	\poem@lineparseend
6508, 6518, 6663,		\pgf@trimleft 5176, 5235
6672, 6682, 7662,	 15963, 15969	\poem@needrun 5168,
7665, 7667, 7669,		\pgf@trimleft@final@smuggle 15963, 15969	5295, 5349, 5351
11433, 11436,		\pgf@trimright	\poem@obeylines 5269,
11438, 11980,	 15964, 15970	5345, 5385, 5409
11989, 12798,			\poem@prop 5250, 5359
13080, 13094,			
13120, 13377,			
13742, 13840,			
15193, 16128,			
16461, 16819,			
16823, 17103, 17151			



<code>\poem@startedfalse</code>	4854, 4995,	8858, 8870, 8897,
.. 5267, 5383, 5389	5019, 6750, 6848	8910, 8946, 8956,
<code>\poem@startedtrue</code> .	<code>\ProcessOptionsX</code> .. 1615	8966, 8992, 9005,
... 5225, 5226,	<code>\protect</code> .. 395, 1564,	9017, 9044, 9057,
5266, 5375, 5377,	1565, 1566, 1567,	9093, 9103, 9113,
5382, 5390, 5392	1623, 1666, 1667,	9139, 9152, 9164,
<code>\poem@verse</code>	1668, 1669, 1869,	9191, 9204, 9287,
.. 5163, 5233, 5236	1875, 1881, 1887,	9298, 9309, 9334,
<code>\poem@width</code> .. 5166,	1896, 1902, 2549,	9347, 9360, 9394,
5167, 5171, 5248,	2550, 3361, 3778,	9408, 10134,
5250, 5253, 5294	9872, 10258,	10150, 10165,
<code>\poem@write@aux</code> ...	10272, 11597,	10192, 10205, 10218
.. 5297, 5348, 5360	11602, 11924,	<code>\protected@write</code> ..
<code>\poemblocksep</code>	12180, 15801, 3341, 3352
.. 5160, 5264, 5371	15802, 15806,	<code>\protected@xdef</code> ...
<code>\poemcolsepskip</code> ...	15814, 16095,	... 4437, 4466,
..... 5151, 5180	16439, 16990, 17561	4495, 4878, 4895,
<code>\poemextrabaseskip</code>	<code>\protected</code> ... 1666,	4911, 4922, 10104,
.. 5153, 5241, 5276	1668, 2492, 2493,	10113, 10257,
<code>\poemmarginsskip</code> ...	2494, 2497, 2505,	10262, 10271,
... 5152, 5174, 5175	2507, 2513, 2699,	10277, 11157,
<code>\poemskip</code> 5154, 5254, 5285	2715, 2731, 2754,	11195, 11228,
<code>\postbibhook</code>	2756, 2806, 2834,	11259, 11290, 11353
12193	2847, 12927,	<code>\providecommand</code> 2204,
<code>\postdisplaypenalty</code>	12936, 12945,	2205, 2206,
..... 9783, 9797	12953, 17007,	2207, 2208, 2209,
<code>\postmath</code>	17016, 17025, 17033	2220, 2221, 2222,
6079	<code>\protected@edef</code> . 42,	2223, 2224, 2225,
<code>\PotEndMark</code>	55, 70, 251,	2226, 2227, 2228,
... 7156, 7161, 7164	264, 278, 4376,	2229, 2230, 2231,
<code>\predisplaydirection</code>	4393, 4410, 7708,	2232, 2233, 2234,
..... 12996,	7724, 7740, 7753,	2235, 2375, 4338,
12997, 17632, 17633	7766, 7779, 7924,	4345, 4346, 4752,
<code>\predisplaypenalty</code>	7934, 7944, 7970,	6811, 6816, 9990
..... 9782, 9796	7983, 7995, 8022,	<code>\ProvidesClass</code>
<code>\premath</code>	8035, 8071, 8080,	.. 2126, 4989, 5013
6075	8089, 8114, 8126,	<code>\ProvidesFile</code> . 1, 127,
<code>\preparefootins</code> ...	8137, 8163, 8175,	161, 202, 328,
..... 10469, 10489	8211, 8221, 8231,	339, 344, 346,
<code>\prepnext@tok</code>	8257, 8270, 8282,	405, 601, 852,
1409, 1419, 1467,	8309, 8322, 8358,	1106, 1368, 5437,
1499, 6145, 6173	8368, 8378, 8404,	5616, 5795, 5828,
<code>\presetkeys</code>	8417, 8429, 8456,	6042, 6097, 6131,
16810	8469, 8505, 8515,	6133, 6136, 6174,
<code>\presig@skip</code> 15259	8525, 8551, 8564,	6217, 6232, 6328,
<code>\prevdepth</code> ... 3679,	8576, 8603, 8616,	6366, 6939, 7104,
3687, 7023,	8652, 8662, 8672,	7107, 7146, 7308,
7077, 12106, 12460	8698, 8711, 8723,	7482, 7655, 7690,
<code>\pRLE</code> 1566, 1567, 1668, 1669	8750, 8763, 8799,	9490, 9667, 9696,
<code>\process@cols</code> . 12436,	8809, 8819, 8845,	9708, 9777, 9807,
12469, 12483, 12489		
<code>\ProcessOptions</code> 2159,		
3472, 4563, 4822,		



9816, 9821, 9956, 10286, 10463, 10516, 10634, 10656, 10957, 11422, 11426, 11450, 11561, 11619, 11885, 11963, 12038, 12194, 12396, 12434, 12560, 12627, 12654, 12692, 12713, 12733, 12781, 12788, 13001, 13006, 13022, 13108, 13365, 13644, 13827, 14031, 14160, 14628, 15152, 15262, 15743, 15750, 15777, 15782, 15817, 15892, 15922, 15941, 15974, 16003, 16052, 16132, 16440, 16686, 16815, 16891, 16995, 17776	6265, 6270, 6271, 6272, 6273, 6274, 6275, 6283, 6284, 6285, 6286, 6287, 6288, 6293, 6294, 6295, 6296, 6297, 6298, 6306, 6307, 6308, 6309, 6310, 6311, 6316, 6317, 6318, 6319, 6320, 6321, 7109, 7123, 7141	\raggedleft 25, 100, 230, 554, 5798, 5995, 6009, 7343, 7356, 7607, 7622, 7658, 7661, 7666, 7674, 9523, 9535, 11429, 11432, 11437, 12077, 12078, 13009, 13011, 13017, 13993, 14005, 14449, 14450, 14536, 14537, 14538, 14540, 14942, 15060, 15061, 15062, 15064, 15253, 15259, 15549, 15651, 15652, 15653, 15655, 17269, 17271, 17273, 17274
\ProvidesPackage . . 1506, 1675, 1731, 1864, 2056, 2374, 3442, 4012, 4551, 4697, 4813, 4840, 5078, 6737, 6835	Q \Q 4195, 4217 \qauthor 13007 \qqquad 4628, 4635, 4642, 4649, 4656, 4691, 13009 \quad 3817, 3818, 3819, 5053, 5054, 5055, 5160, 17081 \quote 2253 \quotecolour 2215, 6755, 6853 \quotefont . . . 2224, 2232, 6795, 6888 \quotestyle 2232, 6808, 6937 \quotewidth . . 2254, 2266, 6808, 6937	\RaggedLeftLeftskip 13041 \RaggedLeftParfillskip 13044 \RaggedLeftParindent 13045 \RaggedLeftRightskip 13042 \raggedpart 14450 \RaggedRight . . 13049, 13098, 13105, 13107, 15748, 15749, 17736, 17740, 17746, 17750
\prune 12808, 12846, 12850, 12855, 12859, 12871, 12882, 12909	R \R@@page 14036, 14037, 14046, 14048, 14079, 14080, 14091, 14093 \raggedbottom 2202 \raggedchapterentry 14923, 15530 \raggeddictum 14536, 15060, 15651 \raggeddictumauthor 14538, 15062, 15653 \raggeddictumtext . 14537, 15061, 15652 \RaggedLeft 13036, 13104, 13106, 15748, 15749, 17736, 17740, 17744, 17752	\raggedright 25, 100, 181, 230, 554, 5798, 5818, 5995, 6009, 7343, 7356, 7607, 7622, 7658, 7661, 7666, 7674, 9523, 9535, 11429, 11432, 11437, 12077, 12078, 13009, 13011, 13017, 13993, 14005, 14449, 14450, 14536, 14537,
\prw@mkboth . . 16101, 16106, 16118, 16123 \pspicture 13002, 13004 \publisher . . 4915, 4916 \publishers 14337, 14805, 15439 \put 6237, 6238, 6239, 6240, 6241, 6242, 6247, 6248, 6249, 6250, 6251, 6252, 6260, 6261, 6262, 6263, 6264,		



14538, 14540,	\refname 567, 568, 701,	1442, 1443, 1444,
14942, 15060,	702, 969, 970,	1573, 1579, 1585,
15061, 15062,	1221, 1222, 2351,	1597, 1603, 1609,
15064, 15253,	4787, 7364, 7365	1623, 1718, 1719,
15259, 15549,	\refstepcounter 549,	1720, 1725, 1726,
15651, 15652,	7338, 9798,	1727, 1728, 1953,
15653, 15655,	11397, 11887,	1961, 1969, 2020,
17265, 17270,	12171, 12702,	2159, 2375, 2415,
17272, 17273, 17274	12723, 16092, 17181	2433, 2487, 2504,
\RaggedRightLeftskip	\refvskip 15194	2688, 2692, 2926,
. 13054	\relax . . . 2, 8, 10, 12,	2950, 2965, 2982,
\RaggedRightParfillskip	14, 82, 99, 128,	2997, 3013, 3030,
. 13057	162, 203, 209,	3042, 3074, 3085,
\RaggedRightParindent	211, 213, 215, 229,	3164, 3372, 3373,
. 3511,	291, 303, 321,	3382, 3410, 3476,
4164, 4732, 13058	395, 409, 410, 411,	3977, 4174, 4294,
\RaggedRightRightskip	432, 433, 434,	4357, 4361, 4365,
. 4729, 13055	435, 440, 441,	4442, 4453, 4471,
\raggedsection	442, 443, 467,	4482, 4500, 4511,
14449, 14942, 15549	468, 469, 470,	4569, 4766, 4774,
\raggedsectionentry	471, 476, 477,	4779, 4810, 4995,
. 14433	478, 479, 503,	5019, 5115, 5120,
\raise 9690	598, 613, 620,	5123, 5130, 5168,
\raisebox 3730, 3735,	650, 656, 674,	5174, 5269, 5295,
3746, 3747, 3750,	736, 737, 738,	5323, 5330, 5337,
3751, 7154, 7159,	742, 751, 760,	5349, 5385, 5449,
7175, 7178, 7294,	777, 778, 783,	5456, 5468, 5474,
10779, 10781,	784, 785, 786,	5490, 5564, 5565,
10785, 10787,	789, 792, 796,	5566, 5570, 5579,
10814, 10815,	821, 822, 823,	5588, 5605, 5606,
10818, 10819,	828, 829, 830,	5611, 5612, 5613,
10876, 10877,	831, 864, 880,	5614, 5628, 5635,
10880, 10881,	902, 920, 929,	5647, 5653, 5669,
10909, 10911,	990, 991, 992,	5743, 5744, 5745,
10915, 10917, 11557	996, 1005, 1014,	5749, 5758, 5767,
\rangle 1778	1031, 1032, 1037,	5784, 5785, 5790,
\rawtext 12798,	1038, 1039, 1040,	5791, 5792, 5793,
12804, 12826,	1043, 1046, 1050,	5841, 5848, 5849,
12827, 12908, 12912	1075, 1076, 1077,	5850, 5871, 5872,
\rcb 1779, 1782, 1783, 1787	1082, 1083, 1084,	5873, 5874, 5879,
\rcol@footinsskip .	1085, 1118, 1125,	5880, 5881, 5882,
. 10468, 10488	1137, 1143, 1161,	5906, 5907, 5908,
\realfootnote 11350	1242, 1243, 1244,	5909, 5910, 5915,
\recomputelengths .	1248, 1257, 1266,	5916, 5917, 5918,
. 2265, 2282	1283, 1284, 1289,	5942, 6085, 6107,
\recomputethemelengths	1290, 1291, 1292,	6108, 6109, 6110,
. 2264,	1295, 1298, 1302,	6116, 6117, 6118,
2280, 6900, 6905	1327, 1328, 1329,	6119, 6120, 6125,
\reflectbox 10568	1334, 1335, 1336,	6126, 6129, 6130,
	1337, 1424, 1425,	6213, 6231, 6750,



6848, 6940, 6941,	11046,	11057,	13443,	13446,
6942, 6943, 6944,	11068,	11083,	13450,	13475,
6956, 6977, 7031,	11098,	11122,	13476,	13477,
7043, 7046, 7083,	11156,	11175,	13478,	13479,
7095, 7098, 7130,	11194,	11213,	13484,	13485,
7136, 7197, 7276,	11227,	11246,	13486,	13487,
7324, 7393, 7394,	11258,	11277,	13531,	13537,
7395, 7414, 7415,	11289,	11308,	13553,	13579,
7420, 7421, 7422,	11464,	11476,	13643,	13648,
7423, 7447, 7448,	11483,	11484,	13649,	13650,
7449, 7454, 7455,	11488,	11489,	13681,	13682,
7456, 7457, 7486,	11556,	11924,	13683,	13684,
7487, 7488, 7509,	12002,	12005,	13689,	13690,
7510, 7511, 7512,	12008,	12009,	13691,	13692,
7517, 7518, 7519,	12010,	12016,	13721,	13722,
7520, 7544, 7545,	12041,	12042,	13723,	13724,
7546, 7547, 7548,	12043,	12044,	13725,	13730,
7553, 7554, 7555,	12045,	12105,	13731,	13732,
7556, 7580, 7691,	12398,	12400,	13733,	13755,
7692, 7693, 7694,	12401,	12404,	13840,	13846,
7695, 7813, 7912,	12410,	12412,	13847,	13848,
7953, 8015, 8059,	12413,	12416,	13869,	13870,
8097, 8156, 8199,	12422,	12424,	13871,	13872,
8240, 8302, 8346,	12425,	12428,	13877,	13878,
8387, 8449, 8493,	12514,	12737,	13879,	13880,
8534, 8596, 8640,	12742,	12747,	13904,	13905,
8681, 8743, 8787,	12756,	12764,	13906,	13907,
8828, 8890, 8934,	12918,	12980,	13908,	13913,
8975, 9037, 9081,	13021,	13102,	13914,	13915,
9122, 9184, 9238,	13120,	13127,	13916,	13940,
9270, 9382, 9492,	13157,	13163,	14206,	14207,
9571, 9572, 9573,	13179,	13249,	14215,	14216,
9592, 9593, 9598,	13250,	13251,	14227,	14228,
9599, 9600, 9601,	13255,	13264,	14229,	14289,
9625, 9626, 9627,	13273,	13290,	14315,	14316,
9632, 9633, 9634,	13291,	13296,	14317,	14318,
9635, 9672, 9674,	13297,	13298,	14319,	14332,
9678, 9721, 9753,	13299,	13302,	14333,	14334,
9778, 9788, 9831,	13305,	13309,	14335,	14336,
9851, 9852, 9867,	13334,	13335,	14337,	14338,
9954, 10086,	13336,	13341,	14339,	14340,
10108, 10117,	13342,	13343,	14341,	14342,
10266, 10281,	13344,	13377,	14388,	14406,
10319, 10341,	13386,	13387,	14444,	14465,
10379, 10719,	13388,	13394,	14526,	14533,
10721, 10724,	13403,	13412,	14674,	14675,
10737, 10739,	13429,	13430,	14683,	14684,
10742, 10988,	13431,	13432,	14695,	14696,
10999, 11010,	13437,	13438,	14697,	14757,
11021, 11035,	13439,	13440,	14783,	14784,



14785,	14786,	16354,	16357,	446,	448,	502,
14787,	14800,	16369,	16384,	519,	533,	537,
14801,	14802,	16386,	16389,	543,	544,	545,
14803,	14804,	16392,	16406,	546,	577,	617,
14805,	14806,	16436,	16437,	639,	655,	673,
14807,	14808,	16438,	16455,	681,	694,	696,
14809,	14810,	16463,	16464,	697,	698,	699,
14856,	14874,	16466,	16467,	711,	717,	723,
14883,	14901,	16480,	16491,	732,	733,	743,
14933,	14945,	16495,	16500,	800,	802,	868,
14961,	14969,	16505,	16513,	885,	898,	901,
14977,	14988,	16517,	16526,	919,	926,	952,
15050,	15057,	16527,	16538,	953,	954,	955,
15308,	15309,	16546,	16557,	956,	961,	979,
15317,	15318,	16563,	16567,	986,	987,	997,
15329,	15330,	16571,	16588,	1054,	1056,	1122,
15331,	15391,	16592,	16641,	1126,	1142,	1160,
15417,	15418,	16642,	16645,	1169,	1182,	1202,
15419,	15420,	16693,	16701,	1208,	1216,	1217,
15421,	15434,	16842,	16925,	1218,	1219,	1231,
15435,	15436,	16974,	16989,	1238,	1239,	1249,
15437,	15438,	17060,	17089,	1306,	1308,	1707,
15439,	15440,	17101,	17204,	1709,	2151,	2152,
15441,	15442,	17296,	17299,	2153,	2189,	2190,
15443,	15444,	17301,	17355,	2195,	2244,	2248,
15490,	15508,	17356,	17359,	2279,	2284,	2364,
15540,	15579,	17639,	17640, 17641	2924,	2948,	3280,
15641,	15648,	\remainx	12563	3285,	3305,	3318,
15799,	15814,	\remainxox	12598, 12605	3340,	3351,	3489,
15824,	15826,	\remainxoxx		3498,	3539,	3657,
15855,	15950,	12608, 12617, 12626		3660,	3661,	3665,
16026,	16044,	\remainxx .	12566, 12568	3666,	3812,	3813,
16045,	16128,	\remainxxx		4155,	4156,	4157,
16137,	16155,	. .	12571, 12573,	4158,	4224,	4339,
16158,	16161,	12575, 12600, 12603		4348,	4369,	4386,
16186,	16189,	\remainxxxx . .	12578,	4403,	4517,	4518,
16192,	16209,	12580,	12582,	4519,	4601,	4610,
16212,	16215,	12584,	12610,	4662,	4670,	4694,
16226,	16229,	12612,	12615,	4699,	4710,	4711,
16232,	16243,	12619, 12622, 12624		4712,	4713,	4714,
16246,	16249,	\remainxxxxx		4715,	4716,	4782,
16258,	16260,	. .	12587, 12589,	4787,	4789,	4790,
16263,	16266,	12591, 12593, 12595		4807,	4808,	4809,
16275,	16277,	\remove@strip .	12201,	4810,	4867,	4868,
16280,	16283,	12231, 12283, 12313		4869,	4871,	4875,
16294,	16297,	\renewcommand . . .	19,	4876,	4877,	4881,
16300,	16312,	20, 21, 22, 83,		4882,	4888,	4892,
16315,	16318,	164, 171, 186, 220,		4893,	4894,	4898,
16331,	16334,	221, 222, 223,		4899,	4904,	4908,
16337,	16351,	292, 331, 407,		4909,	4910,	4919,



4920, 4921, 4925,
4926, 4948, 4972,
5034, 5047, 5052,
5060, 5453, 5457,
5473, 5489, 5497,
5511, 5530, 5536,
5542, 5550, 5551,
5552, 5553, 5554,
5555, 5557, 5559,
5561, 5571, 5632,
5636, 5652, 5668,
5676, 5690, 5692,
5698, 5723, 5729,
5730, 5731, 5732,
5733, 5734, 5736,
5738, 5740, 5750,
5846, 5885, 5887,
5941, 5956, 5971,
5975, 5981, 5983,
5985, 5987, 5988,
5989, 5990, 5991,
5992, 6015, 6033,
6124, 6128, 6134,
6218, 6223, 6233,
6256, 6279, 6302,
6329, 6345, 6751,
6791, 6792, 6793,
6794, 6795, 6796,
6797, 6798, 6812,
6817, 6849, 6883,
6884, 6885, 6886,
6887, 6888, 6889,
6890, 6900, 6912,
7100, 7101, 7102,
7105, 7108, 7112,
7128, 7281, 7282,
7309, 7323, 7374,
7380, 7384, 7391,
7426, 7428, 7478,
7479, 7480, 7481,
7484, 7523, 7525,
7579, 7593, 7595,
7597, 7599, 7600,
7601, 7602, 7603,
7604, 7628, 7646,
7656, 7669, 7680,
7684, 7700, 7716,
7732, 7748, 7761,
7774, 9491, 9506,
9541, 9545, 9562,

9569, 9604, 9606,
9656, 9657, 9658,
9659, 9660, 9661,
9663, 9665, 9778,
9788, 9808, 9817,
9907, 9926, 9928,
9930, 9932, 9933,
9934, 9935, 9936,
9937, 9939, 9941,
9943, 9945, 9946,
9947, 9948, 9949,
9950, 9951, 9961,
10030, 10287,
10635, 10645,
11423, 11427,
11440, 11444,
11454, 11455,
11456, 11457,
12039, 12050,
12073, 12074,
12075, 12076,
12077, 12078,
12079, 12080,
12082, 12084,
12086, 12088,
12089, 12091,
12092, 12099,
12100, 12102,
12108, 12109,
12561, 12564,
12569, 12576,
12585, 12596,
12601, 12606,
12613, 12620,
12636, 12638,
12655, 12697,
12718, 12734,
12743, 13007,
13010, 13019,
13023, 13036,
13049, 13062,
13073, 13088,
13124, 13146,
13162, 13178,
13186, 13200,
13202, 13208,
13227, 13233,
13234, 13235,
13236, 13237,
13238, 13240,

13242, 13245,
13246, 13256,
13313, 13315,
13382, 13383,
13395, 13454,
13456, 13520,
13536, 13552,
13560, 13574,
13576, 13598,
13599, 13600,
13601, 13602,
13603, 13605,
13607, 13620,
13626, 13632,
13640, 13646,
13654, 13695,
13697, 13754,
13768, 13783,
13786, 13790,
13796, 13798,
13800, 13802,
13803, 13804,
13805, 13806,
13818, 13844,
13883, 13885,
13939, 13954,
13969, 13973,
13979, 13981,
13983, 13985,
13986, 13987,
13988, 13989,
13990, 14022,
14166, 14170,
14174, 14178,
14204, 14211,
14220, 14233,
14235, 14297,
14299, 14344,
14387, 14420,
14451, 14452,
14453, 14456,
14457, 14471,
14495, 14524,
14529, 14536,
14537, 14538,
14539, 14542,
14615, 14634,
14638, 14642,
14646, 14672,
14679, 14688,



14701,	14703,	17684,	17685,	4221, 4222, 4337,
14765,	14767,	17686,	17733,	4553, 4728, 4739,
14812,	14855,	17735,	17737,	4791, 4817, 4825,
14882,	14910,	17739,	17743,	4842, 4997, 4998,
14943,	14944,	17745,	17749, 17751	4999, 5000, 5001,
14952,	14953,	\renewenvironment 80,		5002, 5021, 5022,
14956,	14957,	289,	566, 586,	5023, 5024, 5025,
14960,	14968,	602,	622, 629,	5026, 17676,
14976,	14995,	700,	853, 931,	17677, 17678, 17679
15019,	15048,	938,	968, 1107,	\RequireXeTeX 1535, 1652
15053,	15060,	1185,	1192, 1220,	\reserved@a . . . 1999,
15061,	15062,	3754, 3757,	3760,	2003, 2009, 2012,
15063,	15066,	3763, 4758,	4768,	2015, 2018, 2536,
15139,	15153,	4776, 4792,	5003,	2537, 2538, 3129,
15268,	15272,	5438, 5513,	5519,	3137, 3147, 3149,
15276,	15280,	5617, 5706,	5712,	3156, 3158, 3163,
15306,	15313,	5829, 6022,	6083,	3165, 3166, 3169,
15322,	15335,	6098,	6230,	3172, 3208, 3209,
15337,	15399,	7363, 7635,	9551,	3210, 3212, 3219,
15401,	15446,	9795,	10304,	3222, 3247, 3248,
15489,	15517,	12190,	12628,	3268, 3270, 3274,
15550,	15551,	13109,	13129,	3281, 3283, 3362,
15555,	15556,	13136,	13216,	3363, 16557,
15559,	15560,	13366,	13581,	16558, 17218, 17224
15563,	15567,	13588,	13609,	\reserved@b . . . 1979,
15571,	15586,	13807,	13828,	1980, 3119, 3120,
15610,	15639,	14011,	14460,	3148, 3206, 3208,
15644,	15651,	14984,	15575,	3225, 3242, 3243,
15652,	15653,	16056, 16059,	16084	3248, 3253, 3255,
15654,	15657,	\renewrobustcmd . . .		3256, 3258,
15730,	15744,	11993,	12019, 12030	3261, 3281, 3283
15747,	15975,	\repeat . . . 6344, 6461,		\reserved@c
16004,	16010,	6467, 6575,	6633,	. . . 3221, 3224,
16042,	16055,	6643, 9250,	9260,	3225, 3229, 3240,
16068,	16079,	11524,	12816,	3253, 3267, 3271
16135,	16182,	12863,	12874,	\reserved@d
16201,	16223,	12885,	12913, 15838	. . . 3241, 3260, 3273
16240,	16257,	\RequirePackage . . .		\reset@dir 12980, 17060
16274,	16291, 1534, 1536,		\reset@font . . . 4057,
16309,	16327,	1537, 1538,	1539,	4101, 4145, 4373,
16328,	16347,	1540, 1732,	1733,	4390, 4407, 7704,
16348,	16367,	2161, 2162,	2163,	7720, 7736, 7756,
16435,	16441,	2164, 2171,	2172,	7769, 7782, 7922,
16561,	16668,	2187, 2240,	3127,	7932, 7942, 7968,
16690,	16708,	3128, 3144,	3188,	7980, 7993, 8020,
16730,	16742,	3189, 3192,	3444,	8033, 8069,
16778,	17271,	3516, 3518,	3525,	8078, 8087, 8112,
17272,	17414,	3546, 3550,	3586,	8123, 8135, 8161,
17415,	17416,	3587, 3804,	4014,	8173, 8209, 8219,
17645,	17682,	4015, 4016,	4017,	8229, 8255, 8267,



8280, 8307, 8320,	13790, 13846,	13030, 13041,
8356, 8366, 8376,	13973, 14211,	13043, 13054,
8402, 8414, 8427,	14227, 14529,	13056, 13065,
8454, 8467, 8503,	14679, 14695,	13067, 13084,
8513, 8523, 8549,	15053, 15178,	13127, 13140,
8561, 8574, 8601,	15313, 15329, 15644	13151, 13152,
8614, 8650, 8660,	\rightfootnoterule	13157, 13168,
8670, 8696, 8708,	1590, 6941, 7692,	13191, 13194,
8721, 8748, 8761,	10058, 10509, 17641	13195, 13525,
8797, 8807, 8817,	\rightline . . 13000,	13526, 13531,
8843, 8855, 8868,	17281, 17285, 17287	13542, 13565,
8895, 8908, 8944,	\rightmargin . . . 946,	13568, 13569,
8954, 8964, 8990,	4744, 4763, 4771,	13579, 13592,
9002, 9015, 9042,	4777, 10441,	13643, 13759,
9055, 9091, 9101,	10445, 11540,	13774, 13777,
9111, 9137, 9149,	11541, 11554,	13778, 13783,
9162, 9189, 9202,	13017, 17094,	13784, 13945,
9285, 9296, 9307,	17105, 17111,	13960, 13963,
9332, 9345, 9358,	17117, 17125, 17129	13964, 14398,
9392, 9406, 9881,	\rightskip . . . 12, 13,	14401, 14402,
10129, 10145,	213, 214, 307, 311,	14434, 14438,
10160, 10189,	508, 525, 528,	14866, 14869,
10202, 10215,	529, 620, 633,	14870, 14893,
17456, 17500, 17587	644, 645, 650,	14896, 14897,
\resizebox 10589	661, 686, 689,	14924, 14928,
\restore@protect . 2551	690, 873, 874,	15500, 15503,
\restoreCaptionSkip	880, 890, 893,	15504, 15531,
. 10750	894, 907, 929,	15535, 15979,
\restorecounters@ 7208	1125, 1131, 1132,	15984, 15995,
\restylefloat 4004	1137, 1148, 1174,	16008, 16012,
\resumename 2241	1177, 1178, 1196,	16032, 16035,
\righskip 16437	4682, 4689, 4690,	16040, 16044,
\right 17081	5260, 5456, 5462,	16045, 16155,
\right@cor . . . 12203,	5463, 5468, 5479,	16156, 16157,
12204, 12285, 12286	5502, 5505, 5506,	16165, 16186,
\right@footnoterule	5635, 5641, 5642,	16187, 16188,
. 26,	5647, 5658, 5681,	16196, 16209,
236, 409, 537,	5684, 5685, 5947,	16210, 16211,
723, 736, 961,	5962, 5965, 5966,	16219, 16226,
990, 1208, 1242,	6101, 6103, 6105,	16227, 16228,
5542, 5564, 5698,	6219, 6220, 6226,	16236, 16243,
5743, 5848, 5975,	7315, 7318, 7319,	16244, 16245,
7384, 7393, 7486,	7329, 7584, 7880,	16253, 16260,
7684, 9545, 9571,	9439, 9497, 9512,	16261, 16262,
10046, 10060,	9515, 9516, 11983,	16270, 16277,
10070, 10186,	12073, 12074,	16278, 16279,
10212, 11444,	12400, 12404,	16287, 16294,
12554, 13208,	12405, 12412,	16295, 16296,
13249, 13386,	12417, 12424,	16304, 16312,
13632, 13648,	12429, 13028,	16313, 16314,



16322, 16331,	14055, 14064,	\RTLfootnotetext . .
16332, 16333,	14082, 14083,	1937, 1948, 5309,
16341, 16351,	14084, 14085,	5319, 10272,
16352, 16353,	14086, 14102, 14113	10275, 11186,
16361, 16386,	\rot@label . 14035, 14078	11961, 15887, 15891
16387, 16388,	\rot@LR 14046, 14091	\RTLfoottextfont . .
16396, 16436,	\rot@mess@toks 14038, 7721, 7728,
16438, 16461,	14050, 14060,	7778, 7784, 7843,
16523, 16524,	14069, 14081,	7942, 7963, 7993,
16525, 16531,	14096, 14108, 14118	8087, 8107, 8135,
16534, 16581,	\rot@message 14069, 14118	8229, 8250, 8280,
16641, 16646,	\rot@pageref 14036, 14079	8376, 8397, 8427,
16669, 16676,	\rotate 14132	8523, 8544, 8574,
17266, 17293,	\rotatebox . . . 9952,	8670, 8691, 8721,
17294, 17355, 17360	10682, 10731,	8817, 8838, 8868,
\RL . . 11387, 12970, 17050	10944, 14055,	8964, 8985, 9015,
\rlap 308,	14064, 14102, 14113	9111, 9132, 9162,
449, 803, 1309,	\rotateframe . 9914, 9951	9307, 9327, 9358
1710, 5888, 7429,	\rotFPbot 14056,	\RTLmarginnote . . . 4541
7526, 9607, 9700,	14063, 14103, 14112	\RTLmarginpar 17461
9705, 10293,	\rotFPtop 14054,	\RTLmulticolcolumns
10527, 10573,	14065, 14101, 14114 12506
10639, 10640,	\rrb 1781, 1791	\RTLsidenote . 4276, 4515
10653, 10654,	\rsb 1780, 1789	\RTLthanks . 414, 434,
11424, 12458,	\RTL 12963, 17043	469, 488, 4869,
12986, 13316,	\RTL@column@boxes .	4877, 4894, 4910,
13457, 13656,	12482, 12508, 12513	4921, 5853, 5873,
13699, 13886,	\RTL@outputdblcol .	5908, 5927, 7491,
14235, 14299,	. . . 6367, 9709,	7511, 7546, 7565,
14703, 14767,	10484, 12195,	10270, 12043,
15337, 15401, 17070	17369, 17414, 17415	13391, 13431,
\RLE 1566, 1668, 11386,	\RTLbidituftesidenotemarginpar	13477, 13497,
12970, 12971,	. . 4106, 4404, 4544	13653, 13683,
12975, 16695,	\RTLcases 17080	13723, 13741,
17050, 17051, 17055	\RTLcite 4333,	13851, 13871,
\rmfamily 732,	4450, 4479, 4508,	13906, 13925,
986, 1238, 4572,	4530, 4539, 4548	14232, 14317,
4625, 4628, 4632,	\RTLcolumnfootnotes 7801	14348, 14700,
4635, 4639, 4642,	\RTLdblcol 17415	14785, 14816,
4646, 4649, 4653,	\RTLdfnmakecol 7101	15334, 15419, 15450
4656, 13245, 13382	\RTLfootnote . . . 414,	\rtside 12846,
\romannumeral . 2082,	488, 1868, 1881,	12848, 12859,
5297, 5359, 7216,	4519, 4869, 5853,	12861, 12882, 12884
7219, 7265, 9909,	5927, 7491, 7565,	\rule 45, 58,
9910, 9911, 9912,	10103, 13391,	73, 254, 267, 281,
9914, 9915, 9916,	13497, 13653,	2289, 6805, 7297,
9917, 9918, 9921,	13741, 13851,	7301, 7304, 7712,
9922, 9923, 17097	13925, 14232,	7728, 7744, 7758,
\rot@float@box 14039,	14348, 14700,	7771, 7784, 10139,
14040, 14041,	14816, 15334, 15450	10155, 10170,



10196, 10209, 10222	\scalebox 10587	\scshape 5801
S	\scantokens . . 2687, 2707	\secshape . . 13742, 13783
\save@dir . . 12979, 17059	\scope 15953	\SectFont 625,
\savebox 7222,	\scr@compatibility	634, 934, 942,
10679, 10681, 10761	. . 14406, 14444,	1188, 1197, 5516,
\saveCaptionSkip . 10711	14874, 14901,	5709, 13132,
\savecounters@ . . . 7205	14933, 14945,	13141, 13584, 13593
\saved@dir . . 12979,	14961, 14969,	\sectfont 13011
12980, 17059, 17060	14977, 15508, 15540	\section 567,
\sbox 7288,	\scr@LT@array 11396	594, 610, 625,
10713, 10730,	\scr@sav@footnotetext	631, 634, 701,
11485, 11493, 14163,	861, 934, 940,
11495, 11497,	14167, 14631,	942, 969, 1115,
11506, 11581,	14635, 15265, 15269	1188, 1194, 1197,
11941, 12110,	\scr@sav@LTRfootnotetext	1221, 2285, 2351,
12125, 12157,	. . . 14161, 14164,	4574, 4596, 4664,
14552, 14566,	14171, 14629,	4672, 4787, 4790,
14606, 15076,	14632, 14639,	4794, 5516, 5709,
15090, 15130,	15263, 15266, 15273	7364, 13132,
15667, 15681,	\scr@sav@RTLfootnotetext	13138, 13141,
15721, 15994,	. . 14162, 14165,	13584, 13590, 13593
16011, 17184, 17622	14175, 14630,	\sectionbib 16079
\sc@temp 15199,	14633, 14643,	\sectionfont . . 2225,
15200, 15205,	15264, 15267, 15277	2233, 6796, 6889
15206, 15211,	\scr@smashdp . . 14574,	\sectionstyle 2233, 2291
15212, 15217,	14588, 14589,	\sectiontitlecolour
15218, 15223,	14607, 15098,	. . . 2216, 6758,
15224, 15229,	15112, 15113,	6766, 6773, 6780,
15230, 15235,	15131, 15689,	6787, 6857, 6863,
15236, 15241,	15703, 15704, 15722	6869, 6875, 6881
15242, 15247, 15248	\scr@tmp@footnotetext	\selectfont . . . 342,
\SC@FLOAT 15744, 17733,	. . 14546, 14557,	4935, 4937, 4939
17737, 17743,	14558, 15070,	\separatorcolumnwidth
17745, 17749, 17751	15081, 15082, 2256,
\SC@justify@caption	15661, 15672, 15673	2257, 2268, 2274,
. . 15747, 17735,	\scr@tmp@LTRfootnotetext	2290, 2295, 2301,
17739, 17744,	. . 14548, 14559,	2358, 6903, 6933
17746, 17750, 17752	14560, 15072,	\SepMark . . 17082, 17083
\sc@temp 15197,	15083, 15084,	\set@color 6177, 6182,
15199, 15203,	15663, 15674, 15675	6190, 6196, 6204,
15205, 15209,	\scr@tmp@RTLfootnotetext	6211, 6216, 10300,
15211, 15215,	. . 14550, 14561,	16894, 16898, 16994
15217, 15221,	14562, 15074,	\set@typeset@protect
15223, 15227,	15085, 15086, 9876,
15229, 15233,	15665, 15676, 15677	9880, 15773,
15235, 15239,	\scriptsize . . 4710,	17330, 17567, 17569
15241, 15245,	15198, 15204,	\setboolean . . 3450,
15247, 15257, 15259	15210, 15216,	3451, 3452, 3454,
\sc@wm@text 7106	15222, 15228,	3456, 3461, 3462,
	15234, 15240, 15246	3466, 3467, 3547,



3551, 3554, 3559,	9247, 9249, 9254,	15240, 15246,
3561, 3565, 3567,	9257, 9259, 9261,	15687, 15762,
3939, 4560, 4561,	9289, 9300, 9311,	15804, 15854,
4562, 4819, 4820,	9329, 9336, 9342,	15924, 16599,
4821, 4846, 4847	9349, 9355, 9362,	16602, 16607,
\setbox 382,	9396, 9403, 9410,	16611, 16615,
1415, 1417, 1418,	9425, 9432, 9451,	16619, 16623,
1474, 2031, 2102,	9459, 9472, 9479,	16627, 16631,
2107, 2110, 2119,	9686, 9712, 9715,	16635, 16886,
3985, 4041, 4044,	9728, 9744, 9747,	16894, 16999,
4085, 4088, 4129,	9761, 9808, 9848,	17069, 17070,
4132, 5188, 5199,	9853, 10187,	17164, 17185,
5412, 5426, 6057,	10200, 10213,	17220, 17290,
6084, 6089, 6148,	10231, 10355,	17318, 17371,
6177, 6332, 6333,	10364, 10368,	17373, 17389,
6337, 6340, 6350,	10392, 10406,	17392, 17440,
6354, 6357, 6361,	10466, 10471,	17443, 17484,
6369, 6372, 6382,	10486, 10491,	17487, 17515,
6394, 6405, 6408,	10519, 10526,	17529, 17547, 17597
6421, 6437, 6457,	10527, 10572,	\setcaptionfont . . 3539
6458, 6463, 6464,	10573, 11920,	\setchapterpreamble
6469, 6472, 6495,	11929, 11969, 14989, 15580
6503, 6513, 6564,	12001, 12007,	\setcitationfont . 4157
6578, 6582, 6592,	12198, 12209,	\setcounter 431, 466,
6597, 6606, 6608,	12214, 12224,	744, 776, 820,
6623, 6624, 6635,	12242, 12247,	998, 1030, 1074,
6636, 6648, 6649,	12280, 12291,	1250, 1282, 1326,
6659, 6667, 6677,	12296, 12306,	1717, 4241, 4260,
6725, 6949, 6957,	12324, 12329,	4279, 4311, 4558,
6958, 6962, 6970,	12357, 12438,	5070, 5355, 5572,
6978, 6979, 6983,	12454, 12790,	5604, 5751, 5783,
6998, 7001, 7006,	12804, 12807,	5870, 5905, 7413,
7010, 7018, 7055,	12826, 12827,	7446, 7508, 7543,
7058, 7063, 7067,	12833, 12834,	9591, 9624, 9896,
7072, 7749, 7762,	12845, 12847,	11452, 11453,
7775, 7835, 7892,	12849, 12851,	12071, 12700,
7897, 7904, 7965,	12854, 12856,	12721, 13257,
7977, 7990, 8030,	12858, 12860,	13289, 13333,
8109, 8120, 8132,	12870, 12872,	13396, 13428,
8170, 8252, 8264,	12881, 12883,	13474, 13680,
8277, 8317, 8399,	12898, 12900,	13720, 13868,
8411, 8424, 8464,	12908, 12910,	13903, 14223,
8546, 8558, 8571,	12919, 12985,	14314, 14488,
8611, 8693, 8705,	12986, 14124,	14563, 14564,
8718, 8758, 8840,	14134, 14145,	14691, 14782,
8852, 8865, 8905,	14152, 14572,	15012, 15087,
8987, 8999, 9012,	15096, 15198,	15088, 15325,
9052, 9134, 9146,	15204, 15210,	15416, 15603,
9159, 9199, 9223,	15216, 15222,	15678, 15679, 16379
9224, 9231, 9244,	15228, 15234,	\setdefaultbibitems



..... 17087	10229,	10612,	\setmarginnotefont 4156
\setdefaultmarginpar	10613,	10619,	\setparsizes .. 14240,
..... 17551	10620,	10622,	14352, 14708,
\setDefaults 10668	10623,	10672,	14820, 15342, 15454
\setfloatalignment 3619	10673,	10685,	\setRL 12991, 17077
\setfootnoteLR ... 10125	10689,	10691,	\setRTL 12965,
\setfootnoteRL ... 10123	10693,	10697,	12968, 12980,
\setkeys . 6048, 6065,	10699,	11458,	12991, 16761,
7186, 7192, 7194,	11459,	11460,	16795, 17045,
10562, 10670,	11461,	11486,	17048, 17060, 17077
11491, 12740,	11500,	11502,	\setRTLbibitems .. 17085
14043, 14088, 16779	11504,	11508,	\setRTLmain 1658
\setlength 174,	11530,	11535,	\setRTLmarginpar . 17549
197, 198, 506,	11538,	11542,	\setRTLparagraphfootnotes
523, 660, 684,	11543,	11544, 7698
888, 906, 943,	11954,	13167,	\setsidenotefont . 4155
944, 945, 946,	13189,	13541,	\setSingleSpace ...
947, 1147, 1172,	13563,	13772, 7803, 7808
1855, 1856, 1857,	13943,	13958,	\setspace@singlespace
2129, 2130, 2132,	14180,	14391,	.. 4372, 4389, 4406
2133, 2135, 2136,	14394,	14426,	\setthethesection .. 12088
2138, 2139, 2141,	14429,	14569,	\settoheight 7165
2142, 2144, 2145,	14595,	14648,	\settowidth 85, 294,
2147, 2148, 2149,	14859,	14862,	571, 705, 973,
2154, 2155, 2193,	14886,	14889,	1225, 2261, 5524,
2194, 2196, 2197,	14916,	14919,	5717, 6027, 6894,
2198, 2199, 2257,	15093,	15119,	7210, 7368, 7640,
2266, 2267, 2270,	15282,	15493,	9556, 11532,
2272, 2275, 2276,	15496,	15523,	13221, 13614,
2278, 2281, 2347,	15526,	15684,	13812, 14016,
2356, 2357, 2358,	15710,	15983,	14481, 15005,
3475, 3511, 3512,	15984,	16032,	15197, 15203,
3513, 3514, 3535,	16033,	16035,	15209, 15215,
3541, 3542, 3575,	16403,	16407,	15221, 15227,
3578, 3582, 3628,	16408,	16410,	15233, 15239,
3674, 3675, 4164,	16411,	16413,	15245, 15596,
4165, 4166, 4167,	16414,	16416,	16062, 16564, 16566
4173, 4424, 4717,	16417,	16419,	\Setversedim
4718, 4719, 4720,	16420, 17202, 17205		.. 5083, 5087, 5113
4721, 4722, 4723,	\setLR 12992, 17078		\SetWatermarkText 7105
4724, 4726, 4727,	\setLTR . 12966, 12967,		\sevendcolumnfootnotes
4729, 4732, 4733,	12980, 12992,	 8634
4734, 4735, 4952,	12993, 16721,		\sevendcolumnfootstyle
4953, 5478, 5500,	17046, 17047,	 8729
5657, 5679, 5945,	17060, 17078, 17079		\sf 15198, 15204,
5960, 6224, 6892,	\setLTRbibitems .. 17086		15210, 15216,
6896, 6898,	\setLTRcitationfont 4158		15222, 15228,
6901, 7168, 7313,	\setLTRmarginpar . 17550		15234, 15240, 15246
7328, 7831, 7832,	\setLTRparagraphfootnotes		\sfcode . 89, 298, 582,
7845, 9496, 9510, 7699		713, 981, 1233,



5532, 5725, 6038, 7376, 7651, 9564, 12641, 13229, 13622, 13823, 14027, 14498, 15022, 15613, 16073	13621, 13819, 14023, 14497, 15021, 15612, 16069	14759, 15027, 15393, 15618, 15874, 15876, 15933, 16683, 17520
\shadowbox 7282	\slshape ... 651, 881, 1138, 2313, 5469, 5648, 6794, 6795, 6885, 6886, 6888, 13158, 13532, 13748	\spacefactor 4351, 4356, 4362, 4365, 11109, 11121
\shadowsize .. 7292, 7296, 7297, 7300, 7301, 7304	\small . 408, 634, 735, 942, 989, 1197, 1241, 1742, 2227, 2317, 2322, 2352, 4699, 4700, 4765, 4773, 4778, 4797, 5563, 5742, 5847, 7392, 7485, 9570, 13141, 13248, 13385, 13593, 13647, 13845, 14226, 14694, 15328	\special 1706, 12986, 15930, 15931, 15935, 15936, 15938, 17070
\shipout ... 9876, 17566	\smash 3730, 3735, 3746, 3747, 3750, 3751, 3958, 6952, 6973, 10293, 11557, 12989, 17073, 17075	\spinemargin .. 7115, 7119
\shortauthors 111, 112, 117	\space ... 1506, 2673, 2816, 3122, 3309, 3311, 3322, 3324, 3327, 3794, 3799, 3800, 3933, 3934, 5801, 5998, 6460, 6466, 6629, 6637, 6638, 7610, 9525, 10329, 10337, 10338, 10362, 10370, 11470, 12444, 12446, 12447, 12448, 12449, 13995, 14037, 14080, 14291, 14503,	\split@prev 10082, 10090, 10095
\shortcite 12643		\splitbotmark ... 10366
\shorttitle . 110, 111, 117		\splitfirstmark 9718, 9750, 10365
\showbox 10429		\SplitFootnoteRule 1592, 10081
\showoutput 10429		\splitfootnoterule 10085, 10093
\sidecaptionsep 15745, 15746, 17734, 17738, 17743, 17745, 17749, 17751	\smallcaps 5053, 5054, 5055	\splitmaxdepth 39, 52, 67, 248, 261, 275, 7850, 9713, 9745, 10132, 10148, 10163
\sidecontents 9473	\smallskip 12563, 12568, 12575, 12584, 12595, 12600, 12605, 12612, 12619, 12626, 13008	\splittopskip ... 39, 52, 67, 248, 261, 275, 7849, 7894, 7898, 8047, 8048, 8051, 8052, 8187, 8188, 8191, 8192, 8334, 8335, 8338, 8339, 8481, 8482, 8485, 8486, 8628, 8629, 8632, 8633, 8775, 8776, 8779, 8780, 8922, 8923, 8926, 8927, 9069, 9070, 9073, 9074, 9216, 9217, 9220, 9221, 10131, 10147, 10162, 10360, 10361, 12800
\sideins 7809, 9471		\stepcounter .. 4249, 4268, 4287, 4319, 4436, 4465, 4494, 5246, 9895, 9963, 10033, 10103, 10112, 11110, 11352, 11887,
\sidenote 4238, 4292, 4330, 4422, 4513		
\sidenotes 4335		
\sideways 14150		
\sigindent 15258		
\sixcolumnfootnotes 8487		
\sixcolumnfootstyle 8582		
\sixt@@n 1998, 2020		
\size@chapter 13011		
\skip 5276, 5277, 7003, 7060, 7856, 7866, 7883, 9441, 9464, 10247, 10468, 10488		
\skip@ 313, 314		
\skipalgocfslide 182, 190		
\skiptotal 198		
\sloppy ... 41, 54, 69, 88, 250, 263, 277, 297, 578, 712, 980, 1232, 2365, 5531, 5724, 6034, 7375, 7647, 9563, 10461, 11986, 12640, 13087, 13101, 13228,		



12695, 12699,	8330, 8331, 8391,	14597, 14598,
12716, 12720,	8394, 8397, 8477,	15121, 15122,
14034, 14077, 17617	8478, 8538, 8541,	15712, 15713,
\stopbreaks 7670, 15257	8544, 8624, 8625,	15763, 15764,
\stretch 1476,	8685, 8688, 8691,	15800, 17319, 17320
1479, 6150, 6153	8771, 8772, 8832,	\subfigure 3669
\string 354, 1386, 2376,	8835, 8838, 8918,	\subitem . 104, 234, 4808
2382, 2399, 2400,	8919, 8979, 8982,	\subjclass 326
2403, 2404, 2485,	8985, 9065, 9066,	\subject
2518, 2519, 2525,	9126, 9129, 9132,	14336, 14804, 15438
2673, 2703, 2724,	9212, 9213, 9319,	\subject@font . 14249,
2727, 2754, 2756,	9323, 9327, 9419,	14362, 14717,
2816, 2877, 2878,	12000, 14553,	14830, 15351, 15464
2891, 2892, 2903,	14555, 14574,	\subparagraph
2904, 2917, 2918,	14576, 14579,	. . . 4610, 4611, 4614
3122, 3131, 3135,	14581, 14584,	\subsection
3141, 3152, 3309,	14588, 14590,	. . . 2292, 4581, 4597
3311, 3322, 3324,	14600, 14602,	\subsectioncolour .
3325, 3326, 3327,	14607, 14611,	. . . 2218, 6759,
3329, 3933, 3934,	15077, 15079,	6767, 6774, 6781,
6186, 6189, 6207,	15098, 15100,	6788, 6858, 6864,
6210, 10333,	15103, 15105,	6870, 6876, 6882
10334, 10335,	15108, 15112,	\subsectionfont 2226,
10336, 10337,	15114, 15124,	2234, 6797, 6890
10459, 10594,	15126, 15131,	\subsectionstyle . .
10595, 14291,	15135, 15260, 2234, 2293
14503, 14505,	15668, 15670,	\subsubitem 105, 235, 4809
14511, 14759,	15689, 15691,	\subsubsection
15027, 15029,	15694, 15696,	. . . 4601, 4602, 4605
15035, 15393,	15699, 15703,	\subtable 3669
15618, 15620,	15705, 15715,	\symbol 1785, 1795
15626, 15900,	15717, 15722,	
16682, 16939, 16986	15726, 15994, 15999	T
\strip@prefix 2724, 2737	\strutbox . . . 39, 52,	\t@cb@bchapsec . . 16055
\strip@pt . . . 9282, 9387	67, 248, 261, 275,	\tabcaption 10721, 10739
\stripsep 6395, 6438,	380, 384, 7713,	\tabcolsep 374,
6452, 6498, 6507,	7729, 7745, 7759,	1358, 11917, 13510
6517, 6562, 6662,	7772, 7785, 7850,	\tablinesep 15797
6671, 6681, 12218,	8047, 8051, 8187,	\tabskip . . 390, 5256,
12220, 12227,	8191, 8334, 8338,	11931, 11932,
12300, 12302,	8481, 8485, 8628,	15769, 15808, 17325
12309, 12368,	8632, 8775, 8779,	\tabular 15869
12371, 12373, 12380	8922, 8926, 9069,	\tabularnewline 399,
\strut 45, 58,	9073, 9216, 9220,	11901, 15771, 17327
73, 254, 267, 281,	10132, 10139,	\tabularx 15860
1772, 7678, 7957,	10148, 10155,	\tabularxcolumn . 15822
7960, 7963, 8043,	10163, 10170,	\tagform@ 338
8044, 8101, 8104,	10196, 10209,	\tamark 12054
8107, 8183, 8184,	10222, 11906,	\tcd . 12797, 12804, 12805
8244, 8247, 8250,	11922, 12002,	\tcdsav 12797



<code>\tcl</code> .. 12821, 12822, 12828	11974, 12248,	1031, 1042, 1043,
<code>\tcn</code> 12805,	12255, 12330,	1052, 1075, 1092,
12806, 12828,	12358, 12543,	1245, 1257, 1283,
12829, 12830, 12831	12544, 12547,	1294, 1295, 1304,
<code>\Telefon</code> 2207	12548, 12551,	1327, 1345, 1718,
<code>\tencolumnfootnotes</code>	12552, 12555,	4861, 4862, 4863,
..... 9075	12559, 14242,	4864, 4867, 4874,
<code>\tencolumnfootstyle</code> 9170	14270, 14274,	4875, 4891, 4892,
<code>\TeX</code> 11388, 12981,	14354, 14710,	4907, 4908, 4919,
12982, 12990,	14738, 14742,	5567, 5579, 5605,
17061, 17062, 17074	14822, 15257,	5746, 5758, 5784,
<code>\textbf</code> 2320,	15344, 15372,	5851, 5871, 5906,
4754, 10306,	15376, 15456,	5925, 7396, 7414,
10308, 10310, 10312	17373, 17377,	7447, 7464, 7489,
<code>\textbullet</code> .. 2204,	17393, 17601, 17611	7509, 7544, 7563,
6751, 6815, 6849	<code>\textwidth@footnoterule</code>	9574, 9592, 9625,
<code>\textcolor</code> 411, 738, 992,	9642, 12041,
7281, 7296, 7300,	1244, 5566, 5745,	13252, 13264,
7303, 10296, 11474	5850, 7395, 7488,	13290, 13301,
<code>\textdef@</code> 340	9573, 10052,	13302, 13311,
<code>\textendash</code> 741, 995,	10063, 12558,	13334, 13351,
1058, 1247, 5569,	13251, 13388,	13389, 13403,
5748, 13254, 13393	13650, 13848,	13429, 13442,
<code>\textheight</code>	14229, 14697, 15331	13443, 13452,
1691, 2168, 6382,	<code>\textwidthfootnoterule</code>	13475, 13495,
6421, 10672,	1594, 6943, 7694,	13651, 13681,
14042, 14087, 17616	10061, 10510, 17642	13721, 13739,
<code>\textit</code> 16439	<code>\TeXeTOff</code> . 12916, 16997	13849, 13869,
<code>\textsl</code> . 3817, 3818, 3819	<code>\TeXeTOn</code> 12915,	13904, 13923,
<code>\textsuperscript</code> ..	12917, 16996, 16998	14230, 14315,
..... 4364,	<code>\TeXeTstate</code> .. 12915,	14346, 14698,
7830, 14203,	12916, 16996, 16997	14783, 14814,
14671, 15174, 15305	<code>\TF@conlab</code>	15332, 15417, 15448
<code>\texttt</code> 1795,	10289, 10291, 10298	<code>\thankses</code> 325
1859, 1861, 1862	<code>\TF@savecolor</code>	<code>\the</code> ... 120, 121, 1374,
<code>\textwidth</code> 1690, 2166, 10295, 10300	1468, 1469, 1471,
2257, 2266, 2267,	<code>\TF@Title</code> 10298	1472, 1532, 1649,
2279, 2281, 3578,	<code>\thanklessauthor</code> ..	1682, 1684, 1687,
3582, 3675, 3976, 4862,	1689, 1928, 1931,
3977, 5114, 6372,	4895, 4898, 4935	1934, 1937, 1942,
6376, 6409, 6473,	<code>\thanklesspublisher</code>	1945, 1948, 2053,
6479, 6650, 6805, 4863,	2688, 3375, 3382,
6820, 6892, 6901,	4922, 4925, 4939	3411, 4206, 4216,
7015, 7118, 7893,	<code>\thanklesstitle</code> 4861,	4351, 4362, 5165,
9243, 9728, 9732,	4878, 4881, 4937	5172, 5303, 5306,
9762, 9848, 9853,	<code>\thanks</code> 325, 412, 432,	5309, 5313, 5316,
10234, 10471,	467, 486, 739,	5319, 5424, 6044,
10491, 10496,	751, 777, 788,	6049, 6093, 6146,
10640, 10643,	789, 798, 821,	6460, 6466, 6467,
10648, 10654,	838, 993, 1005,	6468, 6600, 6610,



6629, 6637, 6638,	15824,	15843,	13986,	13995,
6639, 6642, 6644,	15845,	15869,	14946,	14948,
6645, 6646, 9717,	15874,	15876,	14962,	14964,
9719, 9749, 9751,	15877,	15880,	14970,	14972,
9961, 9976, 9977,	15881,	15884,	14978,	14980,
9980, 9981, 9984,	15887,	15888,	15552,	15564,
10037, 10041,	15891,	16012,	15568, 15572, 16095	
10095, 10258,	16465,	16468,	\thecontentspage . .	
10272, 10322,	16469,	16471,	. . . 4628, 4635,	
10329, 10333,	16473,	16477,	4642, 4649, 4656	
10334, 10335,	16482,	16486,	\thedata 4857, 4865, 4911	
10336, 10337,	16497,	16498,	\theDefaultDepth . 11453	
10338, 10346,	16501,	16507,	\theDefaultLines . 11452	
10352, 10359,	16511,	16519,	\theenumiv 83,	
10360, 10362,	16520,	16557,	85, 292, 294, 577,	
10367, 10369,	16573,	16577,	711, 979, 1231,	
10370, 10384,	16676,	16839,	2364, 5530, 5723,	
10410, 10440,	16851,	16856,	6033, 7374, 7646,	
10441, 10442,	16877,	16878,	9562, 13227,	
10447, 10448,	16880,	17002,	13620, 13818,	
10449, 10459,	17003, 17097, 17206		14022, 14495,	
10564, 10609,	\the@cornersize . . .		15019, 15610, 16068	
11109, 11139, 9678, 9679		\theequation . . 5555,	
11147, 11148,	\thealgocf 164		5734, 5981, 7593,	
11154, 11156,	\theAlgoLine 17682		9661, 9926, 9939,	
11185, 11186,	\thechapter 310, 4570,		11425, 12089,	
11192, 11194,	5550, 5556, 5558,		13238, 13607,	
11225, 11227,	5560, 5729, 5735,		13796, 13979,	
11256, 11258,	5737, 5739, 5801,		14976, 15571, 17635	
11287, 11289,	5982, 5984, 5986,		\thefigure . . . 5557,	
11546, 11547,	5987, 5988, 5998,		5736, 5983, 7595,	
11550, 11554,	7594, 7596, 7598,		9663, 9928,	
11558, 11958,	7599, 7600, 7610,		9941, 12091,	
11961, 12202,	9525, 9656, 9662,		13240, 13603,	
12219, 12226,	9664, 9666, 9927,		13798, 13981,	
12232, 12284,	9929, 9931, 9932,		14960, 15563, 15779	
12301, 12308,	9933, 9940, 9942,		\thefootdir@label .	
12314, 12381,	9944, 9945, 9946,	 9961,	
12444, 12446,	11615, 12079,		9964, 9993, 9998,	
12447, 12448,	12088, 12090,		10016, 10019, 10039	
12449, 12450,	12091, 12092,		\thefootnote . . . 448,	
12634, 12739,	12675, 13014,		743, 802, 997,	
12755, 12759,	13233, 13239,		1056, 1249, 1308,	
12762, 12922,	13241, 13243,		1709, 5571, 5750,	
12923, 14050,	13598, 13604,		5887, 7428, 7525,	
14060, 14069,	13606, 13608,		9606, 11022,	
14096, 14108,	13797, 13799,		13256, 13315,	
14118, 14488,	13801, 13802,		13395, 13456,	
15012, 15603,	13980, 13982,		13654, 13697,	
15793, 15794,	13984, 13985,		13885, 14233,	



14297, 14701, 14765, 15335, 15399	7480, 7481, 7603, 7604, 9659, 9660, 9936, 9937, 9949, 9950, 12084, 12087, 13236, 13237, 13601, 13602, 13805, 13806, 13989, 13990, 14456, 14458, 14956, 14958, 15559, 15561	9948, 12080, 12083, 13234, 13235, 13599, 13600, 13803, 13804, 13987, 13988, 14452, 14454, 14952, 14954, 15555, 15557
\thefootnotemark 14203, 14671, 15174, 15305	\thepart 550, 558, 7339, 7347	\thesubsubsection 20, 21, 221, 222, 544, 545, 697, 698, 953, 954, 1217, 1218, 5552, 5553, 5731, 5732, 5990, 5991, 7479, 7480, 7602, 7603, 9658, 9659, 9935, 9936, 9948, 9949, 12082, 12085, 13235, 13236, 13600, 13601, 13804, 13805, 13988, 13989, 14453, 14456, 14953, 14956, 15556, 15559
\theHchapter 12675	\ther@tfl@t .. 14035, 14036, 14078, 14079	\thetable 2088, 5559, 5738, 5985, 7597, 9665, 9930, 9943, 12092, 13242, 13605, 13800, 13983, 14968, 15567, 15780
\theHsection 12683, 12685	\thesection 19, 220, 543, 696, 952, 1216, 4577, 5550, 5551, 5729, 5730, 5988, 5989, 7478, 7600, 7601, 9656, 9657, 9933, 9934, 9946, 9947, 12079, 12081, 12683, 12685, 13233, 13234, 13598, 13599, 13802, 13803, 13986, 13987, 14452, 14944, 14952, 15551, 15555	\thinlines 6236, 6246, 6259, 6269, 6282, 6292, 6305, 6315
\theindex 94, 224	\thesubparagraph 22, 223, 546, 699, 955, 1219, 5554, 5733, 5992, 7481, 7604, 9660, 9937, 9950, 12086, 13237, 13602, 13806, 13990, 14457, 14957, 15560	\thispagestyle 97, 109, 227, 464, 597, 612, 818, 863, 1072, 1117, 1324, 4942, 4964, 4985, 5448, 5627, 5840, 5903, 7444, 7541, 7657, 7660, 9622, 11428, 11431, 12069, 13119, 13331, 13376, 13472, 13718, 13839, 13901,
\theL@lines 11499, 11504, 11511	\thesubsection .. 19, 20, 220, 221, 543, 544, 696, 697, 952, 953, 1216, 1217, 4584, 5551, 5552, 5730, 5731, 5989, 5990, 7478, 7479, 7601, 7602, 9657, 9658, 9934, 9935, 9947,	
\thelstlisting 11597, 11602, 11614, 11617		
\thempfn 1954, 1962, 1970, 4437, 4443, 4466, 4472, 4495, 4501, 5324, 5331, 5338, 10104, 10109, 10113, 10118, 10236, 10262, 10267, 10277, 10282, 10989, 11000, 11011, 11158, 11196, 11229, 11260, 11291, 11353, 12032		
\themppostskipamount 12704, 12724		
\theorempreskipamount 12707, 12727		
\thepage . 1680, 1685, 2342, 3705, 3817, 3818, 3819, 3828, 3829, 5041, 5042, 5053, 5054, 5055, 6526, 6544, 6691, 6709, 16883, 17520		
\theparagraph ... 21, 22, 222, 223, 545, 546, 698, 699, 954, 955, 1218, 1219, 4591, 5553, 5554, 5732, 5733, 5991, 5992,		



14238, 14311,	986, 1002, 1093,	\tocstyle@feature@dothook
14706, 14779,	1095, 1101, 1238, 16540
15340, 15413, 16127	1254, 1346, 1348,	\tocstyle@feature@entryhook
\thm@topseppadd 12704,	1354, 1357, 1358, 16536
12705, 12708,	1363, 5576, 5755,	\tocstyle@feature@entryvskip
12724, 12725, 12728	13245, 13261, 16455, 16458
\thr@@ 351,	13352, 13354,	\tocstyle@feature@leaders
367, 1383, 1401,	13360, 13382, 16538, 16543
1425, 1434, 8188,	13400, 13498,	\tocstyle@feature@pagenumberbox
8192, 15897, 15917	13500, 13506, 16546, 16549
\threecolumnfootnotes	13509, 13510, 13515	\tocstyle@feature@pagenumberhook
..... 8053	\titlefont 2222, 2230, 16547, 16549
\threecolumnfootstyle	6885, 14252,	\tocstyle@feature@parfillskip
..... 8142	14365, 14720, 16526, 16527
\tikz@atbegin@picture	14833, 15354, 15467	\tocstyle@feature@raggedhook
..... 15948, 15957	\titleformat .. 4567, 16462
\tikz@atend@picture	4574, 4581, 4588	\tocstyle@feature@spaceafternumber
..... 15949, 15961	\titlehead 16563,
\tikz@installcommands	14335, 14803, 15437	16567, 16588, 16592
..... 15952	\titlepage 623,	\tocstyle@indentstyle
\tikz@lib@scope@check	932, 1186, 5514, 16513, 16583
..... 15958	5707, 13130, 13582	\tocstyle@l@define
\tikz@startup@env 15944	\titlepagestyle 16600, 16603,
\tikz@switchoff@shorthands	.. 14311, 14779, 15413	16608, 16612,
..... 15955	\titlespacing	16616, 16620,
\tikz@time 15951	.. 4595, 4596, 4597	16624, 16628,
\tikz@transform . 15950	\titlestyle . 2230, 6916	16632, 16636, 16668
\tiny ... 1755, 4342, 4711	\toaddress . 7666, 11437	\tocstyle@macrochangewarning
\title . 322, 440, 476,	\toc@headstar 16117, 16122 16656, 16663
783, 828, 1037,	\toc@l@number . 14393,	\tocstyle@numberline
1082, 1289, 1334,	14394, 14428, 16442, 16561
1725, 2244, 2283,	14429, 14861,	\tocstyle@saved@dottedtocline
4856, 4871, 5611,	14862, 14888, 16658
5790, 5879, 5915,	14889, 14918,	\tocstyle@saved@numberline
7420, 7454, 7517,	14919, 15495, 16666
7553, 9598, 9632,	15496, 15525, 15526	\tocstyledepth 16453,
13296, 13341,	\toclevel@subfigure	16465, 16477,
13437, 13484, 16329	16497, 16498,
13689, 13730,	\toclevel@subtable 16349	16501, 16519,
13877, 13913,	\tocstyle@numberline	16520, 16569,
14333, 14801, 15435 16564,	16571, 16573, 16577
\TitleBarFrame	16566, 16584,	\tocstyleTOC
.. 10287, 10306,	16586, 16589, 16591	.. 16465, 16468,
10308, 10310, 10312	\tocstyle@activate@all@l	16469, 16471,
\titlecolour . 2213, 6852 16677	16473, 16477,
\titlecontents	\tocstyle@activate@features	16478, 16480,
... 4623, 4630, 16454	16481, 16485,
4637, 4644, 4651	\tocstyle@dottedtocline	16489, 16490,
\TitleFont . 732, 748, 16441	16493, 16494,
839, 841, 847,		16497, 16498,



16501, 16503,	\TOTALHEIGHT 15929, 15933	\turn 14122
16505, 16506,	\totalheight 10591	\turnbox 14143
16510, 16515,	\traditionalconnverses	\tw@ . . . 350, 358, 1382,
16516, 16519,	. . . 5103, 5126, 5142	1390, 1424, 1428,
16520, 16569,	\traditionalhalfverses	1433, 2010, 2519,
16571, 16572, 16576 5092,	8048, 8052, 9683,
\today 4865	5096, 5103, 5136	9684, 10364,
\toks 118,	\traditionalpoem . 5345	10368, 10369,
120, 1468, 1469,	\traditionalpoem@cr	10383, 10387,
1471, 1472, 4199,	. . . 5216, 5265, 5266	10392, 10395,
4200, 4206, 6146,	\traditionalpoem@obeylines	10406, 10410,
10365, 10366, 10367 5146, 5345	10411, 10412,
\toks@ 117,	\traditionalpoem@par	10413, 10416,
121, 3407, 3411,	. . . 5146, 5147, 5265	10527, 10529,
9716, 9717, 9718,	\trimb 4201, 4208	10530, 10532,
9719, 9748, 9749,	\trimc 4210	10533, 10536,
9750, 9751, 10561,	\trivlist	10538, 10539,
10564, 10598,	. 9799, 12706, 12726	10573, 10575,
10600, 10604,	\ttdefault . . . 6791, 6883	10576, 10578,
10606, 10609,	\ttfamily	10579, 10582,
11136, 11139,	1742, 1782, 1783,	10584, 10585,
15843, 15863, 15869	1785, 1786, 1787,	11548, 12454,
\tolerance . . . 7953,	1788, 1789, 1790, 1791	12461, 12462,
8097, 8240,	\ttl@a 16017, 16019	12470, 12471,
8387, 8534, 8681,	\ttl@b 16012,	12476, 12477,
8828, 8975, 9122	16013, 16017, 16019	12490, 12491,
\toname 7666, 11437	\ttl@beginlongest 15987	12498, 12499,
\topheight	\ttl@calc . . . 15982, 15994	12515, 12520,
. . . 12809, 12811,	\ttl@changeccentercr	12986, 12987,
12812, 12813, 15986	14194, 14662,
12815, 12821,	\ttl@contentsstretch	15166, 15296,
12823, 12825, 16024	15798, 15896,
12826, 12827,	\ttl@corr	15904, 16241,
12890, 12891,	16039, 16040, 16043	17070, 17071,
12892, 12893,	\ttl@endlongest . 16002	17338, 17342, 17344
12897, 12898, 12902	\ttl@filleft 15976, 16005	\twocolumn 457,
\topmargin 1695, 2167,	\ttl@filright	594, 610, 811,
7137, 9888, 17595 15977, 16006	861, 1065, 1115,
\topmark 9716,	\ttl@glcmds 15989	1317, 1679, 5446,
9725, 9748, 9757	\ttl@hmode@error 15988	5625, 5837, 5896,
\topsep . . . 1837, 1846,	\ttl@leaders 16041	6525, 6690,
2356, 3504, 4705,	\ttl@lselect 16048, 16051	7437, 7534, 9615,
4747, 12101, 12103	\ttl@makeline	12060, 13117,
\topskip 303, 15982, 16037	13324, 13374,
1703, 6586, 6589,	\ttl@margin 16036, 16042	13465, 13711,
10371, 10373,	\ttl@midlongest . . 16001	13836, 13894,
10378, 12107,	\ttl@outnoblock . . 16015	14304, 14772,
12361, 16093,	\ttl@savel@chapter 16050	15406, 16093,
16099, 16104,	\ttl@savel@part . . 16047	16099, 16104,
16111, 16116, 16121	\ttl@h@hang 15981	16111, 16116, 16121



\twocolumnfootnotes	U	17349, 17350, 17351
..... 7906	\uc@authornothanks	\unhcopy 15808
\twocolumnfootstyle 8001 760,	\unitindent ... 633,
\TX@ 15820,	789, 794, 1014,	644, 645, 647,
15821, 15849, 15850	1043, 1048, 1266,	720, 728, 873,
\TX@align .. 15873, 15875	1295, 1300, 5588,	874, 876, 942,
\TX@arith 15835	5767, 13273,	943, 945, 946,
\TX@ckpt ... 15825, 15871	13302, 13307,	958, 965, 1059,
\TX@col@width . 15822,	13412, 13443, 13448	1131, 1132, 1134,
15828, 15833, 15876	\uc@ax 790, 791,	1196, 1205, 1213,
\TX@cols 15829, 15833, 15877	1044, 1045, 1296,	5462, 5463, 5465,
\TX@endtabularx 11125,	1297, 13303,	5539, 5547, 5641,
11136, 11142, 15818	13304, 13444, 13445	5642, 5644, 5695,
\TX@find@endtabularxa	\uc@nothanks ... 751,	5703, 13140,
..... 15820, 15821	788, 789, 798,	13151, 13152,
\TX@find@endtabularxb	1005, 1042, 1043,	13154, 13205,
..... 15850	1052, 1257, 1294,	13213, 13525,
\TX@find@endtabularxbb	1295, 1304, 5579,	13526, 13528,
..... 15848	5758, 13264,	13592, 13629, 13637
\TX@ftn 15845, 15880,	13301, 13302,	\unitlength
15882, 15884,	13311, 13403,	... 6236, 6246,
15887, 15889, 15891	13442, 13443, 13452	6259, 6269, 6282,
\TX@ftntext 15839	\uc@tx 788,	6292, 6305, 6315
\TX@LTRftntext	796, 1042, 1050,	\unkern 4363
..... 15840, 15879	1294, 1302, 13301,	\unpenalty
\TX@newcol 15822	13309, 13442, 13450	6079, 6569, 6581,
\TX@old@table 15827	\uc@ty 797,	6592, 6598, 9228,
\TX@RTLftntext	798, 1051, 1052,	9246, 9256, 10395
..... 15841, 15886	1303, 1304, 13310,	\unrestored@protected@xdef
\TX@target 15828, 15842	13311, 13451, 13452 1954, 1962,
\TX@trial 15832, 15837, 15853	\undefined 3213, 5298,	1970, 4443, 4472,
\TX@trial@ftn 15856, 15857, 15858	5351, 5354, 5356,	4501, 5324, 5331,
\TX@typeout@ 15830, 15872	14558, 14560,	5338, 10109,
\TX@verb 15823	14562, 15082,	10118, 10267,
\TX@vwarn 15859	15084, 15086,	10282, 10989,
\TX@xftntext 15839	15673, 15675, 15677	11000, 11011, 11022
\TX@xLTRftntext ...	\underline 17295, 17303	\unsetfootnoteRL ..
..... 15840, 15883	\undertext 17303 10124, 10125
\TX@xRTLftntext ...	\unexpanded	\unsetLTR . 12968, 17048
..... 15841, 15890	... 2546, 2555,	\unsetRL . 12993, 17079
\typeout . 1531, 1533,	2556, 2563, 2564,	\unsetRTL .. 12967, 17047
3701, 3703, 3704,	2577, 2578, 2585,	\unskip 45,
3705, 3707, 3709,	2586, 2687, 2808	58, 73, 254, 267,
3710, 3711, 9971,	\unhbox 1498,	281, 338, 1450,
16465, 16477,	5171, 5436, 6172,	1451, 1452, 3755,
16497, 16498,	9225, 9249,	3758, 3761, 3764,
16501, 16519, 16520	9259, 9262, 9425,	4451, 4480, 4509,
	9427, 9432, 9434,	5198, 5209, 6076,
	17186, 17193,	6569, 6581, 6592,
	17213, 17348,	6594, 6598, 6602,



7864, 9226, 9227,	12225, 12243,	10867, 10868,
10245, 12001,	12245, 12297,	10871, 10872,
12004, 14127,	12299, 12307,	10876, 10877,
14137, 14155,	12325, 12327,	10880, 10881,
14555, 14576,	12379, 12847,	10884, 10885,
14581, 14590,	12851, 12856,	10888, 10889,
15079, 15100,	12860, 12872,	10896, 10898,
15105, 15114,	12883, 12903,	10902, 10904,
15670, 15691,	12906, 12911, 17213	10909, 10911,
15696, 15705,	\unvcopy 6564, 7001, 7058	10915, 10917,
17143, 17228, 17552	\uppercase . 310, 768,	10921, 10923,
\unvbox 2077,	788, 1022, 1042,	10927, 10929,
2102, 2107, 2116,	1274, 1294, 5596,	10942, 10944,
2119, 6090, 6091,	5775, 13281,	11557, 11559,
6337, 6340, 6357,	13301, 13420, 13442	12918, 12919, 16999
6361, 6396, 6439,	\uppercasenonmath . 110	\usecounter 87, 296,
6496, 6504, 6505,	\uppermargin 7121	575, 709, 977,
6514, 6592, 6594,	\uppertitleback . . .	1229, 2362, 4743,
6598, 6601, 6607,	14338, 14806, 15440	5528, 5721, 6031,
6611, 6660, 6668,	\upshape 4628,	7372, 7644, 9560,
6669, 6678, 6726,	4635, 4642, 4649,	13225, 13618,
6957, 6960, 6961,	4656, 6792,	13816, 14020,
6978, 6981, 6982,	6796, 6797, 6884,	14487, 14492,
7007, 7014, 7019,	6889, 6890, 13009	15011, 15016,
7024, 7064, 7069,	\url@ 11361	15602, 15607, 16066
7073, 7078, 7750,	\urlstyle 2186	\usekomafont . . 14208,
7763, 7776, 7837,	\usebox 1822,	14217, 14254,
7869, 7875, 7905,	1832, 3602, 3728,	14367, 14403,
7966, 7978, 7991,	3730, 3735, 3737,	14404, 14439,
8031, 8110, 8121,	3746, 3747, 3750,	14440, 14676,
8133, 8171, 8253,	3751, 3958, 7227,	14685, 14722,
8265, 8278, 8318,	7230, 7238, 7245,	14835, 14871,
8400, 8412, 8425,	7253, 7260, 7303,	14872, 14898,
8465, 8547, 8559,	10679, 10683,	14899, 14929,
8572, 8612, 8694,	10766, 10768,	14930, 15310,
8706, 8719, 8759,	10772, 10774,	15319, 15356,
8841, 8853, 8866,	10779, 10781,	15469, 15505,
8906, 8988,	10785, 10787,	15506, 15536, 15537
9000, 9013, 9053,	10791, 10793,	\usepackage . . . 3131,
9135, 9147, 9160,	10797, 10799,	3132, 3137, 3138,
9200, 9223, 9330,	10805, 10806,	3141, 3144, 3189, 3190
9343, 9356, 9404,	10809, 10810,	
9423, 9430, 9454,	10814, 10815,	V
9462, 9468, 9474,	10818, 10819,	\v@aaa . . . 6457, 6459,
10188, 10201,	10822, 10823,	6460, 6461, 6463,
10214, 10250,	10826, 10827,	6465, 6466, 6467,
10255, 10358,	10841, 10842,	6468, 6623, 6625,
10368, 10395,	10844, 10845,	6627, 6629, 6630,
12007, 12025,	10857, 10858,	6635, 6636, 6638,
12215, 12217,	10860, 10861,	6641, 6642, 6645



<code>\v@ccc</code>	6458, 6464, 6466, 6467, 6468, 6469, 6478, 6486, 6624, 6636, 6637, 6641, 6644, 6648, 6651	6469, 6472, 6478, 6481, 6486, 6491, 6495, 6503, 6513, 6564, 6592, 6594, 6597, 6606, 6624, 6636, 6648, 6649, 6651, 6655, 6659, 6667, 6677, 6725, 6731, 6949, 6957, 6958, 6966, 6970, 6978, 6979, 6987, 7001, 7006, 7010, 7013, 7017, 7018, 7035, 7042, 7058, 7063, 7067, 7068, 7071, 7072, 7087, 7094, 7386, 7686, 7749, 7762, 7775, 7835, 7965, 7977, 7990, 8030, 8109, 8120, 8132, 8170, 8252, 8264, 8277, 8317, 8399, 8411, 8424, 8464, 8546, 8558, 8571, 8611, 8693, 8705, 8718, 8758, 8840, 8852, 8865, 8905, 8987, 8999, 9012, 9052, 9134, 9146, 9159, 9199, 9223, 9289, 9300, 9311, 9329, 9336, 9342, 9349, 9355, 9362, 9396, 9403, 9410, 9451, 9459, 9472, 9547, 9728, 9761, 9848, 9853, 9876, 9889, 9903, 10048, 10187, 10200, 10213, 10231, 10355, 10368, 10392, 10471, 10491, 11446, 11929, 11969, 12007, 12107, 12209, 12214, 12216, 12224, 12242, 12247, 12291, 12296,	12298, 12306, 12324, 12329, 12357, 12556, 12833, 12834, 12847, 12851, 12856, 12860, 12872, 12883, 12898, 12900, 12902, 12905, 12910, 12945, 12952, 12953, 12960, 13020, 13210, 13634, 13792, 13975, 14213, 14531, 14572, 14681, 15055, 15096, 15180, 15315, 15646, 15687, 15775, 15810, 15815, 16599, 16602, 16607, 16611, 16615, 16619, 16623, 16627, 16631, 16635, 17025, 17032, 17033, 17040, 17203, 17208, 17316, 17333, 17373, 17392, 17530, 17566, 17596, 17597
<code>\vadjust</code> 5174, 5175, 5182			
<code>\valign</code>	7895, 7899		
<code>\value</code>	4244, 4263, 4282, 4314, 9961, 9976, 9977, 9980, 9981, 9984, 14545, 15069, 15660, 15824		
<code>\varcustomer</code> . .	15188, 15214, 15215, 15218		
<code>\varinvoice</code> . .	15189, 15220, 15221, 15224		
<code>\varmyref</code>	15187, 15208, 15209, 15212		
<code>\varrefitemi</code> . .	15190, 15226, 15227, 15230		
<code>\varrefitemii</code> .	15191, 15232, 15233, 15236		
<code>\varrefitemiii</code>	15192, 15238, 15239, 15242		
<code>\varrefitemnamei</code>	15228		
<code>\varrefitemnameii</code>	15234		
<code>\varrefitemnameiii</code>	15240		
<code>\varyourmail</code> . .	15186, 15202, 15203, 15206		
<code>\varyourref</code> . .	15185, 15196, 15197, 15200		
<code>\vbadness</code>	7894, 7898, 9714, 9746, 9847, 12799		
<code>\vbox</code>	28, 175, 238, 308, 393, 399, 539, 725, 963, 1210, 1418, 1485, 2034, 2102, 2107, 2110, 2115, 2116, 2119, 3985, 3986, 3988, 5158, 5544, 5700, 5977, 6084, 6089, 6159, 6337, 6340, 6357, 6361, 6372, 6382, 6394, 6408, 6421, 6437, 6458, 6464,		
			<code>\vboxL</code> 12953, 14042, 14087, 17033
			<code>\vboxR</code> 12945, 17025
			<code>\vcenter</code> 393, 1482, 6156, 15810, 17080, 17210, 17211, 17316
			<code>\veqno</code> 329, 330
			<code>\verb</code> 15823
			<code>\VerbBox</code> 7284, 7286
			<code>\verse@i</code> . 5188, 5219, 5225, 5233, 5274
			<code>\verse@ii</code> 5199, 5220, 5226, 5228, 5234, 5236, 5274
			<code>\versewidth</code> 5151, 5161, 5253
			<code>\vfil</code> . . 415, 429, 624,



627, 745, 774,	9868, 10320, 10371	12101,	12103,
933, 936, 999,	\vskip . . 311, 314, 416,	12106,	12147,
1028, 1187, 1190,	419, 425, 484,	12156,	12164,
1251, 1280, 5158,	490, 496, 500,	12217,	12218,
5515, 5518, 5573,	564, 642, 746,	12220,	12227,
5602, 5708, 5711,	755, 765, 836,	12244,	12299,
5752, 5781, 5854,	840, 846, 850,	12300,	12302,
5868, 6957, 6978,	871, 1000, 1009,	12309,	12326,
7397, 7411, 7492,	1019, 1090, 1094,	12368,	12380,
7506, 9575, 9589,	1100, 1104, 1129,	12399,	12411,
13131, 13134,	1252, 1261, 1271,	12423,	12798,
13258, 13287,	1342, 1347, 1353,	12815,	12836,
13397, 13426,	1357, 1363, 1366,	12902,	13149,
13583, 13586,	2049, 5214, 5241,	13188,	13259,
13664, 13678,	5277, 5278, 5284,	13268,	13278,
13852, 13866, 17598	5288, 5290, 5401,	13349,	13353,
\vfill 4938,	5403, 5460, 5499,	13359,	13363,
7895, 7899,	5574, 5583, 5593,	13398,	13407,
12898, 12903,	5639, 5678, 5753,	13417,	13492,
12904, 14052,	5762, 5772, 5803,	13499,	13505,
14067, 14099,	5808, 5812, 5814,	13509,	13515,
14116, 14246,	5820, 5824, 5826,	13518,	13523,
14268, 14273,	5855, 5858, 5864,	13562,	13665,
14279, 14714,	5923, 5929, 5935,	13668,	13674,
14736, 14741,	5939, 5959, 6000,	13738,	13744,
14747, 15348,	6005, 6013, 6395,	13749,	13752,
15370, 15375, 15381	6438, 6498, 6499,	13771,	13853,
\vfuzz . . 4212, 4215, 4216	6507, 6508, 6517,	13856,	13862,
\vleftskip 12075, 12076	6518, 6599, 6662,	13921,	13927,
\voffset 1699	6663, 6671, 6672,	13933,	13937,
\voidb@x 6057	6681, 6682, 7022,	13957,	13997,
\vphantom 16762	7076, 7353, 7361,	14001,	14009,
\vpic 12823, 12833, 12834	7398, 7401, 7407,	14207,	14216,
\vrighskip 12075, 12076	7462, 7466, 7472,	14250,	14253,
\vrule 382, 1497,	7476, 7493, 7496,	14255,	14261,
3987, 3988, 5157,	7502, 7561, 7567,	14263,	14265,
5159, 6171, 6374,	7573, 7577, 7612,	14281,	14359,
6413, 6476, 6488,	7617, 7626, 7856,	14363,	14366,
6653, 9730, 9765,	7866, 7878, 9437,	14368,	14375,
10474, 10493,	9441, 9455, 9463,	14377,	14380,
11920, 11956,	9464, 9509, 9527,	14385,	14526,
12219, 12226,	9531, 9539, 9576,	14533,	14617,
12251, 12301,	9579, 9585, 9640,	14619,	14623,
12308, 12334,	9644, 9650, 9654,	14625,	14675,
12361, 12474,	9888, 9890, 9891,	14684,	14718,
12485, 15763,	10247, 10356,	14721,	14723,
15805, 17319,	10394, 10399,	14729,	14731,
17375, 17397, 17544	11525, 11527,	14733,	14749,
\vsize . . . 2094, 2114,	11579, 11592,	14827,	14831,
2122, 6534, 6699,	11947, 12022,	14834,	14836,



14843,	14845,	16111, 16116, 16121	10772,	10774,
14848,	14853,	\vsplit .. 6332, 6333,	10805,	10806,
14915,	15050,	6350, 6354, 6459,	10809,	10810,
15057,	15141,	6465, 6470, 6625,	10834,	10835,
15143,	15147,	6627, 6636, 6648,	10837,	10850,
15149,	15193,	6728, 7904, 9715,	10851,	10853,
15194,	15309,	9747, 10364,	10867,	10868,
15318,	15352,	12804, 12807,	10871,	10872,
15355,	15357,	12826, 12827,	10896,	10898,
15363,	15365,	12845, 12849,	10902,	10904,
15367,	15383,	12854, 12858,	11486,	11530,
15461,	15465,	12870, 12881, 12908	11531,	11542,
15468,	15470,	\vss 308, 2107,	11586,	11942,
15477,	15479,	2119, 6385, 6424,	12008,	12113,
15482,	15487,	6459, 6465, 6470,	12117,	12119,
15522,	15641,	6478, 6481, 6486,	12127,	12158,
15648,	15732,	6491, 6626, 6636,	12440,	12791,
15734,	15738,	6648, 6651, 6655,	12987,	14039,
15740,	16185,	6729, 7014, 7024,	14084,	14140,
16204,	16225,	7069, 7078, 9904,	14147,	14570,
16242,	16259,	12833, 12834,	15094,	15199,
16276,	16293,	12905, 13020, 17213	15205,	15211,
16311,	16330,	\vtop 176,	15217,	15223,
16350,	16385,	393, 1417, 1484,	15229,	15235,
16456,	16640,	4046, 4090, 4134,	15241,	15247,
16819,	16823,	6090, 6158, 11911,	15685,	15874,
16842,	17237,	15810, 17209,	15925,	15995,
17246,	17255,	17316, 17445, 17489	16012,	16853,
17264,	17354,		16897,	17071,
17530,	17595,	W	17190, 17291, 17623	
17606, 17621, 17629		\waslice 12833, 12851,	\WF@everypar 16816	
\vspace 2286,		12856, 12872,	\WF@adlw .. 16856, 16881	
3595, 3679, 3687,		12891, 12892, 12901	\WF@adtlm . 16878, 16881	
4305, 4309, 4371,		\wbslice 12834,	\WF@box 16853, 16886, 16887	
4375, 4388, 4392,		12847, 12860,	\WF@floatfalse 16819,	
4405, 4409, 4526,		12883, 12890,	16827, 16837, 16840	
4535, 4544, 4625,		12892, 12893,	\WF@fltnes 16846	
4632, 4639, 4646,		12897, 12898,	\WF@info 16826,	
4653, 4936, 4980,		12905, 12910, 12911	16836, 16839,	
4984, 5797, 5817,		\wd 5164, 5165,	16848, 16883, 16885	
5994, 6008, 7606,		5225, 5226, 5228,	\WF@ovh 16853	
7621, 7665, 7667,		5234, 5274, 5375,	\WF@place .. 16851, 16857	
7669, 9522,		5377, 5390, 5392,	\WF@putfigmaybe .. 16817	
9534, 11436,		6180, 7297, 7301,	\WF@size .. 16830, 16884	
11438, 11989,		9233, 9694, 9809,	\WF@startwrapping 16889	
12002, 13992,		10293, 10411,	\WF@wfname 16848, 16883, 16885	
14004, 15251,		10412, 10536,	\WF@wrapil 16877, 16880	
15254, 15256,		10538, 10582,	\whiledo 9852	
15261, 16093,		10584, 10685,		
16099, 16104,		10766, 10768,		



5658, 5681, 5735,	10236,	10240,	13372,	13376,
5737, 5739, 5747,	10361,	10411,	13377,	13392,
5764, 5798, 5818,	10418,	10444,	13409,	13469,
5835, 5840, 5841,	10445,	10446,	13510,	13523,
5900, 5947, 5962,	10519,	10520,	13524,	13527,
5982, 5984, 5986,	10521,	10526,	13529,	13542,
5995, 6009, 6059,	10527,	10528,	13565,	13604,
6060, 6071, 6073,	10529,	10530,	13606,	13608,
6101, 6103, 6148,	10532,	10533,	13663,	13706,
6150, 6155, 6169,	10535,	10536,	13715,	13742,
6171, 6172, 6177,	10538,	10572,	13759,	13774,
6178, 6179, 6180,	10573,	10574,	13797,	13799,
6181, 6215, 6226,	10575,	10576,	13801,	13834,
6344, 6453, 6500,	10578,	10579,	13839,	13840,
6509, 6519, 6537,	10581,	10582,	13898,	13945,
6540, 6577, 6619,	10584,	11502,	13960,	13980,
6664, 6673, 6683,	11566,	11570,	13982,	13984,
6702, 6705, 6955,	11615,	11889,	13993,	14005,
6976, 6993, 6994,	11891,	11923,	14039,	14040,
6996, 6997, 7005,	11929,	11932,	14041,	14084,
7027, 7029, 7032,	11937,	11940,	14085,	14086,
7050, 7051, 7053,	11956,	11980,	14124,	14128,
7054, 7062, 7079,	11982,	12004,	14129,	14134,
7081, 7084, 7266,	12033,	12063,	14138,	14139,
7288, 7290, 7292,	12066,	12090,	14140,	14145,
7295, 7297, 7299,	12199,	12203,	14146,	14147,
7301, 7303, 7304,	12213,	12271,	14152,	14156,
7310, 7315, 7329,	12281,	12285,	14157,	14199,
7343, 7356, 7441,	12295,	12350,	14207,	14216,
7538, 7584, 7594,	12367,	12376,	14240,	14263,
7596, 7598, 7607,	12378,	12399,	14281,	14308,
7622, 7712, 7728,	12411,	12423,	14352,	14377,
7744, 7758, 7771,	12443,	12454,	14398,	14421,
7784, 7819, 7824,	12460,	12630,	14434,	14526,
7879, 7880, 7952,	12634,	12675,	14533,	14578,
8096, 8239, 8386,	12685,	12919,	14667,	14675,
8533, 8680, 8827,	12961,	12963,	14684,	14708,
8974, 9121, 9232,	12985,	12986,	14731,	14749,
9317, 9321, 9325,	12987,	12996,	14776,	14820,
9417, 9438, 9439,	12997,	13020,	14845,	14866,
9440, 9497, 9512,	13065,	13066,	14893,	14924,
9523, 9535, 9619,	13080,	13083,	15050,	15057,
9662, 9664, 9666,	13097,	13115,	15102,	15170,
9695, 9834, 9887,	13119,	13120,	15301,	15309,
9904, 9927, 9929,	13149,	13150,	15318,	15342,
9931, 9940, 9942,	13153,	13155,	15365,	15383,
9944, 10090,	13168,	13191,	15410,	15454,
10139, 10155,	13239,	13241,	15479,	15500,
10170, 10196,	13243,	13253,	15531,	15641,
10209, 10222,	13270,	13328,	15648,	15693,



15765,	15789,	16880,	16881,	17532,	17533,
15801,	15805,	16883,	16887,	17537,	17544,
15898,	15902,	16894,	16895,	17576,	17593,
15909,	15920,	16896,	16897,	17604,	17632, 17633
15979,	15980,	16992,	16999,	\z@skip ..	2049, 9885,
15990,	15994,	17041,	17043,	9886,	11980,
15995,	15996,	17069,	17070,	11983,	13080,
15999,	16008,	17071,	17094,	13084,	13094,
16009,	16011,	17095,	17096,	15769,	15774,
16012,	16014,	17164,	17165,	15808,	15814,
16022,	16027,	17169,	17237,	17267,	17268,
16042,	16127,	17246,	17255,	17325,	17331, 17593
16128,	16202,	17264,	17268,	\zap@space	
16292,	16310,	17288,	17289,	..	3119, 3206, 3242
16403,	16456,	17321,	17332,	\zifrefundefined ..	
16461,	16466,	17340,	17345,	9993, 10016
16514,	16640,	17354,	17426,	\zref@extractdefault	
16826,	16833,	17430,	17470,	9998, 10019
16834,	16852,	17474,	17515,	\zref@labelbyprops	
16868,	16871,	17519,	17522,	9964, 10039

9 Change History

v13.9	General: Added implementaion of the package.	o	lot, lof, etc with multicol package.	280	
v14.2	General: Fixed the wrong order of toc,		v14.3	General: Removed \leavevmode to avoid extra \par.	134

